

Energy ranking results for 15 organic molecules are presented, including ethane, ethylene, acetylene, methanol, urea, acetic acid, cyclohexane-1,4-dione, paracetamol, CCDC blind test molecules I-VI and a pharmaceutical compound for which crystal structures have been predicted in a blind test fashion. In 14 out of 15 cases, the experimental crystal structure is found among the two most stable predicted crystal structures. The planned implementation of a free energy correction is expected to improve the success rate even further.

All calculations have been carried out with the development version of a novel software package, GRACE (Generation, Ranking And Characterization Engine), which uses VASP as an external component.

[1] Neumann, M. A., Perrin, M.-A., *J. Phys. Chem B*, 2005, 109, 15531-15541.

[2] Kresse, G., Hafner, J., *Phys. Rev B*, 1993, 47, 558.

[3] Kresse, G., Furthmüller, J., *Phys. Rev. B*, 1996, 54, 11169.

[4] Kresse, G., Joubert, D., *Phys. Rev. B*, 1999, 59, 1758

MS14 O4

Stationary state equilibrium conditions for the electron density distribution Julian Henn, Department of Inorganic Chemistry, University of Göttingen, 37077 Göttingen, Germany . E-mail: julianhenn@web.de

Keywords: mem, multipole refinement, accuracy

Stationary state equilibrium conditions describing the electron density distribution in equilibrium (not necessarily the ground state) as derived from Levy and Perdew [1] via the Hellmann-Feynman theorem [2] may be employed to put the experimental electron density reconstruction process on a self-consistency scheme. This should increase the accuracy in present day multipole refinements [3] and maximum entropy methods [4].

[1] Levy M., Perdew J.P. *Phys Rev A*, 1985, 32, 2020.

[2] Feynman R., *Phys. Rev.*, 1939, 56, 340.

[3] Hansen, N.K., Coppens P. *Acta Crystallogr. Sect. A*, 1978, 34, 909.

[4] van Smaalen S., Palatinus L., Schneider M. *Acta Crystallogr. Sect. A*, 2003, 459.

MS14 O5

Refinement of a one electron density matrix from Compton and Bragg pseudo data : the diatomic molecule case J.-M. Gillet, Ecole Centrale Paris, laboratoire SPMS UMR8580, Grande Voie des Vignes, 92295 Chatenay-Malabry, France.

E-mail: jean-michel.gillet@secp.fr

Keywords: Density, Diffraction, Compton

High resolution x-ray diffraction, convergent beam electron diffraction, deep inelastic x-ray scattering (Compton scattering), e-2e and γ -e- γ spectroscopies are all directly related to the One-electron Reduced Density Matrix (1-RDM [1]) On the other hand, it is well known [2][3] that the 1-RDM contains all the information about the electronic structure available at the one-electron level. Unfortunately, and to our best knowledge, few attempts for refining 1-RDM models have been carried out [3]-[6]. With the exceptions of Schmider [7][8] for atomic systems, and Schulke and co-workers [9] only x-ray diffraction data were employed as experimental references.

The purpose of this talk is to discuss to what extent the successful decomposition of the electron density into aspherical pseudo-atomic contributions [10] can be adapted to the 1-RDM case. Furthermore, we intend to show that, with such a model, the complementarities between very different experiments can be better exploited through a joint refinement.

Emphasis will be put on the difficulties which are specific to a joint refinement of 1-matrices from different experimental data as opposed to usual "mono-experimental" refinements..

[1] W.~Weyrich, Quantum Mechanical *Ab-initio Calculation of the Properties of Crystalline Materials* (C.~Pisani, ed.), Springer-Verlag, 1996, 245-272.

[2] P.-O. Löwdin, *Physical Review* 97 (1955) 6, 1474

[3] C.A. Coulson *Review of Modern Physics* 32 (1960), 2, 170-177.

[4] W.L. Clinton and L.J. Massa, *Phys. Rev. Lett.* 29 (1972)20, 1363.

[5] L. Massa, M. Goldberg, C.Frishberg, R.F. Boehme, and S.J.La Placa, *Phys. Rev. Lett.* 55 (85), 6, 622-625.

[6] S.T. Howard, J.P. Hulke, P.R. Mallinson, and C.S. Frampton, *Phys. Rev. B* 49 (1994), 11, 7124-7136.

[7] J.A. Snyder and E.D. Stevens *Chem. Phys. Lett.* 313 (1999), 293-298.

[8] D.~Jayatilaka and D.J. Grimwood, *Acta Cryst. A* 57 (2001), 76-86.

[9] Y.~Aleksandrov, V.~Tsirelson, I.~Reznik, and R.~Ozerov, *Phys. Status Solidi B* 155 (1989), 201-207.

[10] H. Schmider, K.E. Edgecombe, V.~H. Smith, and W. Weyrich, *J. Chem. Phys.* 96 (1992), 11, 8411-8419.

[11] H. Schmider, V. H. Smith, and W. Weyrich, *Z. Naturforsch. A* 48 (1993), 211-220.

[12] W. Schulke, U. Bonse, and S. Mourikis, *Phys. Rev. Lett.* 47 (1981), 17, 1209-1212.

[13] N.K. Hansen and P. Coppens, *Acta Cryst. A* 34 (1978), 909--913.