

MS33 Supramolecular recognition

MS33-04

Crystal engineering of supramolecular assemblies of bowl-shaped host molecules

C. Oliver¹

¹University of Cape Town - Rondebosch (South Africa)

Abstract

Small-molecule supramolecular chemists are inspired by large, supramolecular assemblies, such as viruses, produced by nature.¹ However, large, synthetic, multi-component ($n > 3$) supramolecular assemblies which enclose chemical space are still relatively rare phenomena in the field of small-molecule, supramolecular chemistry. Atwood and MacGillivray reported the first example of such an assembly by showing that the bowl-shaped host molecule C-methylcalix[4]resorcinarene **1** can spontaneously assemble in a nitrobenzene solution to form a large, chiral, supramolecular assembly consisting of 6 molecules of **1** and 8 water molecules, the latter 'stitching' molecules of **1** into a hexameric assembly, $1_6 \cdot (H_2O)_8$ via O-H...O hydrogen bonds.² Despite >140 structures reported since this discovery containing **1** co-crystallised with various guest and/or solvent molecules, only one similar hexameric assembly of **1** was reported by Holman et al. where 6 of the 8 water molecules were replaced by 2-ethylhexanol molecules.³ Here we present a crystallisation of **1** from a number of alcohols, which yielded similar hexameric assemblies to that of the MacGillivray-Atwood and Ugono-Holman hexamers. However, interesting differences were found, including the first case where two unique multi-component assemblies are found within the same crystal structure for these types of structures.⁴ In addition, we report the hexameric assembly of **1** with 1-propanol as the solvent, increases the interior cavity size by simultaneous insertion of water and 1-propanol as the 'stitching' molecules, indicating a possible means of engineering the size of these cavities.⁵

References

- [1] Ariga, K., Hill, J. P., Lee, M. V., Vinu, A., Charvet, R., Acharya, S., *Science and Technology of Advanced Materials*, 2008, 9, 014109.
- [2] MacGillivray, L. R., Atwood, J. L., *Nature*, 1997, 389, 469-472.
- [3] Ugono, O., Holman, K. T., *Chem.Commun.*, 2006, 2144-2146.
- [4] Oliver, C. L., Bathori, N. B., Jackson, G. E., Kuter, D., Cruickshank, D. L., 2016, *CrystEngComm*, 18, 3015-3018.
- [5] Payne, R. M., Oliver, C. L., *CrystEngComm*, 2018, 20, 1919-1922.