

Acta Crystallographica Section E

## Structure Reports

Online

ISSN 1600-5368

**(E)-6-Chloro-2-(furan-2-ylmethylidene)-2,3,4,9-tetrahydro-1H-carbazol-1-one**R. Archana,<sup>a</sup> E. Yamuna,<sup>b</sup> K. J. Rajendra Prasad,<sup>b</sup>  
A. Thiruvalluvar<sup>a\*</sup> and R. J. Butcher<sup>c</sup><sup>a</sup>PG Research Department of Physics, Rajah Serfoji Government College (Autonomous), Thanjavur 613 005, Tamilnadu, India, <sup>b</sup>Department of Chemistry, Bharathiar University, Coimbatore 641 046, Tamilnadu, India, and <sup>c</sup>Department of Chemistry, Howard University, 525 College Street NW, Washington, DC 20059, USA

Correspondence e-mail: thiruvalluvar.a@gmail.com


Received 9 November 2010; accepted 11 November 2010

Key indicators: single-crystal X-ray study;  $T = 295$  K; mean  $\sigma(\text{C}-\text{C}) = 0.002$  Å;  $R$  factor = 0.047;  $wR$  factor = 0.139; data-to-parameter ratio = 14.6.

In the title compound,  $\text{C}_{17}\text{H}_{12}\text{ClNO}_2$ , the carbazole unit is nearly planar [maximum deviation = 0.052 (1) Å]. The pyrrole ring makes dihedral angles of 1.92 (8) and 4.71 (11)° with the benzene and furan rings, respectively. Intermolecular N—H···O hydrogen bonds form  $R_2^2(10)$  rings in the crystal structure.

## Related literature

For the pharmaceutical interest of heteroaryl annulated derivatives of carbazoles, see: Knölker & Reddy (2002, 2008). For the preparation of various hetero-annulated carbazoles, see: Sridharan *et al.* (2008); Danish & Rajendra Prasad (2004, 2005). For hydrogen-bond motifs, see: Bernstein *et al.* (1995).



## Experimental

## Crystal data

 $\text{C}_{17}\text{H}_{12}\text{ClNO}_2$   
 $M_r = 297.73$   
 Monoclinic,  $P2_1/c$   
 $a = 15.0985$  (2) Å

 $b = 6.1553$  (1) Å  
 $c = 15.3887$  (2) Å  
 $\beta = 104.319$  (1)°  
 $V = 1385.73$  (3) Å<sup>3</sup>
 $Z = 4$   
 Cu  $K\alpha$  radiation  
 $\mu = 2.47$  mm<sup>-1</sup>
 $T = 295$  K  
 $0.48 \times 0.34 \times 0.12$  mm

## Data collection

 Oxford Diffraction Xcalibur Ruby Gemini diffractometer  
 Absorption correction: multi-scan (*CrysAlis PRO*; Oxford Diffraction, 2010)  
 $T_{\min} = 0.389$ ,  $T_{\max} = 1.000$   
 8660 measured reflections  
 2834 independent reflections  
 2676 reflections with  $I > 2\sigma(I)$   
 $R_{\text{int}} = 0.026$ 

## Refinement

 $R[F^2 > 2\sigma(F^2)] = 0.047$   
 $wR(F^2) = 0.139$   
 $S = 1.10$   
 2834 reflections  
 194 parameters

 H atoms treated by a mixture of independent and constrained refinement  
 $\Delta\rho_{\max} = 0.28$  e Å<sup>-3</sup>  
 $\Delta\rho_{\min} = -0.28$  e Å<sup>-3</sup>

Table 1

Hydrogen-bond geometry (Å, °).

$D-H\cdots A$	$D-H$	$H\cdots A$	$D\cdots A$	$D-H\cdots A$
$\text{N9}-\text{H9}\cdots\text{O1}^{\text{i}}$	0.88 (2)	1.94 (2)	2.7935 (17)	164 (2)

Symmetry code: (i)  $-x, -y, -z$ .

Data collection: *CrysAlis PRO* (Oxford Diffraction, 2010); cell refinement: *CrysAlis PRO*; data reduction: *CrysAlis PRO*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP-3* (Farrugia, 1997) and *PLATON* (Spek, 2009); software used to prepare material for publication: *PLATON*.

RJB acknowledges the NSF MRI program (grant No. CHE-0619278) for funds to purchase an X-ray diffractometer.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: BQ2253).

## References

- Bernstein, J., Davis, R. E., Shimon, L. & Chang, N.-L. (1995). *Angew. Chem. Int. Ed. Engl.* **34**, 1555–1573.
- Danish, I. A. & Rajendra Prasad, K. J. (2004). *Indian J. Chem. Sect. B*, **43**, 618–623.
- Danish, I. A. & Rajendra Prasad, K. J. (2005). *Collect. Czech. Chem. Commun.* **70**, 223–236.
- Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.
- Knölker, H. J. & Reddy, K. R. (2002). *Chem. Rev.* **102**, 4303–4428.
- Knölker, H. J. & Reddy, K. R. (2008). *The Alkaloids*, edited by G. A. Cordell, Vol. 65, pp. 1–430. Amsterdam: Academic Press.
- Oxford Diffraction (2010). *CrysAlis PRO*. Oxford Diffraction Ltd, Yarnton, England.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
- Spek, A. L. (2009). *Acta Cryst.* **D65**, 148–155.
- Sridharan, M., Beagle, L. K., Zeller, M. & Rajendra Prasad, K. J. (2008). *J. Chem. Res.* pp. 572–577.

## supporting information

*Acta Cryst.* (2010). E66, o3198 [https://doi.org/10.1107/S1600536810046714]

**(E)-6-Chloro-2-(furan-2-ylmethylidene)-2,3,4,9-tetrahydro-1H-carbazol-1-one****R. Archana, E. Yamuna, K. J. Rajendra Prasad, A. Thiruvalluvar and R. J. Butcher****S1. Comment**

Aryl and heteroarylcarbazoles are important classes of biologically active compounds that include notable alkaloids of pharmaceutical interest (Knölker & Reddy (2002, 2008)) and heteroaryl annulated derivatives of carbazole. From our laboratory, we have reported the synthesis of 2-benzylidene-2,3,4,9-tetrahydrocarbazoles from the precursors of the 2,3,4,9-tetrahydro-1H-carbazol-1-one type and these synthons were utilized to prepare many heteroannulated carbazoles (Sridharan *et al.*, (2008); Danish & Rajendra Prasad (2004, 2005)).


In the title molecule (Fig. 1), C<sub>17</sub>H<sub>12</sub>ClNO<sub>2</sub>, the carbazole unit is nearly planar [maximum deviation = 0.052 (1) Å for C1]. The pyrrole ring makes dihedral angles of 1.92 (8)° and 4.71 (11)° with the benzene and the furan rings, respectively. Intermolecular N9—H9···O1 hydrogen bonds form a R<sub>2</sub><sup>2</sup>(10) (Bernstein *et al.*, 1995) ring in the crystal structure (Table 1, Fig. 2).

**S2. Experimental**

An equimolar mixture of 6-chloro-2,3,4,9-tetrahydro-1H-carbazol-1-one (1.095 g, 0.005 mol) and furan-2-carbaldehyde (0.41 ml, 0.005 mol) was treated with 25 ml of a 5% ethanolic potassium hydroxide solution and stirred for 6 h at room temperature. The product precipitated as a yellow crystalline mass, was filtered off and washed with 50% ethanol. A further crop of condensation product was obtained on neutralization with acetic acid and dilution with water. The product was recrystallized from methanol to yield 90% (1.336 g) of the title compound. The pure compound was recrystallized from EtOAc.


**S3. Refinement**

The H atom bonded to N9 was located in a difference Fourier map and refined freely. Other H atoms were positioned geometrically and allowed to ride on their parent atoms, with C—H = 0.93–0.97 Å and  $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{parent atom})$ .



**Figure 1**

The molecular structure of the title compound, showing the atom-numbering scheme and displacement ellipsoids drawn at the 30% probability level.



**Figure 2**

The molecular packing of the title compound, viewed down the *b* axis. Dashed lines indicate hydrogen bonds. H atoms not involved in hydrogen bonding have been omitted.

**(*E*)-6-Chloro-2-(furan-2-ylmethylidene)-2,3,4,9-tetrahydro-1*H*-carbazol-1-one**

*Crystal data*

$C_{17}H_{12}ClNO_2$

$M_r = 297.73$

Monoclinic,  $P2_1/c$

Hall symbol:  $-P\ 2_1/c$

$a = 15.0985\ (2)\ \text{\AA}$

$b = 6.1553\ (1)\ \text{\AA}$

$c = 15.3887\ (2)\ \text{\AA}$

$\beta = 104.319\ (1)^\circ$

$V = 1385.73\ (3)\ \text{\AA}^3$

$Z = 4$

$F(000) = 616$

$D_x = 1.427\ \text{Mg m}^{-3}$

Melting point: 501 K

Cu  $K\alpha$  radiation,  $\lambda = 1.54184\ \text{\AA}$

Cell parameters from 6923 reflections

$\theta = 4.7\text{--}75.4^\circ$

$\mu = 2.47\ \text{mm}^{-1}$

$T = 295\ \text{K}$

Prism, pale-yellow

$0.48 \times 0.34 \times 0.12\ \text{mm}$

*Data collection*

Oxford Diffraction Xcalibur Ruby Gemini diffractometer  
 Radiation source: Enhance (Cu) X-ray Source  
 Graphite monochromator  
 Detector resolution: 10.5081 pixels mm<sup>-1</sup>  
 $\omega$  scans  
 Absorption correction: multi-scan  
 (*CrysAlis PRO*; Oxford Diffraction, 2010)  
 $T_{\min} = 0.389$ ,  $T_{\max} = 1.000$

8660 measured reflections  
 2834 independent reflections  
 2676 reflections with  $I > 2\sigma(I)$   
 $R_{\text{int}} = 0.026$   
 $\theta_{\max} = 75.6^\circ$ ,  $\theta_{\min} = 5.9^\circ$   
 $h = -18 \rightarrow 18$   
 $k = -5 \rightarrow 7$   
 $l = -19 \rightarrow 18$

*Refinement*

Refinement on  $F^2$   
 Least-squares matrix: full  
 $R[F^2 > 2\sigma(F^2)] = 0.047$   
 $wR(F^2) = 0.139$   
 $S = 1.10$   
 2834 reflections  
 194 parameters  
 0 restraints  
 Primary atom site location: structure-invariant  
 direct methods

Secondary atom site location: difference Fourier  
 map  
 Hydrogen site location: inferred from  
 neighbouring sites  
 H atoms treated by a mixture of independent  
 and constrained refinement  
 $w = 1/[\sigma^2(F_o^2) + (0.0845P)^2 + 0.264P]$   
 where  $P = (F_o^2 + 2F_c^2)/3$   
 $(\Delta/\sigma)_{\max} = 0.001$   
 $\Delta\rho_{\max} = 0.28 \text{ e } \text{\AA}^{-3}$   
 $\Delta\rho_{\min} = -0.28 \text{ e } \text{\AA}^{-3}$

*Special details*

**Geometry.** Bond distances, angles *etc.* have been calculated using the rounded fractional coordinates. All su's are estimated from the variances of the (full) variance-covariance matrix. The cell e.s.d.'s are taken into account in the estimation of distances, angles and torsion angles

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted  $R$ -factor  $wR$  and goodness of fit  $S$  are based on  $F^2$ , conventional  $R$ -factors  $R$  are based on  $F$ , with  $F$  set to zero for negative  $F^2$ . The threshold expression of  $F^2 > 2\sigma(F^2)$  is used only for calculating  $R$ -factors(gt) *etc.* and is not relevant to the choice of reflections for refinement.  $R$ -factors based on  $F^2$  are statistically about twice as large as those based on  $F$ , and  $R$ -factors based on ALL data will be even larger.

*Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )*

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
Cl6	-0.40900 (3)	0.76934 (9)	0.02641 (5)	0.0804 (2)
O1	0.10076 (8)	0.13185 (18)	0.07979 (8)	0.0510 (3)
O11	0.38257 (9)	0.4505 (3)	0.24198 (10)	0.0751 (5)
N9	-0.09205 (9)	0.2203 (2)	0.03653 (8)	0.0441 (4)
C1	0.07175 (10)	0.2982 (2)	0.10858 (9)	0.0376 (4)
C2	0.13341 (10)	0.4564 (2)	0.16694 (8)	0.0383 (4)
C3	0.09534 (11)	0.6580 (2)	0.20028 (10)	0.0457 (4)
C4	-0.00564 (12)	0.7036 (3)	0.17066 (13)	0.0560 (5)
C4A	-0.06155 (10)	0.5338 (2)	0.11436 (8)	0.0373 (4)
C4B	-0.15750 (10)	0.5216 (2)	0.07663 (9)	0.0394 (4)
C5	-0.23081 (11)	0.6625 (3)	0.07672 (10)	0.0476 (5)
C6	-0.31602 (11)	0.5984 (3)	0.02964 (12)	0.0535 (5)
C7	-0.33227 (11)	0.3997 (3)	-0.01636 (12)	0.0559 (5)
C8	-0.26184 (12)	0.2604 (3)	-0.01737 (11)	0.0524 (5)
C8A	-0.17369 (10)	0.3230 (3)	0.02874 (9)	0.0420 (4)
C9A	-0.02410 (10)	0.3493 (2)	0.08760 (8)	0.0374 (4)

C10	0.22300 (11)	0.4106 (3)	0.18622 (10)	0.0463 (4)
C12	0.44470 (14)	0.5930 (5)	0.28938 (17)	0.0812 (8)
C13	0.40378 (15)	0.7606 (4)	0.31507 (16)	0.0731 (7)
C14	0.30864 (14)	0.7275 (3)	0.28188 (14)	0.0621 (6)
C15	0.29763 (11)	0.5361 (3)	0.23740 (10)	0.0496 (5)
H3A	0.12689	0.78195	0.18310	0.0548*
H3B	0.11173	0.65244	0.26529	0.0548*
H4A	-0.01436	0.83906	0.13742	0.0672*
H4B	-0.02855	0.72442	0.22366	0.0672*
H5	-0.22178	0.79380	0.10752	0.0571*
H7	-0.39159	0.36229	-0.04650	0.0671*
H8	-0.27226	0.12849	-0.04769	0.0629*
H9	-0.0853 (14)	0.102 (4)	0.0073 (14)	0.060 (5)*
H10	0.23867	0.28020	0.16336	0.0556*
H12	0.50773	0.57447	0.30194	0.0974*
H13	0.43190	0.87846	0.34865	0.0877*
H14	0.26237	0.82010	0.28928	0.0746*

*Atomic displacement parameters (Å<sup>2</sup>)*

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
Cl6	0.0463 (3)	0.0751 (4)	0.1142 (5)	0.0130 (2)	0.0090 (3)	0.0023 (3)
O1	0.0491 (6)	0.0413 (6)	0.0619 (6)	0.0001 (4)	0.0123 (5)	-0.0157 (5)
O11	0.0436 (7)	0.0848 (10)	0.0917 (10)	0.0015 (6)	0.0071 (6)	-0.0262 (8)
N9	0.0461 (7)	0.0415 (6)	0.0439 (6)	-0.0039 (5)	0.0094 (5)	-0.0113 (5)
C1	0.0457 (8)	0.0334 (6)	0.0347 (6)	-0.0031 (5)	0.0121 (5)	-0.0023 (5)
C2	0.0441 (7)	0.0355 (7)	0.0357 (6)	-0.0033 (5)	0.0106 (5)	-0.0015 (5)
C3	0.0483 (8)	0.0383 (7)	0.0485 (8)	-0.0044 (6)	0.0084 (6)	-0.0116 (6)
C4	0.0495 (9)	0.0438 (8)	0.0696 (10)	0.0021 (7)	0.0049 (8)	-0.0228 (7)
C4A	0.0427 (7)	0.0362 (7)	0.0326 (6)	-0.0011 (5)	0.0088 (5)	0.0002 (5)
C4B	0.0432 (7)	0.0401 (7)	0.0348 (6)	-0.0018 (5)	0.0094 (5)	0.0009 (5)
C5	0.0476 (8)	0.0445 (8)	0.0502 (8)	0.0019 (6)	0.0113 (6)	-0.0001 (6)
C6	0.0438 (8)	0.0574 (9)	0.0578 (9)	0.0045 (7)	0.0097 (7)	0.0074 (7)
C7	0.0424 (8)	0.0650 (10)	0.0563 (9)	-0.0074 (7)	0.0044 (7)	-0.0001 (8)
C8	0.0491 (9)	0.0553 (9)	0.0501 (8)	-0.0104 (7)	0.0070 (7)	-0.0082 (7)
C8A	0.0445 (8)	0.0439 (7)	0.0372 (6)	-0.0037 (6)	0.0093 (5)	-0.0017 (5)
C9A	0.0449 (7)	0.0358 (7)	0.0316 (6)	-0.0045 (5)	0.0094 (5)	-0.0030 (5)
C10	0.0467 (8)	0.0452 (8)	0.0473 (7)	-0.0023 (6)	0.0120 (6)	-0.0080 (6)
C12	0.0431 (9)	0.1089 (19)	0.0868 (14)	-0.0143 (11)	0.0071 (9)	-0.0239 (14)
C13	0.0570 (11)	0.0854 (14)	0.0749 (12)	-0.0234 (10)	0.0127 (9)	-0.0238 (11)
C14	0.0527 (10)	0.0670 (11)	0.0673 (10)	-0.0102 (8)	0.0160 (8)	-0.0205 (9)
C15	0.0418 (8)	0.0585 (9)	0.0484 (8)	-0.0023 (7)	0.0112 (6)	-0.0053 (7)

*Geometric parameters (Å, °)*

Cl6—C6	1.7452 (18)	C6—C7	1.404 (3)
O1—C1	1.2380 (17)	C7—C8	1.369 (3)
O11—C12	1.358 (3)	C8—C8A	1.399 (2)

O11—C15	1.372 (2)	C10—C15	1.431 (2)
N9—C8A	1.364 (2)	C12—C13	1.313 (4)
N9—C9A	1.3791 (19)	C13—C14	1.415 (3)
N9—H9	0.88 (2)	C14—C15	1.352 (3)
C1—C9A	1.438 (2)	C3—H3A	0.9700
C1—C2	1.4859 (19)	C3—H3B	0.9700
C2—C3	1.5098 (19)	C4—H4A	0.9700
C2—C10	1.341 (2)	C4—H4B	0.9700
C3—C4	1.506 (3)	C5—H5	0.9300
C4—C4A	1.481 (2)	C7—H7	0.9300
C4A—C4B	1.423 (2)	C8—H8	0.9300
C4A—C9A	1.3763 (18)	C10—H10	0.9300
C4B—C8A	1.417 (2)	C12—H12	0.9300
C4B—C5	1.407 (2)	C13—H13	0.9300
C5—C6	1.369 (2)	C14—H14	0.9300
C16 <sup>⋯</sup> C12 <sup>i</sup>	3.613 (3)	C3 <sup>⋯</sup> H14	2.7400
O1 <sup>⋯</sup> N9	2.8733 (19)	C5 <sup>⋯</sup> H14 <sup>v</sup>	3.0700
O1 <sup>⋯</sup> N9 <sup>ii</sup>	2.7935 (17)	C9A <sup>⋯</sup> H4B <sup>v</sup>	2.9200
O1 <sup>⋯</sup> H3A <sup>iii</sup>	2.6500	C14 <sup>⋯</sup> H3A	2.8100
O1 <sup>⋯</sup> H9	2.76 (2)	C14 <sup>⋯</sup> H3B	2.9600
O1 <sup>⋯</sup> H10	2.3400	C15 <sup>⋯</sup> H3B	3.0300
O1 <sup>⋯</sup> H4A <sup>iii</sup>	2.8000	C15 <sup>⋯</sup> H3A	2.9300
O1 <sup>⋯</sup> H9 <sup>ii</sup>	1.94 (2)	H3A <sup>⋯</sup> O1 <sup>vi</sup>	2.6500
N9 <sup>⋯</sup> O1	2.8733 (19)	H3A <sup>⋯</sup> C14	2.8100
N9 <sup>⋯</sup> O1 <sup>ii</sup>	2.7935 (17)	H3A <sup>⋯</sup> C15	2.9300
N9 <sup>⋯</sup> H4A <sup>iii</sup>	2.9000	H3A <sup>⋯</sup> H14	2.2900
C1 <sup>⋯</sup> C4A <sup>iv</sup>	3.5499 (18)	H3B <sup>⋯</sup> C14	2.9600
C1 <sup>⋯</sup> C4B <sup>iv</sup>	3.585 (2)	H3B <sup>⋯</sup> C15	3.0300
C2 <sup>⋯</sup> C8A <sup>iv</sup>	3.4910 (19)	H3B <sup>⋯</sup> H14	2.4400
C3 <sup>⋯</sup> C14	3.183 (3)	H4A <sup>⋯</sup> O1 <sup>vi</sup>	2.8000
C4A <sup>⋯</sup> C1 <sup>iv</sup>	3.5499 (18)	H4A <sup>⋯</sup> N9 <sup>vi</sup>	2.9000
C4B <sup>⋯</sup> C1 <sup>iv</sup>	3.585 (2)	H4A <sup>⋯</sup> H9 <sup>vi</sup>	2.5900
C7 <sup>⋯</sup> C15 <sup>iv</sup>	3.589 (2)	H4B <sup>⋯</sup> C1 <sup>i</sup>	2.8500
C8 <sup>⋯</sup> C10 <sup>iv</sup>	3.457 (2)	H4B <sup>⋯</sup> C2 <sup>i</sup>	2.9500
C8 <sup>⋯</sup> C15 <sup>iv</sup>	3.524 (2)	H4B <sup>⋯</sup> C9A <sup>i</sup>	2.9200
C8A <sup>⋯</sup> C2 <sup>iv</sup>	3.4910 (19)	H9 <sup>⋯</sup> O1	2.76 (2)
C9A <sup>⋯</sup> C9A <sup>iv</sup>	3.4944 (18)	H9 <sup>⋯</sup> H4A <sup>iii</sup>	2.5900
C10 <sup>⋯</sup> C8 <sup>iv</sup>	3.457 (2)	H9 <sup>⋯</sup> O1 <sup>ii</sup>	1.94 (2)
C12 <sup>⋯</sup> C16 <sup>v</sup>	3.613 (3)	H9 <sup>⋯</sup> C1 <sup>ii</sup>	3.08 (2)
C14 <sup>⋯</sup> C3	3.183 (3)	H10 <sup>⋯</sup> O1	2.3400
C15 <sup>⋯</sup> C8 <sup>iv</sup>	3.524 (2)	H14 <sup>⋯</sup> C3	2.7400
C15 <sup>⋯</sup> C7 <sup>iv</sup>	3.589 (2)	H14 <sup>⋯</sup> H3A	2.2900
C1 <sup>⋯</sup> H4B <sup>v</sup>	2.8500	H14 <sup>⋯</sup> H3B	2.4400
C1 <sup>⋯</sup> H9 <sup>ii</sup>	3.08 (2)	H14 <sup>⋯</sup> C5 <sup>i</sup>	3.0700
C2 <sup>⋯</sup> H4B <sup>v</sup>	2.9500		
C12—O11—C15	107.00 (18)	O11—C12—C13	110.8 (2)

C8A—N9—C9A	108.18 (12)	C12—C13—C14	106.8 (2)
C9A—N9—H9	127.4 (14)	C13—C14—C15	107.15 (18)
C8A—N9—H9	123.9 (14)	C10—C15—C14	136.93 (18)
O1—C1—C9A	121.75 (13)	O11—C15—C10	114.82 (16)
O1—C1—C2	122.28 (14)	O11—C15—C14	108.20 (16)
C2—C1—C9A	115.97 (11)	C2—C3—H3A	107.00
C3—C2—C10	123.06 (13)	C2—C3—H3B	107.00
C1—C2—C3	120.65 (13)	C4—C3—H3A	107.00
C1—C2—C10	116.28 (13)	C4—C3—H3B	107.00
C2—C3—C4	119.50 (13)	H3A—C3—H3B	107.00
C3—C4—C4A	115.69 (14)	C3—C4—H4A	108.00
C4B—C4A—C9A	106.65 (11)	C3—C4—H4B	108.00
C4—C4A—C4B	130.64 (13)	C4A—C4—H4A	108.00
C4—C4A—C9A	122.71 (14)	C4A—C4—H4B	108.00
C5—C4B—C8A	119.86 (14)	H4A—C4—H4B	107.00
C4A—C4B—C5	133.55 (13)	C4B—C5—H5	121.00
C4A—C4B—C8A	106.56 (12)	C6—C5—H5	121.00
C4B—C5—C6	117.29 (16)	C6—C7—H7	120.00
C5—C6—C7	122.82 (16)	C8—C7—H7	120.00
C16—C6—C5	119.03 (14)	C7—C8—H8	121.00
C16—C6—C7	118.15 (13)	C8A—C8—H8	121.00
C6—C7—C8	120.79 (16)	C2—C10—H10	116.00
C7—C8—C8A	117.78 (16)	C15—C10—H10	116.00
N9—C8A—C8	130.00 (16)	O11—C12—H12	125.00
C4B—C8A—C8	121.44 (15)	C13—C12—H12	125.00
N9—C8A—C4B	108.55 (13)	C12—C13—H13	127.00
C1—C9A—C4A	125.36 (12)	C14—C13—H13	127.00
N9—C9A—C1	124.59 (12)	C13—C14—H14	126.00
N9—C9A—C4A	110.05 (13)	C15—C14—H14	126.00
C2—C10—C15	128.47 (16)		
C15—O11—C12—C13	0.5 (3)	C9A—C4A—C4B—C8A	0.88 (15)
C12—O11—C15—C10	177.58 (17)	C4—C4A—C9A—N9	179.63 (13)
C12—O11—C15—C14	-0.2 (2)	C4—C4A—C9A—C1	-1.0 (2)
C9A—N9—C8A—C4B	-0.48 (16)	C4B—C4A—C9A—N9	-1.21 (15)
C9A—N9—C8A—C8	178.81 (16)	C4B—C4A—C9A—C1	178.14 (12)
C8A—N9—C9A—C1	-178.29 (13)	C4A—C4B—C5—C6	177.85 (15)
C8A—N9—C9A—C4A	1.07 (15)	C8A—C4B—C5—C6	0.2 (2)
O1—C1—C2—C3	179.69 (13)	C4A—C4B—C8A—N9	-0.25 (16)
O1—C1—C2—C10	0.7 (2)	C4A—C4B—C8A—C8	-179.62 (14)
C9A—C1—C2—C3	-0.52 (18)	C5—C4B—C8A—N9	177.96 (13)
C9A—C1—C2—C10	-179.50 (13)	C5—C4B—C8A—C8	-1.4 (2)
O1—C1—C9A—N9	1.5 (2)	C4B—C5—C6—C16	-179.12 (12)
O1—C1—C9A—C4A	-177.73 (13)	C4B—C5—C6—C7	1.1 (3)
C2—C1—C9A—N9	-178.27 (12)	C16—C6—C7—C8	179.00 (14)
C2—C1—C9A—C4A	2.48 (19)	C5—C6—C7—C8	-1.2 (3)
C1—C2—C3—C4	-2.7 (2)	C6—C7—C8—C8A	-0.1 (3)
C10—C2—C3—C4	176.20 (15)	C7—C8—C8A—N9	-177.91 (16)



C1—C2—C10—C15	177.45 (15)	C7—C8—C8A—C4B	1.3 (2)
C3—C2—C10—C15	-1.5 (2)	C2—C10—C15—O11	-177.11 (16)
C2—C3—C4—C4A	4.0 (2)	C2—C10—C15—C14	-0.1 (3)
C3—C4—C4A—C4B	178.72 (14)	O11—C12—C13—C14	-0.5 (3)
C3—C4—C4A—C9A	-2.3 (2)	C12—C13—C14—C15	0.4 (3)
C4—C4A—C4B—C5	2.1 (3)	C13—C14—C15—O11	-0.1 (2)
C4—C4A—C4B—C8A	179.97 (15)	C13—C14—C15—C10	-177.2 (2)
C9A—C4A—C4B—C5	-176.98 (15)		

Symmetry codes: (i)  $-x, y+1/2, -z+1/2$ ; (ii)  $-x, -y, -z$ ; (iii)  $x, y-1, z$ ; (iv)  $-x, -y+1, -z$ ; (v)  $-x, y-1/2, -z+1/2$ ; (vi)  $x, y+1, z$ .

*Hydrogen-bond geometry ( $\text{\AA}, ^\circ$ )*

$D-H\cdots A$	$D-H$	$H\cdots A$	$D\cdots A$	$D-H\cdots A$
N9—H9 $\cdots$ O1 <sup>ii</sup>	0.88 (2)	1.94 (2)	2.7935 (17)	164 (2)

Symmetry code: (ii)  $-x, -y, -z$ .