

# 5-Methyl-1-(4-methylphenyl)-N'-[1-(1*H*-pyrrol-2-yl)ethylidene]-1*H*-1,2,3-triazole-4-carbohydrazide monohydrate

Gamal A. El-Hiti,<sup>a\*</sup> Bakr F. Abdel-Wahab,<sup>b,c</sup> Mohammad Hayal Alotaibi,<sup>d</sup> Emad Yousif,<sup>e</sup> Amany S. Hegazy<sup>f</sup> and Benson M. Kariuki<sup>f</sup>‡

Received 6 August 2018

Accepted 16 August 2018

Edited by W. T. A. Harrison, University of Aberdeen, Scotland

‡ Additional corresponding author, e-mail: kariukib@cardiff.ac.uk.

**Keywords:** crystal structure; pyrrole; carbohydrazide.


CCDC reference: 1862395

Structural data: full structural data are available from iucrdata.iucr.org


<sup>a</sup>Department of Optometry, College of Applied Medical Sciences, King Saud University, PO Box 10219, Riyadh 11433, Saudi Arabia, <sup>b</sup>Department of Chemistry, College of Science and Humanities, Shaqra University, Duwadimi, Saudi Arabia, <sup>c</sup>Applied Organic Chemistry Department, National Research Centre, Dokki, Giza, Egypt, <sup>d</sup>National Center for Petrochemicals Technology, King Abdulaziz City for Science and Technology, PO Box 6086, Riyadh 11442, Saudi Arabia, <sup>e</sup>Department of Chemistry, College of Science, Al-Nahrain University, Baghdad 64021, Iraq, and <sup>f</sup>School of Chemistry, Cardiff University, Main Building, Park Place, Cardiff CF10 3AT, UK. \*Correspondence e-mail: gelhiti@ksu.edu.sa

In the title hydrate,  $C_{17}H_{18}N_6O \cdot H_2O$ , the twist angles between the least-squares planes of the pyrrol/methyltriazolyl/tolyl groups are  $11.4(2)$  and  $7.9(1)^\circ$ , respectively. In the crystal, centrosymmetric tetramers (two organic molecules and two water molecules) are linked by  $N-H \cdots O$  and  $O-H \cdots O$  hydrogen bonds. Weak aromatic  $\pi-\pi$  stacking interactions between the triazolyl rings [centroid–centroid separation =  $3.6422(10)$  Å] link the tetramers.

## 3D view




## Chemical scheme



## Structure description

Arylidene carbohydrazides have various biological activities (Almasirad *et al.*, 2005; Bonacorso *et al.*, 2012; Hernández-Vázquez *et al.*, 2016; Leite *et al.*, 1999; Lima *et al.*, 2000). As part of our studies in this area, we now describe the synthesis and structure of the title hydrate.

The asymmetric unit consists of a 1,2,3-triazole-4-carbohydrazide molecule and a water molecule (Fig. 1). The twist angles between the least-squares planes of the pyrrol/methyltriazolyl/tolyl groups are  $11.4(2)$  and  $7.9(1)^\circ$ , respectively. In the crystal, the pyrrol group donates an  $N-H \cdots O$  hydrogen bond to the water molecule, which in turn donates  $O-H$  hydrogen bonds to two neighbouring molecules, thereby linking them (Table 1, Fig. 2) into a centrosymmetric tetramer. Organic molecules related by inversion symmetry are arranged in pairs with the centroids of their triazolyl rings  $3.6422(10)$  Å

**Figure 1**

The molecular structure, showing 50% probability displacement ellipsoids.

apart. The pairs are stacked such that the closest distance between the centroids of triazolyl groups of neighbouring pairs is 3.967 (2) Å.

### Synthesis and crystallization


The title compound (yield 85%) was synthesized from reaction of a mixture of 5-methyl-1-(4-methylphenyl)-1*H*-1,2,3-triazole-4-carbohydrazide and 1-(1*H*-pyrrol-2-yl)ethanone in boiling ethanol containing a few drops of acetic acid for 4 h. The crude product obtained was recrystallized from dimethylformamide solution to give colourless crystals. The water molecule of crystallization was presumably absorbed from the atmosphere.

### Refinement

Crystal data, data collection and structure refinement details are summarized in Table 2.

### Funding information

MHA thanks King Abdulaziz City for Science and Technology (KACST), Saudi Arabia for financial support (award No. 020-0180).

**Figure 2**

A segment of the crystal structure, showing N—H···O and O—H···O hydrogen bonds and centroid–centroid contacts as dashed lines. Some H atoms have been omitted for clarity.

**Table 1**  
Hydrogen-bond geometry (Å, °).

D—H···A	D—H	H···A	D···A	D—H···A
N1—H1A···O2 <sup>i</sup>	0.86	1.98	2.838 (2)	176
O2—H1O···O1 <sup>ii</sup>	0.87 (4)	1.96 (4)	2.822 (2)	174 (3)
O2—H2O···N2 <sup>i</sup>	0.79 (4)	2.43 (4)	2.966 (3)	126 (3)
O2—H2O···O1 <sup>i</sup>	0.79 (4)	2.20 (4)	2.961 (2)	162 (3)

Symmetry codes: (i)  $-x + 1, -y + 1, -z$ ; (ii)  $x - 1, y, z$ .

**Table 2**  
Experimental details.

Crystal data		
Chemical formula	$C_{17}H_{18}N_6O \cdot H_2O$	
$M_r$	340.39	
Crystal system, space group	Triclinic, $P\bar{1}$	
Temperature (K)	296	
$a, b, c$ (Å)	7.3968 (8), 10.6475 (9), 12.7769 (13)	
$\alpha, \beta, \gamma$ (°)	106.577 (9), 100.809 (9), 108.208 (9)	
$V$ (Å <sup>3</sup> )	872.83 (16)	
$Z$	2	
Radiation type	Mo $K\alpha$	
$\mu$ (mm <sup>-1</sup> )	0.09	
Crystal size (mm)	0.26 × 0.18 × 0.15	
Data collection		
Diffractometer	Rigaku Oxford Diffraction SuperNova, Dual, Cu at zero, Atlas Gaussian ( <i>CrysAlis PRO</i> ; Rigaku OD, 2015)	
Absorption correction		
$T_{min}, T_{max}$	0.497, 1.000	
No. of measured, independent and observed [ $I > 2\sigma(I)$ ] reflections	7305, 4129, 2871	
$R_{int}$	0.022	
(sin $\theta/\lambda$ ) <sub>max</sub> (Å <sup>-1</sup> )	0.699	
Refinement		
$R[F^2 > 2\sigma(F^2)], wR(F^2), S$	0.057, 0.155, 1.05	
No. of reflections	4129	
No. of parameters	237	
H-atom treatment	H atoms treated by a mixture of independent and constrained refinement	
$\Delta\rho_{\text{max}}, \Delta\rho_{\text{min}}$ (e Å <sup>-3</sup> )	0.21, -0.27	

Computer programs: *CrysAlis PRO* (Rigaku OD, 2015), *SHELXS97* (Sheldrick, 2008), *SHELXL2018* (Sheldrick, 2015), *ORTEP-3* for Windows and *WinGX* (Farrugia, 2012) and *CHEMDRAW Ultra* (Cambridge Soft, 2001).

### References

- Almasirad, A., Tajik, M., Bakhtiari, D., Shafiee, A., Abdollahi, M., Zamani, M. J., Khorasani, R. & Esmaily, H. (2005). *J. Pharm. Pharm. Sci.* **8**, 419–425.
- Bonacorso, H. G., Cavinatto, S., Campos, P. T., Porte, L. M. F., Navarini, J., Paim, G. R., Martins, M. A. P., Zanatta, N. & Stuker, C. Z. (2012). *J. Fluor. Chem.* **135**, 303–314.
- Cambridge Soft (2001). *CHEMDRAW Ultra*. Cambridge Soft Corporation, Cambridge, Massachusetts, USA.
- Farrugia, L. J. (2012). *J. Appl. Cryst.* **45**, 849–854.
- Hernández-Vázquez, E., Salgado-Barrera, S., Ramírez-Espinosa, J. J., Estrada-Soto, S. & Hernández-Luis, F. (2016). *Bioorg. Med. Chem.* **24**, 2298–2306.
- Leite, L. F., Ramos, M. N., da Silva, J. B., Miranda, A. L., Fraga, C. A. & Barreiro, E. J. (1999). *Farmaco*, **54**, 747–757.
- Lima, P. C., Lima, L. M., da Silva, K. C., Léda, P. H., de Miranda, A. L., Fraga, C. A. & Barreiro, E. J. (2000). *Eur. J. Med. Chem.* **35**, 187–203.

- Rigaku OD (2015). *CrysAlis PRO*. Rigaku Oxford Diffraction, Yarnton, England.
- Sheldrick, G. M. (2008). *Acta Cryst. A* **64**, 112–122.  
Sheldrick, G. M. (2015). *Acta Cryst. C* **71**, 3–8.

# full crystallographic data

*IUCrData* (2018). **3**, x181162 [https://doi.org/10.1107/S2414314618011628]

## 5-Methyl-1-(4-methylphenyl)-N'-[1-(1*H*-pyrrol-2-yl)ethylidene]-1*H*-1,2,3-triazole-4-carbohydrazide monohydrate

Gamal A. El-Hiti, Bakr F. Abdel-Wahab, Mohammad Hayal Alotaibi, Emad Yousif, Amany S. Hegazy and Benson M. Kariuki

### 5-Methyl-1-(4-methylphenyl)-N'-[1-(1*H*-pyrrol-2-yl)ethylidene]-1*H*-1,2,3-triazole-4-carbohydrazide monohydrate

#### Crystal data

$C_{17}H_{18}N_6O \cdot H_2O$	$Z = 2$
$M_r = 340.39$	$F(000) = 360$
Triclinic, $P\bar{1}$	$D_x = 1.295 \text{ Mg m}^{-3}$
$a = 7.3968 (8) \text{ \AA}$	Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$
$b = 10.6475 (9) \text{ \AA}$	Cell parameters from 2273 reflections
$c = 12.7769 (13) \text{ \AA}$	$\theta = 3.4\text{--}28.7^\circ$
$\alpha = 106.577 (9)^\circ$	$\mu = 0.09 \text{ mm}^{-1}$
$\beta = 100.809 (9)^\circ$	$T = 296 \text{ K}$
$\gamma = 108.208 (9)^\circ$	Block, colourless
$V = 872.83 (16) \text{ \AA}^3$	$0.26 \times 0.18 \times 0.15 \text{ mm}$

#### Data collection

Rigaku Oxford Diffraction SuperNova, Dual,	4129 independent reflections
Cu at zero, Atlas	2871 reflections with $I > 2\sigma(I)$
diffractometer	
$\omega$ scans	$R_{\text{int}} = 0.022$
Absorption correction: gaussian	$\theta_{\text{max}} = 29.8^\circ, \theta_{\text{min}} = 3.0^\circ$
(CrysAlis PRO; Rigaku OD, 2015)	$h = -9 \rightarrow 9$
$T_{\text{min}} = 0.497, T_{\text{max}} = 1.000$	$k = -14 \rightarrow 13$
7305 measured reflections	$l = -16 \rightarrow 14$

#### Refinement

Refinement on $F^2$	Primary atom site location: structure-invariant direct methods
Least-squares matrix: full	Hydrogen site location: mixed
$R[F^2 > 2\sigma(F^2)] = 0.057$	H atoms treated by a mixture of independent and constrained refinement
$wR(F^2) = 0.155$	$w = 1/[\sigma^2(F_o^2) + (0.0585P)^2 + 0.2675P]$ where $P = (F_o^2 + 2F_c^2)/3$
$S = 1.05$	$(\Delta/\sigma)_{\text{max}} < 0.001$
4129 reflections	$\Delta\rho_{\text{max}} = 0.21 \text{ e \AA}^{-3}$
237 parameters	$\Delta\rho_{\text{min}} = -0.27 \text{ e \AA}^{-3}$
0 restraints	

*Special details*

**Geometry.** All esds (except the esd in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell esds are taken into account individually in the estimation of esds in distances, angles and torsion angles; correlations between esds in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell esds is used for estimating esds involving l.s. planes.

**Refinement.** Water H atoms were located on the difference Fourier map and refined freely. The rest of the H atoms were placed in calculated positions and refined using a riding model. Methyl C—H bonds were fixed at 0.96 Å, with displacement parameters 1.5 times  $U_{\text{eq}}(\text{C})$ , and were allowed to spin about the C—C bond. N—H bonds were fixed at 0.86 Å and aromatic C—H distances were set at 0.93 Å and their  $U_{\text{iso}}$  values set at 1.2 times the  $U_{\text{eq}}$  for the atoms to which they are bonded.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}*/U_{\text{eq}}$
C1	0.4498 (4)	0.5591 (2)	-0.34752 (19)	0.0624 (6)
H1	0.552068	0.614290	-0.367621	0.075*
C2	0.2509 (4)	0.5212 (3)	-0.3952 (2)	0.0674 (7)
H2	0.192987	0.545682	-0.453369	0.081*
C3	0.1493 (3)	0.4384 (2)	-0.34062 (18)	0.0582 (6)
H3	0.011555	0.397898	-0.355871	0.070*
C4	0.2908 (3)	0.4282 (2)	-0.26023 (15)	0.0449 (4)
C5	0.2718 (3)	0.3527 (2)	-0.18161 (15)	0.0435 (4)
C6	0.0678 (3)	0.2643 (3)	-0.1852 (2)	0.0661 (6)
H6A	0.050998	0.166304	-0.208278	0.099*
H6B	-0.030420	0.274780	-0.239134	0.099*
H6C	0.051649	0.295101	-0.110493	0.099*
C7	0.5842 (3)	0.28246 (19)	0.01528 (15)	0.0427 (4)
C8	0.5431 (3)	0.19870 (19)	0.08797 (15)	0.0437 (4)
C9	0.6700 (3)	0.1633 (2)	0.15650 (15)	0.0447 (4)
C10	0.8839 (3)	0.1866 (3)	0.1746 (2)	0.0644 (6)
H10A	0.965436	0.277622	0.233966	0.097*
H10B	0.915867	0.184061	0.104786	0.097*
H10C	0.908864	0.113237	0.196794	0.097*
C11	0.5936 (3)	0.02833 (19)	0.28757 (15)	0.0423 (4)
C12	0.4664 (3)	-0.1064 (2)	0.27027 (16)	0.0473 (5)
H12	0.357886	-0.158025	0.204142	0.057*
C13	0.5012 (3)	-0.1642 (2)	0.35192 (17)	0.0510 (5)
H13	0.414885	-0.255287	0.340156	0.061*
C14	0.6612 (3)	-0.0901 (2)	0.45079 (17)	0.0493 (5)
C15	0.7877 (3)	0.0454 (2)	0.46619 (17)	0.0537 (5)
H15	0.897338	0.096469	0.531771	0.064*
C16	0.7543 (3)	0.1060 (2)	0.38601 (17)	0.0514 (5)
H16	0.838664	0.197805	0.398139	0.062*
C17	0.6964 (4)	-0.1568 (3)	0.5383 (2)	0.0680 (6)
H17A	0.574689	-0.194456	0.555808	0.102*
H17B	0.797874	-0.086174	0.606917	0.102*
H17C	0.738952	-0.232303	0.507897	0.102*
N1	0.4733 (3)	0.50299 (17)	-0.26600 (14)	0.0512 (4)

H1A	0.586128	0.512927	-0.224096	0.061*
N2	0.4359 (2)	0.36382 (16)	-0.11682 (13)	0.0447 (4)
N3	0.4194 (2)	0.28847 (17)	-0.04530 (13)	0.0463 (4)
H3A	0.304451	0.245452	-0.039329	0.056*
N4	0.3558 (2)	0.14459 (19)	0.09563 (14)	0.0528 (4)
N5	0.3573 (2)	0.07814 (19)	0.16659 (15)	0.0539 (4)
N6	0.5496 (2)	0.08967 (17)	0.20462 (13)	0.0455 (4)
O1	0.75210 (19)	0.33899 (15)	0.00833 (11)	0.0534 (4)
O2	0.1638 (3)	0.4799 (3)	0.1289 (2)	0.1062 (9)
H1O	0.036 (6)	0.435 (4)	0.097 (3)	0.130 (13)*
H2O	0.211 (5)	0.529 (4)	0.097 (3)	0.109 (11)*

*Atomic displacement parameters ( $\text{\AA}^2$ )*

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
C1	0.0743 (16)	0.0615 (13)	0.0618 (13)	0.0252 (12)	0.0203 (11)	0.0391 (11)
C2	0.0841 (18)	0.0699 (15)	0.0594 (13)	0.0369 (13)	0.0114 (12)	0.0388 (12)
C3	0.0546 (13)	0.0656 (14)	0.0585 (12)	0.0275 (11)	0.0077 (10)	0.0301 (11)
C4	0.0470 (11)	0.0474 (11)	0.0436 (10)	0.0207 (9)	0.0111 (8)	0.0205 (8)
C5	0.0409 (10)	0.0469 (10)	0.0433 (9)	0.0165 (8)	0.0106 (8)	0.0196 (8)
C6	0.0405 (12)	0.0849 (16)	0.0720 (14)	0.0128 (11)	0.0108 (10)	0.0445 (13)
C7	0.0401 (10)	0.0453 (10)	0.0398 (9)	0.0114 (8)	0.0089 (7)	0.0192 (8)
C8	0.0391 (10)	0.0479 (11)	0.0435 (9)	0.0120 (8)	0.0099 (7)	0.0233 (8)
C9	0.0410 (10)	0.0489 (11)	0.0462 (10)	0.0129 (8)	0.0121 (8)	0.0262 (8)
C10	0.0452 (12)	0.0883 (17)	0.0806 (15)	0.0278 (11)	0.0224 (11)	0.0565 (14)
C11	0.0425 (10)	0.0481 (10)	0.0459 (10)	0.0197 (8)	0.0165 (8)	0.0268 (8)
C12	0.0466 (11)	0.0469 (11)	0.0493 (10)	0.0147 (9)	0.0176 (8)	0.0212 (9)
C13	0.0554 (12)	0.0463 (11)	0.0635 (12)	0.0203 (9)	0.0286 (10)	0.0302 (10)
C14	0.0599 (12)	0.0588 (12)	0.0545 (11)	0.0358 (10)	0.0305 (10)	0.0342 (10)
C15	0.0567 (12)	0.0567 (12)	0.0508 (11)	0.0242 (10)	0.0111 (9)	0.0252 (10)
C16	0.0511 (12)	0.0452 (11)	0.0563 (11)	0.0137 (9)	0.0104 (9)	0.0256 (9)
C17	0.0860 (17)	0.0842 (17)	0.0734 (15)	0.0506 (14)	0.0406 (13)	0.0550 (13)
N1	0.0508 (10)	0.0571 (10)	0.0542 (9)	0.0212 (8)	0.0144 (7)	0.0332 (8)
N2	0.0423 (9)	0.0525 (9)	0.0456 (8)	0.0172 (7)	0.0126 (7)	0.0287 (7)
N3	0.0361 (8)	0.0582 (10)	0.0503 (9)	0.0141 (7)	0.0125 (7)	0.0333 (8)
N4	0.0420 (9)	0.0660 (11)	0.0572 (10)	0.0171 (8)	0.0131 (7)	0.0382 (9)
N5	0.0401 (9)	0.0675 (11)	0.0618 (10)	0.0165 (8)	0.0142 (7)	0.0405 (9)
N6	0.0388 (9)	0.0521 (9)	0.0504 (9)	0.0147 (7)	0.0123 (7)	0.0298 (7)
O1	0.0375 (7)	0.0699 (9)	0.0561 (8)	0.0135 (7)	0.0118 (6)	0.0375 (7)
O2	0.0396 (10)	0.147 (2)	0.1405 (19)	0.0047 (11)	0.0041 (11)	0.1141 (18)

*Geometric parameters ( $\text{\AA}$ ,  $^\circ$ )*

C1—N1	1.351 (2)	C10—H10C	0.9600
C1—C2	1.360 (3)	C11—C12	1.375 (3)
C1—H1	0.9300	C11—C16	1.382 (3)
C2—C3	1.400 (3)	C11—N6	1.433 (2)
C2—H2	0.9300	C12—C13	1.377 (3)

C3—C4	1.377 (3)	C12—H12	0.9300
C3—H3	0.9300	C13—C14	1.380 (3)
C4—N1	1.364 (3)	C13—H13	0.9300
C4—C5	1.455 (2)	C14—C15	1.386 (3)
C5—N2	1.285 (2)	C14—C17	1.511 (3)
C5—C6	1.492 (3)	C15—C16	1.382 (3)
C6—H6A	0.9600	C15—H15	0.9300
C6—H6B	0.9600	C16—H16	0.9300
C6—H6C	0.9600	C17—H17A	0.9600
C7—O1	1.232 (2)	C17—H17B	0.9600
C7—N3	1.346 (2)	C17—H17C	0.9600
C7—C8	1.470 (2)	N1—H1A	0.8600
C8—N4	1.359 (2)	N2—N3	1.376 (2)
C8—C9	1.375 (2)	N3—H3A	0.8600
C9—N6	1.353 (2)	N4—N5	1.300 (2)
C9—C10	1.484 (3)	N5—N6	1.368 (2)
C10—H10A	0.9600	O2—H1O	0.87 (4)
C10—H10B	0.9600	O2—H2O	0.79 (4)
N1—C1—C2	108.3 (2)	C12—C11—N6	118.61 (16)
N1—C1—H1	125.8	C16—C11—N6	120.64 (16)
C2—C1—H1	125.8	C11—C12—C13	119.31 (18)
C1—C2—C3	107.43 (18)	C11—C12—H12	120.3
C1—C2—H2	126.3	C13—C12—H12	120.3
C3—C2—H2	126.3	C12—C13—C14	121.59 (18)
C4—C3—C2	107.4 (2)	C12—C13—H13	119.2
C4—C3—H3	126.3	C14—C13—H13	119.2
C2—C3—H3	126.3	C13—C14—C15	118.07 (17)
N1—C4—C3	107.16 (17)	C13—C14—C17	120.34 (19)
N1—C4—C5	121.31 (16)	C15—C14—C17	121.6 (2)
C3—C4—C5	131.50 (19)	C16—C15—C14	121.31 (19)
N2—C5—C4	116.18 (17)	C16—C15—H15	119.3
N2—C5—C6	125.02 (17)	C14—C15—H15	119.3
C4—C5—C6	118.75 (16)	C11—C16—C15	119.06 (18)
C5—C6—H6A	109.5	C11—C16—H16	120.5
C5—C6—H6B	109.5	C15—C16—H16	120.5
H6A—C6—H6B	109.5	C14—C17—H17A	109.5
C5—C6—H6C	109.5	C14—C17—H17B	109.5
H6A—C6—H6C	109.5	H17A—C17—H17B	109.5
H6B—C6—H6C	109.5	C14—C17—H17C	109.5
O1—C7—N3	123.18 (16)	H17A—C17—H17C	109.5
O1—C7—C8	123.42 (16)	H17B—C17—H17C	109.5
N3—C7—C8	113.38 (16)	C1—N1—C4	109.67 (17)
N4—C8—C9	109.63 (15)	C1—N1—H1A	125.2
N4—C8—C7	120.37 (16)	C4—N1—H1A	125.2
C9—C8—C7	129.99 (17)	C5—N2—N3	116.60 (16)
N6—C9—C8	103.14 (16)	C7—N3—N2	119.63 (15)
N6—C9—C10	124.59 (16)	C7—N3—H3A	120.2

C8—C9—C10	132.18 (17)	N2—N3—H3A	120.2
C9—C10—H10A	109.5	N5—N4—C8	109.18 (15)
C9—C10—H10B	109.5	N4—N5—N6	106.59 (15)
H10A—C10—H10B	109.5	C9—N6—N5	111.46 (14)
C9—C10—H10C	109.5	C9—N6—C11	130.64 (16)
H10A—C10—H10C	109.5	N5—N6—C11	117.88 (14)
H10B—C10—H10C	109.5	H1O—O2—H2O	111 (3)
C12—C11—C16	120.66 (16)		
N1—C1—C2—C3	-0.1 (3)	N6—C11—C16—C15	177.54 (18)
C1—C2—C3—C4	0.0 (3)	C14—C15—C16—C11	-1.4 (3)
C2—C3—C4—N1	0.1 (2)	C2—C1—N1—C4	0.2 (3)
C2—C3—C4—C5	-178.0 (2)	C3—C4—N1—C1	-0.2 (2)
N1—C4—C5—N2	1.6 (3)	C5—C4—N1—C1	178.16 (18)
C3—C4—C5—N2	179.5 (2)	C4—C5—N2—N3	-177.59 (16)
N1—C4—C5—C6	-175.7 (2)	C6—C5—N2—N3	-0.5 (3)
C3—C4—C5—C6	2.2 (3)	O1—C7—N3—N2	-1.8 (3)
O1—C7—C8—N4	177.01 (19)	C8—C7—N3—N2	179.80 (15)
N3—C7—C8—N4	-4.5 (3)	C5—N2—N3—C7	172.56 (17)
O1—C7—C8—C9	-2.0 (3)	C9—C8—N4—N5	0.8 (2)
N3—C7—C8—C9	176.40 (19)	C7—C8—N4—N5	-178.43 (17)
N4—C8—C9—N6	-1.0 (2)	C8—N4—N5—N6	-0.2 (2)
C7—C8—C9—N6	178.14 (19)	C8—C9—N6—N5	0.9 (2)
N4—C8—C9—C10	175.6 (2)	C10—C9—N6—N5	-176.1 (2)
C7—C8—C9—C10	-5.2 (4)	C8—C9—N6—C11	-177.44 (18)
C16—C11—C12—C13	-0.5 (3)	C10—C9—N6—C11	5.6 (3)
N6—C11—C12—C13	-176.89 (17)	N4—N5—N6—C9	-0.4 (2)
C11—C12—C13—C14	-0.1 (3)	N4—N5—N6—C11	178.13 (16)
C12—C13—C14—C15	-0.1 (3)	C12—C11—N6—C9	-136.0 (2)
C12—C13—C14—C17	-179.51 (19)	C16—C11—N6—C9	47.6 (3)
C13—C14—C15—C16	0.8 (3)	C12—C11—N6—N5	45.8 (2)
C17—C14—C15—C16	-179.7 (2)	C16—C11—N6—N5	-130.6 (2)
C12—C11—C16—C15	1.2 (3)		

*Hydrogen-bond geometry (Å, °)*

D—H···A	D—H	H···A	D···A	D—H···A
N1—H1A···O2 <sup>i</sup>	0.86	1.98	2.838 (2)	176
O2—H1O···O1 <sup>ii</sup>	0.87 (4)	1.96 (4)	2.822 (2)	174 (3)
O2—H2O···N2 <sup>i</sup>	0.79 (4)	2.43 (4)	2.966 (3)	126 (3)
O2—H2O···O1 <sup>i</sup>	0.79 (4)	2.20 (4)	2.961 (2)	162 (3)

Symmetry codes: (i)  $-x+1, -y+1, -z$ ; (ii)  $x-1, y, z$ .