

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

6-Methyl-2-*p*-tolyl-4-[3-(trifluoromethyl)phenyl]pyridazin-3(2*H*)-one

Zi-Xia Niu, You-Quan Zhu, Fang-Zhong Hu,* Xu-Hong Hu and Hua-Zheng Yang

 State Key Laboratory and Institute of Elemento-Organic Chemistry, Nankai University, Tianjin 300071, People's Republic of China
 Correspondence e-mail: zyx8165@nankai.edu.cn


Received 12 February 2008; accepted 3 March 2008

 Key indicators: single-crystal X-ray study; $T = 294$ K; mean $\sigma(\text{C}-\text{C}) = 0.004$ Å; disorder in main residue; R factor = 0.060; wR factor = 0.170; data-to-parameter ratio = 11.4.

In the title molecule, $\text{C}_{19}\text{H}_{15}\text{F}_3\text{N}_2\text{O}$, the benzene rings of the tolyl and trifluoromethylphenyl groups form dihedral angles of 64.1 (2) and 38.5 (2)°, respectively, with the pyridazine ring. The CF_3 group is disordered over two orientations, with site-occupancy factors of *ca* 0.56 and 0.44.

Related literature

For related literature, see: Heinisch & Kopelent (1992); Kolar & Tisler (1999).



Experimental

Crystal data

$\text{C}_{19}\text{H}_{15}\text{F}_3\text{N}_2\text{O}$	$V = 3310.6$ (17) Å ³
$M_r = 344.33$	$Z = 8$
Monoclinic, $C2/c$	Mo $K\alpha$ radiation
$a = 20.902$ (6) Å	$\mu = 0.11$ mm ⁻¹
$b = 4.2898$ (13) Å	$T = 294$ (2) K
$c = 37.683$ (11) Å	$0.52 \times 0.20 \times 0.16$ mm
$\beta = 101.534$ (5)°	

Data collection

Bruker SMART CCD area-detector diffractometer	7702 measured reflections
Absorption correction: multi-scan (SADABS; Sheldrick, 1996)	2907 independent reflections
$T_{\min} = 0.945$, $T_{\max} = 0.983$	1988 reflections with $I > 2\sigma(I)$
	$R_{\text{int}} = 0.035$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.059$	51 restraints
$wR(F^2) = 0.170$	H-atom parameters constrained
$S = 1.05$	$\Delta\rho_{\text{max}} = 0.20$ e Å ⁻³
2907 reflections	$\Delta\rho_{\text{min}} = -0.25$ e Å ⁻³
256 parameters	

Data collection: SMART (Bruker, 1999); cell refinement: SAINT (Bruker, 1999); data reduction: SAINT; program(s) used to solve structure: SHELXS97 (Sheldrick, 2008); program(s) used to refine structure: SHELXL97 (Sheldrick, 2008); molecular graphics: SHELXTL (Sheldrick, 2008); software used to prepare material for publication: SHELXL97.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: CI2564).

References

- Bruker (1999). SMART and SAINT. Bruker AXS Inc., Madison, Wisconsin, USA.
 Heinisch, G. & Kopelent, H. (1992). *Prog. Med. Chem.* **29**, 141–183.
 Kolar, P. & Tisler, M. (1999). *Adv. Heterocycl. Chem.* **75**, 167–241.
 Sheldrick, G. M. (1996). SADABS. University of Göttingen, Germany.
 Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.

supporting information

Acta Cryst. (2008). E64, o675 [doi:10.1107/S1600536808005928]

6-Methyl-2-*p*-tolyl-4-[3-(trifluoromethyl)phenyl]pyridazin-3(2*H*)-one

Zi-Xia Niu, You-Quan Zhu, Fang-Zhong Hu, Xu-Hong Hu and Hua-Zheng Yang

S1. Comment

Many pyridazine derivatives have been found to exhibit biological activities such as insecticidal, fungicidal, herbicidal, plant-growth regulatory activity, *etc.* (Heinisch & Kopelent, 1992). For example, pyridate, credazine and maleic hydrazide (Kolar & Tisler, 1999) have been commercialized as herbicides. In order to discover new biologically active pyridazine compounds, the title compound was synthesized and its structure is reported here.


In the molecule of the title compound (Fig. 1), the central pyridazine ring (C9—C12/N1/N2) forms dihedral angles of 64.1 (2)° and 38.5 (2)°, respectively, with the C1—C6 and C13—C18 benzene rings. The C2—C1—N1—N2, C2—C1—N1—C12, C6—C1—N1—N2, C6—C1—N1—C12, C10—C11—C13—C14, C12—C11—C13—C14, C10—C11—C13—C18 and C12—C11—C13—C18 torsion angles are -115.7 (3), 65.2 (4), 64.5 (4), -114.6 (3), -38.5 (5), 140.2 (3), 141.6 (3) and -39.7 (5)°, respectively. No significant hydrogen bonding interactions are observed in the crystal structure.

S2. Experimental

A mixture of ethyl 2-(3-trifluoromethylphenyl)-4-oxopentanoate (2.3 mmol) and 4-methylphenylhydrazine (2.3 mmol) and glacial acetic acid (1 ml) was stirred at room temperature for 2 h. The precipitate formed was filtered and recrystallized from ethanol. Single crystals suitable for X-ray analysis were grown from a ethyl acetate-petroleum ether (3:1 *v/v*) solution at room temperature.

S3. Refinement

The trifluoromethyl group is disordered over two orientations (C19/F1/F2/F3 and C19/F1'/F2'/F3') with refined occupancies of 0.564 (15) and 0.436 (15). All C—F distances were restrained to be equal and the U^{ij} components of disordered F atoms were restrained to be approximately isotropic. The H atoms were positioned geometrically (C—H = 0.93 or 0.96 Å) and included in the final cycles of refinement using a riding model, with $U_{iso}(H) = 1.2U_{eq}(C)$ or $1.5U_{eq}(\text{methyl C})$.

**Figure 1**

The molecular structure of the title compound, showing 30% probability displacement ellipsoids. Only one disorder component is shown.

6-Methyl-2-*p*-tolyl-4-[3-(trifluoromethyl)phenyl]pyridazin- 3(2*H*)-one

Crystal data

$C_{19}H_{15}F_3N_2O$

$M_r = 344.33$

Monoclinic, $C2/c$

Hall symbol: $-C\ 2yc$

$a = 20.902\ (6)\ \text{\AA}$

$b = 4.2898\ (13)\ \text{\AA}$

$c = 37.683\ (11)\ \text{\AA}$

$\beta = 101.534\ (5)^\circ$

$V = 3310.6\ (17)\ \text{\AA}^3$

$Z = 8$

$F(000) = 1424$

$D_x = 1.382\ \text{Mg m}^{-3}$

Mo $K\alpha$ radiation, $\lambda = 0.71073\ \text{\AA}$

Cell parameters from 2694 reflections

$\theta = 2.2\text{--}26.2^\circ$

$\mu = 0.11\ \text{mm}^{-1}$

$T = 294\ \text{K}$

Block, colourless

$0.52 \times 0.20 \times 0.16\ \text{mm}$

Data collection

Bruker SMART CCD area-detector
diffractometer

Radiation source: fine-focus sealed tube

Graphite monochromator

φ and ω scans

Absorption correction: multi-scan

(*SADABS*; Sheldrick, 1996)

$T_{\min} = 0.945$, $T_{\max} = 0.983$

7702 measured reflections

2907 independent reflections

1988 reflections with $I > 2\sigma(I)$

$R_{\text{int}} = 0.035$

$\theta_{\max} = 25.0^\circ$, $\theta_{\min} = 1.1^\circ$

$h = -24 \rightarrow 17$

$k = -5 \rightarrow 4$

$l = -36 \rightarrow 44$

Refinement

Refinement on F^2

Least-squares matrix: full

$R[F^2 > 2\sigma(F^2)] = 0.059$

$wR(F^2) = 0.170$

$S = 1.05$

2907 reflections

256 parameters

51 restraints

Primary atom site location: structure-invariant
direct methods

Secondary atom site location: difference Fourier
map

Hydrogen site location: inferred from
neighbouring sites

H-atom parameters constrained

$$w = 1/[\sigma^2(F_o^2) + (0.0755P)^2 + 3.8729P]$$

where $P = (F_o^2 + 2F_c^2)/3$
 $(\Delta/\sigma)_{\max} = 0.002$

$$\Delta\rho_{\max} = 0.20 \text{ e } \text{\AA}^{-3}$$

$$\Delta\rho_{\min} = -0.25 \text{ e } \text{\AA}^{-3}$$

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) *etc.* and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$	Occ. (<1)
O1	0.15529 (10)	0.4998 (7)	0.16676 (6)	0.0680 (8)	
N1	0.22749 (11)	0.2163 (6)	0.14191 (6)	0.0444 (6)	
N2	0.24743 (11)	0.0589 (6)	0.11419 (7)	0.0474 (7)	
C1	0.27804 (13)	0.2541 (8)	0.17437 (8)	0.0423 (7)	
C2	0.27033 (14)	0.1120 (9)	0.20615 (8)	0.0529 (9)	
H2	0.2336	-0.0092	0.2067	0.064*	
C3	0.31796 (14)	0.1520 (9)	0.23731 (8)	0.0530 (9)	
H3	0.3127	0.0567	0.2587	0.064*	
C4	0.37291 (14)	0.3305 (8)	0.23708 (8)	0.0498 (8)	
C5	0.37977 (15)	0.4657 (9)	0.20447 (9)	0.0583 (9)	
H5	0.4170	0.5823	0.2037	0.070*	
C6	0.33258 (14)	0.4312 (8)	0.17308 (8)	0.0514 (8)	
H6	0.3377	0.5256	0.1516	0.062*	
C7	0.42303 (18)	0.3813 (12)	0.27183 (9)	0.0780 (12)	
H7A	0.4027	0.3520	0.2923	0.117*	
H7B	0.4400	0.5894	0.2721	0.117*	
H7C	0.4581	0.2344	0.2730	0.117*	
C8	0.22624 (17)	-0.1579 (10)	0.05424 (9)	0.0675 (10)	
H8A	0.2697	-0.2353	0.0627	0.101*	
H8B	0.2261	-0.0166	0.0345	0.101*	
H8C	0.1974	-0.3291	0.0462	0.101*	
C9	0.20357 (14)	0.0106 (8)	0.08460 (8)	0.0471 (8)	
C10	0.13750 (14)	0.1112 (8)	0.08120 (8)	0.0475 (8)	
H10	0.1075	0.0670	0.0600	0.057*	
C11	0.11739 (13)	0.2704 (8)	0.10827 (8)	0.0432 (7)	
C12	0.16574 (13)	0.3414 (8)	0.14129 (8)	0.0469 (8)	
C13	0.04906 (13)	0.3800 (8)	0.10537 (8)	0.0445 (8)	
C14	0.01367 (14)	0.4972 (7)	0.07268 (8)	0.0463 (8)	
H14	0.0333	0.5083	0.0526	0.056*	
C15	-0.05036 (14)	0.5971 (8)	0.06965 (9)	0.0488 (8)	
C16	-0.08032 (16)	0.5813 (9)	0.09917 (10)	0.0613 (10)	
H16	-0.1233	0.6468	0.0972	0.074*	

C17	-0.04563 (16)	0.4667 (11)	0.13184 (10)	0.0695 (11)	
H17	-0.0656	0.4552	0.1517	0.083*	
C18	0.01841 (15)	0.3695 (10)	0.13515 (9)	0.0599 (10)	
H18	0.0413	0.2966	0.1573	0.072*	
C19	-0.08649 (16)	0.7180 (8)	0.03406 (11)	0.0651 (10)	
F1	-0.0909 (6)	0.5095 (13)	0.00586 (14)	0.100 (3)	0.564 (15)
F2	-0.1439 (3)	0.841 (3)	0.0327 (3)	0.119 (4)	0.564 (15)
F3	-0.0530 (5)	0.943 (2)	0.0207 (3)	0.083 (3)	0.564 (15)
F1'	-0.1325 (6)	0.5147 (17)	0.0190 (3)	0.100 (4)	0.436 (15)
F2'	-0.1258 (5)	0.955 (2)	0.0415 (3)	0.080 (3)	0.436 (15)
F3'	-0.0510 (6)	0.834 (3)	0.0126 (3)	0.095 (4)	0.436 (15)

Atomic displacement parameters (Å²)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
O1	0.0453 (12)	0.105 (2)	0.0480 (14)	0.0123 (13)	-0.0030 (10)	-0.0287 (14)
N1	0.0358 (12)	0.0615 (17)	0.0327 (13)	0.0009 (12)	-0.0004 (10)	-0.0072 (12)
N2	0.0439 (14)	0.0591 (17)	0.0378 (14)	0.0016 (12)	0.0047 (11)	-0.0052 (12)
C1	0.0339 (14)	0.056 (2)	0.0336 (16)	0.0044 (14)	-0.0004 (12)	-0.0054 (14)
C2	0.0406 (16)	0.071 (2)	0.0455 (19)	-0.0073 (16)	0.0049 (14)	0.0000 (17)
C3	0.0484 (18)	0.072 (2)	0.0375 (17)	0.0012 (17)	0.0049 (14)	0.0023 (16)
C4	0.0384 (16)	0.067 (2)	0.0390 (18)	0.0033 (15)	-0.0039 (13)	-0.0042 (16)
C5	0.0400 (16)	0.081 (3)	0.050 (2)	-0.0136 (17)	-0.0008 (15)	0.0027 (18)
C6	0.0443 (17)	0.067 (2)	0.0405 (17)	-0.0022 (16)	0.0029 (14)	0.0062 (16)
C7	0.061 (2)	0.117 (4)	0.046 (2)	-0.017 (2)	-0.0133 (17)	0.003 (2)
C8	0.066 (2)	0.085 (3)	0.050 (2)	0.006 (2)	0.0058 (17)	-0.019 (2)
C9	0.0447 (17)	0.056 (2)	0.0370 (16)	-0.0016 (15)	0.0000 (13)	-0.0030 (15)
C10	0.0441 (16)	0.057 (2)	0.0360 (17)	-0.0083 (15)	-0.0044 (13)	-0.0038 (15)
C11	0.0370 (15)	0.0545 (19)	0.0344 (16)	-0.0029 (14)	-0.0021 (12)	0.0016 (14)
C12	0.0371 (15)	0.064 (2)	0.0374 (17)	0.0014 (15)	0.0011 (13)	-0.0063 (16)
C13	0.0344 (15)	0.058 (2)	0.0372 (16)	-0.0064 (14)	-0.0019 (13)	-0.0015 (15)
C14	0.0399 (16)	0.0546 (19)	0.0419 (17)	-0.0078 (14)	0.0021 (13)	-0.0041 (15)
C15	0.0392 (16)	0.052 (2)	0.0497 (19)	-0.0034 (14)	-0.0043 (14)	-0.0023 (15)
C16	0.0383 (16)	0.079 (3)	0.065 (2)	0.0013 (17)	0.0052 (16)	-0.009 (2)
C17	0.0475 (19)	0.107 (3)	0.055 (2)	-0.001 (2)	0.0135 (16)	0.000 (2)
C18	0.0441 (17)	0.090 (3)	0.0422 (18)	-0.0023 (18)	0.0011 (14)	0.0086 (19)
C19	0.059 (2)	0.055 (2)	0.071 (3)	0.0049 (19)	-0.010 (2)	0.002 (2)
F1	0.141 (7)	0.080 (3)	0.056 (3)	-0.001 (4)	-0.034 (3)	0.005 (2)
F2	0.044 (3)	0.190 (9)	0.117 (6)	0.025 (4)	0.004 (3)	0.065 (6)
F3	0.098 (5)	0.083 (4)	0.065 (5)	-0.008 (4)	0.012 (3)	0.011 (3)
F1'	0.098 (6)	0.079 (4)	0.091 (6)	-0.012 (4)	-0.055 (5)	-0.008 (4)
F2'	0.066 (5)	0.069 (4)	0.094 (5)	0.021 (4)	-0.011 (4)	0.005 (3)
F3'	0.087 (5)	0.155 (9)	0.044 (5)	0.050 (6)	0.016 (4)	0.024 (6)

Geometric parameters (Å, °)

O1—C12	1.231 (4)	C9—C10	1.428 (4)
N1—N2	1.377 (3)	C10—C11	1.362 (4)

N1—C12	1.394 (4)	C10—H10	0.93
N1—C1	1.457 (3)	C11—C12	1.470 (4)
N2—C9	1.311 (4)	C11—C13	1.487 (4)
C1—C6	1.379 (4)	C13—C14	1.398 (4)
C1—C2	1.382 (4)	C13—C18	1.400 (4)
C2—C3	1.390 (4)	C14—C15	1.388 (4)
C2—H2	0.93	C14—H14	0.93
C3—C4	1.382 (5)	C15—C16	1.383 (5)
C3—H3	0.93	C15—C19	1.494 (5)
C4—C5	1.392 (5)	C16—C17	1.388 (5)
C4—C7	1.520 (4)	C16—H16	0.93
C5—C6	1.388 (4)	C17—C18	1.384 (5)
C5—H5	0.93	C17—H17	0.93
C6—H6	0.93	C18—H18	0.93
C7—H7A	0.96	C19—F3'	1.300 (7)
C7—H7B	0.96	C19—F2	1.303 (6)
C7—H7C	0.96	C19—F1'	1.337 (6)
C8—C9	1.508 (4)	C19—F3	1.347 (6)
C8—H8A	0.96	C19—F2'	1.370 (6)
C8—H8B	0.96	C19—F1	1.377 (6)
C8—H8C	0.96		
N2—N1—C12	126.6 (2)	O1—C12—N1	120.5 (3)
N2—N1—C1	114.4 (2)	O1—C12—C11	125.1 (3)
C12—N1—C1	119.0 (2)	N1—C12—C11	114.3 (3)
C9—N2—N1	117.2 (2)	C14—C13—C18	118.2 (3)
C6—C1—C2	120.9 (3)	C14—C13—C11	120.7 (3)
C6—C1—N1	119.9 (3)	C18—C13—C11	121.2 (3)
C2—C1—N1	119.2 (3)	C15—C14—C13	121.0 (3)
C1—C2—C3	119.3 (3)	C15—C14—H14	119.5
C1—C2—H2	120.3	C13—C14—H14	119.5
C3—C2—H2	120.3	C16—C15—C14	120.2 (3)
C4—C3—C2	121.3 (3)	C16—C15—C19	120.7 (3)
C4—C3—H3	119.4	C14—C15—C19	119.1 (3)
C2—C3—H3	119.4	C15—C16—C17	119.4 (3)
C3—C4—C5	118.0 (3)	C15—C16—H16	120.3
C3—C4—C7	120.3 (3)	C17—C16—H16	120.3
C5—C4—C7	121.7 (3)	C18—C17—C16	120.7 (3)
C6—C5—C4	121.8 (3)	C18—C17—H17	119.6
C6—C5—H5	119.1	C16—C17—H17	119.6
C4—C5—H5	119.1	C17—C18—C13	120.5 (3)
C1—C6—C5	118.7 (3)	C17—C18—H18	119.7
C1—C6—H6	120.6	C13—C18—H18	119.7
C5—C6—H6	120.6	F3'—C19—F2	117.1 (7)
C4—C7—H7A	109.5	F3'—C19—F1'	115.9 (8)
C4—C7—H7B	109.5	F2—C19—F1'	70.8 (5)
H7A—C7—H7B	109.5	F3'—C19—F3	24.5 (7)
C4—C7—H7C	109.5	F2—C19—F3	103.7 (7)

H7A—C7—H7C	109.5	F1'—C19—F3	133.8 (7)
H7B—C7—H7C	109.5	F3'—C19—F2'	106.5 (8)
C9—C8—H8A	109.5	F2—C19—F2'	28.5 (5)
C9—C8—H8B	109.5	F1'—C19—F2'	99.3 (6)
H8A—C8—H8B	109.5	F3—C19—F2'	85.6 (6)
C9—C8—H8C	109.5	F3'—C19—F1	74.2 (6)
H8A—C8—H8C	109.5	F2—C19—F1	108.3 (5)
H8B—C8—H8C	109.5	F1'—C19—F1	47.0 (4)
N2—C9—C10	121.9 (3)	F3—C19—F1	97.8 (5)
N2—C9—C8	116.7 (3)	F2'—C19—F1	133.5 (5)
C10—C9—C8	121.4 (3)	F3'—C19—C15	116.2 (6)
C11—C10—C9	121.5 (3)	F2—C19—C15	118.2 (5)
C11—C10—H10	119.3	F1'—C19—C15	110.2 (5)
C9—C10—H10	119.3	F3—C19—C15	112.1 (5)
C10—C11—C12	118.4 (3)	F2'—C19—C15	106.8 (5)
C10—C11—C13	122.6 (3)	F1—C19—C15	114.3 (3)
C12—C11—C13	119.0 (3)		
C12—N1—N2—C9	-2.8 (5)	C10—C11—C12—N1	-4.0 (4)
C1—N1—N2—C9	178.3 (3)	C13—C11—C12—N1	177.3 (3)
N2—N1—C1—C6	64.5 (4)	C10—C11—C13—C14	-38.5 (5)
C12—N1—C1—C6	-114.6 (3)	C12—C11—C13—C14	140.2 (3)
N2—N1—C1—C2	-115.7 (3)	C10—C11—C13—C18	141.6 (3)
C12—N1—C1—C2	65.2 (4)	C12—C11—C13—C18	-39.7 (5)
C6—C1—C2—C3	0.8 (5)	C18—C13—C14—C15	-0.7 (5)
N1—C1—C2—C3	-178.9 (3)	C11—C13—C14—C15	179.3 (3)
C1—C2—C3—C4	-0.1 (5)	C13—C14—C15—C16	-0.2 (5)
C2—C3—C4—C5	-1.0 (5)	C13—C14—C15—C19	-179.5 (3)
C2—C3—C4—C7	177.6 (3)	C14—C15—C16—C17	0.4 (5)
C3—C4—C5—C6	1.6 (5)	C19—C15—C16—C17	179.7 (3)
C7—C4—C5—C6	-177.0 (4)	C15—C16—C17—C18	0.2 (6)
C2—C1—C6—C5	-0.3 (5)	C16—C17—C18—C13	-1.1 (6)
N1—C1—C6—C5	179.5 (3)	C14—C13—C18—C17	1.3 (5)
C4—C5—C6—C1	-0.9 (5)	C11—C13—C18—C17	-178.7 (3)
N1—N2—C9—C10	-1.1 (5)	C16—C15—C19—F3'	155.1 (8)
N1—N2—C9—C8	179.1 (3)	C14—C15—C19—F3'	-25.6 (9)
N2—C9—C10—C11	1.9 (5)	C16—C15—C19—F2	7.9 (9)
C8—C9—C10—C11	-178.3 (3)	C14—C15—C19—F2	-172.7 (8)
C9—C10—C11—C12	0.8 (5)	C16—C15—C19—F1'	-70.5 (9)
C9—C10—C11—C13	179.5 (3)	C14—C15—C19—F1'	108.8 (8)
N2—N1—C12—O1	-174.0 (3)	C16—C15—C19—F3	128.5 (6)
C1—N1—C12—O1	5.0 (5)	C14—C15—C19—F3	-52.2 (6)
N2—N1—C12—C11	5.2 (5)	C16—C15—C19—F2'	36.4 (7)
C1—N1—C12—C11	-175.9 (3)	C14—C15—C19—F2'	-144.3 (6)
C10—C11—C12—O1	175.2 (3)	C16—C15—C19—F1	-121.3 (7)
C13—C11—C12—O1	-3.6 (5)	C14—C15—C19—F1	58.0 (7)