Acta Crystallographica Section E
Structure Reports Online
ISSN 1600-5368

1,2-Bis[(2-hydroxy-3-methoxybenzylidene)hydrazono]-1,2-diphenylethane

Xiu-Ying Zhang,* Hui Ma, Jiu-Li Chang and Xin-Cheng Wu

Henan Normal University, College of Chemistry and Environmental Science, Xinxiang 453002, People's Republic of China
Correspondence e-mail: zhangxyemail@126.com

Received 17 March 2008; accepted 10 May 2008

Key indicators: single-crystal X-ray study; T = 291 K; mean σ(C–C) = 0.003 Å; R factor = 0.041; wR factor = 0.117; data-to-parameter ratio = 14.0.

The title compound, $C_{30}H_{26}N_4O_4$, was synthesized by the reaction of benzyl dihydrazone and 2-hydroxy-3-methoxybenzaldehyde in ethanol. In the crystal strucutre, the molecule is centrosymmetric. The structure displays two symmetry-related intramolecular O—H···N hydrogen bonds.

Related literature

For related literature, see: Pankaj *et al.* (2000); Senjuti *et al.* (2006); Shubhamoy *et al.* (2003); Boudalis *et al.* (2004); Veauthier *et al.* (2004).



Experimental

Crystal data

$C_{30}H_{26}N_4O_4$
M_r = 506.55
Monoclinic, $P2_1/c$
a = 8.3732 (11) Å
b = 12.7267 (16) Å
c = 12.4229 (16) Å
β = 98.188 (2)°
V = 1310.3 (3) Å^3
Z = 2
Mo $K\alpha$ radiation
μ = 0.09 mm^{-1}
T = 291 (2) K
0.36 × 0.19 × 0.11 mm

Data collection

Bruker SMART CCD area-detector diffractometer
Absorption correction: multi-scan (*SADABS*; Sheldrick, 1996)
T_{min} = 0.969, T_{max} = 0.991
9588 measured reflections
2437 independent reflections
1543 reflections with $I > 2\sigma(I)$
R_{int} = 0.030

Refinement

$R[F^2 > 2\sigma(F^2)]$ = 0.041
$wR(F^2)$ = 0.117
S = 1.01
2437 reflections
174 parameters
H-atom parameters constrained
$\Delta\rho_{max}$ = 0.11 e Å^{-3}
$\Delta\rho_{min}$ = −0.15 e Å^{-3}

Table 1
Hydrogen-bond geometry (Å, °).

D—H···A	D—H	H···A	D···A	D—H···A
O2—H2···N1	0.82	1.91	2.6350 (18)	146

Data collection: *SMART* (Bruker, 2001); cell refinement: *SAINT* (Bruker, 2001); data reduction: *SAINT*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *SHELXTL* (Sheldrick, 2008); software used to prepare material for publication: *SHELXTL* .

This work was supported by the Education Committee Department of Henan Province (grant No. 2007150027).

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: KP2163).

References

Boudalis A. K., Clement-Juan, J.-M., Dahan, F. & Tuchagues, J.-P. (2004). *Inorg. Chem.* **43**, 1574–1586.
Bruker (2001). *SMART* and *SAINT*. Bruker AXS Inc., Madison, Wisconsin, USA.
Pankaj, K. P., Shubhamoy, C., Michael, G. B. D. & Dipankar, D. (2000). *New J. Chem.* **24**, 931–933.
Senjuti, D., Shubhamoy, C., Derek, A. T. & Dipankar, D. (2006). *CrystEngComm*, **8**, 670–673.
Sheldrick, G. M. (1996). *SADABS*. University of Göttingen, Germany.
Sheldrick, G. M. (2008). *Acta Cryst.* A**64**, 112–122.
Shubhamoy, C., Peter, B. I., Michael, G. B. D., Derek, A. T. & Dipankar, D. (2003). *New J. Chem.* **27**, 193–196.
Veauthier, J. M., Cho, W.-S., Lynch, V. M. & Sessler, J. L. (2004). *Inorg. Chem.* **43**, 1220–1228.

supporting information

Acta Cryst. (2008). E**64**, o1090 [doi:10.1107/S1600536808014049]

1,2-Bis[(2-hydroxy-3-methoxybenzylidene)hydrazono]-1,2-diphenylethane

Xiu-Ying Zhang, Hui Ma, Jiu-Li Chang and Xin-Cheng Wu

S1. Comment

The design of multidentate Schiff-base ligands and their metal complexes are of great interest in the last few years (Boudalis *et al.*, 2004; Veauthier *et al.*, 2224; Pal *et al.*, 2000). The crystal structure determination of the title compound, (I), has been carried out in order to elucidate its molecular conformation. The molecule of the compound, (I), (Fig.1) is centrosymmetric with a centre of inversion in the middle of C9—C9 A bond. The two benzene rings (C10→C15 and C10 A→C15 A) are parallel. The dihedral angle between the benzene ring (C10→C15) and the least-squares best plane (C1→C6, C8, N1, O1, O2, r.m.s.= 0.0262 Å) is 74.2°. The bond lengths of C9—C9 A, N2—C9, N2—N1, N1—C8 are 1.474 (3) Å, 1.289 (2) Å, 1.4013 (19) Å, and 1.284 (2) Å, respectively. All the angles and bond lengths are within normal range (Pankaj *et al.*, 2000). The symmetry related intramolecular hydrogen bonds O—H···N are observed (Fig. 1, Table 1).

S2. Experimental

All reagents were of AR grade, available commercially and used without further purification. The mixture of benzyl dihydrazone (0.595 g, 2.5 mmol), 2-hydroxy-3-methoxybenzaldehyde (0.76 g, 5 mmol) was heated and refluxed in ethanol (20 ml for 3 h, and then the resulting solution was cooled to room temperature. After filtration, the filtrate was allowed to stand at room temperature. Upon slow evaporation, yellow block crystals suitable for X-ray diffraction analysis were isolated after three days.

S3. Refinement

The H atoms were positioned geometrically and refined using the riding-model approximation, with C—H = 0.93 or 0.96 Å and O—H = 0.82 Å and U_{iso}(H) = 1.2Ueq(carrier) or U_{iso}(H) = 1.5Ueq(methyl carrier).



Figure 1

The molecular structure of (I) with atom labels and the 30% probability displacement ellipsoids for non-H atoms. The symmetry related atoms (A) are generated by symmetry operation: 1 - *x*, -*y*, 2 - *z*.

1,2-Bis[(2-hydroxy-3-methoxybenzylidene)hydrazono]-1,2-diphenylethane

Crystal data

$C_{30}H_{26}N_4O_4$
M_r = 506.55
Monoclinic, $P2_1/c$
a = 8.3732 (11) Å
b = 12.7267 (16) Å
c = 12.4229 (16) Å
β = 98.188 (2)°
V = 1310.3 (3) Å^3
Z = 2
$F(000)$ = 532
D_x = 1.284 Mg m^{-3}
Mo $K\alpha$ radiation, λ = 0.71073 Å
Cell parameters from 1614 reflections
θ = 2.5–22.5°
μ = 0.09 mm^{-1}
T = 291 K
Block, yellow
0.36 × 0.19 × 0.11 mm

Data collection

Bruker SMART CCD area-detector diffractometer
Radiation source: fine-focus sealed tube
Graphite monochromator
φ and ω scans
Absorption correction: multi-scan (*SADABS*; Sheldrick, 1996)
T_{min} = 0.969, T_{max} = 0.991
9588 measured reflections
2437 independent reflections
1543 reflections with $I > 2\sigma(I)$
R_{int} = 0.030
θ_{max} = 25.5°, θ_{min} = 2.5°
h = −10→10
k = −15→15
l = −15→15

Refinement

Refinement on F^2
Least-squares matrix: full
$R[F^2 > 2\sigma(F^2)]$ = 0.041
$wR(F^2)$ = 0.117
S = 1.02
2437 reflections
174 parameters
0 restraints
Primary atom site location: structure-invariant direct methods
Secondary atom site location: difference Fourier map
Hydrogen site location: inferred from neighbouring sites
H-atom parameters constrained
$w = 1/[\sigma^2(F_o^2) + (0.0507P)^2 + 0.1624P]$ where $P = (F_o^2 + 2F_c^2)/3$
$(\Delta/\sigma)_{max} < 0.001$
$\Delta\rho_{max}$ = 0.11 e Å^{-3}
$\Delta\rho_{min}$ = −0.15 e Å^{-3}

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R-factor wR and goodness of fit S are based on F^2, conventional R-factors R are based on F, with F set to zero for negative F^2. The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R-factors(gt) *etc*. and is not relevant to the choice of reflections for refinement. R-factors based on F^2 are statistically about twice as large as those based on F, and R-factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (Å^2)

	x	y	z	U_{iso}*/U_{eq}
O1	0.47861 (17)	0.23761 (11)	0.56864 (11)	0.0720 (4)
O2	0.30818 (16)	0.17749 (10)	0.71864 (11)	0.0648 (4)
H2	0.2592	0.1502	0.7640	0.097*
N1	0.24208 (19)	0.03065 (11)	0.85518 (12)	0.0567 (4)
N2	0.15856 (19)	−0.02470 (11)	0.92719 (12)	0.0578 (4)
C1	0.4277 (2)	0.11223 (14)	0.69686 (15)	0.0503 (4)
C2	0.5195 (2)	0.14299 (15)	0.61656 (15)	0.0549 (5)
C3	0.6395 (2)	0.07799 (17)	0.59099 (17)	0.0661 (6)
H3	0.6997	0.0977	0.5369	0.079*
C4	0.6719 (2)	−0.01642 (16)	0.64473 (18)	0.0708 (6)
H4	0.7542	−0.0592	0.6268	0.085*
C5	0.5847 (2)	−0.04748 (15)	0.72363 (17)	0.0632 (5)

H5	0.6082	−0.1108	0.7597	0.076*
C6	0.4592 (2)	0.01623 (13)	0.75048 (14)	0.0497 (4)
C7	0.5529 (3)	0.26528 (19)	0.47601 (16)	0.0854 (7)
H7A	0.6672	0.2722	0.4972	0.128*
H7B	0.5094	0.3308	0.4468	0.128*
H7C	0.5320	0.2114	0.4217	0.128*
C8	0.3612 (2)	−0.02192 (14)	0.82838 (15)	0.0551 (5)
H8	0.3851	−0.0871	0.8605	0.066*
C9	0.0459 (2)	0.02843 (13)	0.96279 (14)	0.0499 (4)
C10	0.0056 (2)	0.14018 (13)	0.93434 (15)	0.0494 (5)
C11	−0.0776 (3)	0.16613 (16)	0.83395 (17)	0.0721 (6)
H11	−0.1114	0.1133	0.7842	0.087*
C12	−0.1110 (3)	0.26938 (19)	0.8066 (2)	0.0839 (7)
H12	−0.1656	0.2859	0.7381	0.101*
C13	−0.0644 (3)	0.34772 (17)	0.8795 (2)	0.0753 (6)
H13	−0.0891	0.4174	0.8616	0.090*
C14	0.0186 (3)	0.32303 (16)	0.97909 (19)	0.0697 (6)
H14	0.0514	0.3763	1.0286	0.084*
C15	0.0545 (2)	0.21959 (15)	1.00694 (16)	0.0600 (5)
H15	0.1117	0.2036	1.0747	0.072*

Atomic displacement parameters (Å²)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
O1	0.0830 (10)	0.0687 (9)	0.0680 (9)	−0.0023 (7)	0.0232 (8)	0.0159 (7)
O2	0.0686 (9)	0.0565 (8)	0.0741 (10)	0.0137 (7)	0.0271 (7)	0.0126 (7)
N1	0.0599 (10)	0.0488 (9)	0.0657 (10)	0.0003 (8)	0.0242 (8)	0.0066 (8)
N2	0.0613 (10)	0.0504 (9)	0.0656 (10)	−0.0009 (8)	0.0230 (8)	0.0070 (8)
C1	0.0488 (10)	0.0489 (10)	0.0540 (11)	−0.0016 (8)	0.0104 (8)	−0.0042 (9)
C2	0.0572 (12)	0.0540 (11)	0.0540 (11)	−0.0104 (9)	0.0100 (9)	−0.0018 (9)
C3	0.0598 (13)	0.0732 (15)	0.0701 (14)	−0.0096 (11)	0.0254 (11)	−0.0097 (11)
C4	0.0599 (13)	0.0699 (15)	0.0872 (15)	0.0049 (11)	0.0260 (12)	−0.0096 (12)
C5	0.0603 (13)	0.0521 (11)	0.0791 (14)	0.0048 (9)	0.0164 (11)	−0.0057 (10)
C6	0.0500 (11)	0.0430 (10)	0.0576 (11)	−0.0031 (8)	0.0129 (9)	−0.0038 (8)
C7	0.115 (2)	0.0852 (16)	0.0582 (13)	−0.0224 (14)	0.0215 (13)	0.0074 (11)
C8	0.0617 (12)	0.0413 (10)	0.0632 (12)	−0.0007 (9)	0.0122 (10)	0.0006 (8)
C9	0.0516 (11)	0.0463 (10)	0.0527 (11)	−0.0035 (8)	0.0108 (9)	0.0014 (8)
C10	0.0461 (10)	0.0485 (10)	0.0561 (11)	−0.0019 (8)	0.0158 (9)	0.0023 (9)
C11	0.0846 (16)	0.0638 (14)	0.0646 (14)	0.0045 (11)	−0.0004 (12)	−0.0023 (11)
C12	0.0991 (19)	0.0722 (15)	0.0766 (15)	0.0168 (13)	−0.0001 (13)	0.0155 (13)
C13	0.0737 (15)	0.0544 (13)	0.0999 (18)	0.0071 (11)	0.0203 (14)	0.0188 (13)
C14	0.0718 (14)	0.0490 (12)	0.0898 (16)	−0.0081 (10)	0.0162 (12)	−0.0057 (11)
C15	0.0643 (13)	0.0524 (12)	0.0626 (12)	−0.0043 (10)	0.0063 (10)	0.0004 (10)

Geometric parameters (Å, º)

O1—C2	1.365 (2)	C7—H7A	0.9600
O1—C7	1.428 (2)	C7—H7B	0.9600

O2—C1	1.357 (2)	C7—H7C	0.9600
O2—H2	0.8200	C8—H8	0.9300
N1—C8	1.284 (2)	C9—C9^{i}	1.474 (3)
N1—N2	1.4013 (19)	C9—C10	1.492 (2)
N2—C9	1.289 (2)	C10—C15	1.377 (3)
C1—C6	1.399 (2)	C10—C11	1.379 (3)
C1—C2	1.399 (2)	C11—C12	1.376 (3)
C2—C3	1.374 (3)	C11—H11	0.9300
C3—C4	1.382 (3)	C12—C13	1.366 (3)
C3—H3	0.9300	C12—H12	0.9300
C4—C5	1.362 (3)	C13—C14	1.366 (3)
C4—H4	0.9300	C13—H13	0.9300
C5—C6	1.404 (2)	C14—C15	1.383 (3)
C5—H5	0.9300	C14—H14	0.9300
C6—C8	1.439 (2)	C15—H15	0.9300

C2—O1—C7	117.26 (16)	H7A—C7—H7C	109.5
C1—O2—H2	109.5	H7B—C7—H7C	109.5
C8—N1—N2	112.36 (15)	N1—C8—C6	122.49 (17)
C9—N2—N1	114.29 (15)	N1—C8—H8	118.8
O2—C1—C6	122.30 (16)	C6—C8—H8	118.8
O2—C1—C2	117.81 (16)	N2—C9—C9^{i}	115.5 (2)
C6—C1—C2	119.88 (16)	N2—C9—C10	124.79 (15)
O1—C2—C3	125.21 (17)	C9^{i}—C9—C10	119.7 (2)
O1—C2—C1	115.38 (16)	C15—C10—C11	118.76 (17)
C3—C2—C1	119.40 (18)	C15—C10—C9	120.53 (17)
C2—C3—C4	120.76 (19)	C11—C10—C9	120.69 (17)
C2—C3—H3	119.6	C12—C11—C10	120.7 (2)
C4—C3—H3	119.6	C12—C11—H11	119.6
C5—C4—C3	120.76 (19)	C10—C11—H11	119.6
C5—C4—H4	119.6	C13—C12—C11	120.3 (2)
C3—C4—H4	119.6	C13—C12—H12	119.9
C4—C5—C6	119.96 (19)	C11—C12—H12	119.9
C4—C5—H5	120.0	C14—C13—C12	119.5 (2)
C6—C5—H5	120.0	C14—C13—H13	120.2
C1—C6—C5	119.22 (16)	C12—C13—H13	120.2
C1—C6—C8	121.85 (16)	C13—C14—C15	120.6 (2)
C5—C6—C8	118.84 (17)	C13—C14—H14	119.7
O1—C7—H7A	109.5	C15—C14—H14	119.7
O1—C7—H7B	109.5	C10—C15—C14	120.05 (19)
H7A—C7—H7B	109.5	C10—C15—H15	120.0
O1—C7—H7C	109.5	C14—C15—H15	120.0

C8—N1—N2—C9	174.82 (16)	N2—N1—C8—C6	176.37 (15)
C7—O1—C2—C3	8.0 (3)	C1—C6—C8—N1	−1.7 (3)
C7—O1—C2—C1	−171.27 (17)	C5—C6—C8—N1	−178.34 (17)
O2—C1—C2—O1	0.5 (2)	N1—N2—C9—C9^{i}	178.95 (17)
C6—C1—C2—O1	179.61 (16)	N1—N2—C9—C10	−1.4 (3)

O2—C1—C2—C3	−178.83 (16)	N2—C9—C10—C15	−102.7 (2)
C6—C1—C2—C3	0.3 (3)	C9^{i}—C9—C10—C15	76.9 (3)
O1—C2—C3—C4	179.79 (18)	N2—C9—C10—C11	75.6 (3)
C1—C2—C3—C4	−0.9 (3)	C9^{i}—C9—C10—C11	−104.8 (2)
C2—C3—C4—C5	0.5 (3)	C15—C10—C11—C12	0.1 (3)
C3—C4—C5—C6	0.6 (3)	C9—C10—C11—C12	−178.26 (19)
O2—C1—C6—C5	179.88 (17)	C10—C11—C12—C13	−1.1 (4)
C2—C1—C6—C5	0.8 (3)	C11—C12—C13—C14	1.4 (4)
O2—C1—C6—C8	3.3 (3)	C12—C13—C14—C15	−0.6 (3)
C2—C1—C6—C8	−175.80 (16)	C11—C10—C15—C14	0.7 (3)
C4—C5—C6—C1	−1.3 (3)	C9—C10—C15—C14	179.01 (17)
C4—C5—C6—C8	175.46 (18)	C13—C14—C15—C10	−0.4 (3)

Symmetry code: (i) −*x*, −*y*, −*z*+2.

Hydrogen-bond geometry (Å, º)

D—H···*A*	*D*—H	H···*A*	*D*···*A*	*D*—H···*A*
O2—H2···N1	0.82	1.91	2.6350 (18)	146