

Acta Crystallographica Section E

## Structure Reports

Online

ISSN 1600-5368

# Isopropyl 2-(5-methyl-3-methylsulfinyl-1-benzofuran-2-yl)acetate

 Hong Dae Choi,<sup>a</sup> Pil Ja Seo,<sup>a</sup> Byung Wha Son<sup>b</sup> and Uk Lee<sup>b\*</sup>
<sup>a</sup>Department of Chemistry, Donggeui University, San 24 Kaya-dong, Busanjin-gu, Busan 614-714, Republic of Korea, and <sup>b</sup>Department of Chemistry, Pukyong National University, 599-1 Daeyeon 3-dong, Nam-gu, Busan 608-737, Republic of Korea

Correspondence e-mail: uklee@pknu.ac.kr


Received 12 August 2008; accepted 2 October 2008

 Key indicators: single-crystal X-ray study;  $T = 298$  K; mean  $\sigma(\text{C}-\text{C}) = 0.002$  Å;  $R$  factor = 0.036;  $wR$  factor = 0.105; data-to-parameter ratio = 15.3.

The title compound,  $\text{C}_{15}\text{H}_{18}\text{O}_4\text{S}$ , was prepared by the oxidation of isopropyl 2-(5-methyl-3-methylsulfonyl-1-benzofuran-2-yl)acetate with 3-chloroperoxybenzoic acid. The crystal structure is stabilized by intermolecular  $\pi-\pi$  interactions between the benzene rings; the centroid-centroid distance between the adjacent benzene rings (symmetry code:  $1-x, 1-y, 1-z$ ) is 3.713 (2) Å. In addition,  $\text{C}-\text{H}\cdots\pi$  and weak intermolecular  $\text{C}-\text{H}\cdots\text{O}$  interactions are present in the structure.

## Related literature

For the crystal structures of similar 2-(5-methyl-3-methylsulfinyl-1-benzofuran-2-yl)acetic acid derivatives, see: Choi *et al.* (2007, 2008).



## Experimental

### Crystal data

$\text{C}_{15}\text{H}_{18}\text{O}_4\text{S}$	$\gamma = 66.421 (1)^\circ$
$M_r = 294.35$	$V = 736.76 (8) \text{ \AA}^3$
Triclinic, $P\bar{1}$	$Z = 2$
$a = 8.1829 (5) \text{ \AA}$	Mo $K\alpha$ radiation
$b = 9.7027 (6) \text{ \AA}$	$\mu = 0.23 \text{ mm}^{-1}$
$c = 10.6545 (7) \text{ \AA}$	$T = 298 (2) \text{ K}$
$\alpha = 73.057 (1)^\circ$	$0.40 \times 0.30 \times 0.30 \text{ mm}$
$\beta = 77.463 (1)^\circ$	

### Data collection

Bruker SMART CCD diffractometer	2838 independent reflections
Absorption correction: none	2479 reflections with $I > 2\sigma(I)$
5802 measured reflections	$R_{\text{int}} = 0.035$

### Refinement

$R[F^2 > 2\sigma(F^2)] = 0.036$	185 parameters
$wR(F^2) = 0.105$	H-atom parameters constrained
$S = 1.07$	$\Delta\rho_{\text{max}} = 0.22 \text{ e \AA}^{-3}$
2838 reflections	$\Delta\rho_{\text{min}} = -0.24 \text{ e \AA}^{-3}$

**Table 1**

Hydrogen-bond geometry (Å, °).

$C_{g1}$  and  $C_{g2}$  are the centroids of the  $C2-C7$  and  $C1/C2/C7/C8/O1$  rings, respectively.

$D-H\cdots A$	$D-H$	$H\cdots A$	$D\cdots A$	$D-H\cdots A$
$C9-H9A\cdots O2^i$	0.97	2.38	3.249 (2)	149
$C13-H13\cdots C_{g1}^{ii}$	0.98	2.91	3.656 (2)	134
$C15-H15C\cdots C_{g2}^{ii}$	0.96	2.96	3.837 (2)	152

Symmetry codes: (i)  $-x+2, -y+1, -z$ ; (ii)  $x, y+1, z$ .

Data collection: *SMART* (Bruker, 2001); cell refinement: *SAINT* (Bruker, 2001); data reduction: *SAINT*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP-3* (Farrugia, 1997) and *DIAMOND* (Brandenburg, 1998); software used to prepare material for publication: *SHELXL97*.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: FB2111).

## References

- Brandenburg, K. (1998). *DIAMOND*. Crystal Impact GbR, Bonn, Germany.
- Bruker (2001). *SAINT* and *SMART*. Bruker AXS Inc., Madison, Wisconsin, USA.
- Choi, H. D., Seo, P. J., Son, B. W. & Lee, U. (2007). *Acta Cryst.* **E63**, o3839.
- Choi, H. D., Seo, P. J., Son, B. W. & Lee, U. (2008). *Acta Cryst.* **E64**, o1711.
- Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.

## supporting information

*Acta Cryst.* (2008). E64, o2079 [doi:10.1107/S1600536808031796]

## Isopropyl 2-(5-methyl-3-methylsulfinyl-1-benzofuran-2-yl)acetate

Hong Dae Choi, Pil Ja Seo, Byeng Wha Son and Uk Lee

### S1. Comment

This work is related to our previous communications on the synthesis and structure of 2-(5-methyl-3-methylsulfinyl-1-benzofuran-2-yl)acetic acid analogues, *viz.* ethyl 2-(5-methyl-3-methylsulfinyl-1-benzofuran-2-yl)acetate (Choi *et al.*, 2007) and methyl 2-(5-methyl-3-methylsulfinyl-1-benzofuran-2-yl)acetate (Choi *et al.*, 2008). Here we report the crystal structure of the title compound, isopropyl 2-(5-methyl-3-methylsulfinyl-1-benzofuran-2-yl)acetate (Fig. 1).


The benzofuran unit is essentially planar, with a mean deviation of 0.004 (1) Å from the least-squares plane defined by the nine constituent atoms. The molecular packing (Fig. 2) is stabilized by  $\pi$ — $\pi$  electron interactions between the benzofuran rings of the adjacent molecules. The distances between the centroids of the stacked benzene rings are 3.713 (2) Å (symmetry code: 1-x, 1-y, 1-z). The crystal packing is further stabilized by C—H $\cdots$  $\pi$  electron interactions (Tab. 1). Additionally, intermolecular C—H $\cdots$ O interactions are present in the structure (Tab. 1).

### S2. Experimental

77% 3-chloroperoxybenzoic acid (471 mg, 2.1 mmol) was added in small portions to a stirred solution of isopropyl 2-(5-methyl-3-methylsulfinyl-1-benzofuran-2-yl)acetate (556 mg, 2.0 mmol) in dichloromethane (40 ml) at 273 K. After having been stirred for 3 h at room temperature, the mixture was washed with saturated sodium hydrogencarbonate solution and the organic layer was separated, dried over magnesium sulfate, filtered and concentrated under vacuum. The residue was purified by column chromatography (ethyl acetate) to afford the title compound as a colorless solid [yield 81%, m.p. 403–404 K;  $R_f$  = 0.74 (ethyl acetate)]. Single crystals suitable for X-ray diffraction were prepared by evaporation of a solution of the title compound in ethyl acetate at room temperature. The average crystal size was approximately 1.0 x 1.0 x 0.5 mm. The crystals are colourless and soluble in polar solvents. Spectroscopic analysis:  $^1\text{H}$  NMR ( $\text{CDCl}_3$ , 400 MHz)  $\delta$  1.25 (d,  $J$  = 6.20 Hz, 6H), 2.46 (s, 3H), 3.08 (s, 3H), 3.99 (s, 2H), 5.00–5.08 (m, 1H), 7.17 (d,  $J$  = 8.44 Hz, 1H), 7.39 (d,  $J$  = 8.44 Hz, 1H), 7.74 (s, 1H); EI—MS 294 [ $M^+$ ].


### S3. Refinement

All the hydrogen atoms could have been distinguished in the difference electron density maps. However, all the H atoms were positioned geometrically and refined using a riding model, with C—H = 0.93 Å for the aryl, 0.97 Å for the methylene, 0.98 Å for the methine and 0.96 Å for the methyl H atoms.  $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C})$  for the aryl, methine and methylene H atoms, and  $U_{\text{iso}}(\text{H}) = 1.5U_{\text{eq}}(\text{C})$  for the methyl H atoms.



**Figure 1**

The molecular structure of the title compound, showing the displacement ellipsoids drawn at the 30% probability level.



**Figure 2**

$\pi$ – $\pi$ , C–H $\cdots$  $\pi$  and C–H $\cdots$ O interactions (dotted lines) in the title compound. Cg denotes the ring centroid. [Symmetry codes: (i)  $-x + 2, -y + 1, -z$ ; (ii)  $x, y + 1, z$ ; (iii)  $-x + 1, -y + 1, -z + 1$ ; (iv)  $x, y - 1, z$ .]

### Isopropyl 2-(5-methyl-3-methylsulfinyl-1-benzofuran-2-yl)acetate

#### Crystal data

$C_{15}H_{18}O_4S$

$M_r = 294.35$

Triclinic,  $P\bar{1}$

Hall symbol:  $-P\ 1$

$a = 8.1829(5)\ \text{\AA}$

$b = 9.7027(6)\ \text{\AA}$

$c = 10.6545(7)\ \text{\AA}$

$\alpha = 73.057(1)^\circ$

$\beta = 77.463(1)^\circ$

$\gamma = 66.421(1)^\circ$

$V = 736.76(8)\ \text{\AA}^3$

$Z = 2$

$F(000) = 312$

$D_x = 1.327\ \text{Mg m}^{-3}$

Melting point = 403–404 K

Mo  $K\alpha$  radiation,  $\lambda = 0.71073\ \text{\AA}$

Cell parameters from 4030 reflections

$\theta = 2.4\text{--}28.2^\circ$

$\mu = 0.23 \text{ mm}^{-1}$   
 $T = 298 \text{ K}$

Block, colourless  
 $0.40 \times 0.30 \times 0.30 \text{ mm}$

*Data collection*

Bruker SMART CCD  
 diffractometer  
 Radiation source: fine-focus sealed tube  
 Graphite monochromator  
 Detector resolution:  $10.0 \text{ pixels mm}^{-1}$   
 $\varphi$  and  $\omega$  scans  
 5802 measured reflections

2838 independent reflections  
 2479 reflections with  $I > 2\sigma(I)$   
 $R_{\text{int}} = 0.035$   
 $\theta_{\text{max}} = 26.0^\circ$ ,  $\theta_{\text{min}} = 2.7^\circ$   
 $h = -10 \rightarrow 10$   
 $k = -11 \rightarrow 11$   
 $l = -13 \rightarrow 13$

*Refinement*

Refinement on  $F^2$   
 Least-squares matrix: full  
 $R[F^2 > 2\sigma(F^2)] = 0.036$   
 $wR(F^2) = 0.105$   
 $S = 1.07$   
 2838 reflections  
 185 parameters  
 0 restraints  
 68 constraints

Primary atom site location: structure-invariant  
 direct methods  
 Secondary atom site location: difference Fourier  
 map  
 Hydrogen site location: difference Fourier map  
 H-atom parameters constrained  
 $w = 1/[\sigma^2(F_o^2) + (0.0509P)^2 + 0.2101P]$   
 where  $P = (F_o^2 + 2F_c^2)/3$   
 $(\Delta/\sigma)_{\text{max}} < 0.001$   
 $\Delta\rho_{\text{max}} = 0.22 \text{ e } \text{Å}^{-3}$   
 $\Delta\rho_{\text{min}} = -0.24 \text{ e } \text{Å}^{-3}$

*Special details*

**Geometry.** All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted  $R$ -factor  $wR$  and goodness of fit  $S$  are based on  $F^2$ , conventional  $R$ -factors  $R$  are based on  $F$ , with  $F$  set to zero for negative  $F^2$ . The threshold expression of  $F^2 > \sigma(F^2)$  is used only for calculating  $R$ -factors(gt) *etc.* and is not relevant to the choice of reflections for refinement.  $R$ -factors based on  $F^2$  are statistically about twice as large as those based on  $F$ , and  $R$ -factors based on ALL data will be even larger.

*Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{Å}^2$ )*

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
S	0.74200 (6)	0.64759 (5)	0.04151 (4)	0.04706 (16)
O1	0.84827 (15)	0.47478 (12)	0.40980 (11)	0.0378 (3)
O2	0.7528 (2)	0.53592 (18)	-0.03283 (14)	0.0705 (4)
O3	0.73496 (17)	0.88857 (15)	0.23749 (16)	0.0603 (4)
O4	1.00780 (15)	0.88109 (12)	0.25158 (12)	0.0422 (3)
C1	0.7543 (2)	0.55223 (18)	0.20899 (15)	0.0356 (3)
C2	0.6619 (2)	0.45172 (16)	0.29204 (15)	0.0336 (3)
C3	0.5364 (2)	0.39518 (18)	0.27713 (16)	0.0380 (4)
H3	0.4913	0.4233	0.1967	0.046*
C4	0.4806 (2)	0.29641 (19)	0.38454 (17)	0.0405 (4)
C5	0.5499 (2)	0.25528 (19)	0.50517 (17)	0.0424 (4)
H5	0.5109	0.1888	0.5761	0.051*
C6	0.6736 (2)	0.30967 (18)	0.52246 (16)	0.0401 (4)
H6	0.7189	0.2818	0.6027	0.048*

C7	0.7260 (2)	0.40767 (17)	0.41396 (15)	0.0343 (3)
C8	0.8622 (2)	0.56095 (18)	0.28352 (15)	0.0361 (3)
C9	0.9868 (2)	0.64659 (18)	0.25585 (18)	0.0405 (4)
H9A	1.0607	0.6321	0.1728	0.049*
H9B	1.0657	0.6029	0.3247	0.049*
C10	0.8915 (2)	0.81825 (18)	0.24831 (16)	0.0384 (4)
C11	0.3469 (3)	0.2312 (3)	0.3719 (2)	0.0598 (5)
H11A	0.2959	0.2846	0.2902	0.090*
H11B	0.2533	0.2443	0.4443	0.090*
H11C	0.4066	0.1232	0.3731	0.090*
C12	0.5114 (3)	0.7722 (3)	0.0561 (2)	0.0717 (6)
H12A	0.4814	0.8392	-0.0284	0.108*
H12B	0.4926	0.8332	0.1182	0.108*
H12C	0.4367	0.7112	0.0865	0.108*
C13	0.9392 (2)	1.04906 (18)	0.24297 (18)	0.0426 (4)
H13	0.8239	1.0791	0.2982	0.051*
C14	0.9158 (3)	1.1356 (2)	0.1023 (2)	0.0603 (5)
H14A	0.8323	1.1104	0.0707	0.090*
H14B	1.0294	1.1071	0.0488	0.090*
H14C	0.8708	1.2446	0.0974	0.090*
C15	1.0762 (3)	1.0762 (2)	0.2963 (3)	0.0692 (6)
H15A	1.1907	1.0407	0.2453	0.104*
H15B	1.0850	1.0206	0.3868	0.104*
H15C	1.0407	1.1846	0.2910	0.104*

Atomic displacement parameters ( $\text{\AA}^2$ )

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
S	0.0572 (3)	0.0469 (3)	0.0365 (2)	-0.0241 (2)	-0.00906 (19)	0.00182 (17)
O1	0.0416 (6)	0.0381 (6)	0.0392 (6)	-0.0204 (5)	-0.0113 (5)	-0.0035 (5)
O2	0.0994 (12)	0.0694 (9)	0.0444 (8)	-0.0262 (9)	-0.0159 (8)	-0.0158 (7)
O3	0.0408 (7)	0.0449 (7)	0.0966 (11)	-0.0190 (6)	-0.0103 (7)	-0.0113 (7)
O4	0.0420 (6)	0.0328 (6)	0.0568 (7)	-0.0177 (5)	-0.0114 (5)	-0.0075 (5)
C1	0.0406 (8)	0.0324 (7)	0.0355 (8)	-0.0163 (7)	-0.0064 (6)	-0.0040 (6)
C2	0.0373 (8)	0.0292 (7)	0.0352 (8)	-0.0128 (6)	-0.0055 (6)	-0.0067 (6)
C3	0.0411 (9)	0.0370 (8)	0.0415 (8)	-0.0167 (7)	-0.0096 (7)	-0.0098 (7)
C4	0.0394 (9)	0.0362 (8)	0.0512 (10)	-0.0175 (7)	-0.0047 (7)	-0.0124 (7)
C5	0.0458 (9)	0.0356 (8)	0.0454 (9)	-0.0205 (7)	-0.0016 (7)	-0.0031 (7)
C6	0.0449 (9)	0.0377 (8)	0.0375 (8)	-0.0165 (7)	-0.0095 (7)	-0.0024 (6)
C7	0.0357 (8)	0.0304 (7)	0.0394 (8)	-0.0140 (6)	-0.0076 (6)	-0.0063 (6)
C8	0.0395 (8)	0.0312 (7)	0.0386 (8)	-0.0159 (6)	-0.0057 (6)	-0.0040 (6)
C9	0.0396 (9)	0.0376 (8)	0.0490 (9)	-0.0200 (7)	-0.0070 (7)	-0.0068 (7)
C10	0.0394 (9)	0.0387 (8)	0.0397 (8)	-0.0206 (7)	-0.0038 (7)	-0.0038 (6)
C11	0.0605 (12)	0.0615 (12)	0.0731 (13)	-0.0393 (10)	-0.0128 (10)	-0.0095 (10)
C12	0.0665 (14)	0.0616 (13)	0.0692 (14)	-0.0084 (11)	-0.0246 (11)	0.0023 (11)
C13	0.0444 (9)	0.0327 (8)	0.0540 (10)	-0.0160 (7)	-0.0051 (8)	-0.0119 (7)
C14	0.0797 (15)	0.0395 (10)	0.0607 (12)	-0.0235 (10)	-0.0124 (10)	-0.0039 (8)
C15	0.0745 (15)	0.0483 (11)	0.1006 (18)	-0.0231 (11)	-0.0311 (13)	-0.0232 (11)

*Geometric parameters (Å, °)*

S—O2	1.4839 (15)	C8—C9	1.490 (2)
S—C1	1.7583 (16)	C9—C10	1.516 (2)
S—C12	1.790 (2)	C9—H9A	0.9700
O1—C8	1.3698 (18)	C9—H9B	0.9700
O1—C7	1.3830 (18)	C11—H11A	0.9600
O3—C10	1.199 (2)	C11—H11B	0.9600
O4—C10	1.3305 (19)	C11—H11C	0.9600
O4—C13	1.4774 (19)	C12—H12A	0.9600
C1—C8	1.349 (2)	C12—H12B	0.9600
C1—C2	1.450 (2)	C12—H12C	0.9600
C2—C7	1.392 (2)	C13—C15	1.500 (3)
C2—C3	1.397 (2)	C13—C14	1.500 (3)
C3—C4	1.386 (2)	C13—H13	0.9800
C3—H3	0.9300	C14—H14A	0.9600
C4—C5	1.403 (2)	C14—H14B	0.9600
C4—C11	1.511 (2)	C14—H14C	0.9600
C5—C6	1.379 (2)	C15—H15A	0.9600
C5—H5	0.9300	C15—H15B	0.9600
C6—C7	1.376 (2)	C15—H15C	0.9600
C6—H6	0.9300		
O2—S—C1	108.11 (8)	H9A—C9—H9B	107.7
O2—S—C12	106.21 (11)	O3—C10—O4	124.63 (15)
C1—S—C12	97.74 (9)	O3—C10—C9	125.20 (14)
C8—O1—C7	106.03 (11)	O4—C10—C9	110.14 (13)
C10—O4—C13	117.80 (13)	C4—C11—H11A	109.5
C8—C1—C2	107.31 (13)	C4—C11—H11B	109.5
C8—C1—S	123.03 (12)	H11A—C11—H11B	109.5
C2—C1—S	129.65 (12)	C4—C11—H11C	109.5
C7—C2—C3	119.08 (14)	H11A—C11—H11C	109.5
C7—C2—C1	104.42 (13)	H11B—C11—H11C	109.5
C3—C2—C1	136.50 (15)	S—C12—H12A	109.5
C4—C3—C2	118.66 (15)	S—C12—H12B	109.5
C4—C3—H3	120.7	H12A—C12—H12B	109.5
C2—C3—H3	120.7	S—C12—H12C	109.5
C3—C4—C5	119.95 (15)	H12A—C12—H12C	109.5
C3—C4—C11	120.26 (16)	H12B—C12—H12C	109.5
C5—C4—C11	119.79 (16)	O4—C13—C15	105.45 (14)
C6—C5—C4	122.50 (15)	O4—C13—C14	109.85 (14)
C6—C5—H5	118.7	C15—C13—C14	112.29 (17)
C4—C5—H5	118.7	O4—C13—H13	109.7
C7—C6—C5	116.08 (15)	C15—C13—H13	109.7
C7—C6—H6	122.0	C14—C13—H13	109.7
C5—C6—H6	122.0	C13—C14—H14A	109.5
C6—C7—O1	125.47 (14)	C13—C14—H14B	109.5
C6—C7—C2	123.73 (14)	H14A—C14—H14B	109.5

O1—C7—C2	110.80 (13)	C13—C14—H14C	109.5
C1—C8—O1	111.44 (13)	H14A—C14—H14C	109.5
C1—C8—C9	132.89 (15)	H14B—C14—H14C	109.5
O1—C8—C9	115.66 (13)	C13—C15—H15A	109.5
C8—C9—C10	113.54 (14)	C13—C15—H15B	109.5
C8—C9—H9A	108.9	H15A—C15—H15B	109.5
C10—C9—H9A	108.9	C13—C15—H15C	109.5
C8—C9—H9B	108.9	H15A—C15—H15C	109.5
C10—C9—H9B	108.9	H15B—C15—H15C	109.5
O2—S—C1—C8	133.07 (16)	C3—C2—C7—C6	0.4 (2)
C12—S—C1—C8	-117.00 (17)	C1—C2—C7—C6	-179.35 (15)
O2—S—C1—C2	-45.61 (17)	C3—C2—C7—O1	-179.98 (13)
C12—S—C1—C2	64.32 (17)	C1—C2—C7—O1	0.30 (17)
C8—C1—C2—C7	0.00 (18)	C2—C1—C8—O1	-0.30 (19)
S—C1—C2—C7	178.83 (13)	S—C1—C8—O1	-179.23 (11)
C8—C1—C2—C3	-179.65 (18)	C2—C1—C8—C9	-178.84 (17)
S—C1—C2—C3	-0.8 (3)	S—C1—C8—C9	2.2 (3)
C7—C2—C3—C4	-0.3 (2)	C7—O1—C8—C1	0.48 (18)
C1—C2—C3—C4	179.36 (17)	C7—O1—C8—C9	179.29 (13)
C2—C3—C4—C5	0.1 (2)	C1—C8—C9—C10	74.3 (2)
C2—C3—C4—C11	-179.20 (16)	O1—C8—C9—C10	-104.20 (16)
C3—C4—C5—C6	0.0 (3)	C13—O4—C10—O3	0.8 (2)
C11—C4—C5—C6	179.31 (17)	C13—O4—C10—C9	179.02 (13)
C4—C5—C6—C7	0.1 (3)	C8—C9—C10—O3	-14.9 (2)
C5—C6—C7—O1	-179.86 (15)	C8—C9—C10—O4	166.85 (14)
C5—C6—C7—C2	-0.3 (2)	C10—O4—C13—C15	160.41 (17)
C8—O1—C7—C6	179.16 (15)	C10—O4—C13—C14	-78.39 (19)
C8—O1—C7—C2	-0.48 (17)		

Hydrogen-bond geometry ( $\text{\AA}$ ,  $^\circ$ )

$D-H\cdots A$	$D-H$	$H\cdots A$	$D\cdots A$	$D-H\cdots A$
C9—H9A $\cdots$ O2 <sup>i</sup>	0.97	2.38	3.249 (2)	149
C13—H13 $\cdots$ Cg1 <sup>ii</sup>	0.98	2.91	3.656 (2)	134
C15—H15C $\cdots$ Cg2 <sup>ii</sup>	0.96	2.96	3.837 (2)	152

Symmetry codes: (i)  $-x+2, -y+1, -z$ ; (ii)  $x, y+1, z$ .