

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

Dichlorido[2,2'-(oxydimethylene)-dipyridine]zinc(II)

Jin Min Li

Chemistry and Chemical Engineering College, Shanxi Datong University, Datong 037009, People's Republic of China

Correspondence e-mail: jinminli1957@yahoo.com.cn


Received 11 October 2008; accepted 23 October 2008

Key indicators: single-crystal X-ray study; $T = 298$ K; mean $\sigma(\text{C}-\text{C}) = 0.004$ Å; R factor = 0.026; wR factor = 0.069; data-to-parameter ratio = 14.7.

In the title complex, $[\text{ZnCl}_2(\text{C}_{12}\text{H}_{12}\text{N}_2\text{O})]$, the Zn^{II} atom is coordinated in a distorted trigonal-bipyramidal geometry by two Cl atoms, and one O atom and two N atoms from the 2,2'-(oxydimethylene)dipyridine ligand. In the complex, the two pyridine rings make a dihedral angle of 15.44 (14)°. There is a weak intermolecular π - π stacking interaction between pyridine rings; the centroid-centroid distance is 3.8079 (17) Å.

Related literature

For the isotopic Cd and Cu analogs of the title compound, see: Li (2007) and Li (2008), respectively.



Experimental

Crystal data

$[\text{ZnCl}_2(\text{C}_{12}\text{H}_{12}\text{N}_2\text{O})]$
 $M_r = 336.51$

Monoclinic, $P2_1/c$
 $a = 8.0874$ (12) Å
 $b = 12.5013$ (18) Å
 $c = 15.6210$ (16) Å
 $\beta = 121.180$ (11)°

 $V = 1351.2$ (3) Å³ $Z = 4$ Mo $K\alpha$ radiation $\mu = 2.20$ mm⁻¹ $T = 298$ (2) K $0.40 \times 0.32 \times 0.13$ mm

Data collection

Bruker SMART APEX CCD diffractometer

Absorption correction: multi-scan (SADABS; Sheldrick, 1996)

 $T_{\text{min}} = 0.466$, $T_{\text{max}} = 0.751$

5529 measured reflections

2388 independent reflections

2158 reflections with $I > 2\sigma(I)$ $R_{\text{int}} = 0.024$

Refinement

 $R[F^2 > 2\sigma(F^2)] = 0.026$ $wR(F^2) = 0.069$ $S = 1.05$

2388 reflections

163 parameters

H-atom parameters constrained

 $\Delta\rho_{\text{max}} = 0.51$ e Å⁻³ $\Delta\rho_{\text{min}} = -0.35$ e Å⁻³

Table 1

Selected bond lengths (Å).

Cl1—Zn1	2.2803 (6)	N2—Zn1	2.1128 (18)
Cl2—Zn1	2.2642 (7)	O1—Zn1	2.2252 (16)
N1—Zn1	2.1178 (18)		

Data collection: *SMART* (Bruker, 1997); cell refinement: *SAINT* (Bruker, 1997); data reduction: *SAINT*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *SHELXTL* (Sheldrick, 2008); software used to prepare material for publication: *SHELXTL*.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: IS2347).

References

- Bruker (1997). *SMART* and *SAINT*. Bruker AXS Inc., Madison, Wisconsin, USA.
 Li, J. M. (2007). *Acta Cryst.* **E63**, m2241.
 Li, J. M. (2008). *Acta Cryst.* **E64**, m1467.
 Sheldrick, G. M. (1996). *SADABS*. University of Göttingen, Germany.
 Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.

supporting information

Acta Cryst. (2008). E64, m1468 [doi:10.1107/S1600536808034600]

Dichlorido[2,2'-(oxydimethylene)dipyridine]zinc(II)

Jin Min Li

S1. Comment

2,2'-(oxydimethylene)dipyridine is an useful tridentate terminal ligand and the Cd^{II} complex with it as ligand has been published (Li, 2007). Herein the crystal structure of the title Zn complex, (I), with 2,2'-(oxydimethylene)dipyridine as ligand, is reported.


The molecular structure of (I) is shown in Fig. 1. In this mononuclear complex, atom Zn1 is in a distorted trigonal bipyramidal coordination environment (Table 1). In the crystal structure, there are a weak π - π stacking interaction between symmetry related pyridyl rings, with the relevant distances being $Cg1 \cdots Cg1^i = 3.8079$ (17) Å and a perpendicular distance of 3.597 Å [symmetry code (i) 1-x, 2-y, -z; Cg1 is the centroid of the N1/C1—C5 ring]. The title compound is isostructural with the Cd^{II} complex (Li, 2007).

S2. Experimental

A methanol solution (5 ml) of 2,2'-(oxydimethylene)dipyridine (0.0345 g, 0.172 mmol) was added into 8 ml H₂O solution containing ZnCl₂ (0.0241 g, 0.177 mmol). The mixed solution was stirred for a few minutes. The colorless single crystals were obtained after the solution had been allowed to stand at room temperature for two weeks.

S3. Refinement

All H atom were placed in calculated positions and refined as riding, with C—H = 0.93–0.97 Å, and with $U_{iso}(H) = 1.2U_{eq}(C)$.

**Figure 1**

View of complex (I), showing the atom numbering scheme with thermal ellipsoids drawn at the 30% probability level

Dichlorido[2,2'-(oxydimethylene)dipyridine]zinc(II)

Crystal data

[ZnCl₂(C₁₂H₁₂N₂O)]

$M_r = 336.51$

Monoclinic, $P2_1/c$

Hall symbol: -P 2ybc

$a = 8.0874$ (12) Å

$b = 12.5013$ (18) Å

$c = 15.6210$ (16) Å

$\beta = 121.180$ (11)°

$V = 1351.2$ (3) Å³

$Z = 4$

$F(000) = 680$

$D_x = 1.654$ Mg m⁻³

Mo $K\alpha$ radiation, $\lambda = 0.71073$ Å

Cell parameters from 3915 reflections

$\theta = 2.9$ – 28.1 °

$\mu = 2.20$ mm⁻¹

$T = 298$ K

Block, colorless

$0.40 \times 0.32 \times 0.13$ mm

Data collection

Bruker SMART APEX CCD
diffractometer

Radiation source: fine-focus sealed tube

Graphite monochromator

φ and ω scans

Absorption correction: multi-scan
(*SADABS*; Sheldrick, 1996)

$T_{\min} = 0.466$, $T_{\max} = 0.751$

5529 measured reflections

2388 independent reflections

2158 reflections with $I > 2\sigma(I)$

$R_{\text{int}} = 0.024$

$\theta_{\max} = 25.0$ °, $\theta_{\min} = 2.2$ °

$h = -8 \rightarrow 9$

$k = -14 \rightarrow 8$

$l = -17 \rightarrow 18$

Refinement

Refinement on F^2

Least-squares matrix: full

$R[F^2 > 2\sigma(F^2)] = 0.026$

$wR(F^2) = 0.069$

$S = 1.05$

2388 reflections

163 parameters

0 restraints

Primary atom site location: structure-invariant
direct methods

Secondary atom site location: difference Fourier
map

Hydrogen site location: inferred from
neighbouring sites

H-atom parameters constrained

$$w = 1/[\sigma^2(F_o^2) + (0.0373P)^2 + 0.2883P]$$

where $P = (F_o^2 + 2F_c^2)/3$
 $(\Delta/\sigma)_{\max} = 0.001$

$$\Delta\rho_{\max} = 0.51 \text{ e } \text{\AA}^{-3}$$

$$\Delta\rho_{\min} = -0.35 \text{ e } \text{\AA}^{-3}$$

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) *etc.* and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
C1	0.4107 (3)	0.83139 (18)	-0.04103 (18)	0.0431 (5)
C2	0.2717 (3)	0.9110 (2)	-0.0806 (2)	0.0609 (7)
H2	0.2077	0.9271	-0.1485	0.073*
C3	0.4597 (4)	0.8595 (2)	0.1155 (2)	0.0560 (6)
H3	0.5236	0.8417	0.1831	0.067*
C4	0.3238 (4)	0.9395 (2)	0.0809 (3)	0.0687 (8)
H4	0.2964	0.9752	0.1243	0.082*
C5	0.2299 (4)	0.9658 (2)	-0.0178 (3)	0.0698 (8)
H5	0.1384	1.0203	-0.0425	0.084*
C6	0.4609 (3)	0.7685 (2)	-0.10595 (18)	0.0503 (6)
H6A	0.3458	0.7537	-0.1702	0.060*
H6B	0.5515	0.8079	-0.1171	0.060*
C7	0.6087 (3)	0.59950 (19)	-0.09923 (16)	0.0460 (5)
H7A	0.6875	0.6357	-0.1205	0.055*
H7B	0.4990	0.5673	-0.1575	0.055*
C8	0.7246 (3)	0.51540 (18)	-0.02358 (16)	0.0397 (5)
C9	0.7807 (3)	0.4226 (2)	-0.05024 (19)	0.0495 (6)
H9	0.7444	0.4107	-0.1165	0.059*
C10	0.8902 (4)	0.3486 (2)	0.0219 (2)	0.0537 (6)
H10	0.9305	0.2863	0.0054	0.064*
C11	0.9394 (3)	0.36760 (19)	0.1189 (2)	0.0508 (6)
H11	1.0125	0.3182	0.1690	0.061*
C12	0.8788 (3)	0.46096 (18)	0.14068 (18)	0.0456 (5)
H12	0.9123	0.4736	0.2064	0.055*
Cl1	0.71768 (8)	0.63978 (5)	0.25220 (4)	0.04925 (16)
Cl2	0.98849 (8)	0.77735 (5)	0.14453 (5)	0.05218 (16)
N1	0.5035 (3)	0.80611 (14)	0.05554 (14)	0.0426 (4)
N2	0.7730 (2)	0.53478 (14)	0.07069 (13)	0.0386 (4)
O1	0.5448 (3)	0.67253 (13)	-0.05431 (12)	0.0539 (4)
Zn1	0.71979 (3)	0.686250 (19)	0.111610 (17)	0.03705 (11)

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
C1	0.0374 (11)	0.0391 (12)	0.0482 (14)	-0.0003 (9)	0.0189 (10)	0.0079 (10)
C2	0.0492 (14)	0.0550 (15)	0.0680 (17)	0.0116 (12)	0.0229 (13)	0.0196 (14)
C3	0.0644 (15)	0.0483 (14)	0.0592 (16)	0.0069 (12)	0.0346 (13)	-0.0003 (12)
C4	0.0747 (18)	0.0504 (16)	0.094 (2)	0.0070 (14)	0.0533 (18)	-0.0080 (16)
C5	0.0595 (16)	0.0487 (15)	0.104 (2)	0.0156 (13)	0.0439 (17)	0.0120 (16)
C6	0.0497 (13)	0.0538 (14)	0.0417 (13)	0.0048 (11)	0.0196 (10)	0.0125 (11)
C7	0.0496 (12)	0.0524 (14)	0.0371 (12)	-0.0020 (11)	0.0232 (10)	-0.0055 (11)
C8	0.0393 (11)	0.0425 (12)	0.0393 (12)	-0.0079 (9)	0.0217 (9)	-0.0068 (10)
C9	0.0547 (13)	0.0495 (14)	0.0519 (14)	-0.0101 (11)	0.0329 (12)	-0.0153 (12)
C10	0.0568 (14)	0.0395 (12)	0.0784 (19)	-0.0017 (11)	0.0444 (14)	-0.0067 (13)
C11	0.0491 (13)	0.0425 (13)	0.0603 (16)	0.0047 (10)	0.0281 (12)	0.0069 (11)
C12	0.0471 (12)	0.0437 (13)	0.0430 (13)	0.0021 (10)	0.0213 (10)	0.0012 (10)
Cl1	0.0624 (3)	0.0501 (3)	0.0403 (3)	-0.0039 (3)	0.0301 (3)	0.0019 (3)
Cl2	0.0507 (3)	0.0541 (3)	0.0561 (4)	-0.0081 (3)	0.0307 (3)	-0.0034 (3)
N1	0.0420 (10)	0.0387 (10)	0.0445 (11)	0.0025 (8)	0.0206 (9)	0.0011 (8)
N2	0.0419 (9)	0.0362 (9)	0.0380 (10)	-0.0004 (7)	0.0208 (8)	-0.0025 (8)
O1	0.0673 (10)	0.0512 (10)	0.0332 (9)	0.0166 (8)	0.0190 (8)	0.0023 (7)
Zn1	0.04082 (16)	0.03641 (17)	0.03043 (17)	0.00126 (10)	0.01599 (12)	-0.00073 (10)

Geometric parameters (\AA , $^\circ$)

C1—N1	1.329 (3)	C7—H7B	0.9700
C1—C2	1.384 (3)	C8—N2	1.336 (3)
C1—C6	1.496 (3)	C8—C9	1.386 (3)
C2—C5	1.375 (4)	C9—C10	1.370 (4)
C2—H2	0.9300	C9—H9	0.9300
C3—N1	1.339 (3)	C10—C11	1.373 (4)
C3—C4	1.373 (4)	C10—H10	0.9300
C3—H3	0.9300	C11—C12	1.375 (3)
C4—C5	1.360 (4)	C11—H11	0.9300
C4—H4	0.9300	C12—N2	1.346 (3)
C5—H5	0.9300	C12—H12	0.9300
C6—O1	1.409 (3)	Cl1—Zn1	2.2803 (6)
C6—H6A	0.9700	Cl2—Zn1	2.2642 (7)
C6—H6B	0.9700	N1—Zn1	2.1178 (18)
C7—O1	1.403 (3)	N2—Zn1	2.1128 (18)
C7—C8	1.494 (3)	O1—Zn1	2.2252 (16)
C7—H7A	0.9700		
N1—C1—C2	121.9 (2)	C10—C9—H9	120.3
N1—C1—C6	116.90 (19)	C8—C9—H9	120.3
C2—C1—C6	121.2 (2)	C9—C10—C11	119.0 (2)
C5—C2—C1	118.8 (3)	C9—C10—H10	120.5
C5—C2—H2	120.6	C11—C10—H10	120.5
C1—C2—H2	120.6	C10—C11—C12	118.9 (2)

N1—C3—C4	122.4 (3)	C10—C11—H11	120.5
N1—C3—H3	118.8	C12—C11—H11	120.5
C4—C3—H3	118.8	N2—C12—C11	122.6 (2)
C5—C4—C3	119.1 (3)	N2—C12—H12	118.7
C5—C4—H4	120.5	C11—C12—H12	118.7
C3—C4—H4	120.5	C1—N1—C3	118.5 (2)
C4—C5—C2	119.3 (2)	C1—N1—Zn1	119.86 (15)
C4—C5—H5	120.4	C3—N1—Zn1	121.64 (17)
C2—C5—H5	120.4	C8—N2—C12	118.13 (19)
O1—C6—C1	106.18 (18)	C8—N2—Zn1	120.46 (14)
O1—C6—H6A	110.5	C12—N2—Zn1	120.81 (15)
C1—C6—H6A	110.5	C7—O1—C6	117.43 (18)
O1—C6—H6B	110.5	C7—O1—Zn1	117.11 (13)
C1—C6—H6B	110.5	C6—O1—Zn1	115.38 (14)
H6A—C6—H6B	108.7	N2—Zn1—N1	139.71 (7)
O1—C7—C8	107.76 (17)	N2—Zn1—O1	71.63 (6)
O1—C7—H7A	110.2	N1—Zn1—O1	71.44 (7)
C8—C7—H7A	110.2	N2—Zn1—Cl2	101.41 (5)
O1—C7—H7B	110.2	N1—Zn1—Cl2	103.18 (5)
C8—C7—H7B	110.2	O1—Zn1—Cl2	105.09 (5)
H7A—C7—H7B	108.5	N2—Zn1—Cl1	99.63 (5)
N2—C8—C9	121.9 (2)	N1—Zn1—Cl1	99.33 (6)
N2—C8—C7	116.73 (19)	O1—Zn1—Cl1	141.69 (5)
C9—C8—C7	121.4 (2)	Cl2—Zn1—Cl1	113.22 (3)
C10—C9—C8	119.4 (2)		
N1—C1—C2—C5	0.5 (4)	C8—C7—O1—Zn1	25.3 (2)
C6—C1—C2—C5	179.5 (2)	C1—C6—O1—C7	-178.79 (18)
N1—C3—C4—C5	0.0 (4)	C1—C6—O1—Zn1	-34.2 (2)
C3—C4—C5—C2	0.7 (4)	C8—N2—Zn1—N1	40.8 (2)
C1—C2—C5—C4	-0.9 (4)	C12—N2—Zn1—N1	-148.24 (15)
N1—C1—C6—O1	20.9 (3)	C8—N2—Zn1—O1	16.36 (15)
C2—C1—C6—O1	-158.1 (2)	C12—N2—Zn1—O1	-172.68 (17)
O1—C7—C8—N2	-11.5 (3)	C8—N2—Zn1—Cl2	-85.92 (15)
O1—C7—C8—C9	169.19 (19)	C12—N2—Zn1—Cl2	85.04 (16)
N2—C8—C9—C10	-0.5 (3)	C8—N2—Zn1—Cl1	157.83 (14)
C7—C8—C9—C10	178.7 (2)	C12—N2—Zn1—Cl1	-31.21 (16)
C8—C9—C10—C11	0.9 (3)	C1—N1—Zn1—N2	-40.5 (2)
C9—C10—C11—C12	-0.6 (3)	C3—N1—Zn1—N2	140.93 (17)
C10—C11—C12—N2	-0.1 (4)	C1—N1—Zn1—O1	-16.06 (16)
C2—C1—N1—C3	0.2 (3)	C3—N1—Zn1—O1	165.40 (19)
C6—C1—N1—C3	-178.8 (2)	C1—N1—Zn1—Cl2	85.67 (16)
C2—C1—N1—Zn1	-178.39 (17)	C3—N1—Zn1—Cl2	-92.87 (18)
C6—C1—N1—Zn1	2.6 (3)	C1—N1—Zn1—Cl1	-157.66 (16)
C4—C3—N1—C1	-0.5 (4)	C3—N1—Zn1—Cl1	23.80 (18)
C4—C3—N1—Zn1	178.1 (2)	C7—O1—Zn1—N2	-23.24 (15)
C9—C8—N2—C12	-0.2 (3)	C6—O1—Zn1—N2	-167.91 (17)
C7—C8—N2—C12	-179.44 (19)	C7—O1—Zn1—N1	173.15 (17)

C9—C8—N2—Zn1	171.03 (15)	C6—O1—Zn1—N1	28.48 (15)
C7—C8—N2—Zn1	-8.2 (2)	C7—O1—Zn1—C12	74.03 (16)
C11—C12—N2—C8	0.5 (3)	C6—O1—Zn1—C12	-70.65 (16)
C11—C12—N2—Zn1	-170.71 (17)	C7—O1—Zn1—C11	-105.42 (16)
C8—C7—O1—C6	169.28 (19)	C6—O1—Zn1—C11	109.91 (15)
