

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

A redetermination at low temperature of the structure of triethylammonium bromide

Natasha H. Munro and Lyall R. Hanton*

Department of Chemistry, University of Otago, PO Box 56, Dunedin, New Zealand
Correspondence e-mail: lhanton@chemistry.otago.ac.nz


Received 9 October 2008; accepted 25 October 2008

Key indicators: single-crystal X-ray study; $T = 90$ K; mean $\sigma(\text{C}-\text{C}) = 0.006$ Å; R factor = 0.020; wR factor = 0.058; data-to-parameter ratio = 24.1.

The structure of the title compound, $\text{C}_6\text{H}_{16}\text{N}^+\text{Br}^-$, was determined at low temperature and the cell dimensions were comparable to those reported for room-temperature studies [James, Cameron, Knop, Newman & Falp, (1985). *Can. J. Chem.* **63**, 1750–1758]. Initial analysis of the data led to the assignment of $P3_1c$ as the space group rather than $P6_3mc$ as reported for the room-temperature structure. Careful examination of the appropriate $|F_o|$ values in the low-temperature data showed that the equalities $|F(\bar{h}kl)| = |F(h\bar{k}l)|$ and $|F(hkl)| = |F(hk\bar{l})|$ did not hold at low temperature, confirming $P3_1c$ as the appropriate choice of space group. As a consequence of this choice, the N atom sat on a threefold axis and the ethyl arms were not disordered as observed at room temperature. The crystal studied was an inversion twin with a 0.68 (3):0.32 (3) domain ratio.

Related literature

For related structures, see: James *et al.* (1985). For the preparation, see: Lecolley *et al.* (2004).



Experimental

Crystal data

$\text{C}_6\text{H}_{16}\text{N}^+\text{Br}^-$	$Z = 2$
$M_r = 182.10$	Mo $K\alpha$ radiation
Trigonal, $P3_1c$	$\mu = 4.56 \text{ mm}^{-1}$
$a = 8.3589 (2) \text{ \AA}$	$T = 90 (2) \text{ K}$
$c = 7.3125 (2) \text{ \AA}$	$0.27 \times 0.11 \times 0.10 \text{ mm}$
$V = 442.48 (1) \text{ \AA}^3$	

Data collection

Bruker APEXII CCD area-detector diffractometer	8583 measured reflections
Absorption correction: multi-scan (SADABS; Bruker, 2004)	555 independent reflections
$T_{\min} = 0.450$, $T_{\max} = 0.632$	550 reflections with $I > 2\sigma(I)$
	$R_{\text{int}} = 0.026$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.020$	H-atom parameters constrained
$wR(F^2) = 0.058$	$\Delta\rho_{\text{max}} = 0.39 \text{ e \AA}^{-3}$
$S = 1.24$	$\Delta\rho_{\text{min}} = -0.39 \text{ e \AA}^{-3}$
555 reflections	Absolute structure: Flack (1983),
23 parameters	273 Friedel pairs
1 restraint	Flack parameter: 0.32 (3)

Data collection: APEX2 (Bruker, 2006); cell refinement: APEX2 and SAINT (Bruker, 2006); data reduction: SAINT; program(s) used to solve structure: SIR97 (Altomare *et al.*, 1993); program(s) used to refine structure: SHELXL97 (Sheldrick, 2008); molecular graphics: SHELXTL (Sheldrick, 2008); software used to prepare material for publication: SHELXTL.

We acknowledge the award of a John Edmond Postgraduate Scholarship in Chemistry (NHM) and thank the University of Otago Research Committee and the New Economic Research Fund (grant No UOO-X0404 from the New Zealand Foundation of Research Science and Technology) for financial support.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: PV2113).

References

- Altomare, A., Casciarano, G., Giacovazzo, C. & Guagliardi, A. (1993). *J. Appl. Cryst.* **26**, 343–350.
- Bruker (2004). SADABS. Bruker AXS Inc., Madison, Wisconsin, USA.
- Bruker (2006). APEX2 and SAINT. Bruker AXS Inc., Madison, Wisconsin, USA.
- Flack, H. D. (1983). *Acta Cryst.* **A39**, 876–881.
- James, M. A., Cameron, S. T., Knop, O., Neuman, M. & Falk, M. (1985). *Can. J. Chem.* **63**, 1750–1758.
- Lecolley, F., Tao, L., Mantovani, G., Durkin, I., Lautru, S. & Haddleton, D. M. (2004). *Chem. Commun.* pp. 2026–2027.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.

supporting information

Acta Cryst. (2008). E64, o2236 [doi:10.1107/S1600536808034843]

A redetermination at low temperature of the structure of triethylammonium bromide

Natasha H. Munro and Lyall R. Hanton

S1. Comment


The title compound, (I), was isolated as a by-product in a reaction to form (2,5-oxo-1-pyrrolidyl)oxy-2-bromo-2-methylpropionate (Lecolley *et al.*, 2004). A view of the structure of (I) is presented in Fig. 1. The crystal structures of (I) and the other halide analogues at ambient temperature have previously been described by James *et al.* (1985). Unlike previous work, analysis of our low-temperature data showed that (I) crystallized in the space group $P3_1c$ with the ethyl chains in fixed locations. The e.s.d.'s of the positional parameters and the R factors were significantly lower than those reported for the room temperature structure. The packing of (I) (Fig. 2) at low temperature is very similar to that of the room temperature disordered structure. James *et al.* (1985) also analysed the IR spectra of these compounds in some detail.

S2. Experimental

The title compound, (I), was prepared as a by-product in a reaction to form (2,5-oxo-1-pyrrolidyl)oxy-2-bromo-2-methylpropionate by the method of Lecolley *et al.* (2004). X-Ray quality crystals were grown by the slow evaporation of an acetonitrile solution.

S3. Refinement

All H-atoms bound to carbon were refined using a riding model with $d(C-H) = 0.96 \text{ \AA}$, $U_{iso} = 1.5U_{eq}(C)$ for the methyl CH H atoms and $d(C-H) = 0.97 \text{ \AA}$, $U_{iso} = 1.2U_{eq}(C)$ for the methylene CH H atoms. The H-atom bound to nitrogen was refined using a riding model with $d(N-H) = 0.87 \text{ \AA}$, $U_{iso} = 1.2U_{eq}(N)$.

**Figure 2**

Packing diagram of (I) in the *ab* plane.

Triethylammonium bromide

Crystal data

$C_6H_{16}N^+Br^-$

$M_r = 182.10$

Trigonal, $P31c$

Hall symbol: P 3 -2c

$a = 8.3589 (2) \text{ \AA}$

$c = 7.3125 (2) \text{ \AA}$

$V = 442.48 (1) \text{ \AA}^3$

$Z = 2$

$F(000) = 188$

$D_x = 1.367 \text{ Mg m}^{-3}$

Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$

Cell parameters from 7729 reflections

$\theta = 2.8\text{--}27.5^\circ$

$\mu = 4.56 \text{ mm}^{-1}$

$T = 90 \text{ K}$

Rod, colourless

$0.27 \times 0.11 \times 0.10 \text{ mm}$

Data collection

Bruker APEXII CCD area-detector
diffractometer

Radiation source: fine-focus sealed tube

Graphite monochromator

φ and ω scans

Absorption correction: multi-scan
(*SADABS*; Bruker, 2004)

$T_{\min} = 0.450$, $T_{\max} = 0.633$

8583 measured reflections

555 independent reflections

550 reflections with $I > 2\sigma(I)$

$R_{\text{int}} = 0.026$
 $\theta_{\text{max}} = 25.5^\circ$, $\theta_{\text{min}} = 4.0^\circ$
 $h = -10 \rightarrow 10$

$k = -10 \rightarrow 10$
 $l = -8 \rightarrow 8$

Refinement

Refinement on F^2
 Least-squares matrix: full
 $R[F^2 > 2\sigma(F^2)] = 0.020$
 $wR(F^2) = 0.058$
 $S = 1.24$
 555 reflections
 23 parameters
 1 restraint
 Primary atom site location: structure-invariant
 direct methods
 Secondary atom site location: difference Fourier
 map

Hydrogen site location: inferred from
 neighbouring sites
 H-atom parameters constrained
 $w = 1/[\sigma^2(F_o^2) + (0.0371P)^2 + 0.4873P]$
 where $P = (F_o^2 + 2F_c^2)/3$
 $(\Delta/\sigma)_{\text{max}} < 0.001$
 $\Delta\rho_{\text{max}} = 0.39 \text{ e } \text{\AA}^{-3}$
 $\Delta\rho_{\text{min}} = -0.39 \text{ e } \text{\AA}^{-3}$
 Absolute structure: Flack (1983), 273 Friedel
 pairs
 Absolute structure parameter: 0.32 (3)

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) *etc.* and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger. The crystal studied was an inversion twin with a 0.68 (3);0.32 (3) domain ratio.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$
C1	0.1624 (6)	0.8395 (6)	0.4111 (5)	0.0323 (9)
H1A	0.1536	0.8181	0.2815	0.048*
H1B	0.2690	0.9571	0.4373	0.048*
H1C	0.0533	0.8389	0.4534	0.048*
N1	0.3333	0.6667	0.4505 (6)	0.0168 (12)
H1	0.3333	0.6667	0.3260	0.020*
C2	0.1789 (5)	0.6982 (5)	0.5011 (5)	0.0232 (7)
H2A	0.0644	0.5830	0.4820	0.028*
H2B	0.1884	0.7240	0.6312	0.028*
Br1	0.6667	0.3333	0.5017	0.01786 (16)

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
C1	0.034 (2)	0.038 (2)	0.035 (2)	0.026 (2)	-0.0004 (16)	-0.0026 (17)
N1	0.0162 (14)	0.0162 (14)	0.018 (3)	0.0081 (7)	0.000	0.000
C2	0.0168 (15)	0.0228 (14)	0.0293 (17)	0.0095 (12)	0.0004 (14)	0.0001 (16)
Br1	0.01867 (19)	0.01867 (19)	0.0162 (2)	0.00933 (9)	0.000	0.000

Geometric parameters (Å, °)

C1—C2	1.418 (5)	N1—C2 ⁱ	1.488 (4)
C1—H1A	0.9600	N1—C2 ⁱⁱ	1.488 (4)
C1—H1B	0.9600	N1—H1	0.9100
C1—H1C	0.9600	C2—H2A	0.9700
N1—C2	1.488 (4)	C2—H2B	0.9700
C2—C1—H1A	109.5	C2—N1—H1	104.4
C2—C1—H1B	109.5	C2 ⁱ —N1—H1	104.4
H1A—C1—H1B	109.5	C2 ⁱⁱ —N1—H1	104.4
C2—C1—H1C	109.5	C1—C2—N1	119.1 (3)
H1A—C1—H1C	109.5	C1—C2—H2A	107.5
H1B—C1—H1C	109.5	N1—C2—H2A	107.5
C2—N1—C2 ⁱ	114.03 (18)	C1—C2—H2B	107.5
C2—N1—C2 ⁱⁱ	114.03 (18)	N1—C2—H2B	107.5
C2 ⁱ —N1—C2 ⁱⁱ	114.03 (18)	H2A—C2—H2B	107.0

Symmetry codes: (i) $-x+y, -x+1, z$; (ii) $-y+1, x-y+1, z$.