

Acta Crystallographica Section E

## Structure Reports

Online

ISSN 1600-5368

3,3'-[(*tert*-Butoxycarbonyl)azanediy]-dipropionic acidYuan Tao,<sup>a</sup> Yu-Feng Liang,<sup>a</sup> Xiao-Qiang Guo,<sup>b</sup> Zhi-Hua Mao<sup>c</sup> and Qing-Rong Qi<sup>a\*</sup>

<sup>a</sup>Department of Medicinal Chemistry, West China School of Pharmacy, Sichuan University, Chengdu 610041, People's Republic of China, <sup>b</sup>Faculty of Biotechnology Industry, Chengdu University, Chengdu 610106, People's Republic of China, and <sup>c</sup>The Center for Testing and Analysis, Sichuan University, Chengdu 610064, People's Republic of China

Correspondence e-mail: qiqingronghh@yahoo.com.cn


Received 7 May 2009; accepted 19 May 2009

Key indicators: single-crystal X-ray study;  $T = 292$  K; mean  $\sigma(\text{C}-\text{C}) = 0.005$  Å;  $R$  factor = 0.054;  $wR$  factor = 0.171; data-to-parameter ratio = 14.9.

The title compound,  $\text{C}_{11}\text{H}_{19}\text{NO}_6$ , is an important intermediate for the synthesis of cephalosporin derivatives. The N atom is in a planar configuration. In the crystal, molecules are linked into zigzag layers parallel to (100) by  $\text{O}-\text{H}\cdots\text{O}$  hydrogen bonds.

## Related literature

The condensation of the title compound with cephalosporin may improve the pharmacokinetics, see: Sakagami *et al.* (1990, 1991); Uhrich & Frechet (1992).



## Experimental

## Crystal data

 $\text{C}_{11}\text{H}_{19}\text{NO}_6$  $M_r = 261.27$ Orthorhombic,  $Pbca$ 

$a = 10.632$  (2) Å  
 $b = 14.559$  (3) Å  
 $c = 18.257$  (4) Å  
 $V = 2826.1$  (11) Å<sup>3</sup>

 $Z = 8$ Mo  $K\alpha$  radiation $\mu = 0.10$  mm<sup>-1</sup> $T = 292$  K $0.60 \times 0.50 \times 0.44$  mm

## Data collection

Enraf-Nonius CAD-4 diffractometer  
 Absorption correction: none  
 2979 measured reflections  
 2601 independent reflections

1050 reflections with  $I > 2\sigma(I)$  $R_{\text{int}} = 0.008$ 

3 standard reflections  
 every 200 reflections  
 intensity decay: 1.3%

## Refinement

 $R[F^2 > 2\sigma(F^2)] = 0.054$  $wR(F^2) = 0.171$  $S = 1.09$ 

2601 reflections

175 parameters

H atoms treated by a mixture of independent and constrained refinement

 $\Delta\rho_{\text{max}} = 0.22$  e Å<sup>-3</sup> $\Delta\rho_{\text{min}} = -0.25$  e Å<sup>-3</sup>

Table 1

Hydrogen-bond geometry (Å, °).

| $D-H\cdots A$                              | $D-H$    | $H\cdots A$ | $D\cdots A$ | $D-H\cdots A$ |
|--|----------|-------------|-------------|---------------|
| $\text{O3}-\text{H3O}\cdots\text{O4}^i$    | 0.98 (5) | 1.68 (5)    | 2.653 (4)   | 174 (4)       |
| $\text{O5}-\text{H5O}\cdots\text{O2}^{ii}$ | 0.94 (5) | 1.70 (5)    | 2.628 (3)   | 168 (4)       |

Symmetry codes: (i)  $-x, -y, -z$ ; (ii)  $-x, y + \frac{1}{2}, -z + \frac{1}{2}$ 

Data collection: *DIFRAC* (Gabe & White, 1993); cell refinement: *DIFRAC*; data reduction: *NRCVAX* (Gabe *et al.*, 1989); program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP-3 for Windows* (Farrugia, 1997); software used to prepare material for publication: *SHELXL97*.

This work was supported by the National 973 Project under grant No. 2004CB518800.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: CI2799).

## References

- Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.  
 Gabe, E. J., Le Page, Y., Charland, J.-P., Lee, F. L. & White, P. S. (1989). *J. Appl. Cryst.* **22**, 384–387.  
 Gabe, E. J. & White, P. S. (1993). *DIFRAC*. American Crystallographic Association Meeting, Pittsburgh, Abstract PA 104.  
 Sakagami, K., Atsumi, K. & Tamura, A. (1990). *J. Antibiot.* **8**, 1047–1050.  
 Sakagami, K., Atsumi, K. & Yamamoto, Y. (1991). *Chem. Pharm. Bull.* **39**, 2433–2436.  
 Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.  
 Uhrich, K. E. & Frechet, J. M. J. (1992). *J. Chem. Soc. Perkin Trans. 1*, pp. 1623–1630.

## supporting information

*Acta Cryst.* (2009). E65, o1408 [doi:10.1107/S1600536809018911]

**3,3'-[(*tert*-Butoxycarbonyl)azanediyldipropionic acid**

Yuan Tao, Yu-Feng Liang, Xiao-Qiang Guo, Zhi-Hua Mao and Qing-Rong Qi

**S1. Comment**

The title compound is an important intermediate for the synthesis of a new type of cephalosporin. The condensation of the title compound with cephalosporin may improve the pharmacokinetics of the cephalosporin (Sakagami *et al.*, 1990). It has two carboxylic acid functionalities that are available for the condensation with the amino group of cephalosporin, while the protected amine can be easily activated by deprotection, so that it can be condensed with the carboxyl of cephalosporin. The condensation with cephalosporin may increase the drug concentration, control the release of drug and reduce the drug toxicity (Uhrich & Frechet, 1992; Sakagami *et al.*, 1991).


The N atom has a trigonal planar configuration, with sum of bond angles around N1 being 359.8°. The molecules are linked into zigzag layers parallel to the (100) by O—H···O hydrogen bonds.

**S2. Experimental**


Dimethyl 3,3'-azanediyldipropionate (5.67g, 30 mol) was treated with NaOH solution (4.0g NaOH in 20 ml H<sub>2</sub>O) and stirred at room temperature for 2 h. Then a solution of (Boc)<sub>2</sub>O (7.0g, 32mmol) (Boc is *tert*-butoxycarbonyl) in tertiary butyl alcohol (10 ml) was added dropwise at 283 K. The contents were stirred for 30 min at room temperature. The reaction mixture was washed with *n*-pentane (10 ml × 3) and the aqueous layer was adjusted to a pH of 1.0 with hydrochloric acid and extracted with ethyl acetate. The organic layer was dried (MgSO<sub>4</sub>) and evaporated in vacuo and recrystallized in cyclohexane-ethyl acetate to get colourless crystals.

**S3. Refinement**

Hydroxyl H atoms were located in a difference map and refined freely. The remaining H atoms were positioned geometrically (C-H = 0.96–0.97 Å) and refined using a riding model, with  $U_{\text{iso}}(\text{H}) = 1.2\text{--}1.5U_{\text{eq}}(\text{C})$ .

**Figure 1**

The molecular structure of the title compound, with displacement ellipsoids drawn at the 50% probability level.



**Figure 2**

A packing diagram of the title compound. Hydrogen bonds are shown as dashed lines.

### 3,3'-[(*tert*-Butoxycarbonyl)azanediyl]dipropanoic acid

#### *Crystal data*

$C_{11}H_{19}NO_6$

$M_r = 261.27$

Orthorhombic, *Pbca*

Hall symbol:  $-P\ 2ac\ 2ab$

$a = 10.632\ (2)\ \text{\AA}$

$b = 14.559\ (3)\ \text{\AA}$

$c = 18.257\ (4)\ \text{\AA}$

$V = 2826.1\ (11)\ \text{\AA}^3$

$Z = 8$

$F(000) = 1120$

$D_x = 1.228\ \text{Mg m}^{-3}$

Mo  $K\alpha$  radiation,  $\lambda = 0.71073\ \text{\AA}$

Cell parameters from 20 reflections

$\theta = 5.7\text{--}6.8^\circ$

$\mu = 0.10\ \text{mm}^{-1}$

$T = 292\ \text{K}$

Block, colourless

$0.60 \times 0.50 \times 0.44\ \text{mm}$

Data collection

Enraf–Nonius CAD-4  
diffractometer

Radiation source: fine-focus sealed tube

Graphite monochromator

$\omega/2-\theta$  scans

2979 measured reflections

2601 independent reflections

1050 reflections with  $I > 2\sigma(I)$

$R_{\text{int}} = 0.008$

$\theta_{\text{max}} = 25.5^\circ$ ,  $\theta_{\text{min}} = 2.2^\circ$

$h = -1 \rightarrow 12$

$k = -3 \rightarrow 17$

$l = -10 \rightarrow 22$

3 standard reflections every 200 reflections

intensity decay: 1.3%

Refinement

Refinement on  $F^2$

Least-squares matrix: full

$R[F^2 > 2\sigma(F^2)] = 0.054$

$wR(F^2) = 0.171$

$S = 1.09$

2601 reflections

175 parameters

0 restraints

Primary atom site location: structure-invariant

direct methods

Secondary atom site location: difference Fourier

map

Hydrogen site location: inferred from  
neighbouring sites

H atoms treated by a mixture of independent  
and constrained refinement

$w = 1/[\sigma^2(F_o^2) + (0.0701P)^2]$

where  $P = (F_o^2 + 2F_c^2)/3$

$(\Delta/\sigma)_{\text{max}} = 0.001$

$\Delta\rho_{\text{max}} = 0.22 \text{ e } \text{\AA}^{-3}$

$\Delta\rho_{\text{min}} = -0.25 \text{ e } \text{\AA}^{-3}$

Extinction correction: *SHELXL97* (Sheldrick,  
2008),  $F_c^* = kFc[1 + 0.001x \text{Fc}^2\lambda^3/\sin(2\theta)]^{-1/4}$

Extinction coefficient: 0.0127 (17)

Special details

**Geometry.** All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted  $R$ -factor  $wR$  and goodness of fit  $S$  are based on  $F^2$ , conventional  $R$ -factors  $R$  are based on  $F$ , with  $F$  set to zero for negative  $F^2$ . The threshold expression of  $F^2 > \sigma(F^2)$  is used only for calculating  $R$ -factors(gt) *etc.* and is not relevant to the choice of reflections for refinement.  $R$ -factors based on  $F^2$  are statistically about twice as large as those based on  $F$ , and  $R$ -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )

|     | $x$        | $y$           | $z$          | $U_{\text{iso}}^*/U_{\text{eq}}$ |
|-----|------------|---------------|--------------|----------------------------------|
| O1  | 0.1690 (2) | 0.18631 (13)  | 0.36711 (10) | 0.0709 (7)                       |
| O2  | 0.0153 (3) | 0.10681 (16)  | 0.31021 (11) | 0.0841 (8)                       |
| O3  | 0.0720 (3) | -0.04162 (19) | 0.08342 (15) | 0.0995 (10)                      |
| H3O | 0.031 (4)  | -0.058 (3)    | 0.037 (3)    | 0.129 (16)*                      |
| O4  | 0.0484 (3) | 0.09467 (16)  | 0.03663 (14) | 0.1078 (11)                      |
| O5  | 0.1228 (3) | 0.49187 (18)  | 0.26626 (13) | 0.0833 (8)                       |
| H5O | 0.066 (5)  | 0.526 (3)     | 0.238 (2)    | 0.137 (18)*                      |
| O6  | 0.1031 (3) | 0.39281 (16)  | 0.17583 (15) | 0.1142 (11)                      |
| N1  | 0.1433 (3) | 0.20065 (16)  | 0.24663 (13) | 0.0669 (8)                       |
| C1  | 0.2392 (4) | 0.1974 (2)    | 0.48679 (17) | 0.0898 (12)                      |
| H1A | 0.3223     | 0.1849        | 0.4687       | 0.135*                           |
| H1B | 0.2328     | 0.1772        | 0.5367       | 0.135*                           |
| H1C | 0.2233     | 0.2622        | 0.4843       | 0.135*                           |
| C2  | 0.1697 (4) | 0.0451 (2)    | 0.4391 (2)   | 0.0981 (14)                      |
| H2A | 0.1055     | 0.0146        | 0.4112       | 0.147*                           |

|      |            |            |              |             |
|------|------------|------------|--------------|-------------|
| H2B  | 0.1700     | 0.0217     | 0.4882       | 0.147*      |
| H2C  | 0.2501     | 0.0342     | 0.4169       | 0.147*      |
| C3   | 0.0128 (4) | 0.1701 (3) | 0.4649 (2)   | 0.1067 (14) |
| H3A  | -0.0026    | 0.2343     | 0.4571       | 0.160*      |
| H3B  | 0.0038     | 0.1560     | 0.5160       | 0.160*      |
| H3C  | -0.0467    | 0.1347     | 0.4371       | 0.160*      |
| C4   | 0.1436 (4) | 0.1469 (2) | 0.44047 (16) | 0.0686 (10) |
| C5   | 0.1046 (4) | 0.1604 (2) | 0.30812 (18) | 0.0623 (9)  |
| C6   | 0.0904 (4) | 0.1711 (2) | 0.17744 (16) | 0.0688 (10) |
| H6A  | 0.1042     | 0.2185     | 0.1409       | 0.083*      |
| H6B  | 0.0003     | 0.1629     | 0.1829       | 0.083*      |
| C7   | 0.1484 (3) | 0.0821 (2) | 0.15127 (17) | 0.0747 (11) |
| H7A  | 0.2365     | 0.0922     | 0.1400       | 0.090*      |
| H7B  | 0.1437     | 0.0368     | 0.1902       | 0.090*      |
| C8   | 0.0838 (4) | 0.0459 (3) | 0.08533 (19) | 0.0719 (10) |
| C9   | 0.2554 (4) | 0.2605 (2) | 0.24626 (18) | 0.0762 (10) |
| H9A  | 0.2844     | 0.2675     | 0.1962       | 0.091*      |
| H9B  | 0.3220     | 0.2308     | 0.2738       | 0.091*      |
| C10  | 0.2318 (4) | 0.3548 (2) | 0.27853 (18) | 0.0762 (11) |
| H10A | 0.1970     | 0.3475     | 0.3273       | 0.091*      |
| H10B | 0.3116     | 0.3865     | 0.2833       | 0.091*      |
| C11  | 0.1451 (4) | 0.4125 (2) | 0.2344 (2)   | 0.0732 (11) |

*Atomic displacement parameters (Å<sup>2</sup>)*

|     | $U^{11}$    | $U^{22}$    | $U^{33}$    | $U^{12}$     | $U^{13}$     | $U^{23}$     |
|-----|-------------|-------------|-------------|--------------|--------------|--------------|
| O1  | 0.0897 (19) | 0.0642 (13) | 0.0588 (12) | -0.0127 (13) | -0.0146 (12) | -0.0004 (10) |
| O2  | 0.097 (2)   | 0.0806 (16) | 0.0750 (16) | -0.0276 (16) | -0.0109 (14) | -0.0061 (12) |
| O3  | 0.152 (3)   | 0.0724 (19) | 0.0737 (17) | 0.0156 (18)  | -0.0244 (17) | -0.0096 (14) |
| O4  | 0.164 (3)   | 0.0759 (17) | 0.0831 (17) | 0.0102 (17)  | -0.0439 (18) | -0.0010 (15) |
| O5  | 0.094 (2)   | 0.0750 (17) | 0.0803 (16) | 0.0181 (15)  | -0.0104 (14) | 0.0071 (14)  |
| O6  | 0.153 (3)   | 0.0836 (18) | 0.106 (2)   | 0.0274 (18)  | -0.053 (2)   | -0.0026 (16) |
| N1  | 0.078 (2)   | 0.0626 (15) | 0.0595 (16) | -0.0032 (16) | -0.0056 (15) | 0.0027 (14)  |
| C1  | 0.094 (3)   | 0.103 (3)   | 0.073 (2)   | 0.004 (2)    | -0.017 (2)   | -0.012 (2)   |
| C2  | 0.132 (4)   | 0.072 (3)   | 0.090 (3)   | 0.002 (3)    | -0.012 (3)   | 0.015 (2)    |
| C3  | 0.091 (4)   | 0.132 (3)   | 0.097 (3)   | 0.009 (3)    | 0.013 (3)    | -0.017 (3)   |
| C4  | 0.080 (3)   | 0.069 (2)   | 0.0572 (18) | 0.002 (2)    | -0.0009 (18) | -0.0036 (17) |
| C5  | 0.066 (3)   | 0.054 (2)   | 0.067 (2)   | -0.0066 (19) | -0.0100 (19) | -0.0035 (17) |
| C6  | 0.080 (3)   | 0.065 (2)   | 0.060 (2)   | 0.011 (2)    | -0.0078 (17) | -0.0011 (16) |
| C7  | 0.073 (3)   | 0.082 (2)   | 0.069 (2)   | 0.014 (2)    | -0.0123 (18) | -0.0100 (18) |
| C8  | 0.081 (3)   | 0.071 (3)   | 0.064 (2)   | 0.025 (2)    | -0.0029 (19) | -0.009 (2)   |
| C9  | 0.069 (3)   | 0.075 (2)   | 0.084 (2)   | 0.005 (2)    | -0.0019 (19) | 0.014 (2)    |
| C10 | 0.078 (3)   | 0.064 (2)   | 0.087 (2)   | -0.010 (2)   | -0.023 (2)   | 0.0155 (17)  |
| C11 | 0.087 (3)   | 0.062 (2)   | 0.071 (2)   | -0.006 (2)   | -0.011 (2)   | 0.0116 (19)  |

*Geometric parameters (Å, °)*

|            |           |              |           |
|------------|-----------|--------------|-----------|
| O1—C5      | 1.331 (4) | C2—H2B       | 0.96      |
| O1—C4      | 1.482 (3) | C2—H2C       | 0.96      |
| O2—C5      | 1.229 (4) | C3—C4        | 1.499 (5) |
| O3—C8      | 1.281 (4) | C3—H3A       | 0.96      |
| O3—H3O     | 0.98 (5)  | C3—H3B       | 0.96      |
| O4—C8      | 1.199 (4) | C3—H3C       | 0.96      |
| O5—C11     | 1.315 (4) | C6—C7        | 1.513 (4) |
| O5—H5O     | 0.94 (5)  | C6—H6A       | 0.97      |
| O6—C11     | 1.193 (4) | C6—H6B       | 0.97      |
| N1—C5      | 1.331 (4) | C7—C8        | 1.482 (5) |
| N1—C6      | 1.448 (4) | C7—H7A       | 0.97      |
| N1—C9      | 1.477 (4) | C7—H7B       | 0.97      |
| C1—C4      | 1.514 (5) | C9—C10       | 1.515 (4) |
| C1—H1A     | 0.96      | C9—H9A       | 0.97      |
| C1—H1B     | 0.96      | C9—H9B       | 0.97      |
| C1—H1C     | 0.96      | C10—C11      | 1.486 (5) |
| C2—C4      | 1.508 (4) | C10—H10A     | 0.97      |
| C2—H2A     | 0.96      | C10—H10B     | 0.97      |
|            |           |              |           |
| C5—O1—C4   | 121.8 (3) | O1—C5—N1     | 113.5 (3) |
| C8—O3—H3O  | 108 (2)   | N1—C6—C7     | 111.8 (3) |
| C11—O5—H5O | 110 (3)   | N1—C6—H6A    | 109.3     |
| C5—N1—C6   | 119.0 (3) | C7—C6—H6A    | 109.3     |
| C5—N1—C9   | 120.9 (3) | N1—C6—H6B    | 109.3     |
| C6—N1—C9   | 119.0 (3) | C7—C6—H6B    | 109.3     |
| C4—C1—H1A  | 109.5     | H6A—C6—H6B   | 107.9     |
| C4—C1—H1B  | 109.5     | C8—C7—C6     | 111.8 (3) |
| H1A—C1—H1B | 109.5     | C8—C7—H7A    | 109.2     |
| C4—C1—H1C  | 109.5     | C6—C7—H7A    | 109.2     |
| H1A—C1—H1C | 109.5     | C8—C7—H7B    | 109.2     |
| H1B—C1—H1C | 109.5     | C6—C7—H7B    | 109.2     |
| C4—C2—H2A  | 109.5     | H7A—C7—H7B   | 107.9     |
| C4—C2—H2B  | 109.5     | O4—C8—O3     | 122.6 (3) |
| H2A—C2—H2B | 109.5     | O4—C8—C7     | 122.5 (4) |
| C4—C2—H2C  | 109.5     | O3—C8—C7     | 114.9 (3) |
| H2A—C2—H2C | 109.5     | N1—C9—C10    | 113.5 (3) |
| H2B—C2—H2C | 109.5     | N1—C9—H9A    | 108.9     |
| C4—C3—H3A  | 109.5     | C10—C9—H9A   | 108.9     |
| C4—C3—H3B  | 109.5     | N1—C9—H9B    | 108.9     |
| H3A—C3—H3B | 109.5     | C10—C9—H9B   | 108.9     |
| C4—C3—H3C  | 109.5     | H9A—C9—H9B   | 107.7     |
| H3A—C3—H3C | 109.5     | C11—C10—C9   | 113.9 (3) |
| H3B—C3—H3C | 109.5     | C11—C10—H10A | 108.8     |
| O1—C4—C3   | 110.5 (3) | C9—C10—H10A  | 108.8     |
| O1—C4—C2   | 109.4 (3) | C11—C10—H10B | 108.8     |
| C3—C4—C2   | 113.4 (3) | C9—C10—H10B  | 108.8     |

|             |            |               |            |
|-------------|------------|---------------|------------|
| O1—C4—C1    | 101.2 (3)  | H10A—C10—H10B | 107.7      |
| C3—C4—C1    | 110.4 (3)  | O6—C11—O5     | 122.7 (3)  |
| C2—C4—C1    | 111.3 (3)  | O6—C11—C10    | 125.6 (3)  |
| O2—C5—O1    | 123.5 (3)  | O5—C11—C10    | 111.6 (3)  |
| O2—C5—N1    | 123.0 (3)  |               |            |
| C5—O1—C4—C3 | -63.2 (4)  | C9—N1—C6—C7   | 89.6 (3)   |
| C5—O1—C4—C2 | 62.3 (4)   | N1—C6—C7—C8   | 173.1 (3)  |
| C5—O1—C4—C1 | 179.9 (3)  | C6—C7—C8—O4   | 39.8 (5)   |
| C4—O1—C5—O2 | 4.4 (5)    | C6—C7—C8—O3   | -142.1 (3) |
| C4—O1—C5—N1 | -177.7 (3) | C5—N1—C9—C10  | -76.4 (4)  |
| C6—N1—C5—O2 | -8.8 (5)   | C6—N1—C9—C10  | 115.9 (3)  |
| C9—N1—C5—O2 | -176.5 (3) | N1—C9—C10—C11 | -67.1 (4)  |
| C6—N1—C5—O1 | 173.3 (3)  | C9—C10—C11—O6 | -5.7 (6)   |
| C9—N1—C5—O1 | 5.6 (4)    | C9—C10—C11—O5 | 177.0 (3)  |
| C5—N1—C6—C7 | -78.3 (4)  |               |            |

Hydrogen-bond geometry ( $\text{\AA}$ ,  $^\circ$ )

| $D-H\cdots A$                    | $D-H$    | $H\cdots A$ | $D\cdots A$ | $D-H\cdots A$ |
|----------------------------------|----------|-------------|-------------|---------------|
| O3—H3O $\cdots$ O4 <sup>i</sup>  | 0.98 (5) | 1.68 (5)    | 2.653 (4)   | 174 (4)       |
| O5—H5O $\cdots$ O2 <sup>ii</sup> | 0.94 (5) | 1.70 (5)    | 2.628 (3)   | 168 (4)       |

Symmetry codes: (i)  $-x, -y, -z$ ; (ii)  $-x, y+1/2, -z+1/2$ .