

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

Ethyl 2-amino-4-(3-chlorophenyl)-5,10-dioxo-5,10-dihydro-4H-benzo[g]-chromene-3-carboxylate

Xiao Hu,^{a*} Song Lei^{b,c} and Chang-Sheng Yao^{b,c}

^aXuzhou Ruisai Technology Industry Co. Ltd, Xuzhou 221004, People's Republic of China, ^bDepartment of Chemistry, Xuzhou Normal University, Xuzhou 221116, People's Republic of China, and ^cKey Laboratory of Biotechnology for Medical Plants of Jiangsu Province, Xuzhou 221116, People's Republic of China
Correspondence e-mail: chshengyaonk@mail.nankai.edu.cn


Received 4 May 2009; accepted 11 May 2009

Key indicators: single-crystal X-ray study; $T = 113$ K; mean $\sigma(\text{C}-\text{C}) = 0.002$ Å; R factor = 0.034; wR factor = 0.097; data-to-parameter ratio = 15.7.

The title molecule, $\text{C}_{22}\text{H}_{16}\text{ClNO}_5$, was obtained by the reaction of (*E*)-ethyl 3-(3-chlorophenyl)-2-cyanoacrylate and 2-hydroxynaphthalene-1,4-dione catalysed by triethylamine in ethanol. In the crystal structure, the chlorobenzene ring makes a dihedral angle of $88.63(4)^\circ$ with the fused ring system. The six-membered ring formed by an intramolecular $\text{N}-\text{H}\cdots\text{O}$ hydrogen bond is almost planar. The crystal packing is stabilized by $\text{N}-\text{H}\cdots\text{O}$ hydrogen bonds.

Related literature

For the antitumor activity of 4*H*-naphtho[2,3-*b*]pyran-5,10-dione derivatives, see: Fujimoto (2007); Perchellet *et al.* (2001); Zhan *et al.* (2007). For natural products containing *H*-naphtho[2,3-*b*]pyran-5,10-dione, see: Jassbi *et al.* (2004); Rodriguez *et al.* (2003).



Experimental

Crystal data

$\text{C}_{22}\text{H}_{16}\text{ClNO}_5$
 $M_r = 409.81$
 Triclinic, $P\bar{1}$
 $a = 6.1175(17)$ Å
 $b = 10.021(3)$ Å
 $c = 15.967(5)$ Å
 $\alpha = 84.840(13)^\circ$
 $\beta = 87.714(12)^\circ$
 $\gamma = 67.429(8)^\circ$
 $V = 900.2(4)$ Å³
 $Z = 2$
 Mo $K\alpha$ radiation
 $\mu = 0.25$ mm⁻¹
 $T = 113$ K
 $0.32 \times 0.30 \times 0.20$ mm

Data collection

Rigaku Saturn diffractometer
 Absorption correction: multi-scan (Jacobson, 1998)
 $T_{\min} = 0.924$, $T_{\max} = 0.952$
 11338 measured reflections
 4261 independent reflections
 3031 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.033$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.034$
 $wR(F^2) = 0.097$
 $S = 1.01$
 4261 reflections
 272 parameters
 H atoms treated by a mixture of independent and constrained refinement
 $\Delta\rho_{\text{max}} = 0.37$ e Å⁻³
 $\Delta\rho_{\text{min}} = -0.45$ e Å⁻³

Table 1

Hydrogen-bond geometry (Å, °).

$D-\text{H}\cdots A$	$D-\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D-\text{H}\cdots A$
$\text{N1}-\text{H1}\cdots\text{O4}$	0.898 (18)	2.049 (18)	2.6827 (17)	126.5 (15)
$\text{N1}-\text{H2}\cdots\text{O2}^i$	0.880 (19)	2.12 (2)	2.9913 (17)	170.2 (18)

Symmetry code: (i) $-x + 2, -y, -z$.

Data collection: *CrystalClear* (Rigaku/MSC, 2002); cell refinement: *CrystalClear*; data reduction: *CrystalClear*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *SHELXTL* (Sheldrick, 2008); software used to prepare material for publication: *SHELXTL*.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: HG2512).

References

- Fujimoto, S. (2007). *Biol. Pharm. Bull.* **30**, 1923–1929.
 Jacobson, R. (1998). Private communication to the Rigaku Corporation, Tokyo, Japan.
 Jassbi, A. R., Singh, P., Jain, S. & Tahara, S. (2004). *Helv. Chim. Acta*, **87**, 820–824.
 Perchellet, E. M., Sperflage, B. J., Qabaja, G., Jones, G. B. & Perchellet, J.-P. (2001). *Anti-Cancer Drugs*, **12**, 401–417.
 Rigaku/MSC (2002). *CrystalClear*. Rigaku/MSC Inc., The Woodlands, Texas, USA.
 Rodriguez, J. C., Fernandez Puentes, J. L., Baz, J. P. & Canedo, L. M. (2003). *J. Antibiot.* **56**, 318–321.
 Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
 Zhan, J. X., Burns, A. M., Liu, M. P. X., Faeth, S. H. & Gunatilaka, A. A. L. (2007). *J. Nat. Prod.* **70**, 227–232.

supporting information

Acta Cryst. (2009). E65, o1324 [doi:10.1107/S160053680901753X]

Ethyl 2-amino-4-(3-chlorophenyl)-5,10-dioxo-5,10-dihydro-4H-benzo[g]chromene-3-carboxylate

Xiao Hu, Song Lei and Chang-Sheng Yao

S1. Comment

The derivatives of 4H-naphtho[2,3-*b*]pyran-5,10-dione have antitumor activities (Fujimoto, 2007; Zhan *et al.*, 2007; Perchellet *et al.*, 2001). Besides, some natural products also contain this moiety (Rodriguez *et al.*, 2003; Jassbi *et al.*, 2004). In order to develop new potential antitumor chemicals, a series of novel 4H-naphtho[2,3-*b*]pyran-5,10-dione derivatives based on the scaffolds of natural products have been synthesized. However, to the best of our knowledge, there are no reports on the crystal structure of these compounds. Determination of the molecular structure is crucial to the study of the structure and activity relationship. Here we report the crystal structure of the title compound, (I).

The molecular structure of (I) is shown in Fig. 1. It consists of five rings, considering the six-membered ring formed by the intramolecular N1—H1···O4 hydrogen bond (Table 1). The dihedral angles between the neighbouring rings show that the naphthalene ring and the pyran ring in an envelope conformation are almost coplanar. The phenyl ring bonded to the pyrans ring is almost perpendicular to the fused ring, for the dihedral angle is 88.63 (4)°. In the molecular structure, the crystal packing is stabilized N1—H2···O2 intermolecular hydrogen bonds. (Figs.2, Table 1)

S2. Experimental

The title compound was synthesized by the reaction of (*E*)-ethyl 3-(3-chlorophenyl)-2-cyanoacrylate (1 mmol) and 2-hydroxynaphthalene-1,4-dione (1 mmol) catalyzed by Et₃N in 15 ml ethanol at refluxing temperature. After cooling, the solvent was removed at reduced pressure and the residue was washed with water and recrystallized from ethanol, which gave single crystals suitable for X-ray diffraction.

S3. Refinement

The hydrogen atoms bonded to nitrogen atom was positioned from a Fourier difference map and were refined freely. Other H atoms were placed in calculated positions, with C—H = 0.95–1.00 Å, and included in the final cycles of refinement using a riding model, with $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{parent atom})$.




Figure 1

The structure of (I), showing 30% probability displacement ellipsoids and the atom-numbering scheme.




Figure 2

The packing diagram of (I). Intermolecular hydrogen bonds are shown as dashed lines.

Ethyl 2-amino-4-(3-chlorophenyl)-5,10-dioxo-5,10-dihydro-4H-benzo[g]chromene-3-carboxylate

Crystal data

$C_{22}H_{16}ClNO_5$

$M_r = 409.81$

Triclinic, $P\bar{1}$

Hall symbol: -P 1

$a = 6.1175 (17) \text{ \AA}$

$b = 10.021 (3) \text{ \AA}$

$c = 15.967 (5) \text{ \AA}$
 $\alpha = 84.840 (13)^\circ$
 $\beta = 87.714 (12)^\circ$
 $\gamma = 67.429 (8)^\circ$
 $V = 900.2 (4) \text{ \AA}^3$
 $Z = 2$
 $F(000) = 424$
 $D_x = 1.512 \text{ Mg m}^{-3}$

Mo $K\alpha$ radiation, $\lambda = 0.71070 \text{ \AA}$
 Cell parameters from 2873 reflections
 $\theta = 2.2\text{--}27.9^\circ$
 $\mu = 0.25 \text{ mm}^{-1}$
 $T = 113 \text{ K}$
 Block, red
 $0.32 \times 0.30 \times 0.20 \text{ mm}$

Data collection

Rigaku Saturn
 diffractometer
 Radiation source: rotating anode
 Confocal monochromator
 Detector resolution: 7.31 pixels mm^{-1}
 ω scans
 Absorption correction: multi-scan
 (Jacobson, 1998)
 $T_{\min} = 0.924$, $T_{\max} = 0.952$

11338 measured reflections
 4261 independent reflections
 3031 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.033$
 $\theta_{\max} = 27.9^\circ$, $\theta_{\min} = 2.2^\circ$
 $h = -8 \rightarrow 8$
 $k = -13 \rightarrow 13$
 $l = -20 \rightarrow 20$

Refinement

Refinement on F^2
 Least-squares matrix: full
 $R[F^2 > 2\sigma(F^2)] = 0.034$
 $wR(F^2) = 0.097$
 $S = 1.01$
 4261 reflections
 272 parameters
 0 restraints
 Primary atom site location: structure-invariant
 direct methods
 Secondary atom site location: difference Fourier
 map

Hydrogen site location: inferred from
 neighbouring sites
 H atoms treated by a mixture of independent
 and constrained refinement
 $w = 1/[\sigma^2(F_o^2) + (0.0583P)^2]$
 where $P = (F_o^2 + 2F_c^2)/3$
 $(\Delta/\sigma)_{\max} < 0.001$
 $\Delta\rho_{\max} = 0.37 \text{ e \AA}^{-3}$
 $\Delta\rho_{\min} = -0.45 \text{ e \AA}^{-3}$
 Extinction correction: *SHELXL97* (Sheldrick,
 2008), $F_c^* = kFc^*[1 + 0.001x \text{Fc}^2\lambda^3/\sin(2\theta)]^{-1/4}$
 Extinction coefficient: 0.020 (4)

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$
Cl1	0.49377 (7)	0.57379 (4)	0.30597 (2)	0.02735 (12)
O1	-0.07224 (16)	0.26225 (11)	0.15817 (6)	0.0199 (2)
O2	0.68318 (17)	0.12419 (11)	-0.04552 (6)	0.0231 (2)
O3	0.75549 (16)	0.04439 (10)	0.11440 (5)	0.0172 (2)
O4	0.88099 (17)	-0.17355 (11)	0.35482 (6)	0.0225 (2)
O5	0.48890 (16)	-0.07946 (10)	0.38009 (6)	0.0184 (2)
N1	1.0294 (2)	-0.10163 (13)	0.20348 (8)	0.0191 (3)

C1	0.0990 (2)	0.23745 (14)	0.11164 (8)	0.0156 (3)
C2	0.0730 (2)	0.29181 (14)	0.02047 (8)	0.0162 (3)
C3	-0.1499 (2)	0.37702 (15)	-0.01112 (8)	0.0194 (3)
H3	-0.2854	0.3985	0.0244	0.023*
C4	-0.1737 (3)	0.43104 (16)	-0.09541 (9)	0.0223 (3)
H4	-0.3264	0.4885	-0.1173	0.027*
C5	0.0222 (3)	0.40187 (16)	-0.14729 (9)	0.0228 (3)
H5	0.0044	0.4412	-0.2042	0.027*
C6	0.2449 (3)	0.31522 (15)	-0.11653 (8)	0.0203 (3)
H6	0.3795	0.2939	-0.1524	0.024*
C7	0.2707 (2)	0.25930 (14)	-0.03244 (8)	0.0167 (3)
C8	0.5078 (2)	0.16626 (14)	-0.00028 (8)	0.0164 (3)
C9	0.5273 (2)	0.12298 (14)	0.09172 (8)	0.0155 (3)
C10	0.3409 (2)	0.15414 (14)	0.14472 (8)	0.0147 (3)
C11	0.3707 (2)	0.10501 (14)	0.23718 (8)	0.0148 (3)
H11	0.2601	0.0547	0.2528	0.018*
C12	0.6221 (2)	-0.00336 (14)	0.25298 (8)	0.0155 (3)
C13	0.7982 (2)	-0.02151 (14)	0.19472 (8)	0.0157 (3)
C14	0.3041 (2)	0.23611 (14)	0.28925 (8)	0.0145 (3)
C15	0.4265 (2)	0.32887 (14)	0.27878 (8)	0.0155 (3)
H15	0.5580	0.3086	0.2414	0.019*
C16	0.3534 (2)	0.45117 (15)	0.32365 (8)	0.0191 (3)
C17	0.1670 (3)	0.48205 (16)	0.38070 (8)	0.0233 (3)
H17	0.1203	0.5659	0.4111	0.028*
C18	0.0507 (3)	0.38732 (16)	0.39210 (9)	0.0238 (3)
H18	-0.0756	0.4055	0.4316	0.029*
C19	0.1165 (2)	0.26597 (16)	0.34642 (8)	0.0203 (3)
H19	0.0329	0.2030	0.3542	0.024*
C20	0.6813 (2)	-0.09205 (14)	0.33211 (8)	0.0163 (3)
C21	0.5361 (2)	-0.17302 (15)	0.45788 (8)	0.0199 (3)
H21A	0.6348	-0.1461	0.4955	0.024*
H21B	0.6222	-0.2754	0.4458	0.024*
C22	0.3031 (3)	-0.15439 (17)	0.49923 (9)	0.0251 (3)
H22A	0.3301	-0.2167	0.5518	0.030*
H22B	0.2069	-0.1814	0.4616	0.030*
H22C	0.2199	-0.0529	0.5113	0.030*
H1	1.081 (3)	-0.160 (2)	0.2506 (12)	0.037 (5)*
H2	1.111 (3)	-0.118 (2)	0.1561 (12)	0.044 (5)*

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
Cl1	0.0303 (2)	0.01992 (19)	0.0328 (2)	-0.00981 (15)	-0.00537 (15)	-0.00406 (15)
O1	0.0141 (5)	0.0219 (5)	0.0218 (5)	-0.0057 (4)	0.0003 (4)	0.0018 (4)
O2	0.0216 (5)	0.0269 (6)	0.0188 (5)	-0.0069 (4)	0.0051 (4)	-0.0046 (4)
O3	0.0142 (5)	0.0194 (5)	0.0159 (5)	-0.0043 (4)	0.0011 (4)	-0.0011 (4)
O4	0.0178 (5)	0.0202 (5)	0.0229 (5)	-0.0005 (4)	-0.0025 (4)	0.0027 (4)
O5	0.0171 (5)	0.0179 (5)	0.0163 (5)	-0.0037 (4)	-0.0009 (4)	0.0048 (4)

N1	0.0145 (6)	0.0204 (6)	0.0194 (6)	-0.0033 (5)	0.0018 (5)	-0.0030 (5)
C1	0.0169 (7)	0.0139 (6)	0.0175 (6)	-0.0076 (5)	-0.0007 (5)	-0.0012 (5)
C2	0.0184 (7)	0.0141 (6)	0.0174 (7)	-0.0075 (5)	-0.0018 (5)	-0.0013 (5)
C3	0.0194 (7)	0.0183 (7)	0.0215 (7)	-0.0082 (6)	-0.0015 (5)	-0.0010 (6)
C4	0.0229 (7)	0.0205 (7)	0.0227 (7)	-0.0072 (6)	-0.0077 (6)	0.0006 (6)
C5	0.0305 (8)	0.0221 (7)	0.0168 (7)	-0.0110 (6)	-0.0037 (6)	0.0003 (6)
C6	0.0247 (8)	0.0211 (7)	0.0162 (7)	-0.0099 (6)	0.0006 (5)	-0.0020 (6)
C7	0.0207 (7)	0.0147 (6)	0.0168 (6)	-0.0086 (5)	-0.0009 (5)	-0.0029 (5)
C8	0.0197 (7)	0.0151 (6)	0.0171 (6)	-0.0090 (5)	0.0018 (5)	-0.0043 (5)
C9	0.0161 (7)	0.0137 (6)	0.0170 (6)	-0.0058 (5)	-0.0007 (5)	-0.0025 (5)
C10	0.0166 (7)	0.0125 (6)	0.0156 (6)	-0.0062 (5)	-0.0001 (5)	-0.0012 (5)
C11	0.0147 (6)	0.0144 (6)	0.0148 (6)	-0.0056 (5)	-0.0005 (5)	0.0015 (5)
C12	0.0145 (6)	0.0135 (6)	0.0172 (6)	-0.0036 (5)	-0.0005 (5)	-0.0015 (5)
C13	0.0169 (7)	0.0128 (6)	0.0175 (6)	-0.0056 (5)	-0.0024 (5)	-0.0021 (5)
C14	0.0132 (6)	0.0136 (6)	0.0121 (6)	-0.0004 (5)	-0.0020 (5)	0.0016 (5)
C15	0.0140 (6)	0.0165 (7)	0.0123 (6)	-0.0019 (5)	-0.0005 (5)	0.0003 (5)
C16	0.0217 (7)	0.0163 (7)	0.0163 (6)	-0.0040 (6)	-0.0060 (5)	0.0015 (5)
C17	0.0261 (8)	0.0181 (7)	0.0157 (7)	0.0032 (6)	-0.0041 (5)	-0.0027 (5)
C18	0.0205 (7)	0.0248 (8)	0.0155 (7)	0.0020 (6)	0.0035 (5)	0.0005 (6)
C19	0.0181 (7)	0.0217 (7)	0.0172 (7)	-0.0042 (6)	0.0005 (5)	0.0031 (5)
C20	0.0162 (7)	0.0125 (6)	0.0186 (7)	-0.0034 (5)	-0.0002 (5)	-0.0027 (5)
C21	0.0222 (7)	0.0181 (7)	0.0152 (6)	-0.0042 (6)	-0.0033 (5)	0.0047 (5)
C22	0.0244 (8)	0.0299 (8)	0.0195 (7)	-0.0102 (6)	-0.0016 (6)	0.0058 (6)

Geometric parameters (Å, °)

C11—C16	1.7479 (15)	C8—C9	1.4899 (18)
O1—C1	1.2177 (16)	C9—C10	1.3457 (18)
O2—C8	1.2231 (16)	C10—C11	1.5089 (17)
O3—C9	1.3584 (16)	C11—C12	1.5194 (18)
O3—C13	1.3751 (15)	C11—C14	1.5303 (19)
O4—C20	1.2274 (16)	C11—H11	1.0000
O5—C20	1.3492 (16)	C12—C13	1.3635 (18)
O5—C21	1.4549 (15)	C12—C20	1.4508 (18)
N1—C13	1.3372 (17)	C14—C19	1.3938 (18)
N1—H1	0.898 (18)	C14—C15	1.3959 (19)
N1—H2	0.880 (19)	C15—C16	1.3881 (19)
C1—C10	1.4834 (18)	C15—H15	0.9500
C1—C2	1.5002 (18)	C16—C17	1.387 (2)
C2—C3	1.3879 (19)	C17—C18	1.384 (2)
C2—C7	1.3959 (19)	C17—H17	0.9500
C3—C4	1.3963 (19)	C18—C19	1.390 (2)
C3—H3	0.9500	C18—H18	0.9500
C4—C5	1.379 (2)	C19—H19	0.9500
C4—H4	0.9500	C21—C22	1.498 (2)
C5—C6	1.386 (2)	C21—H21A	0.9900
C5—H5	0.9500	C21—H21B	0.9900
C6—C7	1.3984 (18)	C22—H22A	0.9800

C6—H6	0.9500	C22—H22B	0.9800
C7—C8	1.4739 (19)	C22—H22C	0.9800
C9—O3—C13	118.10 (10)	C14—C11—H11	108.1
C20—O5—C21	115.05 (10)	C13—C12—C20	117.77 (11)
C13—N1—H1	119.2 (11)	C13—C12—C11	122.20 (11)
C13—N1—H2	115.0 (12)	C20—C12—C11	120.02 (11)
H1—N1—H2	121.7 (17)	N1—C13—C12	128.18 (12)
O1—C1—C10	120.28 (11)	N1—C13—O3	109.49 (11)
O1—C1—C2	121.46 (11)	C12—C13—O3	122.33 (11)
C10—C1—C2	118.25 (11)	C19—C14—C15	119.25 (12)
C3—C2—C7	119.80 (12)	C19—C14—C11	120.14 (12)
C3—C2—C1	119.51 (12)	C15—C14—C11	120.59 (11)
C7—C2—C1	120.68 (11)	C16—C15—C14	119.13 (12)
C2—C3—C4	119.58 (13)	C16—C15—H15	120.4
C2—C3—H3	120.2	C14—C15—H15	120.4
C4—C3—H3	120.2	C17—C16—C15	122.12 (14)
C5—C4—C3	120.69 (13)	C17—C16—C11	118.47 (11)
C5—C4—H4	119.7	C15—C16—C11	119.39 (11)
C3—C4—H4	119.7	C18—C17—C16	118.20 (13)
C4—C5—C6	120.06 (13)	C18—C17—H17	120.9
C4—C5—H5	120.0	C16—C17—H17	120.9
C6—C5—H5	120.0	C17—C18—C19	120.85 (13)
C5—C6—C7	119.77 (13)	C17—C18—H18	119.6
C5—C6—H6	120.1	C19—C18—H18	119.6
C7—C6—H6	120.1	C18—C19—C14	120.40 (14)
C2—C7—C6	120.06 (12)	C18—C19—H19	119.8
C2—C7—C8	120.43 (12)	C14—C19—H19	119.8
C6—C7—C8	119.50 (12)	O4—C20—O5	121.56 (12)
O2—C8—C7	122.97 (12)	O4—C20—C12	125.79 (12)
O2—C8—C9	120.19 (12)	O5—C20—C12	112.64 (11)
C7—C8—C9	116.84 (11)	O5—C21—C22	107.88 (11)
C10—C9—O3	124.60 (12)	O5—C21—H21A	110.1
C10—C9—C8	124.01 (12)	C22—C21—H21A	110.1
O3—C9—C8	111.36 (11)	O5—C21—H21B	110.1
C9—C10—C1	119.43 (11)	C22—C21—H21B	110.1
C9—C10—C11	121.75 (12)	H21A—C21—H21B	108.4
C1—C10—C11	118.82 (11)	C21—C22—H22A	109.5
C10—C11—C12	109.30 (10)	C21—C22—H22B	109.5
C10—C11—C14	110.13 (10)	H22A—C22—H22B	109.5
C12—C11—C14	112.83 (11)	C21—C22—H22C	109.5
C10—C11—H11	108.1	H22A—C22—H22C	109.5
C12—C11—H11	108.1	H22B—C22—H22C	109.5
O1—C1—C2—C3	2.5 (2)	C1—C10—C11—C12	168.17 (11)
C10—C1—C2—C3	-176.36 (12)	C9—C10—C11—C14	113.41 (14)
O1—C1—C2—C7	-178.39 (13)	C1—C10—C11—C14	-67.34 (15)
C10—C1—C2—C7	2.70 (19)	C10—C11—C12—C13	14.24 (18)

C7—C2—C3—C4	-0.8 (2)	C14—C11—C12—C13	-108.66 (14)
C1—C2—C3—C4	178.23 (12)	C10—C11—C12—C20	-165.61 (11)
C2—C3—C4—C5	-0.7 (2)	C14—C11—C12—C20	71.50 (15)
C3—C4—C5—C6	1.6 (2)	C20—C12—C13—N1	-7.3 (2)
C4—C5—C6—C7	-1.0 (2)	C11—C12—C13—N1	172.81 (13)
C3—C2—C7—C6	1.5 (2)	C20—C12—C13—O3	172.24 (11)
C1—C2—C7—C6	-177.59 (12)	C11—C12—C13—O3	-7.6 (2)
C3—C2—C7—C8	-178.63 (12)	C9—O3—C13—N1	175.65 (11)
C1—C2—C7—C8	2.31 (19)	C9—O3—C13—C12	-4.00 (18)
C5—C6—C7—C2	-0.6 (2)	C10—C11—C14—C19	118.09 (13)
C5—C6—C7—C8	179.53 (13)	C12—C11—C14—C19	-119.49 (13)
C2—C7—C8—O2	173.40 (13)	C10—C11—C14—C15	-60.43 (15)
C6—C7—C8—O2	-6.7 (2)	C12—C11—C14—C15	62.00 (15)
C2—C7—C8—C9	-6.16 (18)	C19—C14—C15—C16	-2.01 (18)
C6—C7—C8—C9	173.74 (12)	C11—C14—C15—C16	176.52 (11)
C13—O3—C9—C10	7.43 (19)	C14—C15—C16—C17	2.07 (19)
C13—O3—C9—C8	-170.55 (10)	C14—C15—C16—C11	-176.00 (9)
O2—C8—C9—C10	-174.20 (13)	C15—C16—C17—C18	-0.47 (19)
C7—C8—C9—C10	5.37 (19)	C11—C16—C17—C18	177.61 (10)
O2—C8—C9—O3	3.80 (18)	C16—C17—C18—C19	-1.2 (2)
C7—C8—C9—O3	-176.63 (11)	C17—C18—C19—C14	1.2 (2)
O3—C9—C10—C1	-178.19 (12)	C15—C14—C19—C18	0.43 (19)
C8—C9—C10—C1	-0.5 (2)	C11—C14—C19—C18	-178.10 (12)
O3—C9—C10—C11	1.1 (2)	C21—O5—C20—O4	-2.29 (19)
C8—C9—C10—C11	178.79 (12)	C21—O5—C20—C12	176.26 (11)
O1—C1—C10—C9	177.45 (12)	C13—C12—C20—O4	6.9 (2)
C2—C1—C10—C9	-3.64 (19)	C11—C12—C20—O4	-173.26 (13)
O1—C1—C10—C11	-1.82 (19)	C13—C12—C20—O5	-171.59 (12)
C2—C1—C10—C11	177.09 (11)	C11—C12—C20—O5	8.26 (17)
C9—C10—C11—C12	-11.08 (17)	C20—O5—C21—C22	-175.25 (12)

Hydrogen-bond geometry (\AA , $^\circ$)

<i>D</i> —H \cdots <i>A</i>	<i>D</i> —H	H \cdots <i>A</i>	<i>D</i> \cdots <i>A</i>	<i>D</i> —H \cdots <i>A</i>
N1—H1 \cdots O4	0.898 (18)	2.049 (18)	2.6827 (17)	126.5 (15)
N1—H2 \cdots O2 ⁱ	0.880 (19)	2.12 (2)	2.9913 (17)	170.2 (18)

Symmetry code: (i) $-x+2, -y, -z$.