

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

2-Hydroxy-1-methoxyxanthen-9-one monohydrate

Guangying Chen, Jun Zhao, Changchun Cen, Changri Han* and Xinming Song

Hainan Provincial Key Laboratory of Tropical Pharmaceutical Herb Chemistry, College of Chemistry & Chemical Engineering, Hainan Normal University, Haikou 571158, People's Republic of China

Correspondence e-mail: hchr116@hainnu.edu.cn


Received 10 September 2009; accepted 28 September 2009

Key indicators: single-crystal X-ray study; $T = 295$ K; mean $\sigma(\text{C}-\text{C}) = 0.002$ Å; R factor = 0.053; wR factor = 0.164; data-to-parameter ratio = 16.1.

In the title compound, $\text{C}_{14}\text{H}_{10}\text{O}_4 \cdot \text{H}_2\text{O}$, isolated from the roots of *Calophyllum membranaceum*, the xanthen ring system is almost planar (r.m.s. deviation = 0.008 Å). In the crystal structure, intermolecular $\text{O}-\text{H} \cdots \text{O}$ and $\text{O}-\text{H} \cdots (\text{O}, \text{O})$ hydrogen bonds connect the molecules.

Related literature

For medicinal and botanical background, see: Zou *et al.* (2005); Chen *et al.* (2008).



Experimental

Crystal data

$\text{C}_{14}\text{H}_{10}\text{O}_4 \cdot \text{H}_2\text{O}$
 $M_r = 260.24$
 Monoclinic, $P2_1/c$
 $a = 8.8008$ (6) Å
 $b = 7.0856$ (4) Å

$c = 19.4596$ (9) Å
 $\beta = 102.402$ (4)°
 $V = 1185.16$ (12) Å³
 $Z = 4$
 Mo $K\alpha$ radiation

$\mu = 0.11$ mm⁻¹
 $T = 295$ K

0.38 × 0.26 × 0.24 mm

Data collection

Bruker SMART CCD diffractometer
 Absorption correction: multi-scan (SADABS; Bruker, 1997)
 $T_{\min} = 0.959$, $T_{\max} = 0.974$

8151 measured reflections
 2919 independent reflections
 2269 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.080$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.053$
 $wR(F^2) = 0.164$
 $S = 1.04$
 2919 reflections
 181 parameters

H atoms treated by a mixture of independent and constrained refinement
 $\Delta\rho_{\text{max}} = 0.26$ e Å⁻³
 $\Delta\rho_{\text{min}} = -0.36$ e Å⁻³

Table 1

Hydrogen-bond geometry (Å, °).

$D-\text{H} \cdots A$	$D-\text{H}$	$\text{H} \cdots A$	$D \cdots A$	$D-\text{H} \cdots A$
$\text{O4}-\text{H4A} \cdots \text{O1W}$	0.82	1.90	2.7126 (16)	174
$\text{O1W}-\text{H1A} \cdots \text{O2}^{\text{i}}$	0.83 (3)	2.03 (3)	2.857 (2)	174 (3)
$\text{O1W}-\text{H1B} \cdots \text{O4}^{\text{ii}}$	0.81 (3)	2.34 (3)	2.9540 (19)	134 (2)
$\text{O1W}-\text{H1B} \cdots \text{O3}^{\text{ii}}$	0.81 (3)	2.37 (3)	3.1195 (17)	155 (2)

Symmetry codes: (i) $x, -y + \frac{1}{2}, z - \frac{1}{2}$; (ii) $-x, -y, -z$.

Data collection: SMART (Bruker, 1997); cell refinement: SAINT (Bruker, 1997); data reduction: SAINT; program(s) used to solve structure: SHELXS97 (Sheldrick, 2008); program(s) used to refine structure: SHELXL97 (Sheldrick, 2008); molecular graphics: SHELXTL (Sheldrick, 2008); software used to prepare material for publication: SHELXTL.

This work was supported by the National Natural Science Foundation of China (20862005), the Program for New Century Excellent Talents in Universities (NCET-08-0656) and the Natural Science Foundation of Hainan Province, China (No. 070207). We thank Bingjing Xin and Tingting Zhang for collecting the crystal data.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: HB5095).

References

- Bruker (1997). SMART and SAINT. Bruker AXS Inc., Madison, Wisconsin, USA.
 Chen, G. Y., Zhu, G. Y., Han, C. R., Zhao, J., Song, X. P. & Fong, W. F. (2008). *Arkivoc*, **13**, 249–254.
 Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
 Zou, J., Jin, D. Z., Chen, W. L., Wang, J., Liu, Q. F., Zhu, X. Z. & Zhao, W. M. (2005). *J. Nat. Prod.* **68**, 1514–1518.

supporting information

Acta Cryst. (2009). E65, o2798 [https://doi.org/10.1107/S1600536809039348]

2-Hydroxy-1-methoxyxanthen-9-one monohydrate

Guangying Chen, Jun Zhao, Changchun Cen, Changri Han and Xinming Song

S1. Comment

Secondary metabolites in the plants of *Calophyllum membranaceum* are mainly xanthenes, coumarins and flavonids (Zou *et al.*, 2005; Chen *et al.*, 2008). The plants in this family were used in folk medicine such as, for rheumatism, arthritis, lumbago and wounds (Zou *et al.*, 2005). The title xanthenone was isolated from the 75% EtOH extract of the roots of *Calophyllum membranaceum* which were collected from Lingshui County, Hainan Province, P. R. China. We have undertaken the X-ray crystal structure analysis of the title xanthenone in order to establish its molecular structure and relative stereochemistry.

The xanthenone ring system of (I) (C1-C13/O1) is almost planar, with all atoms lying within 0.008 (8) Å of the mean plane.

In the crystal, molecules are linked by intermolecular O—H...O hydrogen bonds into chains (Fig.2). The hydrogen bonds and angles are listed in Table 1.

S2. Experimental

Air-dried roots of *Calophyllum membranaceum* (15.00 kg) were ground and percolated (3 × 2.5 h) with 75% EtOH at 333 K, which was suspended in 1.5 l water and then partitioned with petroleum ether, chloroform, ethyl acetate and n-hexane, successively, yielding a petroleum ether extract, a chloroform extract, an ethyl acetate extract and a n-BuOH extract, respectively. The chloroform extract was subjected to a silica gel CC column using petroleum ether as first eluent and then increasing the polarity with EtOAc, to afford 15 fractions (A—N). Fraction C was further separated by column chromatography with a gradient of CHCl₃—CH₃OH to give the title xanthenone. The crude product was dissolved in small amount of anhydrous methanol to obtain colourless blocks of (I) by slow evaporation of a methanol solution at 298 K.

S3. Refinement

H atoms bonded to C atoms were placed in geometrically calculated position and were refined using a riding model, with $U_{\text{iso}}(\text{H}) = 1.2 U_{\text{eq}}(\text{C})$. H atoms attached to O atoms were found in a difference Fourier synthesis and were refined using a riding model, with the O—H distances fixed as initially found and with $U_{\text{iso}}(\text{H})$ values set at 1.5 $U_{\text{eq}}(\text{O})$.




Figure 1

View of (I): displacement ellipsoids are drawn at the 30% probability level.




Figure 2

A view of the molecular packing. Dashed lines indicate hydrogen bonds.

2-Hydroxy-1-methoxyxanthen-9-one monohydrate

Crystal data

$C_{14}H_{10}O_4 \cdot H_2O$

$M_r = 260.24$

Monoclinic, $P2_1/c$

Hall symbol: $-P 2_1/c$

$a = 8.8008 (6) \text{ \AA}$

$b = 7.0856 (4) \text{ \AA}$

$c = 19.4596 (9) \text{ \AA}$

$\beta = 102.402 (4)^\circ$

$V = 1185.16 (12) \text{ \AA}^3$

$Z = 4$

$F(000) = 544$

$D_x = 1.458 \text{ Mg m}^{-3}$

Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$

Cell parameters from 2919 reflections

$\theta = 2.1\text{--}28.2^\circ$
 $\mu = 0.11 \text{ mm}^{-1}$
 $T = 295 \text{ K}$

Block, colourless
 $0.38 \times 0.26 \times 0.24 \text{ mm}$

Data collection

Bruker SMART CCD
 diffractometer
 Radiation source: fine-focus sealed tube
 Graphite monochromator
 Detector resolution: 0 pixels mm^{-1}
 ω scans
 Absorption correction: multi-scan
 (SADABS; Bruker, 1997)
 $T_{\min} = 0.959$, $T_{\max} = 0.974$

8151 measured reflections
 2919 independent reflections
 2269 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.080$
 $\theta_{\max} = 28.2^\circ$, $\theta_{\min} = 2.1^\circ$
 $h = -6 \rightarrow 11$
 $k = -8 \rightarrow 9$
 $l = -25 \rightarrow 25$

Refinement

Refinement on F^2
 Least-squares matrix: full
 $R[F^2 > 2\sigma(F^2)] = 0.053$
 $wR(F^2) = 0.164$
 $S = 1.04$
 2919 reflections
 181 parameters
 0 restraints
 Primary atom site location: structure-invariant
 direct methods
 Secondary atom site location: difference Fourier
 map

Hydrogen site location: inferred from
 neighbouring sites
 H atoms treated by a mixture of independent
 and constrained refinement
 $w = 1/[\sigma^2(F_o^2) + (0.0823P)^2 + 0.2871P]$
 where $P = (F_o^2 + 2F_c^2)/3$
 $(\Delta/\sigma)_{\max} < 0.001$
 $\Delta\rho_{\max} = 0.26 \text{ e } \text{Å}^{-3}$
 $\Delta\rho_{\min} = -0.36 \text{ e } \text{Å}^{-3}$
 Extinction correction: SHELXL97 (Sheldrick,
 2008), $F_c^* = kF_c[1 + 0.001x F_c^2 \lambda^3 / \sin(2\theta)]^{-1/4}$
 Extinction coefficient: 0.095 (8)

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (Å^2)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
O1	0.65861 (11)	0.14472 (16)	0.26194 (6)	0.0409 (3)
O2	0.24707 (14)	0.1457 (2)	0.33085 (6)	0.0577 (4)
O3	0.09211 (11)	0.10250 (16)	0.19163 (6)	0.0412 (3)
O4	0.11784 (12)	0.12437 (18)	0.05791 (5)	0.0459 (3)
H4A	0.1386	0.1122	0.0190	0.069*
O1W	0.16228 (15)	0.0842 (3)	-0.07501 (6)	0.0581 (4)
H1A	0.181 (3)	0.166 (4)	-0.1024 (17)	0.097 (10)*
H1B	0.080 (3)	0.039 (4)	-0.0954 (14)	0.079 (8)*
C1	0.65891 (18)	0.1459 (2)	0.33241 (8)	0.0377 (3)
C2	0.8053 (2)	0.1522 (2)	0.37783 (9)	0.0491 (4)
H2A	0.8955	0.1548	0.3602	0.059*

C3	0.8131 (2)	0.1546 (3)	0.44946 (10)	0.0577 (5)
H3A	0.9096	0.1575	0.4805	0.069*
C4	0.6771 (3)	0.1527 (3)	0.47583 (9)	0.0593 (5)
H4B	0.6837	0.1550	0.5242	0.071*
C5	0.5341 (2)	0.1475 (2)	0.43070 (9)	0.0497 (4)
H5A	0.4445	0.1464	0.4487	0.060*
C6	0.52170 (18)	0.1439 (2)	0.35728 (7)	0.0367 (3)
C7	0.36878 (17)	0.1408 (2)	0.30878 (7)	0.0360 (3)
C8	0.37350 (15)	0.13504 (18)	0.23329 (7)	0.0299 (3)
C9	0.23858 (15)	0.12734 (19)	0.17825 (7)	0.0316 (3)
C10	0.25162 (16)	0.12938 (19)	0.10794 (7)	0.0343 (3)
C11	0.39927 (17)	0.1332 (2)	0.09150 (7)	0.0374 (3)
H11A	0.4075	0.1331	0.0446	0.045*
C12	0.53188 (17)	0.1372 (2)	0.14382 (8)	0.0372 (3)
H12A	0.6293	0.1385	0.1325	0.045*
C13	0.51916 (16)	0.13944 (19)	0.21397 (7)	0.0318 (3)
C14	0.0097 (2)	0.2739 (3)	0.19948 (11)	0.0578 (5)
H14A	-0.0904	0.2434	0.2086	0.087*
H14B	-0.0035	0.3468	0.1570	0.087*
H14C	0.0681	0.3457	0.2381	0.087*

Atomic displacement parameters (Å²)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
O1	0.0304 (5)	0.0548 (7)	0.0354 (6)	-0.0022 (4)	0.0027 (4)	-0.0018 (4)
O2	0.0468 (6)	0.0962 (10)	0.0337 (6)	-0.0072 (6)	0.0163 (5)	-0.0084 (6)
O3	0.0315 (5)	0.0527 (7)	0.0412 (6)	-0.0061 (4)	0.0118 (4)	-0.0017 (4)
O4	0.0377 (6)	0.0689 (8)	0.0284 (5)	-0.0012 (5)	0.0010 (4)	0.0009 (4)
O1W	0.0456 (7)	0.0910 (11)	0.0357 (6)	-0.0150 (7)	0.0044 (5)	0.0005 (6)
C1	0.0426 (7)	0.0330 (7)	0.0337 (7)	-0.0023 (5)	0.0000 (6)	-0.0023 (5)
C2	0.0439 (8)	0.0466 (9)	0.0490 (9)	-0.0025 (7)	-0.0071 (7)	-0.0036 (7)
C3	0.0627 (11)	0.0509 (10)	0.0459 (9)	-0.0027 (8)	-0.0187 (8)	-0.0028 (7)
C4	0.0798 (13)	0.0582 (11)	0.0317 (8)	-0.0053 (9)	-0.0063 (8)	-0.0023 (7)
C5	0.0643 (10)	0.0517 (10)	0.0304 (7)	-0.0039 (7)	0.0042 (7)	-0.0028 (6)
C6	0.0453 (8)	0.0339 (7)	0.0285 (7)	-0.0035 (5)	0.0029 (5)	-0.0022 (5)
C7	0.0400 (7)	0.0387 (7)	0.0296 (7)	-0.0042 (5)	0.0082 (5)	-0.0030 (5)
C8	0.0315 (6)	0.0306 (6)	0.0276 (6)	-0.0029 (5)	0.0062 (5)	-0.0006 (5)
C9	0.0307 (6)	0.0333 (7)	0.0315 (7)	-0.0026 (5)	0.0081 (5)	-0.0002 (5)
C10	0.0347 (7)	0.0370 (7)	0.0298 (6)	-0.0018 (5)	0.0039 (5)	0.0014 (5)
C11	0.0415 (7)	0.0442 (8)	0.0286 (7)	-0.0004 (6)	0.0119 (6)	0.0021 (5)
C12	0.0341 (7)	0.0448 (8)	0.0355 (7)	-0.0009 (6)	0.0138 (5)	0.0008 (6)
C13	0.0302 (6)	0.0325 (7)	0.0324 (7)	-0.0016 (5)	0.0055 (5)	-0.0013 (5)
C14	0.0417 (8)	0.0675 (12)	0.0693 (11)	0.0063 (8)	0.0235 (8)	-0.0022 (9)

Geometric parameters (Å, °)

O1—C1	1.3708 (18)	C4—H4B	0.9300
O1—C13	1.3737 (16)	C5—C6	1.409 (2)

O2—C7	1.2372 (17)	C5—H5A	0.9300
O3—C9	1.3801 (16)	C6—C7	1.469 (2)
O3—C14	1.439 (2)	C7—C8	1.4790 (18)
O4—C10	1.3576 (17)	C8—C13	1.4116 (18)
O4—H4A	0.8200	C8—C9	1.4191 (18)
O1W—H1A	0.83 (3)	C9—C10	1.3973 (19)
O1W—H1B	0.81 (3)	C10—C11	1.4036 (19)
C1—C6	1.394 (2)	C11—C12	1.375 (2)
C1—C2	1.398 (2)	C11—H11A	0.9300
C2—C3	1.381 (3)	C12—C13	1.3935 (19)
C2—H2A	0.9300	C12—H12A	0.9300
C3—C4	1.400 (3)	C14—H14A	0.9600
C3—H3A	0.9300	C14—H14B	0.9600
C4—C5	1.371 (3)	C14—H14C	0.9600
C1—O1—C13	119.30 (11)	C13—C8—C9	117.41 (12)
C9—O3—C14	115.13 (12)	C13—C8—C7	118.99 (12)
C10—O4—H4A	109.5	C9—C8—C7	123.59 (12)
H1A—O1W—H1B	104 (3)	O3—C9—C10	117.56 (12)
O1—C1—C6	122.10 (13)	O3—C9—C8	121.77 (12)
O1—C1—C2	115.87 (14)	C10—C9—C8	120.48 (12)
C6—C1—C2	122.02 (14)	O4—C10—C9	117.45 (12)
C3—C2—C1	118.55 (17)	O4—C10—C11	122.66 (13)
C3—C2—H2A	120.7	C9—C10—C11	119.88 (12)
C1—C2—H2A	120.7	C12—C11—C10	120.79 (12)
C2—C3—C4	120.59 (16)	C12—C11—H11A	119.6
C2—C3—H3A	119.7	C10—C11—H11A	119.6
C4—C3—H3A	119.7	C11—C12—C13	119.46 (12)
C5—C4—C3	120.29 (16)	C11—C12—H12A	120.3
C5—C4—H4B	119.9	C13—C12—H12A	120.3
C3—C4—H4B	119.9	O1—C13—C12	114.70 (12)
C4—C5—C6	120.70 (17)	O1—C13—C8	123.34 (12)
C4—C5—H5A	119.6	C12—C13—C8	121.95 (13)
C6—C5—H5A	119.6	O3—C14—H14A	109.5
C1—C6—C5	117.85 (14)	O3—C14—H14B	109.5
C1—C6—C7	121.30 (13)	H14A—C14—H14B	109.5
C5—C6—C7	120.84 (14)	O3—C14—H14C	109.5
O2—C7—C6	121.24 (13)	H14A—C14—H14C	109.5
O2—C7—C8	123.82 (13)	H14B—C14—H14C	109.5
C6—C7—C8	114.92 (12)		
C13—O1—C1—C6	-0.65 (19)	C14—O3—C9—C10	-93.42 (16)
C13—O1—C1—C2	-179.73 (12)	C14—O3—C9—C8	91.70 (16)
O1—C1—C2—C3	179.71 (14)	C13—C8—C9—O3	173.03 (12)
C6—C1—C2—C3	0.6 (2)	C7—C8—C9—O3	-7.70 (19)
C1—C2—C3—C4	-0.7 (3)	C13—C8—C9—C10	-1.70 (18)
C2—C3—C4—C5	0.3 (3)	C7—C8—C9—C10	177.57 (12)
C3—C4—C5—C6	0.1 (3)	O3—C9—C10—O4	5.96 (18)

O1—C1—C6—C5	-179.30 (13)	C8—C9—C10—O4	-179.09 (12)
C2—C1—C6—C5	-0.3 (2)	O3—C9—C10—C11	-172.99 (12)
O1—C1—C6—C7	-0.2 (2)	C8—C9—C10—C11	1.96 (19)
C2—C1—C6—C7	178.83 (13)	O4—C10—C11—C12	-179.64 (13)
C4—C5—C6—C1	-0.1 (2)	C9—C10—C11—C12	-0.7 (2)
C4—C5—C6—C7	-179.18 (15)	C10—C11—C12—C13	-0.7 (2)
C1—C6—C7—O2	-177.43 (14)	C1—O1—C13—C12	-179.55 (12)
C5—C6—C7—O2	1.6 (2)	C1—O1—C13—C8	-0.03 (18)
C1—C6—C7—C8	1.57 (19)	C11—C12—C13—O1	-179.57 (12)
C5—C6—C7—C8	-179.36 (13)	C11—C12—C13—C8	0.9 (2)
O2—C7—C8—C13	176.82 (14)	C9—C8—C13—O1	-179.21 (12)
C6—C7—C8—C13	-2.15 (17)	C7—C8—C13—O1	1.49 (19)
O2—C7—C8—C9	-2.4 (2)	C9—C8—C13—C12	0.28 (19)
C6—C7—C8—C9	178.59 (12)	C7—C8—C13—C12	-179.03 (13)

Hydrogen-bond geometry (\AA , $^\circ$)

<i>D</i> —H \cdots <i>A</i>	<i>D</i> —H	H \cdots <i>A</i>	<i>D</i> \cdots <i>A</i>	<i>D</i> —H \cdots <i>A</i>
O4—H4 <i>A</i> \cdots O1 <i>W</i>	0.82	1.90	2.7126 (16)	174
O1 <i>W</i> —H1 <i>A</i> \cdots O2 ⁱ	0.83 (3)	2.03 (3)	2.857 (2)	174 (3)
O1 <i>W</i> —H1 <i>B</i> \cdots O4 ⁱⁱ	0.81 (3)	2.34 (3)	2.9540 (19)	134 (2)
O1 <i>W</i> —H1 <i>B</i> \cdots O3 ⁱⁱ	0.81 (3)	2.37 (3)	3.1195 (17)	155 (2)

Symmetry codes: (i) $x, -y+1/2, z-1/2$; (ii) $-x, -y, -z$.