

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

Cinnamyl 8-methoxy-2-oxo-2H-chromene-3-carboxylate

 Cui-Lian Xu,^{a*} Shan-Yu Liu,^b Cai-Xia Wang^a and Ming-Qin Zhao^b
^aCollege of Sciences, Henan Agricultural University, Zhengzhou 450002, People's Republic of China, and ^bCollege of Tobacco Science, Henan Agricultural University, Zhengzhou 450002, People's Republic of China


Correspondence e-mail: xucuilian666@126.com

Received 16 September 2009; accepted 12 October 2009

 Key indicators: single-crystal X-ray study; $T = 296$ K; mean $\sigma(\text{C}-\text{C}) = 0.004$ Å; R factor = 0.065; wR factor = 0.155; data-to-parameter ratio = 12.4.

In the crystal structure of the title compound, $\text{C}_{20}\text{H}_{16}\text{O}_5$, the molecule assumes an *E* configuration with the benzene ring and chromenecarboxyl group located on opposite ends of the $\text{C}=\text{C}$ double bond. The chromene ring system and benzene ring are oriented at a dihedral angle of $74.66(12)^\circ$. Weak intermolecular $\text{C}-\text{H}\cdots\text{O}$ hydrogen bonding is present in the crystal structure.

Related literature

 For applications of coumarins and related compounds, see: Houlst & Paya (1996); Yu *et al.* (2003, 2007); Finn *et al.* (2004).


Experimental

Crystal data

 $\text{C}_{20}\text{H}_{16}\text{O}_5$
 $M_r = 336.33$

 Monoclinic, $P2_1/c$
 $a = 19.226(4)$ Å
 $b = 9.5483(19)$ Å
 $c = 9.0046(18)$ Å
 $\beta = 90.97(3)^\circ$
 $V = 1652.8(6)$ Å³
 $Z = 4$
 Mo $K\alpha$ radiation
 $\mu = 0.10$ mm⁻¹
 $T = 296$ K
 $0.20 \times 0.17 \times 0.17$ mm

Data collection

 Bruker SMART CCD area detector
 diffractometer
 Absorption correction: none
 4903 measured reflections
 2834 independent reflections
 2157 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.053$

Refinement

 $R[F^2 > 2\sigma(F^2)] = 0.065$
 $wR(F^2) = 0.155$
 $S = 1.15$
 2834 reflections
 228 parameters
 H-atom parameters constrained
 $\Delta\rho_{\text{max}} = 0.24$ e Å⁻³
 $\Delta\rho_{\text{min}} = -0.20$ e Å⁻³
Table 1

Hydrogen-bond geometry (Å, °).

$D-H\cdots A$	$D-H$	$H\cdots A$	$D\cdots A$	$D-H\cdots A$
$\text{C4}-\text{H4A}\cdots\text{O3}^i$	0.93	2.51	3.429 (3)	170
$\text{C17}-\text{H17A}\cdots\text{O4}^{ii}$	0.93	2.44	3.294 (4)	153

 Symmetry codes: (i) $x, y + 1, z$; (ii) $-x + 1, y + \frac{1}{2}, -z + \frac{1}{2}$.

Data collection: *SMART* (Bruker, 2007); cell refinement: *SAINT* (Bruker, 2007); data reduction: *SAINT*; program(s) used to solve structure: *SHELXTL* (Sheldrick, 2008); program(s) used to refine structure: *SHELXTL*; molecular graphics: *SHELXTL*; software used to prepare material for publication: *SHELXTL*.

This work was supported by the Natural Science Foundation of Henan Province (No. 2009 A150012).

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: XU2613).

References

- Bruker (2007). *SMART* and *SAINT*. Bruker AXS Inc., Madison, Wisconsin, USA.
- Finn, G. J., Creaven, B. S. & Egan, D. A. (2004). *Cancer Lett.* **214**, 43–54.
- Houlst, J. R. R. & Paya, M. (1996). *Gen. Pharmacol.* **27**, 713–722.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
- Yu, D., Morris-Natschke, S. L. & Lee, K.-H. (2007). *Med. Res. Rev.* **27**, 108–132.
- Yu, D., Suzuki, M., Xie, L., Susan, L., Morris-Natschke, S. L. & Lee, K.-H. (2003). *Med. Res. Rev.* **23**, 322–345.

supporting information

Acta Cryst. (2009). E65, o2817 [https://doi.org/10.1107/S1600536809041725]

Cinnamyl 8-methoxy-2-oxo-2H-chromene-3-carboxylate**Cui-Lian Xu, Shan-Yu Liu, Cai-Xia Wang and Ming-Qin Zhao****S1. Comment**

Coumarins and related compounds, kinds of plant-derived compounds, have diverse biological activities, including anti-HIV, anti-bacterial, anti-inflammatory, anti-proliferative and antioxidant properties (Hoult & Paya, 1996; Yu *et al.*, 2003; Finn *et al.*, 2004; Yu *et al.*, 2007). It thus appeared of interest to synthesize the compounds with coumarin-skeleton. As part of work, we have synthesized the title compound (I) and report its crystal structure here.

The title molecule crystallizes in the E conformation, with an C12-C13-C14-C15 torsion angle of $-179.5(3)^\circ$. The 8-methoxy-2H-chromen-2-one ring and the C15-benzene ring make a dihedral of $74.66(12)^\circ$.

In the crystal structure, an intramolecular C—H \cdots O hydrogen bond is observed and helps to stabilize the conformation of the molecule.

S2. Experimental

A solution of cinnamic alcohol (7.2 mmol) dissolved in dried methyl dichloride (DCM) (25 ml) was added dropwise to a solution of 2-oxo-2H-chromene-3-acyl chloride (7.2 mmol) dissolved in DCM (25 ml) and triethylamine (1 ml) at room temperature. The reaction mixture was stirred for 24 h, monitored by TLC. The reaction mixture was neutralized with 5% HCl and washed by saturated NaHCO₃ solution and brine, respectively. The organic phase is dried over Na₂SO₄ and evaporated under the reduced pressure. The resulting residue was purified by column chromatography (EtOAc:petroleum ether) to give the purified compound.

S3. Refinement

All H atoms were positioned geometrically and refined as riding with C—H = 0.93 (aromatic), 0.97 (methylene) and 0.96 Å (methyl), $U_{\text{iso}}(\text{H}) = 1.5U_{\text{eq}}(\text{C})$ for methyl H atoms and $1.2U_{\text{eq}}(\text{C})$ for the others.




Figure 1

The molecular structure of the title compound. Displacement ellipsoids are drawn at the 50% probability level for non-H atoms.

cinnamyl 8-methoxy-2-oxo-2H-chromene-3-carboxylate

Crystal data

$C_{20}H_{16}O_5$

$M_r = 336.33$

Monoclinic, $P2_1/c$

Hall symbol: -P 2ybc

$a = 19.226$ (4) Å

$b = 9.5483$ (19) Å

$c = 9.0046$ (18) Å

$\beta = 90.97$ (3)°

$V = 1652.8$ (6) Å³

$Z = 4$

$F(000) = 704$

$D_x = 1.352$ Mg m⁻³

Mo $K\alpha$ radiation, $\lambda = 0.71073$ Å

Cell parameters from 2834 reflections

$\theta = 3.1$ – 24.2 °

$\mu = 0.10$ mm⁻¹

$T = 296$ K

Block, colorless

$0.20 \times 0.17 \times 0.17$ mm

Data collection

Bruker SMART CCD area detector
diffractometer

Radiation source: fine-focus sealed tube

Graphite monochromator

ω scans

4903 measured reflections

2834 independent reflections

2157 reflections with $I > 2\sigma(I)$

$R_{int} = 0.053$

$\theta_{max} = 25.0$ °, $\theta_{min} = 1.1$ °

$h = -22 \rightarrow 22$

$k = -11 \rightarrow 11$

$l = 0 \rightarrow 10$

Refinement

Refinement on F^2

Least-squares matrix: full

$R[F^2 > 2\sigma(F^2)] = 0.065$

$wR(F^2) = 0.155$

$S = 1.15$

2834 reflections

228 parameters

0 restraints

Primary atom site location: structure-invariant
direct methods

Secondary atom site location: difference Fourier
map

Hydrogen site location: inferred from
neighbouring sites

H-atom parameters constrained

$w = 1/[\sigma^2(F_o^2) + (0.0659P)^2 + 0.2012P]$

where $P = (F_o^2 + 2F_c^2)/3$

$$(\Delta/\sigma)_{\max} = 0.001$$

$$\Delta\rho_{\max} = 0.24 \text{ e } \text{\AA}^{-3}$$

$$\Delta\rho_{\min} = -0.20 \text{ e } \text{\AA}^{-3}$$

Extinction correction: *SHELXL*,
 $\text{Fc}^* = k\text{Fc}[1 + 0.001 \times \text{Fc}^2 \lambda^3 / \sin(2\theta)]^{-1/4}$
 Extinction coefficient: 0.024 (3)

Special details

Geometry. All esds (except the esd in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell esds are taken into account individually in the estimation of esds in distances, angles and torsion angles; correlations between esds in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell esds is used for estimating esds involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) *etc.* and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
O1	0.04001 (9)	0.88854 (18)	0.70962 (19)	0.0610 (5)
O2	0.11713 (7)	0.72996 (15)	0.54027 (17)	0.0463 (4)
O3	0.15130 (10)	0.51497 (17)	0.4995 (2)	0.0705 (6)
O4	0.25790 (11)	0.4732 (2)	0.3000 (3)	0.0885 (7)
O5	0.28952 (8)	0.66346 (19)	0.17300 (19)	0.0617 (5)
C1	0.12199 (11)	0.8722 (2)	0.5210 (2)	0.0414 (6)
C2	0.08113 (11)	0.9568 (3)	0.6115 (3)	0.0497 (6)
C3	0.08597 (14)	1.0996 (3)	0.5946 (3)	0.0652 (8)
H3A	0.0593	1.1578	0.6536	0.078*
C4	0.13001 (15)	1.1585 (3)	0.4910 (3)	0.0710 (8)
H4A	0.1323	1.2554	0.4816	0.085*
C5	0.17013 (13)	1.0757 (3)	0.4023 (3)	0.0605 (7)
H5A	0.1992	1.1160	0.3328	0.073*
C6	0.16698 (11)	0.9293 (2)	0.4174 (3)	0.0445 (6)
C7	0.20856 (11)	0.8339 (2)	0.3351 (2)	0.0450 (6)
H7A	0.2383	0.8693	0.2638	0.054*
C8	0.20641 (10)	0.6940 (2)	0.3568 (2)	0.0429 (6)
C9	0.15868 (11)	0.6355 (2)	0.4665 (3)	0.0460 (6)
C10	0.25260 (12)	0.5959 (3)	0.2770 (3)	0.0525 (6)
C11	-0.00432 (15)	0.9739 (3)	0.7994 (3)	0.0743 (8)
H11A	-0.0314	0.9150	0.8626	0.112*
H11B	-0.0349	1.0278	0.7362	0.112*
H11C	0.0237	1.0360	0.8592	0.112*
C12	0.33877 (13)	0.5785 (3)	0.0894 (3)	0.0697 (8)
H12A	0.3470	0.6224	-0.0059	0.084*
H12B	0.3189	0.4867	0.0709	0.084*
C13	0.40569 (13)	0.5629 (3)	0.1714 (3)	0.0646 (7)
H13A	0.4053	0.5142	0.2608	0.078*
C14	0.46490 (14)	0.6123 (3)	0.1279 (3)	0.0639 (7)
H14A	0.4640	0.6613	0.0386	0.077*
C15	0.53343 (12)	0.6000 (3)	0.2031 (3)	0.0560 (7)
C16	0.58725 (14)	0.6863 (3)	0.1617 (4)	0.0741 (9)

H16A	0.5804	0.7481	0.0830	0.089*
C17	0.65113 (15)	0.6830 (3)	0.2345 (5)	0.0831 (10)
H17A	0.6861	0.7445	0.2067	0.100*
C18	0.66314 (14)	0.5891 (3)	0.3481 (4)	0.0741 (9)
H18A	0.7059	0.5874	0.3980	0.089*
C19	0.61138 (15)	0.4981 (4)	0.3866 (3)	0.0763 (9)
H19A	0.6195	0.4320	0.4608	0.092*
C20	0.54716 (14)	0.5041 (3)	0.3158 (3)	0.0694 (8)
H20A	0.5123	0.4426	0.3443	0.083*

Atomic displacement parameters (Å²)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
O1	0.0600 (10)	0.0639 (11)	0.0597 (11)	0.0079 (9)	0.0171 (8)	−0.0059 (9)
O2	0.0487 (9)	0.0410 (9)	0.0494 (10)	0.0015 (7)	0.0053 (7)	−0.0008 (7)
O3	0.0869 (14)	0.0375 (10)	0.0877 (14)	0.0016 (9)	0.0227 (10)	0.0041 (9)
O4	0.1028 (16)	0.0562 (13)	0.1075 (17)	0.0296 (11)	0.0322 (13)	0.0052 (11)
O5	0.0522 (10)	0.0719 (12)	0.0615 (12)	0.0113 (9)	0.0125 (8)	−0.0069 (9)
C1	0.0391 (12)	0.0364 (12)	0.0486 (14)	0.0004 (10)	−0.0026 (10)	−0.0021 (10)
C2	0.0444 (13)	0.0505 (15)	0.0541 (15)	0.0053 (11)	−0.0019 (11)	−0.0051 (12)
C3	0.0668 (17)	0.0523 (16)	0.0767 (19)	0.0122 (13)	0.0061 (14)	−0.0112 (14)
C4	0.0784 (19)	0.0382 (14)	0.096 (2)	0.0072 (13)	0.0005 (17)	−0.0028 (15)
C5	0.0590 (16)	0.0446 (14)	0.0783 (19)	−0.0029 (12)	0.0079 (13)	0.0063 (13)
C6	0.0394 (12)	0.0392 (12)	0.0550 (15)	0.0021 (10)	−0.0010 (10)	−0.0012 (11)
C7	0.0370 (12)	0.0503 (14)	0.0477 (14)	−0.0026 (10)	0.0007 (9)	0.0011 (11)
C8	0.0364 (12)	0.0444 (13)	0.0476 (14)	0.0026 (10)	−0.0039 (10)	−0.0026 (10)
C9	0.0472 (13)	0.0401 (14)	0.0506 (15)	0.0028 (10)	−0.0024 (10)	−0.0044 (11)
C10	0.0470 (14)	0.0573 (16)	0.0531 (16)	0.0102 (12)	−0.0031 (11)	−0.0058 (13)
C11	0.0676 (18)	0.090 (2)	0.0663 (19)	0.0167 (16)	0.0152 (14)	−0.0173 (16)
C12	0.0520 (16)	0.093 (2)	0.0642 (18)	0.0203 (14)	0.0082 (13)	−0.0162 (16)
C13	0.0517 (15)	0.0826 (19)	0.0598 (17)	0.0113 (14)	0.0072 (12)	−0.0058 (15)
C14	0.0605 (16)	0.0681 (17)	0.0635 (17)	0.0112 (14)	0.0127 (13)	−0.0002 (14)
C15	0.0484 (14)	0.0513 (14)	0.0690 (18)	0.0042 (12)	0.0139 (12)	−0.0074 (13)
C16	0.0617 (18)	0.0521 (16)	0.109 (2)	0.0106 (14)	0.0295 (16)	0.0079 (16)
C17	0.0542 (18)	0.0535 (17)	0.143 (3)	−0.0068 (14)	0.0329 (18)	−0.012 (2)
C18	0.0490 (16)	0.078 (2)	0.096 (2)	0.0006 (15)	0.0078 (15)	−0.0310 (19)
C19	0.0669 (18)	0.091 (2)	0.071 (2)	0.0004 (17)	0.0080 (15)	0.0048 (16)
C20	0.0549 (16)	0.0741 (19)	0.080 (2)	−0.0136 (14)	0.0122 (14)	0.0070 (16)

Geometric parameters (Å, °)

O1—C2	1.362 (3)	C11—H11A	0.9600
O1—C11	1.438 (3)	C11—H11B	0.9600
O2—C1	1.373 (3)	C11—H11C	0.9600
O2—C9	1.382 (3)	C12—C13	1.480 (4)
O3—C9	1.198 (3)	C12—H12A	0.9700
O4—C10	1.194 (3)	C12—H12B	0.9700
O5—C10	1.349 (3)	C13—C14	1.299 (4)

O5—C12	1.465 (3)	C13—H13A	0.9300
C1—C6	1.394 (3)	C14—C15	1.476 (4)
C1—C2	1.398 (3)	C14—H14A	0.9300
C2—C3	1.375 (4)	C15—C16	1.379 (3)
C3—C4	1.389 (4)	C15—C20	1.389 (4)
C3—H3A	0.9300	C16—C17	1.383 (4)
C4—C5	1.370 (4)	C16—H16A	0.9300
C4—H4A	0.9300	C17—C18	1.377 (4)
C5—C6	1.405 (3)	C17—H17A	0.9300
C5—H5A	0.9300	C18—C19	1.370 (4)
C6—C7	1.428 (3)	C18—H18A	0.9300
C7—C8	1.351 (3)	C19—C20	1.381 (4)
C7—H7A	0.9300	C19—H19A	0.9300
C8—C9	1.469 (3)	C20—H20A	0.9300
C8—C10	1.485 (3)		
C2—O1—C11	116.7 (2)	H11A—C11—H11B	109.5
C1—O2—C9	122.93 (18)	O1—C11—H11C	109.5
C10—O5—C12	116.4 (2)	H11A—C11—H11C	109.5
O2—C1—C6	121.0 (2)	H11B—C11—H11C	109.5
O2—C1—C2	117.3 (2)	O5—C12—C13	111.3 (2)
C6—C1—C2	121.7 (2)	O5—C12—H12A	109.4
O1—C2—C3	126.0 (2)	C13—C12—H12A	109.4
O1—C2—C1	116.1 (2)	O5—C12—H12B	109.4
C3—C2—C1	117.9 (2)	C13—C12—H12B	109.4
C2—C3—C4	121.3 (3)	H12A—C12—H12B	108.0
C2—C3—H3A	119.4	C14—C13—C12	124.9 (3)
C4—C3—H3A	119.4	C14—C13—H13A	117.6
C5—C4—C3	120.9 (2)	C12—C13—H13A	117.6
C5—C4—H4A	119.6	C13—C14—C15	127.8 (3)
C3—C4—H4A	119.6	C13—C14—H14A	116.1
C4—C5—C6	119.5 (2)	C15—C14—H14A	116.1
C4—C5—H5A	120.3	C16—C15—C20	117.2 (3)
C6—C5—H5A	120.3	C16—C15—C14	119.8 (3)
C1—C6—C5	118.8 (2)	C20—C15—C14	123.0 (2)
C1—C6—C7	117.2 (2)	C15—C16—C17	121.5 (3)
C5—C6—C7	124.0 (2)	C15—C16—H16A	119.2
C8—C7—C6	122.5 (2)	C17—C16—H16A	119.2
C8—C7—H7A	118.7	C18—C17—C16	120.2 (3)
C6—C7—H7A	118.7	C18—C17—H17A	119.9
C7—C8—C9	119.6 (2)	C16—C17—H17A	119.9
C7—C8—C10	122.2 (2)	C19—C18—C17	119.2 (3)
C9—C8—C10	118.1 (2)	C19—C18—H18A	120.4
O3—C9—O2	115.8 (2)	C17—C18—H18A	120.4
O3—C9—C8	127.6 (2)	C18—C19—C20	120.3 (3)
O2—C9—C8	116.62 (19)	C18—C19—H19A	119.9
O4—C10—O5	123.1 (2)	C20—C19—H19A	119.9
O4—C10—C8	125.8 (3)	C19—C20—C15	121.5 (3)

O5—C10—C8	111.2 (2)	C19—C20—H20A	119.3
O1—C11—H11A	109.5	C15—C20—H20A	119.3
O1—C11—H11B	109.5		
C9—O2—C1—C6	4.0 (3)	C7—C8—C9—O3	-179.1 (2)
C9—O2—C1—C2	-174.71 (19)	C10—C8—C9—O3	-1.1 (3)
C11—O1—C2—C3	2.6 (4)	C7—C8—C9—O2	1.1 (3)
C11—O1—C2—C1	-177.7 (2)	C10—C8—C9—O2	179.11 (18)
O2—C1—C2—O1	-0.4 (3)	C12—O5—C10—O4	-1.3 (3)
C6—C1—C2—O1	-179.15 (19)	C12—O5—C10—C8	178.20 (18)
O2—C1—C2—C3	179.3 (2)	C7—C8—C10—O4	172.9 (3)
C6—C1—C2—C3	0.6 (3)	C9—C8—C10—O4	-5.0 (4)
O1—C2—C3—C4	179.8 (2)	C7—C8—C10—O5	-6.5 (3)
C1—C2—C3—C4	0.0 (4)	C9—C8—C10—O5	175.55 (18)
C2—C3—C4—C5	-0.1 (4)	C10—O5—C12—C13	-83.6 (3)
C3—C4—C5—C6	-0.5 (4)	O5—C12—C13—C14	-115.1 (3)
O2—C1—C6—C5	-179.8 (2)	C12—C13—C14—C15	-179.5 (3)
C2—C1—C6—C5	-1.2 (3)	C13—C14—C15—C16	-164.1 (3)
O2—C1—C6—C7	-1.3 (3)	C13—C14—C15—C20	15.9 (4)
C2—C1—C6—C7	177.37 (19)	C20—C15—C16—C17	-3.4 (4)
C4—C5—C6—C1	1.1 (4)	C14—C15—C16—C17	176.6 (3)
C4—C5—C6—C7	-177.4 (2)	C15—C16—C17—C18	2.2 (4)
C1—C6—C7—C8	-1.3 (3)	C16—C17—C18—C19	0.7 (4)
C5—C6—C7—C8	177.1 (2)	C17—C18—C19—C20	-2.3 (4)
C6—C7—C8—C9	1.4 (3)	C18—C19—C20—C15	0.9 (4)
C6—C7—C8—C10	-176.50 (19)	C16—C15—C20—C19	1.9 (4)
C1—O2—C9—O3	176.3 (2)	C14—C15—C20—C19	-178.2 (3)
C1—O2—C9—C8	-3.8 (3)		

Hydrogen-bond geometry (\AA , $^\circ$)

$D-H\cdots A$	$D-H$	$H\cdots A$	$D\cdots A$	$D-H\cdots A$
C4—H4A \cdots O3 ⁱ	0.93	2.51	3.429 (3)	170
C17—H17A \cdots O4 ⁱⁱ	0.93	2.44	3.294 (4)	153

Symmetry codes: (i) $x, y+1, z$; (ii) $-x+1, y+1/2, -z+1/2$.