

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

1,4-Bis(2-pyridyliminomethyl)benzene

 Li-Hua Huo,^a Shan Gao^a and Seik Weng Ng^{b*}
^aCollege of Chemistry and Materials Science, Heilongjiang University, Harbin 150080, People's Republic of China, and ^bDepartment of Chemistry, University of Malaya, 50603 Kuala Lumpur, Malaysia

Correspondence e-mail: seikweng@um.edu.my


Received 28 September 2009; accepted 30 September 2009

 Key indicators: single-crystal X-ray study; $T = 293$ K; mean $\sigma(\text{C}-\text{C}) = 0.003$ Å; R factor = 0.048; wR factor = 0.168; data-to-parameter ratio = 16.6.

In the crystal structure of the title compound, $\text{C}_{18}\text{H}_{14}\text{N}_4$, the molecule assumes $\bar{1}$ site symmetry with the centroid of the benzene ring located on the inversion center. The molecule is almost flat, with a dihedral angle of $2.70(9)^\circ$ between the pyridine and benzene rings.

Related literature

For the synthesis, see: D'Alelio *et al.* (1967). Terephthalaldehyde condenses directly with 2-aminopyridine to form 4-(bis(2-pyridylamino)methyl)benzaldehyde; see: Zhu *et al.* (2003).



Experimental

Crystal data

 $\text{C}_{18}\text{H}_{14}\text{N}_4$
 $M_r = 286.33$

 Monoclinic, $P2_1/n$
 $a = 6.1579(8)$ Å

 $b = 18.911(3)$ Å
 $c = 6.5956(11)$ Å
 $\beta = 109.746(5)^\circ$
 $V = 722.90(18)$ Å³
 $Z = 2$

 Mo $K\alpha$ radiation
 $\mu = 0.08$ mm⁻¹
 $T = 293$ K
 $0.30 \times 0.26 \times 0.21$ mm

Data collection

 Rigaku R-Axis RAPID IP diffractometer
 Absorption correction: multi-scan (ABSCOR; Higashi, 1995)
 $T_{\min} = 0.976$, $T_{\max} = 0.983$

 7013 measured reflections
 1657 independent reflections
 886 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.048$

Refinement

 $R[F^2 > 2\sigma(F^2)] = 0.048$
 $wR(F^2) = 0.168$
 $S = 1.05$
 1657 reflections

 100 parameters
 H-atom parameters constrained
 $\Delta\rho_{\max} = 0.15$ e Å⁻³
 $\Delta\rho_{\min} = -0.21$ e Å⁻³

Data collection: *RAPID-AUTO* (Rigaku, 1998); cell refinement: *RAPID-AUTO*; data reduction: *CrystalClear* (Rigaku/MSK, 2002); program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *X-SEED* (Barbour, 2001); software used to prepare material for publication: *publCIF* (Westrip, 2009).

We thank the Natural Science Foundation of Heilongjiang Province (No. B200501), Heilongjiang University, China, and the University of Malaya for supporting this study.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: XU2625).

References

- Barbour, L. J. (2001). *J. Supramol. Chem.* **1**, 189–191.
 D'Alelio, G. F., Crivello, J. V., Schöning, R. K. & Hümmel, T. F. (1967). *J. Macromol. Sci. Chem.* **1**, 1251–1258.
 Higashi, T. (1995). *ABSCOR*. Rigaku Corporation, Tokyo, Japan.
 Rigaku (1998). *RAPID-AUTO*. Rigaku Corporation, Tokyo, Japan.
 Rigaku/MSK (2002). *CrystalClear*. Rigaku/MSK Inc., The Woodlands, Texas, USA.
 Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
 Westrip, S. P. (2009). *publCIF*. In preparation.
 Zhu, H.-L., Liu, Q.-X., Usman, A. & Fun, H.-K. (2003). *Z. Kristallogr. New Cryst. Struct.* **218**, 317–318.

supporting information

Acta Cryst. (2009). E65, o2659 [https://doi.org/10.1107/S1600536809039853]

1,4-Bis(2-pyridyliminomethyl)benzene

Li-Hua Huo, Shan Gao and Seik Weng Ng

S1. Experimental

To a solution of terephthalaldehyde (1 mmol) in methanol was added a solution of 2-aminopyridine (2 mmol) and cobalt acetate trihydrate (1 mmol) in methanol. The mixture was heated to 333 K for one hour. The pale yellow solution was filtered. Colorless crystals were isolated from the filtrate after several days. CH&N elemental analysis. Calc. for $C_{18}H_{14}N_4$: C 75.51, H 4.93, N 19.57%; found: C 75.53, H 4.98, N 19.53%.

S2. Refinement

Carbon-bound H-atoms were placed in calculated positions (C—H 0.93 Å) and were included in the refinement in the riding model approximation, with $U(H)$ set to $1.2U(C)$.




Figure 1

Thermal ellipsoid plot (Barbour, 2001) of the title compound at the 50% probability level; hydrogen atoms are drawn as spheres of arbitrary radius.

1,4-Bis(2-pyridyliminomethyl)benzene

Crystal data

$C_{18}H_{14}N_4$

$M_r = 286.33$

Monoclinic, $P2_1/n$

Hall symbol: $-P 2_1n$

$a = 6.1579$ (8) Å

$b = 18.911$ (3) Å

$c = 6.5956$ (11) Å

$\beta = 109.746$ (5)°

$V = 722.90$ (18) Å³

$Z = 2$

$F(000) = 300$

$D_x = 1.315$ Mg m⁻³

Mo $K\alpha$ radiation, $\lambda = 0.71073$ Å

Cell parameters from 3577 reflections

$\theta = 3.5$ – 27.5 °

$\mu = 0.08$ mm⁻¹

$T = 293$ K

Prism, colorless

$0.30 \times 0.26 \times 0.21$ mm

Data collection

Rigaku R-AXIS RAPID IP
diffractometer
Radiation source: fine-focus sealed tube
Graphite monochromator
 ω scans
Absorption correction: multi-scan
(*ABSCOR*; Higashi, 1995)
 $T_{\min} = 0.976$, $T_{\max} = 0.983$

7013 measured reflections
1657 independent reflections
886 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.048$
 $\theta_{\max} = 27.5^\circ$, $\theta_{\min} = 3.5^\circ$
 $h = -7 \rightarrow 7$
 $k = -24 \rightarrow 24$
 $l = -8 \rightarrow 8$

Refinement

Refinement on F^2
Least-squares matrix: full
 $R[F^2 > 2\sigma(F^2)] = 0.048$
 $wR(F^2) = 0.168$
 $S = 1.05$
1657 reflections
100 parameters
0 restraints
Primary atom site location: structure-invariant
direct methods

Secondary atom site location: difference Fourier
map
Hydrogen site location: inferred from
neighbouring sites
H-atom parameters constrained
 $w = 1/[\sigma^2(F_o^2) + (0.0811P)^2 + 0.0419P]$
where $P = (F_o^2 + 2F_c^2)/3$
 $(\Delta/\sigma)_{\max} = 0.001$
 $\Delta\rho_{\max} = 0.15 \text{ e } \text{\AA}^{-3}$
 $\Delta\rho_{\min} = -0.21 \text{ e } \text{\AA}^{-3}$

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
N1	0.2738 (3)	0.57623 (8)	0.4070 (3)	0.0484 (5)
N2	0.4005 (3)	0.67692 (8)	0.6348 (3)	0.0547 (5)
C1	0.3212 (3)	0.48484 (9)	0.0748 (3)	0.0490 (5)
H1	0.2001	0.4745	0.1242	0.059*
C2	0.6436 (3)	0.55629 (10)	0.0822 (3)	0.0501 (6)
H2	0.7408	0.5945	0.1371	0.060*
C3	0.4653 (3)	0.54201 (9)	0.1610 (3)	0.0422 (5)
C4	0.4303 (3)	0.58674 (9)	0.3268 (3)	0.0470 (5)
H4	0.5285	0.6251	0.3762	0.056*
C5	0.2518 (3)	0.62320 (9)	0.5657 (3)	0.0427 (5)
C6	0.0719 (4)	0.61176 (10)	0.6427 (3)	0.0505 (6)
H6	-0.0267	0.5735	0.5940	0.061*
C7	0.0405 (4)	0.65755 (10)	0.7920 (3)	0.0566 (6)
H7	-0.0817	0.6513	0.8431	0.068*
C8	0.1919 (4)	0.71275 (11)	0.8649 (4)	0.0585 (6)
H8	0.1762	0.7443	0.9673	0.070*
C9	0.3676 (4)	0.71989 (10)	0.7815 (4)	0.0598 (6)
H9	0.4701	0.7572	0.8310	0.072*

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
N1	0.0544 (10)	0.0491 (9)	0.0460 (11)	-0.0014 (8)	0.0225 (9)	-0.0062 (7)
N2	0.0572 (11)	0.0523 (10)	0.0595 (12)	-0.0048 (8)	0.0260 (9)	-0.0111 (8)
C1	0.0530 (12)	0.0510 (11)	0.0503 (13)	-0.0033 (9)	0.0268 (10)	-0.0034 (9)

C2	0.0523 (12)	0.0492 (11)	0.0540 (13)	-0.0120 (9)	0.0250 (11)	-0.0078 (9)
C3	0.0472 (11)	0.0413 (10)	0.0389 (11)	0.0030 (8)	0.0158 (9)	0.0011 (8)
C4	0.0505 (12)	0.0453 (11)	0.0478 (13)	-0.0031 (9)	0.0202 (10)	-0.0036 (9)
C5	0.0452 (11)	0.0419 (10)	0.0415 (11)	0.0036 (8)	0.0156 (9)	0.0002 (8)
C6	0.0544 (13)	0.0496 (11)	0.0531 (14)	-0.0030 (9)	0.0256 (11)	-0.0022 (9)
C7	0.0674 (14)	0.0548 (12)	0.0588 (14)	0.0064 (10)	0.0361 (12)	0.0009 (10)
C8	0.0741 (14)	0.0513 (12)	0.0564 (14)	0.0079 (11)	0.0305 (12)	-0.0071 (10)
C9	0.0673 (14)	0.0500 (11)	0.0639 (15)	-0.0090 (10)	0.0247 (12)	-0.0159 (10)

Geometric parameters (Å, °)

N1—C4	1.262 (2)	C3—C4	1.455 (3)
N1—C5	1.414 (2)	C4—H4	0.9300
N2—C9	1.330 (2)	C5—C6	1.383 (3)
N2—C5	1.340 (2)	C6—C7	1.373 (3)
C1—C2 ⁱ	1.369 (3)	C6—H6	0.9300
C1—C3	1.392 (3)	C7—C8	1.374 (3)
C1—H1	0.9300	C7—H7	0.9300
C2—C1 ⁱ	1.369 (3)	C8—C9	1.376 (3)
C2—C3	1.391 (3)	C8—H8	0.9300
C2—H2	0.9300	C9—H9	0.9300
C4—N1—C5	119.30 (17)	N2—C5—N1	120.16 (16)
C9—N2—C5	117.11 (17)	C6—C5—N1	117.58 (17)
C2 ⁱ —C1—C3	120.54 (17)	C7—C6—C5	119.28 (19)
C2 ⁱ —C1—H1	119.7	C7—C6—H6	120.4
C3—C1—H1	119.7	C5—C6—H6	120.4
C1 ⁱ —C2—C3	121.24 (17)	C6—C7—C8	119.14 (19)
C1 ⁱ —C2—H2	119.4	C6—C7—H7	120.4
C3—C2—H2	119.4	C8—C7—H7	120.4
C2—C3—C1	118.21 (17)	C7—C8—C9	117.83 (19)
C2—C3—C4	120.26 (17)	C7—C8—H8	121.1
C1—C3—C4	121.52 (16)	C9—C8—H8	121.1
N1—C4—C3	123.46 (18)	N2—C9—C8	124.36 (19)
N1—C4—H4	118.3	N2—C9—H9	117.8
C3—C4—H4	118.3	C8—C9—H9	117.8
N2—C5—C6	122.26 (17)		
C1 ⁱ —C2—C3—C1	-0.5 (3)	C4—N1—C5—N2	-2.1 (3)
C1 ⁱ —C2—C3—C4	-179.58 (18)	C4—N1—C5—C6	177.18 (19)
C2 ⁱ —C1—C3—C2	0.5 (3)	N2—C5—C6—C7	1.3 (3)
C2 ⁱ —C1—C3—C4	179.57 (18)	N1—C5—C6—C7	-177.98 (17)
C5—N1—C4—C3	-179.24 (17)	C5—C6—C7—C8	-1.5 (3)
C2—C3—C4—N1	-179.11 (19)	C6—C7—C8—C9	0.8 (3)
C1—C3—C4—N1	1.9 (3)	C5—N2—C9—C8	-0.2 (3)

C9—N2—C5—C6	-0.5 (3)	C7—C8—C9—N2	0.1 (4)
C9—N2—C5—N1	178.83 (18)		

Symmetry code: (i) $-x+1, -y+1, -z$.