

Acta Crystallographica Section E

## Structure Reports

Online

ISSN 1600-5368

# N-Cyclohexyl-N-propylbenzene-sulfonamide

 Zeeshan Haider,<sup>a</sup> Islam Ullah Khan,<sup>a\*</sup> Muhammad Zia-ur-Rehman<sup>b</sup> and Muhammad Nadeem Arshad<sup>a</sup>
<sup>a</sup>Department of Chemistry, Government College University, Lahore 54000, Pakistan, and <sup>b</sup>Applied Chemistry Research Centre, PCSIR Laboratories Complex, Ferozपुर Road, Lahore 54600, Pakistan

Correspondence e-mail: iukhan.gcu@gmail.com


Received 2 November 2009; accepted 5 November 2009

 Key indicators: single-crystal X-ray study;  $T = 296$  K; mean  $\sigma(\text{C}-\text{C}) = 0.003$  Å;  $R$  factor = 0.050;  $wR$  factor = 0.141; data-to-parameter ratio = 22.2.

The title compound,  $\text{C}_{15}\text{H}_{23}\text{NO}_2\text{S}$ , synthesized by *N*-methylation of cyclohexylamine sulfonamide with propyl iodide, is of interest as a precursor to biologically active sulfur-containing heterocyclic compounds. The cyclohexyl ring exists in the chair form and the dihedral angle between the ring plane of the benzene ring and that of the cyclohexyl ring is  $50.13$  ( $9^\circ$ ).

## Related literature

For the synthesis of related molecules, see: Kayser *et al.* (2004); Zia-ur-Rehman *et al.* (2006, 2009). For the biological activity of sulfonamides, see: La Roche & Co (1967); Rough *et al.* (1998); Gennarti *et al.* (1994). For related structures, see: Arshad *et al.* (2008); Khan *et al.* (2009); Gowda *et al.* (2007*a,b,c*). For bond-length data, see: Allen *et al.* (1987).



## Experimental

### Crystal data

 $\text{C}_{15}\text{H}_{23}\text{NO}_2\text{S}$   
 $M_r = 281.40$   
 Monoclinic,  $P2_1/n$ 
 $a = 8.5532$  (3) Å  
 $b = 11.6877$  (4) Å  
 $c = 15.4410$  (5) Å

 $\beta = 90.649$  (2) $^\circ$   
 $V = 1543.50$  (9) Å<sup>3</sup>  
 $Z = 4$   
 Mo  $K\alpha$  radiation

 $\mu = 0.21$  mm<sup>-1</sup>  
 $T = 296$  K  
 $0.42 \times 0.31 \times 0.25$  mm

### Data collection

 Bruker APEXII CCD area-detector diffractometer  
 Absorption correction: multi-scan (SADABS; Bruker, 2007)  
 $T_{\min} = 0.918$ ,  $T_{\max} = 0.950$   
 17345 measured reflections  
 3839 independent reflections  
 2475 reflections with  $I > 2\sigma(I)$   
 $R_{\text{int}} = 0.041$ 

### Refinement

 $R[F^2 > 2\sigma(F^2)] = 0.050$   
 $wR(F^2) = 0.141$   
 $S = 1.03$   
 3839 reflections  
 173 parameters  
 H-atom parameters constrained  
 $\Delta\rho_{\max} = 0.29$  e Å<sup>-3</sup>  
 $\Delta\rho_{\min} = -0.21$  e Å<sup>-3</sup>

Data collection: APEX2 (Bruker, 2007); cell refinement: SAINT (Bruker, 2007); data reduction: SAINT; program(s) used to solve structure: SHELXS97 (Sheldrick, 2008); program(s) used to refine structure: SHELXL97 (Sheldrick, 2008); molecular graphics: PLATON (Spek, 2009) and Mercury (Macrae *et al.*, 2006); software used to prepare material for publication: WinGX (Farrugia, 1999) and PLATON.

The authors are grateful to the Higher Education Commission of Pakistan for the financial support to purchase the diffractometer.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: HG2581).

## References

- Allen, F. H., Kennard, O., Watson, D. G., Brammer, L., Orpen, A. G. & Taylor, R. (1987). *J. Chem. Soc. Perkin Trans. 2*, pp. S1–19.
- Arshad, M. N., Khan, I. U. & Zia-ur-Rehman, M. (2008). *Acta Cryst.* **E64**, o2283–o2284.
- Bruker (2007). APEX2, SAINT and SADABS. Bruker AXS Inc., Madison, Wisconsin, USA.
- Farrugia, L. J. (1999). *J. Appl. Cryst.* **32**, 837–838.
- Gennarti, C., Salom, B., Potenza, D. & Williams, A. (1994). *Angew. Chem. Int. Ed. Engl.* **33**, 2067–2069.
- Gowda, B. T., Foro, S. & Fuess, H. (2007*a*). *Acta Cryst.* **E63**, o2339.
- Gowda, B. T., Foro, S. & Fuess, H. (2007*b*). *Acta Cryst.* **E63**, o2570.
- Gowda, B. T., Foro, S. & Fuess, H. (2007*c*). *Acta Cryst.* **E63**, o2597.
- Kayser, F. H., Bienz, K. A., Eckert, J. & Zinkernagel, R. M. (2004). *Medical Microbiology*, pp. 1–20. Berlin: Thieme Medical.
- Khan, I. U., Haider, Z., Zia-ur-Rehman, M., Arshad, M. N. & Shafiq, M. (2009). *Acta Cryst.* **E65**, o2867.
- La Roche, H. & Co, A. G. (1967). *Chem. Abstr.* **67**, 73323r.
- Macrae, C. F., Edgington, P. R., McCabe, P., Pidcock, E., Shields, G. P., Taylor, R., Towler, M. & van de Streek, J. (2006). *J. Appl. Cryst.* **39**, 453–457.
- Rough, W. R., Gwaltney, S. L., Cheng, J., Scheidt, K. A., Mc Kerrow, J. H. & Hansell, E. (1998). *J. Am. Chem. Soc.* **120**, 10994–10995.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
- Spek, A. L. (2009). *Acta Cryst.* **D65**, 148–155.
- Zia-ur-Rehman, M. Z., Choudary, J. A., Ahmad, S. & Siddiqui, H. L. (2006). *Chem. Pharm. Bull.* **54**, 1175–1178.
- Zia-ur-Rehman, M., Choudary, J. A., Elsegood, M. R. J., Siddiqui, H. L. & Khan, K. M. (2009). *Eur. J. Med. Chem.* **44**, 1311–1316.

## supporting information

*Acta Cryst.* (2009). E65, o3165 [doi:10.1107/S1600536809046650]

***N*-Cyclohexyl-*N*-propylbenzenesulfonamide**

**Zeeshan Haider, Islam Ullah Khan, Muhammad Zia-ur-Rehman and Muhammad Nadeem Arshad**

**S1. Comment**


Sulfonamides are well known for their enormous potential as biologically active molecules (Rough *et al.*, 1998). They are being used as anti-microbial (Kayser *et al.*, 2004), anti-convulsant (Arshad *et al.*, 2008), anti-cancer (La Roche & Co, 1967) agents and for the treatment of inflammatory rheumatic and non-rheumatic processes including onsets and traumatologic lesions (Gennarti *et al.*, 1994). In the present paper, the structure of *N*-cyclohexyl-*N*-propyl benzene sulfonamide has been determined as part of a research program involving the synthesis and biological evaluation of sulfur containing heterocyclic compounds (Zia-ur-Rehman *et al.*, 2006, 2009; Khan *et al.*, 2009). In the molecule of (**I**) (Scheme 1; Fig. 1), bond lengths and bond angles are almost similar to those in the related molecules (Gowda *et al.*, 2007a,b,c) and are within normal ranges (Allen *et al.*, 1987). The benzene ring is essentially planar while cyclohexane ring is in chair form. No significant hydrogen bond interactions are observed in the title molecule. The dihedral angle between the phenyl and cyclohexane rings is 50.13 (9)%.

**S2. Experimental**

A mixture of *N*-cyclohexylbenzene sulfonamide (1 g, 0.43 mmol), sodium hydride (0.21 g; 0.88 mmoles) and *N,N*-dimethylformamide (10.0 ml) was stirred at room temperature for half an hour followed by addition of propyl iodide (0.146 g; 0.86 mmoles). Stirring was continued further for a period of three hours and the contents were poured over crushed ice. Precipitated product was isolated, washed and crystallized from methanol.

**S3. Refinement**

All hydrogen atoms were refined geometrically and treated as riding on their parent atoms. The following distances were used: Aromatic C–H=0.93 Å, methine C–H=0.98 Å, methylene C–H=0.97 Å and methyl C–H=0.96 Å U(H) was set to 1.2Ueq of the parent atoms or 1.5Ueq for methyl group.

**Figure 1**

The molecular structure of (**I**), with displacement ellipsoids at the 50% probability level.

### ***N*-Cyclohexyl-*N*-propylbenzenesulfonamide**

#### *Crystal data*

$C_{15}H_{23}NO_2S$

$M_r = 281.40$

Monoclinic,  $P2_1/n$

Hall symbol:  $-P\ 2_1/n$

$a = 8.5532\ (3)\ \text{\AA}$

$b = 11.6877\ (4)\ \text{\AA}$

$c = 15.4410\ (5)\ \text{\AA}$

$\beta = 90.649\ (2)^\circ$

$V = 1543.50\ (9)\ \text{\AA}^3$

$Z = 4$

$F(000) = 608$

$D_x = 1.211\ \text{Mg m}^{-3}$

Mo  $K\alpha$  radiation,  $\lambda = 0.71073\ \text{\AA}$

Cell parameters from 4904 reflections

$\theta = 2.2\text{--}24.1^\circ$

$\mu = 0.21\ \text{mm}^{-1}$

$T = 296\ \text{K}$

Needles, colourless

$0.42 \times 0.31 \times 0.25\ \text{mm}$

*Data collection*

Bruker APEXII CCD area-detector diffractometer	17345 measured reflections
Radiation source: fine-focus sealed tube	3839 independent reflections
Graphite monochromator	2475 reflections with $I > 2\sigma(I)$
$\varphi$ and $\omega$ scans	$R_{\text{int}} = 0.041$
Absorption correction: multi-scan (SADABS; Bruker, 2007)	$\theta_{\text{max}} = 28.3^\circ$ , $\theta_{\text{min}} = 2.2^\circ$
$T_{\text{min}} = 0.918$ , $T_{\text{max}} = 0.950$	$h = -11 \rightarrow 11$
	$k = -15 \rightarrow 15$
	$l = -20 \rightarrow 18$

*Refinement*

Refinement on $F^2$	Secondary atom site location: difference Fourier map
Least-squares matrix: full	Hydrogen site location: inferred from neighbouring sites
$R[F^2 > 2\sigma(F^2)] = 0.050$	H-atom parameters constrained
$wR(F^2) = 0.141$	$w = 1/[\sigma^2(F_o^2) + (0.0648P)^2 + 0.2752P]$
$S = 1.03$	where $P = (F_o^2 + 2F_c^2)/3$
3839 reflections	$(\Delta/\sigma)_{\text{max}} = 0.001$
173 parameters	$\Delta\rho_{\text{max}} = 0.29 \text{ e } \text{\AA}^{-3}$
0 restraints	$\Delta\rho_{\text{min}} = -0.21 \text{ e } \text{\AA}^{-3}$
Primary atom site location: structure-invariant direct methods	

*Special details*

**Geometry.** All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted  $R$ -factor  $wR$  and goodness of fit  $S$  are based on  $F^2$ , conventional  $R$ -factors  $R$  are based on  $F$ , with  $F$  set to zero for negative  $F^2$ . The threshold expression of  $F^2 > \sigma(F^2)$  is used only for calculating  $R$ -factors(gt) etc. and is not relevant to the choice of reflections for refinement.  $R$ -factors based on  $F^2$  are statistically about twice as large as those based on  $F$ , and  $R$ -factors based on ALL data will be even larger.

*Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )*

	$x$	$y$	$z$	$U_{\text{iso}}^*/U_{\text{eq}}$
S1	0.25538 (5)	0.86234 (4)	0.23201 (4)	0.05546 (19)
O1	0.36858 (17)	0.78724 (15)	0.26990 (10)	0.0777 (5)
O2	0.29533 (18)	0.97863 (13)	0.21357 (12)	0.0803 (5)
N1	0.10568 (17)	0.86333 (13)	0.29521 (10)	0.0483 (4)
C1	0.1958 (2)	0.80108 (17)	0.13244 (12)	0.0480 (4)
C2	0.1431 (3)	0.8704 (2)	0.06558 (16)	0.0702 (6)
H2	0.1435	0.9495	0.0718	0.084*
C3	0.0896 (3)	0.8205 (3)	-0.01092 (16)	0.0908 (9)
H3	0.0530	0.8666	-0.0559	0.109*
C4	0.0904 (3)	0.7056 (3)	-0.02042 (18)	0.0919 (9)
H4	0.0546	0.6731	-0.0719	0.110*
C5	0.1431 (3)	0.6373 (2)	0.04474 (18)	0.0800 (7)
H5	0.1438	0.5584	0.0373	0.096*
C6	0.1956 (2)	0.68386 (18)	0.12180 (14)	0.0579 (5)
H6	0.2307	0.6365	0.1664	0.070*
C7	-0.01977 (19)	0.94843 (16)	0.27965 (11)	0.0458 (4)

H7	0.0252	1.0101	0.2449	0.055*
C8	-0.0737 (2)	1.00139 (17)	0.36414 (12)	0.0535 (5)
H8A	-0.1183	0.9425	0.4006	0.064*
H8B	0.0154	1.0342	0.3947	0.064*
C9	-0.1949 (3)	1.09394 (19)	0.34699 (16)	0.0680 (6)
H9A	-0.2317	1.1236	0.4018	0.082*
H9B	-0.1467	1.1565	0.3157	0.082*
C10	-0.3316 (2)	1.0492 (2)	0.29526 (14)	0.0630 (6)
H10A	-0.4030	1.1116	0.2825	0.076*
H10B	-0.3871	0.9929	0.3293	0.076*
C11	-0.2801 (3)	0.9953 (2)	0.21182 (14)	0.0703 (6)
H11A	-0.2348	1.0533	0.1749	0.084*
H11B	-0.3702	0.9632	0.1818	0.084*
C12	-0.1603 (2)	0.9014 (2)	0.22887 (14)	0.0613 (6)
H12A	-0.1255	0.8701	0.1742	0.074*
H12B	-0.2084	0.8401	0.2615	0.074*
C13	0.0697 (2)	0.75885 (17)	0.34458 (13)	0.0545 (5)
H13A	0.1140	0.6935	0.3149	0.065*
H13B	-0.0428	0.7487	0.3456	0.065*
C14	0.1314 (3)	0.7611 (2)	0.43649 (16)	0.0804 (7)
H14A	0.2445	0.7669	0.4357	0.097*
H14B	0.0914	0.8284	0.4655	0.097*
C15	0.0861 (4)	0.6566 (2)	0.48662 (18)	0.0980 (9)
H15A	-0.0250	0.6564	0.4950	0.147*
H15B	0.1385	0.6571	0.5419	0.147*
H15C	0.1157	0.5894	0.4551	0.147*

Atomic displacement parameters ( $\text{\AA}^2$ )

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
S1	0.0365 (3)	0.0626 (3)	0.0673 (4)	-0.0039 (2)	0.0035 (2)	-0.0127 (3)
O1	0.0456 (8)	0.1083 (13)	0.0789 (11)	0.0169 (8)	-0.0108 (7)	-0.0136 (9)
O2	0.0622 (9)	0.0621 (10)	0.1173 (13)	-0.0246 (7)	0.0279 (9)	-0.0219 (9)
N1	0.0423 (8)	0.0550 (9)	0.0477 (9)	0.0016 (7)	0.0022 (7)	-0.0050 (7)
C1	0.0392 (9)	0.0537 (11)	0.0514 (11)	0.0011 (8)	0.0112 (8)	0.0023 (9)
C2	0.0690 (15)	0.0709 (15)	0.0711 (16)	0.0122 (11)	0.0181 (12)	0.0127 (12)
C3	0.0806 (18)	0.140 (3)	0.0521 (15)	0.0295 (18)	0.0081 (12)	0.0178 (16)
C4	0.0700 (16)	0.142 (3)	0.0642 (17)	0.0134 (18)	0.0044 (13)	-0.0290 (18)
C5	0.0737 (17)	0.0819 (17)	0.0847 (19)	-0.0037 (13)	0.0127 (14)	-0.0285 (15)
C6	0.0567 (12)	0.0565 (12)	0.0607 (13)	0.0038 (9)	0.0086 (10)	-0.0045 (10)
C7	0.0402 (9)	0.0529 (11)	0.0444 (10)	-0.0004 (8)	0.0011 (7)	-0.0036 (8)
C8	0.0516 (11)	0.0602 (12)	0.0485 (11)	0.0030 (9)	-0.0064 (8)	-0.0130 (9)
C9	0.0713 (15)	0.0626 (13)	0.0702 (14)	0.0163 (11)	0.0034 (11)	-0.0114 (11)
C10	0.0527 (12)	0.0780 (14)	0.0584 (13)	0.0185 (10)	0.0022 (10)	0.0054 (11)
C11	0.0524 (12)	0.1059 (19)	0.0525 (12)	0.0112 (12)	-0.0068 (10)	0.0014 (12)
C12	0.0464 (11)	0.0857 (15)	0.0518 (12)	0.0056 (10)	-0.0062 (9)	-0.0209 (11)
C13	0.0507 (11)	0.0565 (12)	0.0564 (12)	0.0007 (9)	-0.0040 (9)	-0.0079 (9)
C14	0.0900 (18)	0.0855 (17)	0.0652 (15)	0.0007 (14)	-0.0233 (13)	0.0073 (13)

C15	0.119 (2)	0.095 (2)	0.0801 (18)	0.0125 (17)	0.0040 (17)	0.0243 (15)
-----	-----------	-----------	-------------	-------------	-------------	-------------

*Geometric parameters (Å, °)*

S1—O1	1.4274 (16)	C8—H8B	0.9700
S1—O2	1.4308 (16)	C9—C10	1.502 (3)
S1—N1	1.6187 (15)	C9—H9A	0.9700
S1—C1	1.7658 (19)	C9—H9B	0.9700
N1—C13	1.474 (2)	C10—C11	1.504 (3)
N1—C7	1.481 (2)	C10—H10A	0.9700
C1—C6	1.380 (3)	C10—H10B	0.9700
C1—C2	1.384 (3)	C11—C12	1.522 (3)
C2—C3	1.390 (4)	C11—H11A	0.9700
C2—H2	0.9300	C11—H11B	0.9700
C3—C4	1.351 (4)	C12—H12A	0.9700
C3—H3	0.9300	C12—H12B	0.9700
C4—C5	1.357 (4)	C13—C14	1.509 (3)
C4—H4	0.9300	C13—H13A	0.9700
C5—C6	1.379 (3)	C13—H13B	0.9700
C5—H5	0.9300	C14—C15	1.499 (3)
C6—H6	0.9300	C14—H14A	0.9700
C7—C8	1.520 (2)	C14—H14B	0.9700
C7—C12	1.530 (2)	C15—H15A	0.9600
C7—H7	0.9800	C15—H15B	0.9600
C8—C9	1.520 (3)	C15—H15C	0.9600
C8—H8A	0.9700		
O1—S1—O2	120.22 (11)	C8—C9—H9A	109.3
O1—S1—N1	107.15 (9)	C10—C9—H9B	109.3
O2—S1—N1	107.79 (9)	C8—C9—H9B	109.3
O1—S1—C1	107.16 (9)	H9A—C9—H9B	107.9
O2—S1—C1	106.21 (10)	C9—C10—C11	111.57 (18)
N1—S1—C1	107.79 (8)	C9—C10—H10A	109.3
C13—N1—C7	119.02 (15)	C11—C10—H10A	109.3
C13—N1—S1	118.51 (13)	C9—C10—H10B	109.3
C7—N1—S1	118.92 (12)	C11—C10—H10B	109.3
C6—C1—C2	119.5 (2)	H10A—C10—H10B	108.0
C6—C1—S1	120.41 (15)	C10—C11—C12	110.90 (17)
C2—C1—S1	120.04 (17)	C10—C11—H11A	109.5
C1—C2—C3	119.4 (2)	C12—C11—H11A	109.5
C1—C2—H2	120.3	C10—C11—H11B	109.5
C3—C2—H2	120.3	C12—C11—H11B	109.5
C4—C3—C2	120.5 (3)	H11A—C11—H11B	108.0
C4—C3—H3	119.8	C11—C12—C7	110.64 (17)
C2—C3—H3	119.8	C11—C12—H12A	109.5
C3—C4—C5	120.4 (3)	C7—C12—H12A	109.5
C3—C4—H4	119.8	C11—C12—H12B	109.5
C5—C4—H4	119.8	C7—C12—H12B	109.5

C4—C5—C6	120.7 (3)	H12A—C12—H12B	108.1
C4—C5—H5	119.7	N1—C13—C14	113.53 (17)
C6—C5—H5	119.7	N1—C13—H13A	108.9
C5—C6—C1	119.6 (2)	C14—C13—H13A	108.9
C5—C6—H6	120.2	N1—C13—H13B	108.9
C1—C6—H6	120.2	C14—C13—H13B	108.9
N1—C7—C8	111.13 (14)	H13A—C13—H13B	107.7
N1—C7—C12	113.91 (15)	C15—C14—C13	112.4 (2)
C8—C7—C12	110.00 (15)	C15—C14—H14A	109.1
N1—C7—H7	107.2	C13—C14—H14A	109.1
C8—C7—H7	107.2	C15—C14—H14B	109.1
C12—C7—H7	107.2	C13—C14—H14B	109.1
C9—C8—C7	110.68 (16)	H14A—C14—H14B	107.8
C9—C8—H8A	109.5	C14—C15—H15A	109.5
C7—C8—H8A	109.5	C14—C15—H15B	109.5
C9—C8—H8B	109.5	H15A—C15—H15B	109.5
C7—C8—H8B	109.5	C14—C15—H15C	109.5
H8A—C8—H8B	108.1	H15A—C15—H15C	109.5
C10—C9—C8	111.73 (18)	H15B—C15—H15C	109.5
C10—C9—H9A	109.3		
O1—S1—N1—C13	-31.31 (16)	C2—C1—C6—C5	0.1 (3)
O2—S1—N1—C13	-162.01 (14)	S1—C1—C6—C5	177.52 (16)
C1—S1—N1—C13	83.73 (14)	C13—N1—C7—C8	64.7 (2)
O1—S1—N1—C7	170.12 (13)	S1—N1—C7—C8	-136.84 (14)
O2—S1—N1—C7	39.42 (16)	C13—N1—C7—C12	-60.2 (2)
C1—S1—N1—C7	-74.84 (15)	S1—N1—C7—C12	98.24 (17)
O1—S1—C1—C6	30.33 (18)	N1—C7—C8—C9	176.37 (16)
O2—S1—C1—C6	160.00 (15)	C12—C7—C8—C9	-56.5 (2)
N1—S1—C1—C6	-84.70 (16)	C7—C8—C9—C10	55.9 (2)
O1—S1—C1—C2	-152.24 (16)	C8—C9—C10—C11	-55.4 (3)
O2—S1—C1—C2	-22.57 (18)	C9—C10—C11—C12	55.7 (3)
N1—S1—C1—C2	92.73 (17)	C10—C11—C12—C7	-56.7 (3)
C6—C1—C2—C3	0.5 (3)	N1—C7—C12—C11	-177.24 (17)
S1—C1—C2—C3	-176.93 (17)	C8—C7—C12—C11	57.2 (2)
C1—C2—C3—C4	-0.6 (4)	C7—N1—C13—C14	-103.9 (2)
C2—C3—C4—C5	0.1 (4)	S1—N1—C13—C14	97.55 (19)
C3—C4—C5—C6	0.5 (4)	N1—C13—C14—C15	177.0 (2)
C4—C5—C6—C1	-0.6 (3)		