

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

(E)-4-Methoxy-2-[3-(trifluoromethyl)-phenyliminomethyl]phenol

 Zeynep Keleşoğlu,^a Orhan Büyükgüngör,^{a*} Çiğdem Albayrak^b and Mustafa Odabaşoğlu^c
^aDepartment of Physics, Ondokuz Mayıs University, TR-55139 Samsun, Turkey,

^bSinop University, Sinop Faculty of Education, Sinop, Turkey, and ^cChemistry Program, Denizli Higher Vocational School, Pamukkale University, TR-20159 Denizli, Turkey

Correspondence e-mail: orhanb@omu.edu.tr


Received 5 November 2009; accepted 23 November 2009

 Key indicators: single-crystal X-ray study; $T = 296$ K; mean $\sigma(\text{C}-\text{C}) = 0.004$ Å; disorder in main residue; R factor = 0.065; wR factor = 0.205; data-to-parameter ratio = 11.7.

The title compound, $\text{C}_{15}\text{H}_{12}\text{F}_3\text{NO}_2$, adopts the phenol-imine tautomeric form, with the H atom attached to oxygen rather than to nitrogen. There are two independent molecules aligned nearly parallel in the asymmetric unit with their trifluoromethyl groups pointing in opposite directions. The dihedral angles between the aromatic rings are 40.43 (1)° in the first molecule and 36.12 (1)° in the second. Strong intramolecular $\text{O}-\text{H}\cdots\text{N}$ hydrogen bonding generates $S(6)$ ring motifs. Weak intermolecular $\text{C}-\text{H}\cdots\text{O}$ hydrogen bonds link the independent molecules separately into sheets normal to [010]. In addition, $\text{C}-\text{H}\cdots\pi$ interactions are also observed. The F atoms of the trifluoromethyl groups are disordered over two sets of sites with refined site occupancies of 0.59 (2)/0.41 (2) and 0.62 (3)/0.38 (3), respectively.

Related literature

For the photochromic and thermochromic characteristics of Schiff base compounds, see: Williams (1972); Calligaris *et al.* (1972); Gavronic *et al.* (1996); Hadjoudis *et al.* (1987). For graph-set motifs, see: Bernstein *et al.* (1995). For related structures, see: Temel *et al.* (2007); Odabaşoğlu & Büyükgüngör (2006).



Experimental

Crystal data

 $\text{C}_{15}\text{H}_{12}\text{F}_3\text{NO}_2$
 $M_r = 295.26$
 Monoclinic, $P2_1/c$
 $a = 13.4771$ (7) Å
 $b = 6.4526$ (2) Å
 $c = 31.7097$ (15) Å
 $\beta = 92.647$ (4)°

 $V = 2754.6$ (2) Å³
 $Z = 8$
 Mo $K\alpha$ radiation
 $\mu = 0.12$ mm⁻¹
 $T = 296$ K
 $0.80 \times 0.43 \times 0.15$ mm

Data collection

 Stoe IPDS II diffractometer
 Absorption correction: integration
 ($X\text{-RED32}$; Stoe & Cie, 2002)
 $T_{\min} = 0.739$, $T_{\max} = 0.944$

 23526 measured reflections
 5197 independent reflections
 3536 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.075$

Refinement

 $R[F^2 > 2\sigma(F^2)] = 0.065$
 $wR(F^2) = 0.205$
 $S = 1.07$
 5197 reflections
 444 parameters
 144 restraints

 H atoms treated by a mixture of independent and constrained refinement
 $\Delta\rho_{\max} = 0.20$ e Å⁻³
 $\Delta\rho_{\min} = -0.25$ e Å⁻³

Table 1

Hydrogen-bond geometry (Å, °).

| $D-\text{H}\cdots A$ | $D-\text{H}$ | $\text{H}\cdots A$ | $D\cdots A$ | $D-\text{H}\cdots A$ |
|---|--------------|--------------------|-------------|----------------------|
| $\text{O1}-\text{H1}\cdots\text{N1}$ | 0.91 (4) | 1.79 (4) | 2.619 (4) | 150 (4) |
| $\text{O1A}-\text{H1A}\cdots\text{N1A}$ | 0.87 (4) | 1.87 (4) | 2.623 (3) | 143 (4) |
| $\text{C10}-\text{H10}\cdots\text{O1}^i$ | 0.93 | 2.58 | 3.444 (3) | 154 |
| $\text{C10A}-\text{H10A}\cdots\text{O1A}^i$ | 0.93 | 2.54 | 3.413 (3) | 157 |
| $\text{C3}-\text{H3}\cdots\text{Cg3}^{ii}$ | 0.93 | 2.86 | 3.526 (3) | 130 |
| $\text{C3A}-\text{H3A}\cdots\text{Cg1}^{ii}$ | 0.93 | 2.88 | 3.518 (3) | 127 |
| $\text{C11}-\text{H11}\cdots\text{Cg4}^{iii}$ | 0.93 | 2.85 | 3.529 (3) | 131 |
| $\text{C11A}-\text{H11A}\cdots\text{Cg2}^{iii}$ | 0.93 | 2.97 | 3.646 (3) | 131 |

Symmetry codes: (i) $x, y-1, z$; (ii) $-x+1, y+\frac{1}{2}, -z+\frac{1}{2}$; (iii) $-x+1, y-\frac{1}{2}, -z+\frac{1}{2}$. Cg1 , Cg2 , Cg3 and Cg4 are the centroids of the $\text{C1}-\text{C6}$, $\text{C9}-\text{C14}$, $\text{C1A}-\text{C6A}$ and $\text{C9A}-\text{C14A}$ rings, respectively.

Data collection: $X\text{-AREA}$ (Stoe & Cie, 2002); cell refinement: $X\text{-AREA}$; data reduction: $X\text{-RED32}$ (Stoe & Cie, 2002); program(s) used to solve structure: SHELXS97 (Sheldrick, 2008); program(s) used to refine structure: SHELXL97 (Sheldrick, 2008); molecular graphics: $\text{ORTEP-3 for Windows}$ (Farrugia, 1997); software used to prepare material for publication: WinGX (Farrugia, 1999) and PLATON (Spek, 2009).

The authors acknowledge the Faculty of Arts and Sciences, Ondokuz Mayıs University, Turkey, for the use of the Stoe IPDS II diffractometer (purchased under grant F.279 of the University Research Fund).

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: SI2222).

References

- Bernstein, J., Davis, R. E., Shimoni, L. & Chang, N.-L. (1995). *Angew. Chem. Int. Ed. Engl.* **34**, 1555–1573.
 Calligaris, M., Nardin, G. & Randaccio, L. (1972). *Coord. Chem. Rev.* **7**, 385–403.
 Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.
 Farrugia, L. J. (1999). *J. Appl. Cryst.* **32**, 837–838.

- Gavronic, M., Kaitner, B. & Mestrovic, J. (1996). *J. Chem. Crystallogr.* **26**, 836–837.
- Hadjoudis, E., Vittorakis, M., Moustakali, I. & Mavridis, I. (1987). *Tetrahedron*, **43**, 1345–1360.
- Odabaşođlu, M. & Büyükgüngör, O. (2006). *Acta Cryst.* **E62**, o4151–o4153.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
- Spek, A. L. (2009). *Acta Cryst.* **D65**, 148–155.
- Stoe & Cie (2002). *X-RED* and *X-AREA*. Stoe & Cie, Darmstadt, Germany.
- Temel, E., Albayrak, Ç., Odabaşođlu, M. & Büyükgüngör, O. (2007). *Acta Cryst.* **E63**, o374–o376.
- Williams, D. R. (1972). *Chem. Rev.* **72**, 203–213.

supporting information

Acta Cryst. (2009). E65, o3245–o3246 [doi:10.1107/S160053680905034X]

(E)-4-Methoxy-2-[3-(trifluoromethyl)phenyliminomethyl]phenol**Zeynep Keleşoğlu, Orhan Büyükgüngör, Çiğdem Albayrak and Mustafa Odabaşoğlu****S1. Comment**

Most Schiff bases have antibacterial, anticancer, antiinflammatory and antitoxic properties (Williams, 1972). In addition to that, Schiff bases have been used widely as ligands in the field of coordination chemistry (Calligaris *et al.*, 1972). The Schiff base compounds can be classified by their photochromic and thermochromic characteristics (Hadjoudis *et al.*, 1987).

Photochromism is produced by an intramolecular proton transfer associated with a change in the π -electron configuration. Studies on photochromic compounds have been increasing ever since the potential applications of photochromic materials were realised in various areas, such as the control and measurement of radiation intensity, optical computers and display systems. Two types of intramolecular hydrogen bonds [either N—H \cdots O (keto form) or N \cdots H—O (enol form)] can exist in Schiff bases. The Schiff bases derived from salicylaldehyde always form the N \cdots H—O type of hydrogen bonding, regardless of the nature of the N substituent (alkyl or aryl) (Gavronic *et al.*, 1996).

The asymmetric unit of (I) contains two independent molecules aligned in opposite direction (Fig. 1.) and intermolecular hydrogen bonds C10—H10 \cdots O1 and C10A—H10A \cdots O1A linked both independent molecules separately into sheets along [010] (Table 1. and Fig. 2.). The similar packing were observed in the structure (E)-3-[2-(Trifluoromethyl)phenyliminomethyl]-benzene-1,2-diol (Temel *et al.*, 2007) but with O—H \cdots O intermolecular hydrogen bonds. Intramolecular O—H \cdots N hydrogen bonds generating S(6) ring motif (Bernstein *et al.*, 1995) are observed in both molecules. The two mutual aromatic rings of the molecules in the asymmetric unit inclined at 2.56 (2) $^\circ$ and 12.37 (12) $^\circ$. The dihedral angles between the two benzene rings are 40.43 (1) $^\circ$ in the first molecule and 36.12 (1) $^\circ$ in the second molecule numbered with label A.

The crystal packing is also stabilized by C11—H11 \cdots Cg4, C3A—H3A \cdots Cg1 and C11A—H11A \cdots Cg2 π -ring interactions (Fig.3, Table 1). Similar results were observed in 3-[3-(Trifluoromethyl)anilino]isobenzofuran-1(3H)-one (Odabaşoğlu & Büyükgüngör (2006).

The CF₃ group shows rotational disorder; the F atoms of the trifluoromethyl groups are disordered over two positions with refined site occupancies of 0.59 (2)/0.41 (2) and 0.62 (3)/0.38 (3), respectively.

S2. Experimental

The compound(I) was prepared by stirring for 1 h under reflux, the mixture of 5-methoxysalicylaldehyde (0.5 g, 3.3 mmol) in ethanol (20 ml) and 3-trifluoromethylaniline (0.53 g, 3.3 mmol) in ethanol (20 ml). The crystals suitable for X-ray analysis were obtained from methanol by slow evaporation (yield; 74%, m.p.; 344–345 K).

S3. Refinement

The hydroxyl H atoms were located in difference Fourier map and were refined freely. All other H-atoms were refined using a riding model with d(C—H) = 0.93 Å ($U_{\text{iso}}=1.2U_{\text{eq}}$ of the parent atom) for aromatic C atoms and d(C—H) = 0.96 Å

($U_{\text{iso}}=1.5U_{\text{eq}}$ of the parent atom) for methyl C atoms. The CF₃ group shows rotational disorder with occupancy factors of 0.59 (2)/0.41 (2) and 0.62 (3)/0.38 (3) for both molecules in the asymmetric unit. Similar U_{ij} and isotropic U_{ij} restraints applied to these F atoms. The bond distances of C—F were fixed to 1.346 Å with 0.02 e.s.d. in the refinement.




Figure 1

An ORTEP view of (I), with the atom-numbering scheme and 20% probability displacement ellipsoids. The minor disorder components of the trifluoromethyl F atoms were omitted. Dashed lines indicate H-bonds.




Figure 2

A packing diagram for (I), showing the C—H···O hydrogen bonds. H atoms not involved in hydrogen bonding (dashed lines) have been omitted for clarity. [Symmetry codes; (i): $x, -1 + y, z$].




Figure 3

A packing diagram for (I), showing the C—H... π interactions. H atoms not involved in hydrogen bonding (dashed lines) have been omitted for clarity. [Symmetry codes; (i): $1 - x, 1/2 + y, 1/2 - z$; (ii): $1 - x, -1/2 + y, 1/2 - z$]. (Cg1, Cg2 and Cg3, Cg4 are the centroids of the C1—C6, C9—C14; C1A—C6A, C9A—C14A rings, respectively).

(*E*)-4-Methoxy-2-[3-(trifluoromethyl)phenyliminomethyl]phenol

Crystal data

$C_{15}H_{12}F_3NO_2$

$M_r = 295.26$

Monoclinic, $P2_1/c$

Hall symbol: $-P\ 2_1/c$

$a = 13.4771\ (7)\ \text{\AA}$

$b = 6.4526\ (2)\ \text{\AA}$

$c = 31.7097\ (15)\ \text{\AA}$

$\beta = 92.647\ (4)^\circ$

$V = 2754.6\ (2)\ \text{\AA}^3$

$Z = 8$

$F(000) = 1216$

$D_x = 1.424\ \text{Mg m}^{-3}$

Mo $K\alpha$ radiation, $\lambda = 0.71073\ \text{\AA}$

Cell parameters from 20067 reflections

$\theta = 1.3\text{--}25.7^\circ$

$\mu = 0.12\ \text{mm}^{-1}$

$T = 296\ \text{K}$

Prism, yellow

$0.80 \times 0.43 \times 0.15\ \text{mm}$

Data collection

Stoe IPDS II

diffractometer

Radiation source: fine-focus sealed tube

Plane graphite monochromator

Detector resolution: $6.67\ \text{pixels mm}^{-1}$

rotation method scans

Absorption correction: integration

(*X-RED32*; Stoe & Cie, 2002)

$T_{\min} = 0.739, T_{\max} = 0.944$

23526 measured reflections

5197 independent reflections

3536 reflections with $I > 2\sigma(I)$

$R_{\text{int}} = 0.075$

$\theta_{\max} = 25.7^\circ, \theta_{\min} = 1.3^\circ$

$h = -16 \rightarrow 16$

$k = -7 \rightarrow 7$

$l = -38 \rightarrow 38$

Refinement

Refinement on F^2

Least-squares matrix: full

$R[F^2 > 2\sigma(F^2)] = 0.065$

$wR(F^2) = 0.205$

$S = 1.07$

5197 reflections

444 parameters

144 restraints

Primary atom site location: structure-invariant direct methods

Secondary atom site location: difference Fourier map

Hydrogen site location: inferred from neighbouring sites

H atoms treated by a mixture of independent

and constrained refinement

$$w = 1/[\sigma^2(F_o^2) + (0.0875P)^2 + 1.1131P]$$

$$\text{where } P = (F_o^2 + 2F_c^2)/3$$

$$(\Delta/\sigma)_{\max} < 0.001$$

$$\Delta\rho_{\max} = 0.20 \text{ e } \text{\AA}^{-3}$$

$$\Delta\rho_{\min} = -0.25 \text{ e } \text{\AA}^{-3}$$

Extinction correction: *SHELXL97* (Sheldrick, 2008), $F_c^* = kFc[1 + 0.001xFc^2\lambda^3/\sin(2\theta)]^{-1/4}$

Extinction coefficient: 0.0018 (5)

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) *etc.* and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

| | <i>x</i> | <i>y</i> | <i>z</i> | $U_{\text{iso}}^*/U_{\text{eq}}$ | Occ. (<1) |
|------|--------------|-------------|--------------|----------------------------------|------------|
| F1A | 0.1216 (9) | 0.4505 (8) | 0.46713 (17) | 0.126 (3) | 0.592 (15) |
| F2A | 0.1877 (10) | 0.1908 (17) | 0.5018 (2) | 0.155 (4) | 0.592 (15) |
| F3A | 0.0307 (7) | 0.218 (2) | 0.4785 (4) | 0.187 (5) | 0.592 (15) |
| F1B | 0.1963 (14) | 0.406 (2) | 0.4751 (4) | 0.165 (5) | 0.408 (15) |
| F2B | 0.1215 (13) | 0.1269 (16) | 0.5008 (3) | 0.126 (4) | 0.408 (15) |
| F3B | 0.0359 (10) | 0.324 (3) | 0.4722 (6) | 0.181 (6) | 0.408 (15) |
| C1A | 0.61622 (19) | 0.2839 (4) | 0.27472 (8) | 0.0492 (6) | |
| C2A | 0.6470 (2) | 0.4936 (5) | 0.27532 (9) | 0.0522 (7) | |
| C3A | 0.6768 (2) | 0.5824 (5) | 0.31314 (9) | 0.0596 (7) | |
| H3A | 0.6973 | 0.7201 | 0.3137 | 0.072* | |
| C4A | 0.6770 (2) | 0.4718 (5) | 0.35037 (10) | 0.0629 (8) | |
| H4A | 0.6974 | 0.5352 | 0.3756 | 0.075* | |
| C5A | 0.6471 (2) | 0.2668 (5) | 0.35018 (9) | 0.0607 (8) | |
| C6A | 0.6160 (2) | 0.1754 (5) | 0.31277 (8) | 0.0564 (7) | |
| H6A | 0.5944 | 0.0385 | 0.3128 | 0.068* | |
| C7A | 0.6930 (4) | 0.2192 (8) | 0.42341 (11) | 0.1045 (14) | |
| H7A1 | 0.6875 | 0.1179 | 0.4454 | 0.157* | |
| H7A2 | 0.6605 | 0.3448 | 0.4314 | 0.157* | |
| H7A3 | 0.7618 | 0.2469 | 0.4192 | 0.157* | |
| C8A | 0.59249 (19) | 0.1754 (5) | 0.23556 (8) | 0.0517 (7) | |
| H8A | 0.5768 | 0.0352 | 0.2365 | 0.062* | |
| C9A | 0.5837 (2) | 0.1543 (4) | 0.16155 (8) | 0.0502 (6) | |
| C10A | 0.6170 (2) | -0.0492 (5) | 0.15797 (9) | 0.0561 (7) | |
| H10A | 0.6420 | -0.1193 | 0.1818 | 0.067* | |
| C11A | 0.6127 (2) | -0.1466 (5) | 0.11934 (10) | 0.0631 (8) | |
| H11A | 0.6342 | -0.2831 | 0.1174 | 0.076* | |
| C12A | 0.5771 (2) | -0.0451 (5) | 0.08346 (10) | 0.0636 (8) | |
| H12A | 0.5743 | -0.1118 | 0.0574 | 0.076* | |
| C13A | 0.5455 (2) | 0.1581 (5) | 0.08704 (9) | 0.0596 (7) | |
| C14A | 0.5483 (2) | 0.2566 (5) | 0.12565 (9) | 0.0567 (7) | |

| | | | | | |
|------|--------------|-------------|--------------|-------------|----------|
| H14A | 0.5263 | 0.3927 | 0.1276 | 0.068* | |
| C15A | 0.5104 (3) | 0.2720 (5) | 0.04844 (10) | 0.0829 (11) | |
| N1A | 0.59247 (17) | 0.2674 (4) | 0.19956 (7) | 0.0529 (6) | |
| O1A | 0.64877 (18) | 0.6071 (4) | 0.23935 (7) | 0.0691 (6) | |
| O2A | 0.6472 (2) | 0.1424 (4) | 0.38544 (7) | 0.0873 (8) | |
| C1 | 0.10504 (19) | 0.2748 (5) | 0.24086 (9) | 0.0527 (7) | |
| C2 | 0.1374 (2) | 0.4839 (5) | 0.23806 (9) | 0.0564 (7) | |
| C3 | 0.1381 (2) | 0.5767 (5) | 0.19883 (11) | 0.0649 (8) | |
| H3 | 0.1589 | 0.7136 | 0.1968 | 0.078* | |
| C4 | 0.1089 (2) | 0.4713 (6) | 0.16290 (11) | 0.0692 (9) | |
| H4 | 0.1098 | 0.5373 | 0.1369 | 0.083* | |
| C5 | 0.0776 (2) | 0.2655 (6) | 0.16503 (10) | 0.0642 (8) | |
| C6 | 0.0749 (2) | 0.1719 (5) | 0.20390 (9) | 0.0584 (7) | |
| H6 | 0.0523 | 0.0361 | 0.2055 | 0.070* | |
| C7 | 0.0736 (3) | 0.2186 (9) | 0.09038 (11) | 0.1054 (15) | |
| H7A | 0.0501 | 0.1211 | 0.0694 | 0.158* | |
| H7B | 0.1443 | 0.2333 | 0.0892 | 0.158* | |
| H7C | 0.0424 | 0.3505 | 0.0852 | 0.158* | |
| C8 | 0.1080 (2) | 0.1653 (5) | 0.28078 (9) | 0.0549 (7) | |
| H8 | 0.0905 | 0.0258 | 0.2812 | 0.066* | |
| C9 | 0.1463 (2) | 0.1420 (5) | 0.35335 (9) | 0.0559 (7) | |
| C10 | 0.1841 (2) | -0.0589 (5) | 0.35468 (10) | 0.0620 (8) | |
| H10 | 0.1978 | -0.1267 | 0.3297 | 0.074* | |
| C11 | 0.2011 (3) | -0.1575 (6) | 0.39286 (11) | 0.0741 (9) | |
| H11 | 0.2256 | -0.2922 | 0.3935 | 0.089* | |
| C12 | 0.1821 (3) | -0.0587 (6) | 0.42978 (11) | 0.0795 (10) | |
| H12 | 0.1941 | -0.1258 | 0.4555 | 0.095* | |
| C13 | 0.1451 (3) | 0.1413 (6) | 0.42881 (10) | 0.0749 (9) | |
| C14 | 0.1274 (2) | 0.2419 (5) | 0.39071 (9) | 0.0655 (8) | |
| H14 | 0.1028 | 0.3766 | 0.3902 | 0.079* | |
| C15 | 0.1269 (5) | 0.2510 (8) | 0.46891 (13) | 0.1131 (16) | |
| N1 | 0.13402 (17) | 0.2560 (4) | 0.31550 (7) | 0.0555 (6) | |
| O1 | 0.16842 (17) | 0.5928 (4) | 0.27249 (8) | 0.0710 (6) | |
| O2 | 0.0501 (2) | 0.1466 (5) | 0.13076 (7) | 0.0893 (8) | |
| F4A | 0.5051 (12) | 0.4750 (10) | 0.0524 (3) | 0.089 (2) | 0.62 (3) |
| F5A | 0.5747 (12) | 0.2314 (18) | 0.0164 (3) | 0.109 (3) | 0.62 (3) |
| F6A | 0.4221 (8) | 0.220 (2) | 0.0334 (4) | 0.126 (3) | 0.62 (3) |
| F4B | 0.5467 (18) | 0.466 (2) | 0.0490 (6) | 0.094 (4) | 0.38 (3) |
| F5B | 0.5269 (19) | 0.191 (2) | 0.0124 (3) | 0.104 (4) | 0.38 (3) |
| F6B | 0.4096 (8) | 0.275 (4) | 0.0467 (8) | 0.137 (6) | 0.38 (3) |
| H1 | 0.162 (3) | 0.506 (7) | 0.2948 (13) | 0.095 (14)* | |
| H1A | 0.627 (3) | 0.535 (7) | 0.2175 (13) | 0.091 (13)* | |

Atomic displacement parameters (Å²)

| | U^{11} | U^{22} | U^{33} | U^{12} | U^{13} | U^{23} |
|-----|-----------|-----------|-----------|-----------|------------|------------|
| F1A | 0.211 (8) | 0.094 (4) | 0.074 (3) | 0.016 (4) | 0.022 (4) | -0.028 (2) |
| F2A | 0.204 (8) | 0.175 (7) | 0.083 (4) | 0.046 (6) | -0.034 (4) | -0.028 (4) |

| | | | | | | |
|------|-------------|-------------|-------------|--------------|--------------|--------------|
| F3A | 0.230 (8) | 0.181 (8) | 0.159 (7) | -0.003 (6) | 0.113 (6) | -0.048 (6) |
| F1B | 0.216 (10) | 0.161 (9) | 0.120 (6) | -0.031 (8) | 0.029 (7) | -0.066 (6) |
| F2B | 0.189 (9) | 0.140 (7) | 0.051 (4) | 0.014 (6) | 0.029 (5) | 0.005 (4) |
| F3B | 0.219 (10) | 0.174 (11) | 0.154 (8) | 0.067 (8) | 0.059 (7) | -0.026 (8) |
| C1A | 0.0495 (14) | 0.0506 (16) | 0.0478 (14) | 0.0021 (12) | 0.0037 (11) | 0.0036 (12) |
| C2A | 0.0495 (14) | 0.0529 (17) | 0.0542 (16) | 0.0006 (12) | 0.0020 (11) | 0.0071 (13) |
| C3A | 0.0552 (16) | 0.0545 (18) | 0.0692 (19) | -0.0009 (13) | 0.0029 (13) | -0.0075 (14) |
| C4A | 0.0592 (17) | 0.076 (2) | 0.0533 (16) | -0.0008 (15) | -0.0001 (13) | -0.0100 (15) |
| C5A | 0.0610 (17) | 0.072 (2) | 0.0489 (15) | 0.0024 (15) | 0.0060 (12) | 0.0053 (14) |
| C6A | 0.0654 (17) | 0.0543 (17) | 0.0500 (15) | -0.0006 (14) | 0.0063 (12) | 0.0068 (13) |
| C7A | 0.131 (4) | 0.130 (4) | 0.052 (2) | 0.001 (3) | -0.009 (2) | 0.008 (2) |
| C8A | 0.0520 (15) | 0.0523 (17) | 0.0507 (15) | -0.0048 (12) | 0.0012 (11) | 0.0065 (12) |
| C9A | 0.0506 (14) | 0.0516 (16) | 0.0480 (14) | -0.0060 (12) | -0.0010 (11) | 0.0061 (12) |
| C10A | 0.0616 (17) | 0.0522 (17) | 0.0539 (16) | 0.0013 (13) | -0.0029 (12) | 0.0081 (13) |
| C11A | 0.076 (2) | 0.0478 (17) | 0.0650 (18) | 0.0028 (15) | -0.0039 (14) | 0.0017 (14) |
| C12A | 0.081 (2) | 0.0553 (19) | 0.0534 (16) | -0.0049 (16) | -0.0049 (14) | -0.0045 (14) |
| C13A | 0.079 (2) | 0.0516 (18) | 0.0479 (15) | 0.0000 (15) | -0.0057 (13) | 0.0042 (13) |
| C14A | 0.0707 (18) | 0.0469 (17) | 0.0521 (15) | 0.0007 (14) | -0.0017 (13) | 0.0047 (12) |
| C15A | 0.132 (4) | 0.060 (2) | 0.0557 (19) | 0.008 (2) | -0.015 (2) | -0.0002 (16) |
| N1A | 0.0560 (13) | 0.0553 (14) | 0.0470 (12) | -0.0017 (11) | -0.0007 (10) | 0.0053 (10) |
| O1A | 0.0904 (16) | 0.0550 (14) | 0.0612 (13) | -0.0100 (11) | -0.0048 (11) | 0.0140 (11) |
| O2A | 0.117 (2) | 0.098 (2) | 0.0461 (12) | -0.0097 (15) | -0.0007 (12) | 0.0132 (12) |
| C1 | 0.0472 (14) | 0.0555 (18) | 0.0560 (16) | -0.0006 (12) | 0.0074 (11) | -0.0035 (13) |
| C2 | 0.0504 (15) | 0.0551 (18) | 0.0643 (18) | -0.0013 (13) | 0.0082 (12) | -0.0015 (14) |
| C3 | 0.0597 (17) | 0.0587 (19) | 0.077 (2) | -0.0005 (14) | 0.0098 (15) | 0.0070 (16) |
| C4 | 0.0597 (18) | 0.080 (2) | 0.0683 (19) | 0.0061 (16) | 0.0077 (14) | 0.0163 (18) |
| C5 | 0.0538 (16) | 0.080 (2) | 0.0587 (17) | -0.0008 (16) | 0.0008 (13) | -0.0015 (16) |
| C6 | 0.0547 (16) | 0.0586 (18) | 0.0622 (17) | -0.0046 (13) | 0.0052 (13) | 0.0003 (14) |
| C7 | 0.110 (3) | 0.150 (4) | 0.057 (2) | -0.004 (3) | 0.002 (2) | 0.000 (2) |
| C8 | 0.0522 (15) | 0.0533 (17) | 0.0596 (17) | -0.0017 (13) | 0.0062 (12) | -0.0023 (13) |
| C9 | 0.0528 (15) | 0.0599 (19) | 0.0553 (16) | -0.0041 (14) | 0.0065 (12) | -0.0040 (14) |
| C10 | 0.0619 (17) | 0.0594 (19) | 0.0648 (18) | 0.0021 (14) | 0.0035 (14) | -0.0109 (15) |
| C11 | 0.079 (2) | 0.063 (2) | 0.081 (2) | 0.0049 (17) | 0.0050 (17) | 0.0017 (18) |
| C12 | 0.096 (3) | 0.075 (2) | 0.067 (2) | 0.004 (2) | 0.0064 (18) | 0.0115 (18) |
| C13 | 0.093 (2) | 0.076 (2) | 0.0571 (18) | 0.0038 (19) | 0.0165 (16) | -0.0019 (16) |
| C14 | 0.078 (2) | 0.0609 (19) | 0.0581 (17) | 0.0026 (16) | 0.0119 (14) | -0.0062 (14) |
| C15 | 0.169 (5) | 0.110 (4) | 0.062 (2) | 0.017 (4) | 0.020 (3) | 0.005 (2) |
| N1 | 0.0572 (13) | 0.0584 (15) | 0.0511 (13) | -0.0012 (11) | 0.0063 (10) | -0.0062 (11) |
| O1 | 0.0809 (15) | 0.0589 (14) | 0.0735 (15) | -0.0107 (11) | 0.0076 (12) | -0.0116 (12) |
| O2 | 0.1061 (19) | 0.109 (2) | 0.0523 (13) | -0.0176 (16) | -0.0021 (12) | -0.0022 (13) |
| F4A | 0.143 (6) | 0.060 (3) | 0.063 (3) | 0.019 (3) | -0.010 (4) | 0.0089 (19) |
| F5A | 0.159 (7) | 0.117 (5) | 0.052 (3) | 0.019 (4) | 0.010 (3) | 0.020 (3) |
| F6A | 0.149 (6) | 0.120 (6) | 0.102 (5) | -0.017 (4) | -0.072 (4) | 0.019 (4) |
| F4B | 0.137 (9) | 0.065 (5) | 0.077 (5) | -0.011 (5) | -0.020 (7) | 0.023 (4) |
| F5B | 0.158 (10) | 0.091 (6) | 0.059 (4) | 0.013 (6) | -0.028 (5) | -0.012 (4) |
| F6B | 0.151 (8) | 0.134 (10) | 0.118 (10) | 0.021 (6) | -0.064 (6) | 0.019 (7) |

Geometric parameters (Å, °)

| | | | |
|-------------|------------|----------|------------|
| F1A—C15 | 1.290 (6) | C15A—F6A | 1.306 (7) |
| F2A—C15 | 1.352 (7) | C15A—F4A | 1.318 (7) |
| F3A—C15 | 1.362 (9) | C15A—F4B | 1.345 (9) |
| F1B—C15 | 1.376 (9) | C15A—F6B | 1.358 (10) |
| F2B—C15 | 1.295 (7) | C15A—F5A | 1.389 (7) |
| F3B—C15 | 1.323 (10) | O1A—H1A | 0.87 (4) |
| C1A—C6A | 1.395 (4) | C1—C6 | 1.391 (4) |
| C1A—C2A | 1.415 (4) | C1—C2 | 1.422 (4) |
| C1A—C8A | 1.448 (4) | C1—C8 | 1.449 (4) |
| C2A—O1A | 1.356 (3) | C2—O1 | 1.348 (4) |
| C2A—C3A | 1.372 (4) | C2—C3 | 1.381 (4) |
| C3A—C4A | 1.379 (4) | C3—C4 | 1.369 (5) |
| C3A—H3A | 0.9300 | C3—H3 | 0.9300 |
| C4A—C5A | 1.383 (5) | C4—C5 | 1.396 (5) |
| C4A—H4A | 0.9300 | C4—H4 | 0.9300 |
| C5A—C6A | 1.373 (4) | C5—O2 | 1.367 (4) |
| C5A—O2A | 1.377 (4) | C5—C6 | 1.375 (4) |
| C6A—H6A | 0.9300 | C6—H6 | 0.9300 |
| C7A—O2A | 1.417 (4) | C7—O2 | 1.412 (4) |
| C7A—H7A1 | 0.9600 | C7—H7A | 0.9600 |
| C7A—H7A2 | 0.9600 | C7—H7B | 0.9600 |
| C7A—H7A3 | 0.9600 | C7—H7C | 0.9600 |
| C8A—N1A | 1.287 (3) | C8—N1 | 1.282 (4) |
| C8A—H8A | 0.9300 | C8—H8 | 0.9300 |
| C9A—C14A | 1.382 (4) | C9—C14 | 1.383 (4) |
| C9A—C10A | 1.393 (4) | C9—C10 | 1.393 (4) |
| C9A—N1A | 1.410 (3) | C9—N1 | 1.411 (4) |
| C10A—C11A | 1.376 (4) | C10—C11 | 1.377 (5) |
| C10A—H10A | 0.9300 | C10—H10 | 0.9300 |
| C11A—C12A | 1.380 (4) | C11—C12 | 1.367 (5) |
| C11A—H11A | 0.9300 | C11—H11 | 0.9300 |
| C12A—C13A | 1.385 (4) | C12—C13 | 1.383 (5) |
| C12A—H12A | 0.9300 | C12—H12 | 0.9300 |
| C13A—C14A | 1.378 (4) | C13—C14 | 1.383 (5) |
| C13A—C15A | 1.486 (4) | C13—C15 | 1.486 (6) |
| C14A—H14A | 0.9300 | C14—H14 | 0.9300 |
| C15A—F5B | 1.285 (9) | O1—H1 | 0.91 (4) |
| C6A—C1A—C2A | 118.7 (3) | C6—C1—C8 | 119.9 (3) |
| C6A—C1A—C8A | 119.3 (3) | C2—C1—C8 | 121.4 (3) |
| C2A—C1A—C8A | 121.8 (2) | O1—C2—C3 | 119.2 (3) |
| O1A—C2A—C3A | 119.6 (3) | O1—C2—C1 | 121.9 (3) |
| O1A—C2A—C1A | 121.4 (3) | C3—C2—C1 | 118.8 (3) |
| C3A—C2A—C1A | 119.0 (3) | C4—C3—C2 | 121.4 (3) |
| C2A—C3A—C4A | 121.4 (3) | C4—C3—H3 | 119.3 |
| C2A—C3A—H3A | 119.3 | C2—C3—H3 | 119.3 |

| | | | |
|----------------|------------|-------------|------------|
| C4A—C3A—H3A | 119.3 | C3—C4—C5 | 120.5 (3) |
| C3A—C4A—C5A | 120.1 (3) | C3—C4—H4 | 119.7 |
| C3A—C4A—H4A | 119.9 | C5—C4—H4 | 119.7 |
| C5A—C4A—H4A | 119.9 | O2—C5—C6 | 116.7 (3) |
| C6A—C5A—O2A | 116.1 (3) | O2—C5—C4 | 124.5 (3) |
| C6A—C5A—C4A | 119.5 (3) | C6—C5—C4 | 118.8 (3) |
| O2A—C5A—C4A | 124.4 (3) | C5—C6—C1 | 121.8 (3) |
| C5A—C6A—C1A | 121.3 (3) | C5—C6—H6 | 119.1 |
| C5A—C6A—H6A | 119.4 | C1—C6—H6 | 119.1 |
| C1A—C6A—H6A | 119.4 | O2—C7—H7A | 109.5 |
| O2A—C7A—H7A1 | 109.5 | O2—C7—H7B | 109.5 |
| O2A—C7A—H7A2 | 109.5 | H7A—C7—H7B | 109.5 |
| H7A1—C7A—H7A2 | 109.5 | O2—C7—H7C | 109.5 |
| O2A—C7A—H7A3 | 109.5 | H7A—C7—H7C | 109.5 |
| H7A1—C7A—H7A3 | 109.5 | H7B—C7—H7C | 109.5 |
| H7A2—C7A—H7A3 | 109.5 | N1—C8—C1 | 121.5 (3) |
| N1A—C8A—C1A | 121.9 (3) | N1—C8—H8 | 119.2 |
| N1A—C8A—H8A | 119.1 | C1—C8—H8 | 119.2 |
| C1A—C8A—H8A | 119.1 | C14—C9—C10 | 119.3 (3) |
| C14A—C9A—C10A | 118.9 (3) | C14—C9—N1 | 117.8 (3) |
| C14A—C9A—N1A | 118.0 (3) | C10—C9—N1 | 122.7 (3) |
| C10A—C9A—N1A | 122.9 (2) | C11—C10—C9 | 120.1 (3) |
| C11A—C10A—C9A | 120.2 (3) | C11—C10—H10 | 119.9 |
| C11A—C10A—H10A | 119.9 | C9—C10—H10 | 119.9 |
| C9A—C10A—H10A | 119.9 | C12—C11—C10 | 120.5 (3) |
| C10A—C11A—C12A | 121.1 (3) | C12—C11—H11 | 119.8 |
| C10A—C11A—H11A | 119.5 | C10—C11—H11 | 119.8 |
| C12A—C11A—H11A | 119.5 | C11—C12—C13 | 119.8 (3) |
| C11A—C12A—C13A | 118.6 (3) | C11—C12—H12 | 120.1 |
| C11A—C12A—H12A | 120.7 | C13—C12—H12 | 120.1 |
| C13A—C12A—H12A | 120.7 | C14—C13—C12 | 120.3 (3) |
| C14A—C13A—C12A | 120.9 (3) | C14—C13—C15 | 119.7 (4) |
| C14A—C13A—C15A | 119.9 (3) | C12—C13—C15 | 119.9 (3) |
| C12A—C13A—C15A | 119.2 (3) | C13—C14—C9 | 119.9 (3) |
| C13A—C14A—C9A | 120.4 (3) | C13—C14—H14 | 120.0 |
| C13A—C14A—H14A | 119.8 | C9—C14—H14 | 120.0 |
| C9A—C14A—H14A | 119.8 | F1A—C15—F2B | 130.2 (6) |
| F5B—C15A—F6A | 76.3 (8) | F1A—C15—F3B | 66.3 (8) |
| F5B—C15A—F4A | 120.2 (8) | F2B—C15—F3B | 94.1 (11) |
| F6A—C15A—F4A | 103.8 (7) | F1A—C15—F2A | 110.6 (6) |
| F5B—C15A—F4B | 108.3 (10) | F3B—C15—F2A | 124.9 (10) |
| F6A—C15A—F4B | 124.8 (9) | F1A—C15—F3A | 96.5 (8) |
| F5B—C15A—F6B | 100.6 (9) | F2B—C15—F3A | 68.9 (8) |
| F4A—C15A—F6B | 86.0 (9) | F2A—C15—F3A | 109.4 (8) |
| F4B—C15A—F6B | 110.4 (11) | F1A—C15—F1B | 47.0 (7) |
| F6A—C15A—F5A | 105.9 (6) | F2B—C15—F1B | 113.6 (8) |
| F4A—C15A—F5A | 107.2 (6) | F3B—C15—F1B | 111.0 (11) |
| F4B—C15A—F5A | 87.0 (9) | F2A—C15—F1B | 73.5 (8) |

| | | | |
|---------------------|-------------|-----------------|-------------|
| F6B—C15A—F5A | 129.1 (8) | F3A—C15—F1B | 136.9 (9) |
| F5B—C15A—C13A | 118.0 (7) | F1A—C15—C13 | 116.7 (4) |
| F6A—C15A—C13A | 115.0 (6) | F2B—C15—C13 | 113.1 (6) |
| F4A—C15A—C13A | 115.4 (5) | F3B—C15—C13 | 115.3 (10) |
| F4B—C15A—C13A | 110.4 (8) | F2A—C15—C13 | 113.9 (5) |
| F6B—C15A—C13A | 108.6 (9) | F3A—C15—C13 | 108.2 (6) |
| F5A—C15A—C13A | 108.9 (5) | F1B—C15—C13 | 109.3 (6) |
| C8A—N1A—C9A | 121.1 (3) | C8—N1—C9 | 120.6 (3) |
| C2A—O1A—H1A | 111 (3) | C2—O1—H1 | 106 (3) |
| C5A—O2A—C7A | 118.1 (3) | C5—O2—C7 | 118.2 (3) |
| C6—C1—C2 | 118.6 (3) | | |
| | | | |
| C6A—C1A—C2A—O1A | -180.0 (3) | C6—C1—C2—O1 | -179.4 (3) |
| C8A—C1A—C2A—O1A | 4.9 (4) | C8—C1—C2—O1 | -2.7 (4) |
| C6A—C1A—C2A—C3A | 0.8 (4) | C6—C1—C2—C3 | -0.3 (4) |
| C8A—C1A—C2A—C3A | -174.3 (3) | C8—C1—C2—C3 | 176.4 (3) |
| O1A—C2A—C3A—C4A | -179.4 (3) | O1—C2—C3—C4 | 178.9 (3) |
| C1A—C2A—C3A—C4A | -0.1 (4) | C1—C2—C3—C4 | -0.3 (4) |
| C2A—C3A—C4A—C5A | 0.1 (5) | C2—C3—C4—C5 | -0.2 (5) |
| C3A—C4A—C5A—C6A | -0.8 (4) | C3—C4—C5—O2 | -177.9 (3) |
| C3A—C4A—C5A—O2A | 178.2 (3) | C3—C4—C5—C6 | 1.2 (5) |
| O2A—C5A—C6A—C1A | -177.6 (3) | O2—C5—C6—C1 | 177.3 (3) |
| C4A—C5A—C6A—C1A | 1.5 (5) | C4—C5—C6—C1 | -1.8 (4) |
| C2A—C1A—C6A—C5A | -1.5 (4) | C2—C1—C6—C5 | 1.4 (4) |
| C8A—C1A—C6A—C5A | 173.8 (3) | C8—C1—C6—C5 | -175.4 (3) |
| C6A—C1A—C8A—N1A | -179.4 (3) | C6—C1—C8—N1 | -179.0 (3) |
| C2A—C1A—C8A—N1A | -4.3 (4) | C2—C1—C8—N1 | 4.3 (4) |
| C14A—C9A—C10A—C11A | -1.1 (4) | C14—C9—C10—C11 | 0.8 (4) |
| N1A—C9A—C10A—C11A | -175.4 (3) | N1—C9—C10—C11 | 175.4 (3) |
| C9A—C10A—C11A—C12A | 0.9 (5) | C9—C10—C11—C12 | -0.7 (5) |
| C10A—C11A—C12A—C13A | 0.1 (5) | C10—C11—C12—C13 | 0.3 (6) |
| C11A—C12A—C13A—C14A | -0.8 (5) | C11—C12—C13—C14 | -0.1 (6) |
| C11A—C12A—C13A—C15A | 177.8 (3) | C11—C12—C13—C15 | -178.4 (4) |
| C12A—C13A—C14A—C9A | 0.6 (5) | C12—C13—C14—C9 | 0.3 (5) |
| C15A—C13A—C14A—C9A | -178.0 (3) | C15—C13—C14—C9 | 178.5 (4) |
| C10A—C9A—C14A—C13A | 0.4 (4) | C10—C9—C14—C13 | -0.6 (5) |
| N1A—C9A—C14A—C13A | 174.9 (3) | N1—C9—C14—C13 | -175.5 (3) |
| C14A—C13A—C15A—F5B | 166.6 (13) | C14—C13—C15—F1A | -18.4 (9) |
| C12A—C13A—C15A—F5B | -12.0 (14) | C12—C13—C15—F1A | 159.9 (8) |
| C14A—C13A—C15A—F6A | -106.2 (9) | C14—C13—C15—F2B | 163.3 (10) |
| C12A—C13A—C15A—F6A | 75.2 (9) | C12—C13—C15—F2B | -18.5 (11) |
| C14A—C13A—C15A—F4A | 14.6 (10) | C14—C13—C15—F3B | 56.6 (12) |
| C12A—C13A—C15A—F4A | -164.0 (9) | C12—C13—C15—F3B | -125.1 (12) |
| C14A—C13A—C15A—F4B | 41.4 (14) | C14—C13—C15—F2A | -149.1 (9) |
| C12A—C13A—C15A—F4B | -137.3 (13) | C12—C13—C15—F2A | 29.1 (10) |
| C14A—C13A—C15A—F6B | -79.9 (13) | C14—C13—C15—F3A | 89.0 (9) |
| C12A—C13A—C15A—F6B | 101.5 (12) | C12—C13—C15—F3A | -92.7 (9) |
| C14A—C13A—C15A—F5A | 135.2 (8) | C14—C13—C15—F1B | -69.1 (11) |

| | | | |
|--------------------|-----------|-----------------|------------|
| C12A—C13A—C15A—F5A | -43.4 (9) | C12—C13—C15—F1B | 109.1 (11) |
| C1A—C8A—N1A—C9A | 170.5 (2) | C1—C8—N1—C9 | -173.4 (2) |
| C14A—C9A—N1A—C8A | 156.8 (3) | C14—C9—N1—C8 | -149.7 (3) |
| C10A—C9A—N1A—C8A | -28.8 (4) | C10—C9—N1—C8 | 35.6 (4) |
| C6A—C5A—O2A—C7A | 170.3 (3) | C6—C5—O2—C7 | -165.4 (3) |
| C4A—C5A—O2A—C7A | -8.7 (5) | C4—C5—O2—C7 | 13.7 (5) |

Hydrogen-bond geometry (Å, °)

| <i>D</i> —H... <i>A</i> | <i>D</i> —H | H... <i>A</i> | <i>D</i> ... <i>A</i> | <i>D</i> —H... <i>A</i> |
|--------------------------------|-------------|---------------|-----------------------|-------------------------|
| O1—H1...N1 | 0.91 (4) | 1.79 (4) | 2.619 (4) | 150 (4) |
| O1A—H1A...N1A | 0.87 (4) | 1.87 (4) | 2.623 (3) | 143 (4) |
| C10—H10...O1 ⁱ | 0.93 | 2.58 | 3.444 (3) | 154 |
| C10A—H10A...O1A ⁱ | 0.93 | 2.54 | 3.413 (3) | 157 |
| C3—H3...Cg3 ⁱⁱ | 0.93 | 2.86 | 3.526 (3) | 130 |
| C3A—H3A...Cg1 ⁱⁱ | 0.93 | 2.88 | 3.518 (3) | 127 |
| C11—H11...Cg4 ⁱⁱⁱ | 0.93 | 2.85 | 3.529 (3) | 131 |
| C11A—H11A...Cg2 ⁱⁱⁱ | 0.93 | 2.97 | 3.646 (3) | 131 |

Symmetry codes: (i) $x, y-1, z$; (ii) $-x+1, y+1/2, -z+1/2$; (iii) $-x+1, y-1/2, -z+1/2$.