

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

## 4-Sulfamoylanilinium chloride

Donia Zaouali Zgolli,\* Habib Boughzala and Ahmed Driss

Laboratoire de Matériaux et Cristallographie, Faculté des Sciences, El Manar, 2092 Tunis, Tunisia

Correspondence e-mail: donia\_zgolli@hotmail.com


Received 14 May 2010; accepted 24 May 2010

Key indicators: single-crystal X-ray study;  $T = 298$  K; mean  $\sigma(\text{C}-\text{C}) = 0.004$  Å;  $R$  factor = 0.042;  $wR$  factor = 0.182; data-to-parameter ratio = 18.1.

In the crystal structure of the title compound,  $\text{C}_6\text{H}_9\text{N}_2\text{O}_2\text{S}^+\cdot\text{Cl}^-$ , the chloride anions are sandwiched between layers of 4-sulfonamidoanilinium anions. The components interact by way of  $\text{N}-\text{H}\cdots\text{Cl}$  and  $\text{N}-\text{H}\cdots\text{O}$  hydrogen bonds, building up a three-dimensional network.

### Related literature

For the biological activity of diamines, see: Pasini & Zunino (1987); Otsuka *et al.* (1990); Michalson & Smuszkovicz (1989); Reedijk *et al.* (1996). For their use in asymmetric catalysis, see: Blaser (1992). For related structures, see: Chatterjee *et al.* (1981); Gelbrich *et al.* (2008); Gelmboldt *et al.* (2004); Smith *et al.* (2001).



### Experimental

#### Crystal data

$\text{C}_6\text{H}_9\text{N}_2\text{O}_2\text{S}^+\cdot\text{Cl}^-$   $V = 1827.35$  (13) Å<sup>3</sup>  
 $M_r = 208.66$   $Z = 8$   
 Orthorhombic,  $Pnbn$   $\text{Mo } K\alpha$  radiation  
 $a = 7.4608$  (2) Å  $\mu = 0.61$  mm<sup>-1</sup>  
 $b = 7.7278$  (2) Å  $T = 298$  K  
 $c = 31.694$  (2) Å  $0.30 \times 0.20 \times 0.10$  mm

#### Data collection

Enraf–Nonius CAD-4  $1989$  independent reflections  
 diffractometer  $1442$  reflections with  $I > 2\sigma(I)$   
 Absorption correction:  $\psi$  scan  $R_{\text{int}} = 0.033$   
 (North *et al.*, 1968)  $2$  standard reflections every 120 min  
 $T_{\text{min}} = 0.982$ ,  $T_{\text{max}} = 0.994$  intensity decay: none  
 $2906$  measured reflections

### Refinement

$R[F^2 > 2\sigma(F^2)] = 0.042$   $110$  parameters  
 $wR(F^2) = 0.182$   $\text{H-atom parameters constrained}$   
 $S = 1.07$   $\Delta\rho_{\text{max}} = 0.42$  e Å<sup>-3</sup>  
 $1989$  reflections  $\Delta\rho_{\text{min}} = -0.44$  e Å<sup>-3</sup>

Table 1

Hydrogen-bond geometry (Å, °).

$D-H\cdots A$	$D-H$	$H\cdots A$	$D\cdots A$	$D-H\cdots A$
$\text{N1}-\text{H1A}\cdots\text{Cl1}$	0.89	2.30	3.122 (3)	153
$\text{N1}-\text{H1B}\cdots\text{Cl1}^{\text{i}}$	0.89	2.32	3.097 (3)	146
$\text{N1}-\text{H1C}\cdots\text{Cl1}^{\text{ii}}$	0.89	2.33	3.189 (3)	162
$\text{N2}-\text{H21}\cdots\text{O1}^{\text{iii}}$	0.84	2.22	2.963 (5)	147
$\text{N2}-\text{H22}\cdots\text{O2}^{\text{iv}}$	0.85	2.17	3.019 (5)	178

Symmetry codes: (i)  $-x + \frac{3}{2}, y - \frac{1}{2}, z$ ; (ii)  $x - \frac{1}{2}, -y + \frac{3}{2}, -z + 2$ ; (iii)  $x, y - \frac{1}{2}, -z + \frac{3}{2}$ ; (iv)  $-x - \frac{1}{2}, y - \frac{1}{2}, z$ .

Data collection: *CAD-4 EXPRESS* (Enraf–Nonius, 1994); cell refinement: *CAD-4 EXPRESS*; data reduction: *XCAD4* (Harms & Wocadlo, 1995); program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP-3 for Windows* (Farrugia, 1997); software used to prepare material for publication: *WinGX* (Farrugia, 1999).

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: DN2568).

### References

- Blaser, H. U. (1992). *Chem. Rev.* **92**, 935–952.  
 Chatterjee, C., Dattagupta, J. K. & Saha, N. N. (1981). *Acta Cryst.* **B37**, 1835–1838.  
 Enraf–Nonius (1994). *CAD-4 EXPRESS*. Enraf–Nonius, Delft, The Netherlands.  
 Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.  
 Farrugia, L. J. (1999). *J. Appl. Cryst.* **32**, 837–838.  
 Gelbrich, T., Bingham, A. L., Threlfall, T. L. & Hursthouse, M. B. (2008). *Acta Cryst.* **C64**, o205–o207.  
 Gelmboldt, V. O., Ennan, A. A., Ganin, E. V., Simonov, Yu. A., Fonari, M. S. & Botoshansky, M. M. (2004). *J. Fluorine Chem.* **125**, 1951–1957.  
 Harms, K. & Wocadlo, S. (1995). *XCAD4*. Universität de Marburg, Allemagne.  
 Michalson, E. T. & Smuszkovicz, J. (1989). *Prog. Drug. Res.* **33**, 135–149.  
 North, A. C. T., Phillips, D. C. & Mathews, F. S. (1968). *Acta Cryst.* **A24**, 351–359.  
 Otsuka, M., Masuda, T., Haupt, A., Ohno, M., Shiraki, T., Sugiura, Y. & Maedda, K. (1990). *J. Am. Chem. Soc.* **112**, 838–845.  
 Pasini, A. & Zunino, F. (1987). *Angew. Chem. Int. Ed. Engl.* **26**, 615–624.  
 Reedijk, J. J. (1996). *J. Chem. Soc. Chem. Commun.* pp. 801–806.  
 Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.  
 Smith, G., Wermuth, U. D. & White, J. M. (2001). *Acta Cryst.* **E57**, o1036–o1038.

# supporting information

*Acta Cryst.* (2010). E66, o1488 [https://doi.org/10.1107/S1600536810019471]

## 4-Sulfamoylanilinium chloride

**Donia Zaouali Zgolli, Habib Boughzala and Ahmed Driss**

### S1. Comment

The diamine compounds are important in biologically active natural products (Pasini & Zunino, 1987; Otsuka *et al.*, 1990), in medicinal chemistry (Michalson & Smuszkoicz, 1989; Reedijk, 1996). They are also used as chiral auxiliaries and chiral ligands in asymmetric catalysis (Blaser, 1992). Here, a new member of this family,  $(C_6H_9N_2O_2S)^+.Cl^-$ , is presented.

It was obtained during our investigations in organic chloride hybrids field. The crystal structure of the title compound contains a discrete cation with a protonated amino group  $(C_6H_9N_2O_2S)^+.Cl^-$  and a halide anion (Fig 1).

The molecular structure including both terminal N atoms has an all-trans conformation. The nitrogen N1 position is protonated in this structure and participates in hydrogen bonding with the chlorine anions. The layered crystal packing of 4-sulfonamidoanilinium chloride is shown in Fig 2. The cations form alternating layers of hydrophobic and hydrophilic zones along the c axis.

The chloride ions are located in the interlayer space. Two types of classical hydrogen bonds are observed:  $N-H\cdots Cl$  and  $N-H\cdots O$ . These interaction bonds link the cations and the anions together, forming a three-dimensional network and reinforcing the ionic structure cohesion ((Fig 3, Table 1). The organic cations interacts with the  $Cl^-$  anion via hydrogen bonds, with  $N1-H\cdots Cl$  distances ranging between 3.098 (3) Å and 3.191 (3) Å.

The packing is further consolidated through  $\pi-\pi$  stacking between symmetry related benzene ( $3/2-x, -1/2+y, z$ ) rings with centroid-to-centroid distance of 3.890 (2) Å and centroid-to-plane of 3.65 Å resulting in a slippage of 21°.

Selected geometrical parameters in  $(C_6H_9N_2O_2S)^+$  cation agree with those found in similar compounds, such as 4-aminobenzenesulfonamide ( $C_6H_8N_2O_2S$ ) (Gelbrich *et al.*, 2008), 4-homosulfanilamide hydrochloride (Chatterjee *et al.*, 1981), bis(4-Aminosulfonyl)benzeneammonium hexafluorosilicate ( Gelmboldt *et al.*,2004) and 4-sulfonamidoanilinium 3,5-dinitrosalicylate ( $C_6H_9N_2O_2S^+.C_7H_3N_2O_7$ ) (Smith *et al.*, 2001).


### S2. Experimental

Colourless crystals of 4-sulfonamidoanilinium chloride suitable for single crystal X-ray analysis were obtained by slow evaporation at room temperature of an ethanol solution of sulphanilamide (Fluka, Purity >97%) and hydrochloric acid.


### S3. Refinement

All H atoms attached to N were located in a difference map and allowed to refine freely.

H atoms attached to C atoms were fixed geometrically and treated as riding with  $C-H = 0.93\text{Å}$  with  $U_{iso}(H) = 1.2U_{eq}(C)$ .



**Figure 1**  
Chemical diagram of the title compound.



**Figure 2**  
Part of the crystal structure illustrating the alternating layers of hydrophobic and hydrophilic zones, viewed along the b axis. H atoms have been omitted for clarity.




Figure 3

The crystal packing of the title compound, viewed along the  $a$  axis showing the N—H...Cl/O interactions (dotted line). H atoms not involved in hydrogen bonding (dashed lines) have been omitted for clarity. Displacement ellipsoids are drawn at 50% probability level.

#### 4-Sulfamoylanilinium chloride

##### Crystal data

$C_6H_9N_2O_2S^+ \cdot Cl^-$

$M_r = 208.66$

Orthorhombic,  $Pbnb$

Hall symbol:  $-P\ 2bc\ 2ab$

$a = 7.4608\ (2)\ \text{\AA}$

$b = 7.7278\ (2)\ \text{\AA}$

$c = 31.694\ (2)\ \text{\AA}$

$V = 1827.35\ (13)\ \text{\AA}^3$

$Z = 8$

$F(000) = 864$

$D_x = 1.517\ \text{Mg m}^{-3}$

Mo  $K\alpha$  radiation,  $\lambda = 0.71073\ \text{\AA}$

Cell parameters from 25 reflections

$\theta = 10\text{--}15^\circ$

$\mu = 0.61\ \text{mm}^{-1}$

$T = 298\ \text{K}$

Prism, colourless

$0.3 \times 0.2 \times 0.1\ \text{mm}$

##### Data collection

Enraf–Nonius CAD-4  
diffractometer

Radiation source: fine-focus sealed tube

Graphite monochromator

Non-profiled  $\omega/2\theta$  scans

Absorption correction:  $\psi$  scan

(North *et al.*, 1968)

$T_{\min} = 0.982$ ,  $T_{\max} = 0.994$

2906 measured reflections

1989 independent reflections

1442 reflections with  $I > 2\sigma(I)$

$R_{\text{int}} = 0.033$

$\theta_{\max} = 27.0^\circ$ ,  $\theta_{\min} = 2.6^\circ$

$h = -9 \rightarrow 2$

$k = -1 \rightarrow 9$

$l = -1 \rightarrow 40$

2 standard reflections every 120 min

intensity decay: none

##### Refinement

Refinement on  $F^2$

Least-squares matrix: full

$R[F^2 > 2\sigma(F^2)] = 0.042$

$wR(F^2) = 0.182$

$S = 1.07$

1989 reflections

110 parameters

0 restraints

Primary atom site location: structure-invariant  
direct methods

Secondary atom site location: difference Fourier  
map

Hydrogen site location: inferred from  
neighbouring sites

H-atom parameters constrained

$w = 1/[\sigma^2(F_o^2) + (0.1231P)^2 + 0.2341P]$

where  $P = (F_o^2 + 2F_c^2)/3$

$(\Delta/\sigma)_{\max} = 0.001$

$\Delta\rho_{\max} = 0.42\ \text{e \AA}^{-3}$

$\Delta\rho_{\min} = -0.44\ \text{e \AA}^{-3}$

*Special details*

**Experimental.** Number of psi-scan sets used was 5 Theta correction was applied. Averaged transmission function was used. No Fourier smoothing was applied (North *et al.*, 1968).

**Geometry.** All esds (except the esd in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell esds are taken into account individually in the estimation of esds in distances, angles and torsion angles; correlations between esds in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell esds is used for estimating esds involving l.s. planes.

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted  $R$ -factor  $wR$  and goodness of fit  $S$  are based on  $F^2$ , conventional  $R$ -factors  $R$  are based on  $F$ , with  $F$  set to zero for negative  $F^2$ . The threshold expression of  $F^2 > \sigma(F^2)$  is used only for calculating  $R$ -factors(gt) etc. and is not relevant to the choice of reflections for refinement.  $R$ -factors based on  $F^2$  are statistically about twice as large as those based on  $F$ , and  $R$ -factors based on ALL data will be even larger.

*Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )*

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
S1	−0.01848 (14)	0.91801 (12)	0.80899 (3)	0.0494 (3)
O1	0.0885 (5)	1.0213 (4)	0.78197 (10)	0.0826 (11)
O2	−0.1835 (5)	0.9862 (4)	0.82564 (9)	0.0718 (10)
N1	0.4306 (4)	0.7241 (3)	0.95815 (9)	0.0394 (6)
H1A	0.4863	0.8185	0.9675	0.059*
H1B	0.5114	0.6443	0.9512	0.059*
H1C	0.3596	0.6828	0.9783	0.059*
N2	−0.0703 (5)	0.7452 (5)	0.78407 (10)	0.0623 (9)
H21	0.0127	0.7023	0.7694	0.075*
H22	−0.1381	0.6733	0.7963	0.075*
C1	0.3224 (4)	0.7679 (3)	0.92096 (9)	0.0317 (6)
C2	0.1373 (4)	0.7587 (4)	0.92407 (10)	0.0402 (7)
H2	0.0833	0.7210	0.9489	0.048*
C3	0.0345 (4)	0.8064 (5)	0.88976 (10)	0.0433 (7)
H3	−0.0898	0.8026	0.8915	0.052*
C4	0.1162 (4)	0.8597 (4)	0.85296 (9)	0.0368 (7)
C5	0.3026 (5)	0.8677 (4)	0.84957 (11)	0.0438 (8)
H5	0.3563	0.9039	0.8246	0.053*
C6	0.4060 (4)	0.8208 (4)	0.88399 (11)	0.0444 (7)
H6	0.5304	0.8246	0.8824	0.053*
Cl1	0.72981 (10)	1.00078 (9)	0.97197 (3)	0.0408 (3)

*Atomic displacement parameters ( $\text{\AA}^2$ )*

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
S1	0.0590 (6)	0.0496 (5)	0.0396 (5)	0.0060 (4)	−0.0092 (4)	0.0052 (4)
O1	0.097 (3)	0.084 (2)	0.066 (2)	−0.0156 (19)	−0.015 (2)	0.0379 (16)
O2	0.0707 (18)	0.084 (2)	0.0607 (19)	0.0399 (17)	−0.0180 (16)	−0.0076 (15)
N1	0.0340 (12)	0.0321 (13)	0.0521 (16)	−0.0016 (10)	−0.0096 (11)	0.0030 (11)
N2	0.067 (2)	0.075 (2)	0.0450 (17)	−0.0057 (18)	−0.0046 (16)	−0.0158 (15)
C1	0.0284 (12)	0.0237 (12)	0.0432 (16)	0.0010 (11)	−0.0005 (12)	−0.0017 (11)
C2	0.0327 (15)	0.0508 (17)	0.0373 (15)	−0.0017 (14)	0.0024 (12)	0.0058 (13)
C3	0.0273 (13)	0.0593 (19)	0.0431 (18)	0.0005 (14)	−0.0008 (13)	0.0031 (15)
C4	0.0395 (16)	0.0311 (14)	0.0397 (17)	0.0025 (12)	−0.0044 (13)	−0.0011 (12)

C5	0.0416 (17)	0.0449 (18)	0.0450 (19)	-0.0025 (14)	0.0098 (13)	0.0050 (14)
C6	0.0306 (14)	0.0488 (18)	0.0536 (19)	-0.0019 (14)	0.0052 (14)	0.0001 (15)
C11	0.0310 (4)	0.0328 (5)	0.0586 (6)	-0.0038 (3)	0.0016 (3)	0.0013 (3)

*Geometric parameters (Å, °)*

S1—O1	1.417 (3)	C1—C2	1.386 (4)
S1—O2	1.439 (4)	C1—C6	1.389 (4)
S1—N2	1.599 (3)	C2—C3	1.381 (4)
S1—C4	1.776 (3)	C2—H2	0.9300
N1—C1	1.468 (4)	C3—C4	1.379 (4)
N1—H1A	0.8900	C3—H3	0.9300
N1—H1B	0.8900	C4—C5	1.396 (5)
N1—H1C	0.8900	C5—C6	1.384 (5)
N2—H21	0.8433	C5—H5	0.9300
N2—H22	0.8457	C6—H6	0.9300
O1—S1—O2	119.8 (2)	C6—C1—N1	119.9 (3)
O1—S1—N2	107.9 (2)	C3—C2—C1	118.9 (3)
O2—S1—N2	106.3 (2)	C3—C2—H2	120.5
O1—S1—C4	107.35 (18)	C1—C2—H2	120.5
O2—S1—C4	106.81 (16)	C4—C3—C2	120.0 (3)
N2—S1—C4	108.23 (17)	C4—C3—H3	120.0
C1—N1—H1A	109.5	C2—C3—H3	120.0
C1—N1—H1B	109.5	C3—C4—C5	121.2 (3)
H1A—N1—H1B	109.5	C3—C4—S1	119.3 (2)
C1—N1—H1C	109.5	C5—C4—S1	119.5 (2)
H1A—N1—H1C	109.5	C6—C5—C4	118.9 (3)
H1B—N1—H1C	109.5	C6—C5—H5	120.5
S1—N2—H21	115.1	C4—C5—H5	120.5
S1—N2—H22	117.9	C5—C6—C1	119.4 (3)
H21—N2—H22	115.7	C5—C6—H6	120.3
C2—C1—C6	121.5 (3)	C1—C6—H6	120.3
C2—C1—N1	118.6 (3)		

*Hydrogen-bond geometry (Å, °)*

<i>D</i> —H $\cdots$ <i>A</i>	<i>D</i> —H	H $\cdots$ <i>A</i>	<i>D</i> $\cdots$ <i>A</i>	<i>D</i> —H $\cdots$ <i>A</i>
N1—H1A $\cdots$ C11	0.89	2.30	3.122 (3)	153
N1—H1B $\cdots$ C11 <sup>i</sup>	0.89	2.32	3.097 (3)	146
N1—H1C $\cdots$ C11 <sup>ii</sup>	0.89	2.33	3.189 (3)	162
N2—H21 $\cdots$ O1 <sup>iii</sup>	0.84	2.22	2.963 (5)	147
N2—H22 $\cdots$ O2 <sup>iv</sup>	0.85	2.17	3.019 (5)	178

Symmetry codes: (i)  $-x+3/2, y-1/2, z$ ; (ii)  $x-1/2, -y+3/2, -z+2$ ; (iii)  $x, y-1/2, -z+3/2$ ; (iv)  $-x-1/2, y-1/2, z$ .