

4-[(Diethoxyphosphinoyl)methyl]benzoic acid

S. Karthikeyan,^a K. Sethusankar,^{a*} Ganesan Gobi Rajeshwaran^b and Arasambattu K. Mohanakrishnan^b

^aDepartment of Physics, RKM Vivekananda College (Autonomous), Chennai 600 004, India, and ^bDepartment of Organic Chemistry, University of Madras, Maraimalai Campus, Chennai 600 025, India

Correspondence e-mail: ksethusankar@yahoo.co.in


Received 1 March 2011; accepted 4 March 2011

Key indicators: single-crystal X-ray study; $T = 293$ K; mean $\sigma(\text{C}-\text{C}) = 0.002$ Å; R factor = 0.035; wR factor = 0.106; data-to-parameter ratio = 17.9.

In the title compound, $\text{C}_{12}\text{H}_{17}\text{N}_2\text{O}_5\text{P}$, the phosphonate group is almost orthogonal to both the ethyl groups, with a dihedral angle of 83.75 (11)°. In the crystal, molecules are linked into centrosymmetric dimers *via* pairs of $\text{O}-\text{H}\cdots\text{O}$ hydrogen bonds with an $R_2^2(20)$ graph-set motif. The crystal structure is further consolidated by weak $\text{C}-\text{H}\cdots\pi$ interactions.

Related literature

For applications of phosphonate derivatives, see: Hirschmann *et al.* (1994). For related structures, see: An *et al.* (2008); Chen *et al.* (2008). For graph-set motifs, see: Bernstein *et al.* (1995).



Experimental

Crystal data

$\text{C}_{12}\text{H}_{17}\text{O}_5\text{P}$
 $M_r = 272.23$
 Monoclinic, $P2_1/n$
 $a = 9.6505$ (5) Å
 $b = 12.1706$ (6) Å
 $c = 11.8156$ (6) Å
 $\beta = 108.926$ (2)°

$V = 1312.74$ (12) Å³
 $Z = 4$
 Mo $K\alpha$ radiation
 $\mu = 0.22$ mm⁻¹
 $T = 293$ K
 $0.23 \times 0.20 \times 0.20$ mm

Data collection

Bruker SMART APEXII area-detector diffractometer
 13181 measured reflections

2960 independent reflections
 2441 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.025$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.035$
 $wR(F^2) = 0.106$
 $S = 1.04$
 2960 reflections

165 parameters
 H-atom parameters constrained
 $\Delta\rho_{\text{max}} = 0.31$ e Å⁻³
 $\Delta\rho_{\text{min}} = -0.22$ e Å⁻³

Table 1

Hydrogen-bond geometry (Å, °).

$Cg1$ is the centroid of the $C2-C7$ benzene ring.

| $D-H\cdots A$ | $D-H$ | $H\cdots A$ | $D\cdots A$ | $D-H\cdots A$ |
|---------------------------|-------|-------------|-------------|---------------|
| $O4-H4A\cdots O1^i$ | 0.82 | 1.87 | 2.644 (2) | 158 |
| $C12-H12C\cdots Cg1^{ii}$ | 0.96 | 2.97 | 3.853 (2) | 153 |

Symmetry codes: (i) $-x + 1, -y, -z + 2$; (ii) $-x + \frac{1}{2}, y + \frac{1}{2}, -z + \frac{3}{2}$.

Data collection: *APEX2* (Bruker, 2008); cell refinement: *SAINT* (Bruker, 2008); data reduction: *SAINT*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP-3* (Farrugia, 1997); software used to prepare material for publication: *SHELXL97*, *PARST* (Nardelli, 1983) and *PLATON* (Spek, 2009).

SK and KS thank Dr Babu Varghese, SAIF, IIT, Chennai, India, for the data collection.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: PV2396).

References

- An, L.-T., Gong, G.-X., Liu, X., Xia, M. & Zhou, J.-F. (2008). *Acta Cryst.* **E64**, o1320.
 Bernstein, J., Davis, R. E., Shimon, L. & Chang, N.-L. (1995). *Angew. Chem. Int. Ed. Engl.* **34**, 1555–1573.
 Bruker (2008). *APEX2* and *SAINT*. Bruker AXS Inc., Madison, Wisconsin, USA.
 Chen, C., Jin, W. & Li, X. (2008). *Acta Cryst.* **E64**, o144.
 Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.
 Hirschmann, R., Smith, A. B., Taylor, C. M., Benkovic, P. A., Taylor, S., Yager, K. M., Sprengler, P. A. & Benkovic, S. J. (1994). *Science*, **265**, 234–237.
 Nardelli, M. (1983). *Acta Cryst.* **C39**, 1141–1142.
 Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
 Spek, A. L. (2009). *Acta Cryst.* **D65**, 148–155.

supporting information

Acta Cryst. (2011). E67, o831 [doi:10.1107/S1600536811008282]

4-[(Diethoxyphosphinoyl)methyl]benzoic acid

S. Karthikeyan, K. Sethusankar, Ganesan Gobi Rajeshwaran and Arasambattu K. Mohanakrishnan

S1. Comment

Phosphonates have also been used as enzyme inhibitors, anti-HIV agents and haptens for catalytic antibodies (Hirschmann *et al.*, 1994). In this regard, the preparation of various phosphonates with a diversity of structures is highly desirable for drug discovery and medicinal chemistry.

In the title compound (Fig. 1), the phosphonate group is almost orthogonal to the diethyl group with a dihedral angle of $83.75(11)^\circ$. The carboxybenzene ring is essentially planar with the maximum deviation of atom C5 being $0.047(1) \text{ \AA}$. The atom C8 is significantly out of the plane formed by the benzene ring atoms C2/C3/C4/C5/C6/C7; the deviation being $0.108(2) \text{ \AA}$. In addition, the atom C1 of the carboxyl group is $0.095(2) \text{ \AA}$ out of the plane of the same benzene ring. The dihedral angle between the benzene ring and the carboxyl group is $3.83(16)^\circ$.


In the crystal, molecules are linked into centrosymmetric dimers *via* pairs of O–H \cdots O hydrogen bonds with a $R^2_2(20)$ graph set motif (Bernstein, *et al.*, 1995). The crystal structure is further stabilized by C–H $\cdots\pi$ interaction, where Cg1 is the centroid of the benzene ring (C2/C3/C4/C5/C6/C7).

S2. Experimental


To a solution of 4-(bromomethyl)benzoic acid (1 mmol) and triethylphosphite (1.1 mmol) in dry dichloromethane (10 ml) at room temperature, ZnBr_2 (0.2 mmol) was added and allowed to stir for 2 h under N_2 . After consumption of 4-(bromomethyl)benzoic acid (monitored by TLC) volatile components were removed under *vacuo*. The residual mass was poured over crushed ice (200 g) containing conc. HCl (5 ml). The precipitated solid was filtered, washed with water and dried to give crude phosphonate ester. The crude product was purified by flash column chromatography to provide the title compound which was recrystallized from 20% ethylacetate in pure hexane.

S3. Refinement

Hydrogen atoms were placed in calculated positions with C–H = $0.93 - 0.97 \text{ \AA}$ and O–H = 0.82 \AA ; refined in the riding model with fixed isotropic displacement parameters: $U_{\text{iso}}(\text{H}) = 1.5 U_{\text{eq}}(\text{methyl C and O})$ and $U_{\text{iso}}(\text{H}) = 1.2 U_{\text{eq}}(\text{C})$ for other groups.

**Figure 1**

The molecular structure of the title compound with the atom numbering scheme, displacement ellipsoids are drawn at 30% probability level. H atoms are represented by small spheres of arbitrary radius.

**Figure 2**

A stereo view of the unit cell of the title compound, showing the dimer formed by H-bonding in $R^2_2(20)$ graph set motif along a axis.

4-[(Diethoxyphosphinoyl)methyl]benzoic acid

Crystal data

C₁₂H₁₇O₅P $M_r = 272.23$ Monoclinic, $P2_1/n$

Hall symbol: -P 2yn

 $a = 9.6505$ (5) Å $b = 12.1706$ (6) Å $c = 11.8156$ (6) Å $\beta = 108.926$ (2)° $V = 1312.74$ (12) Å³ $Z = 4$ $F(000) = 576$ $D_x = 1.377$ Mg m⁻³Mo $K\alpha$ radiation, $\lambda = 0.71073$ Å

Cell parameters from 2960 reflections

 $\theta = 1.0$ – 25.0 ° $\mu = 0.22$ mm⁻¹ $T = 293$ K

Block, colourless

 $0.23 \times 0.20 \times 0.20$ mm

Data collection

Bruker SMART APEXII area-detector
diffractometer

Radiation source: fine-focus sealed tube

Graphite monochromator

 ω scans

13181 measured reflections

2960 independent reflections

2441 reflections with $I > 2\sigma(I)$ $R_{\text{int}} = 0.025$ $\theta_{\text{max}} = 27.3$ °, $\theta_{\text{min}} = 2.4$ ° $h = -12 \rightarrow 12$ $k = -15 \rightarrow 15$ $l = -15 \rightarrow 15$

Refinement

Refinement on F^2

Least-squares matrix: full

 $R[F^2 > 2\sigma(F^2)] = 0.035$ $wR(F^2) = 0.106$ $S = 1.04$

2960 reflections

165 parameters

0 restraints

Primary atom site location: structure-invariant
direct methodsSecondary atom site location: difference Fourier
mapHydrogen site location: inferred from
neighbouring sites

H-atom parameters constrained

 $w = 1/[\sigma^2(F_o^2) + (0.0578P)^2 + 0.272P]$ where $P = (F_o^2 + 2F_c^2)/3$ $(\Delta/\sigma)_{\text{max}} = 0.001$ $\Delta\rho_{\text{max}} = 0.31$ e Å⁻³ $\Delta\rho_{\text{min}} = -0.22$ e Å⁻³

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (Å²)

| | x | y | z | $U_{\text{iso}}^*/U_{\text{eq}}$ |
|----|--------------|---------------|--------------|----------------------------------|
| C1 | 0.56048 (16) | -0.02314 (13) | 0.81418 (13) | 0.0410 (3) |
| C2 | 0.40996 (15) | 0.00742 (12) | 0.81102 (12) | 0.0367 (3) |
| C3 | 0.34611 (17) | 0.10233 (13) | 0.75114 (14) | 0.0430 (3) |
| H3 | 0.3950 | 0.1433 | 0.7094 | 0.052* |
| C4 | 0.21059 (18) | 0.13606 (14) | 0.75341 (14) | 0.0451 (4) |

| | | | | |
|------|---------------|---------------|--------------|--------------|
| H4 | 0.1691 | 0.2000 | 0.7135 | 0.054* |
| C5 | 0.13554 (16) | 0.07576 (13) | 0.81447 (13) | 0.0409 (3) |
| C6 | 0.19754 (18) | -0.02041 (14) | 0.87045 (14) | 0.0457 (4) |
| H6 | 0.1467 | -0.0632 | 0.9090 | 0.055* |
| C7 | 0.33374 (18) | -0.05359 (13) | 0.86979 (13) | 0.0426 (3) |
| H7 | 0.3748 | -0.1177 | 0.9093 | 0.051* |
| C8 | -0.00843 (17) | 0.11637 (15) | 0.82358 (14) | 0.0485 (4) |
| H8A | -0.0678 | 0.0540 | 0.8304 | 0.058* |
| H8B | -0.0611 | 0.1561 | 0.7512 | 0.058* |
| C9 | -0.24479 (18) | 0.29083 (16) | 0.86037 (16) | 0.0536 (4) |
| H9A | -0.2711 | 0.2456 | 0.7889 | 0.064* |
| H9B | -0.2059 | 0.3599 | 0.8428 | 0.064* |
| C10 | -0.3748 (2) | 0.31113 (17) | 0.89678 (18) | 0.0623 (5) |
| H10A | -0.4147 | 0.2423 | 0.9110 | 0.094* |
| H10B | -0.4470 | 0.3501 | 0.8344 | 0.094* |
| H10C | -0.3473 | 0.3542 | 0.9687 | 0.094* |
| C11 | 0.1723 (2) | 0.38949 (16) | 0.99414 (17) | 0.0558 (4) |
| H11A | 0.1735 | 0.3721 | 1.0746 | 0.067* |
| H11B | 0.1314 | 0.4625 | 0.9740 | 0.067* |
| C12 | 0.3235 (2) | 0.38617 (19) | 0.98815 (19) | 0.0662 (5) |
| H12A | 0.3629 | 0.3135 | 1.0074 | 0.099* |
| H12B | 0.3837 | 0.4377 | 1.0443 | 0.099* |
| H12C | 0.3217 | 0.4051 | 0.9088 | 0.099* |
| O1 | 0.10809 (12) | 0.15721 (11) | 1.06524 (9) | 0.0519 (3) |
| O2 | -0.13529 (11) | 0.23494 (10) | 0.95801 (9) | 0.0451 (3) |
| O3 | 0.08356 (12) | 0.30987 (10) | 0.91015 (10) | 0.0502 (3) |
| O4 | 0.60874 (12) | -0.11402 (10) | 0.87523 (10) | 0.0513 (3) |
| H4A | 0.6917 | -0.1275 | 0.8744 | 0.077* |
| O5 | 0.63179 (14) | 0.02983 (11) | 0.76684 (12) | 0.0608 (3) |
| P1 | 0.01894 (4) | 0.20435 (4) | 0.95001 (3) | 0.04038 (14) |

Atomic displacement parameters (\AA^2)

| | U^{11} | U^{22} | U^{33} | U^{12} | U^{13} | U^{23} |
|-----|-------------|-------------|-------------|-------------|------------|-------------|
| C1 | 0.0400 (8) | 0.0442 (8) | 0.0372 (7) | 0.0009 (6) | 0.0103 (6) | -0.0061 (6) |
| C2 | 0.0377 (7) | 0.0394 (7) | 0.0319 (6) | -0.0005 (6) | 0.0097 (5) | -0.0043 (6) |
| C3 | 0.0455 (8) | 0.0437 (9) | 0.0428 (8) | 0.0007 (7) | 0.0183 (6) | 0.0053 (6) |
| C4 | 0.0467 (8) | 0.0460 (9) | 0.0420 (8) | 0.0080 (7) | 0.0134 (7) | 0.0067 (6) |
| C5 | 0.0366 (7) | 0.0496 (9) | 0.0349 (7) | -0.0012 (6) | 0.0094 (6) | -0.0066 (6) |
| C6 | 0.0476 (8) | 0.0478 (9) | 0.0462 (8) | -0.0064 (7) | 0.0215 (7) | 0.0007 (7) |
| C7 | 0.0486 (8) | 0.0392 (8) | 0.0404 (8) | 0.0031 (6) | 0.0149 (6) | 0.0035 (6) |
| C8 | 0.0349 (8) | 0.0628 (11) | 0.0454 (8) | -0.0007 (7) | 0.0096 (6) | -0.0077 (7) |
| C9 | 0.0436 (9) | 0.0682 (12) | 0.0482 (9) | 0.0145 (8) | 0.0136 (7) | 0.0164 (8) |
| C10 | 0.0432 (9) | 0.0730 (13) | 0.0693 (12) | 0.0140 (9) | 0.0161 (8) | 0.0071 (10) |
| C11 | 0.0579 (10) | 0.0583 (11) | 0.0522 (9) | -0.0065 (8) | 0.0193 (8) | -0.0083 (8) |
| C12 | 0.0467 (10) | 0.0773 (14) | 0.0673 (12) | -0.0097 (9) | 0.0083 (9) | 0.0114 (10) |
| O1 | 0.0407 (6) | 0.0720 (8) | 0.0398 (6) | 0.0129 (6) | 0.0088 (5) | 0.0073 (5) |
| O2 | 0.0365 (5) | 0.0608 (7) | 0.0389 (5) | 0.0101 (5) | 0.0136 (4) | 0.0100 (5) |

| | | | | | | |
|----|------------|------------|------------|--------------|--------------|--------------|
| O3 | 0.0453 (6) | 0.0648 (8) | 0.0390 (6) | -0.0090 (5) | 0.0115 (5) | 0.0004 (5) |
| O4 | 0.0428 (6) | 0.0574 (7) | 0.0518 (6) | 0.0115 (5) | 0.0128 (5) | 0.0075 (5) |
| O5 | 0.0500 (7) | 0.0632 (8) | 0.0783 (9) | 0.0047 (6) | 0.0333 (6) | 0.0109 (7) |
| P1 | 0.0314 (2) | 0.0556 (3) | 0.0334 (2) | 0.00373 (16) | 0.00944 (15) | 0.00211 (16) |

Geometric parameters (Å, °)

| | | | |
|----------|-------------|---------------|-------------|
| C1—O5 | 1.2049 (19) | C9—C10 | 1.473 (2) |
| C1—O4 | 1.3201 (19) | C9—H9A | 0.9700 |
| C1—C2 | 1.488 (2) | C9—H9B | 0.9700 |
| C2—C7 | 1.381 (2) | C10—H10A | 0.9600 |
| C2—C3 | 1.390 (2) | C10—H10B | 0.9600 |
| C3—C4 | 1.379 (2) | C10—H10C | 0.9600 |
| C3—H3 | 0.9300 | C11—O3 | 1.451 (2) |
| C4—C5 | 1.387 (2) | C11—C12 | 1.484 (3) |
| C4—H4 | 0.9300 | C11—H11A | 0.9700 |
| C5—C6 | 1.382 (2) | C11—H11B | 0.9700 |
| C5—C8 | 1.511 (2) | C12—H12A | 0.9600 |
| C6—C7 | 1.377 (2) | C12—H12B | 0.9600 |
| C6—H6 | 0.9300 | C12—H12C | 0.9600 |
| C7—H7 | 0.9300 | O1—P1 | 1.4708 (11) |
| C8—P1 | 1.7867 (16) | O2—P1 | 1.5666 (11) |
| C8—H8A | 0.9700 | O3—P1 | 1.5654 (12) |
| C8—H8B | 0.9700 | O4—H4A | 0.8200 |
| C9—O2 | 1.4558 (18) | | |
| O5—C1—O4 | 123.27 (14) | O2—C9—H9B | 110.0 |
| O5—C1—C2 | 123.67 (15) | C10—C9—H9B | 110.0 |
| O4—C1—C2 | 113.06 (13) | H9A—C9—H9B | 108.4 |
| C7—C2—C3 | 118.85 (14) | C9—C10—H10A | 109.5 |
| C7—C2—C1 | 121.87 (14) | C9—C10—H10B | 109.5 |
| C3—C2—C1 | 119.24 (13) | H10A—C10—H10B | 109.5 |
| C4—C3—C2 | 120.27 (14) | C9—C10—H10C | 109.5 |
| C4—C3—H3 | 119.9 | H10A—C10—H10C | 109.5 |
| C2—C3—H3 | 119.9 | H10B—C10—H10C | 109.5 |
| C3—C4—C5 | 120.74 (15) | O3—C11—C12 | 108.69 (15) |
| C3—C4—H4 | 119.6 | O3—C11—H11A | 110.0 |
| C5—C4—H4 | 119.6 | C12—C11—H11A | 110.0 |
| C6—C5—C4 | 118.64 (14) | O3—C11—H11B | 110.0 |
| C6—C5—C8 | 120.56 (15) | C12—C11—H11B | 110.0 |
| C4—C5—C8 | 120.76 (15) | H11A—C11—H11B | 108.3 |
| C7—C6—C5 | 120.77 (14) | C11—C12—H12A | 109.5 |
| C7—C6—H6 | 119.6 | C11—C12—H12B | 109.5 |
| C5—C6—H6 | 119.6 | H12A—C12—H12B | 109.5 |
| C6—C7—C2 | 120.68 (14) | C11—C12—H12C | 109.5 |
| C6—C7—H7 | 119.7 | H12A—C12—H12C | 109.5 |
| C2—C7—H7 | 119.7 | H12B—C12—H12C | 109.5 |
| C5—C8—P1 | 111.44 (10) | C9—O2—P1 | 121.53 (10) |

| | | | |
|-------------|--------------|---------------|--------------|
| C5—C8—H8A | 109.3 | C11—O3—P1 | 123.12 (11) |
| P1—C8—H8A | 109.3 | C1—O4—H4A | 109.5 |
| C5—C8—H8B | 109.3 | O1—P1—O3 | 115.34 (7) |
| P1—C8—H8B | 109.3 | O1—P1—O2 | 108.59 (6) |
| H8A—C8—H8B | 108.0 | O3—P1—O2 | 107.59 (7) |
| O2—C9—C10 | 108.36 (14) | O1—P1—C8 | 115.07 (8) |
| O2—C9—H9A | 110.0 | O3—P1—C8 | 101.85 (8) |
| C10—C9—H9A | 110.0 | O2—P1—C8 | 107.89 (7) |
| | | | |
| O5—C1—C2—C7 | -177.82 (15) | C6—C5—C8—P1 | 89.85 (17) |
| O4—C1—C2—C7 | 1.6 (2) | C4—C5—C8—P1 | -87.88 (16) |
| O5—C1—C2—C3 | -0.3 (2) | C10—C9—O2—P1 | -178.09 (13) |
| O4—C1—C2—C3 | 179.10 (13) | C12—C11—O3—P1 | 113.06 (15) |
| C7—C2—C3—C4 | 1.7 (2) | C11—O3—P1—O1 | -31.60 (15) |
| C1—C2—C3—C4 | -175.88 (14) | C11—O3—P1—O2 | 89.74 (13) |
| C2—C3—C4—C5 | -0.4 (2) | C11—O3—P1—C8 | -156.94 (13) |
| C3—C4—C5—C6 | -1.7 (2) | C9—O2—P1—O1 | 175.49 (13) |
| C3—C4—C5—C8 | 176.10 (14) | C9—O2—P1—O3 | 50.02 (14) |
| C4—C5—C6—C7 | 2.6 (2) | C9—O2—P1—C8 | -59.17 (15) |
| C8—C5—C6—C7 | -175.21 (14) | C5—C8—P1—O1 | -54.31 (15) |
| C5—C6—C7—C2 | -1.4 (2) | C5—C8—P1—O3 | 71.21 (13) |
| C3—C2—C7—C6 | -0.8 (2) | C5—C8—P1—O2 | -175.70 (11) |
| C1—C2—C7—C6 | 176.70 (13) | | |

Hydrogen-bond geometry (Å, °)

Cg1 is the centroid of the C2—C7 benzene ring.

| <i>D</i> —H \cdots <i>A</i> | <i>D</i> —H | H \cdots <i>A</i> | <i>D</i> \cdots <i>A</i> | <i>D</i> —H \cdots <i>A</i> |
|-------------------------------------|-------------|---------------------|----------------------------|-------------------------------|
| O4—H4A \cdots O1 ⁱ | 0.82 | 1.87 | 2.644 (2) | 158 |
| C12—H12C \cdots Cg1 ⁱⁱ | 0.96 | 2.97 | 3.853 (2) | 153 |

Symmetry codes: (i) $-x+1, -y, -z+2$; (ii) $-x+1/2, y+1/2, -z+3/2$.