

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

N,N'-Bis(2,3-dimethoxybenzylidene)-ethane-1,2-diamine

 Hua Xue,^a Wenjuan Li^b and Hongfei Han^{b*}
^aInstitute of Applied Chemistry, Taiyuan Normal University, Taiyuan 030031, People's Republic of China, and ^bDepartment of Chemistry, Taiyuan Normal University, Taiyuan 030031, People's Republic of China

Correspondence e-mail: hhf_2222@yahoo.com.cn


Received 15 August 2011; accepted 17 August 2011

 Key indicators: single-crystal X-ray study; $T = 298$ K; mean $\sigma(\text{C}-\text{C}) = 0.004$ Å; R factor = 0.062; wR factor = 0.184; data-to-parameter ratio = 13.4.

The title compound, $\text{C}_{20}\text{H}_{24}\text{N}_2\text{O}_4$, crystallizes with two half (centrosymmetric) molecules in the asymmetric unit. There are only minor differences between the geometric parameters between these two molecules. The two aromatic rings in both molecules are mutually coplanar.

Related literature

For general background to the properties of Schiff bases, see: Layer (1963); Chen *et al.* (2008); May *et al.* (2004). For related structures, see: Harada *et al.* (2004); Tariq *et al.* (2010).



Experimental

Crystal data

 $\text{C}_{20}\text{H}_{24}\text{N}_2\text{O}_4$
 $M_r = 356.41$

 Triclinic, $P\bar{1}$
 $a = 5.0491$ (5) Å
 $b = 13.5803$ (15) Å
 $c = 13.5803$ (15) Å
 $\alpha = 89.866$ (2)°
 $\beta = 88.863$ (1)°
 $\gamma = 88.863$ (1)°

 $V = 930.81$ (17) Å³
 $Z = 2$
 Mo $K\alpha$ radiation
 $\mu = 0.09$ mm⁻¹
 $T = 298$ K
 $0.47 \times 0.41 \times 0.40$ mm

Data collection

 Bruker SMART CCD area-detector diffractometer
 Absorption correction: multi-scan (SADABS; Sheldrick, 1996)
 $T_{\min} = 0.959$, $T_{\max} = 0.965$

 4767 measured reflections
 3207 independent reflections
 1811 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.034$

Refinement

 $R[F^2 > 2\sigma(F^2)] = 0.062$
 $wR(F^2) = 0.184$
 $S = 1.04$
 3207 reflections

 239 parameters
 H-atom parameters constrained
 $\Delta\rho_{\text{max}} = 0.23$ e Å⁻³
 $\Delta\rho_{\text{min}} = -0.26$ e Å⁻³

Data collection: SMART (Bruker, 2007); cell refinement: SAINT (Bruker, 2007); data reduction: SAINT; program(s) used to solve structure: SHELXS97 (Sheldrick, 2008); program(s) used to refine structure: SHELXL97 (Sheldrick, 2008); molecular graphics: SHELXTL (Sheldrick, 2008); software used to prepare material for publication: SHELXTL.

This work was carried out under the sponsorship of the project of ShanXi scientific technology (20110321044).

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: BT5615).

References

- Bruker (2007). SMART and SAINT. Bruker AXS Inc., Madison, Wisconsin, USA.
- Chen, Z. H., Morimoto, H., Matsunaga, S. & Shibasaki, M. (2008). *J. Am. Chem. Soc.* **130**, 2170–2171.
- Harada, J., Harakawa, M. & Ogawa, K. (2004). *Acta Cryst.* **B60**, 578–588.
- Layer, R. W. (1963). *Chem. Rev.* **63**, 489–510.
- May, J. P., Ting, R., Lermer, L., Thomas, J. M., Roupioz, Y. & Perrin, D. M. (2004). *J. Am. Chem. Soc.* **126**, 4145–4156.
- Sheldrick, G. M. (1996). SADABS. University of Göttingen, Germany.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
- Tariq, M. I., Ahmad, S., Tahir, M. N., Sarfaraz, M. & Hussain, I. (2010). *Acta Cryst.* **E66**, o1561.

supporting information

Acta Cryst. (2011). E67, o2431 [doi:10.1107/S1600536811033423]

***N,N'*-Bis(2,3-dimethoxybenzylidene)ethane-1,2-diamine**

Hua Xue, Wenjuan Li and Hongfei Han

S1. Comment

Schiff bases containing the C=N bond have been receiving considerable attention for many years, primarily due to their importance as ligands in metal complexes with special biological (May *et al.*, 2004), and catalytic properties (Chen *et al.*, 2008).


As a part of our studies on synthesis and structural peculiarities of Schiff bases derived from 1,2-diaminoethane and 2,3-dimethoxybenzaldehyde, we determined the structure of the title compound (Fig. 1). The molecule includes two C=N bonds, which are coplanar. The distance between the C atom and the N atom in the C=N bond is 1.254 (4) Å. The two benzene rings in the structure are parallel each other.

S2. Experimental

1,2-Diaminoethane (0.180 g, 3 mmol) was added dropwise with stirring at 0°C to a solution of 2,3-dimethoxybenzaldehyde (0.997 g, 6 mmol) in ethanol. The mixture was warmed to room temperature and stirred for 2 h. The reaction mixture was filtered and the filter cake was recrystallized from ethanol (yield 80%). Crystals of the title compound suitable for X-ray diffraction were obtained by slow evaporation of a tetrahydrofuran solution.

S3. Refinement

All H atoms were positioned geometrically (C—H = 0.93–0.98 Å), and refined as riding with $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}$ of the adjacent carbon atom (1.5 U_{eq} for methyl H atoms).

**Figure 1**

The molecular structure of the title compound, showing the atom-numbering scheme. Displacement ellipsoids are drawn at the 30% probability level.

N,N'-Bis(2,3-dimethoxybenzylidene)ethane-1,2-diamine

Crystal data

$C_{20}H_{24}N_2O_4$

$M_r = 356.41$

Triclinic, $P\bar{1}$

$a = 5.0491 (5) \text{ \AA}$

$b = 13.5803 (15) \text{ \AA}$

$c = 13.5803 (15) \text{ \AA}$

$\alpha = 89.866 (2)^\circ$

$\beta = 88.863 (1)^\circ$

$\gamma = 88.863 (1)^\circ$

$V = 930.81 (17) \text{ \AA}^3$

$Z = 2$

$F(000) = 380$

$D_x = 1.272 \text{ Mg m}^{-3}$

Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$

Cell parameters from 1477 reflections

$\theta = 3.0\text{--}25.3^\circ$

$\mu = 0.09 \text{ mm}^{-1}$

$T = 298 \text{ K}$

Block, colorless

$0.47 \times 0.41 \times 0.40 \text{ mm}$

Data collection

Bruker SMART CCD area-detector
diffractometer

Radiation source: fine-focus sealed tube

Graphite monochromator

φ and ω scans

Absorption correction: multi-scan

(*SADABS*; Sheldrick, 1996)

$T_{\min} = 0.959$, $T_{\max} = 0.965$

4767 measured reflections

3207 independent reflections

1811 reflections with $I > 2\sigma(I)$

$R_{\text{int}} = 0.034$

$\theta_{\max} = 25.0^\circ$, $\theta_{\min} = 3.0^\circ$

$h = -5 \rightarrow 6$

$k = -11 \rightarrow 16$

$l = -16 \rightarrow 15$

Refinement

Refinement on F^2

Least-squares matrix: full

$R[F^2 > 2\sigma(F^2)] = 0.062$

$wR(F^2) = 0.184$

$S = 1.04$

3207 reflections

239 parameters

0 restraints

Primary atom site location: structure-invariant
direct methods

Secondary atom site location: difference Fourier
map

Hydrogen site location: inferred from
neighbouring sites

H-atom parameters constrained
 $w = 1/[\sigma^2(F_o^2) + (0.087P)^2 + 0.1177P]$
 where $P = (F_o^2 + 2F_c^2)/3$

$(\Delta/\sigma)_{\max} < 0.001$
 $\Delta\rho_{\max} = 0.23 \text{ e } \text{\AA}^{-3}$
 $\Delta\rho_{\min} = -0.26 \text{ e } \text{\AA}^{-3}$

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) *etc.* and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
N1	0.8830 (5)	0.89133 (19)	0.93288 (19)	0.0473 (7)
N2	-0.3832 (5)	0.39082 (19)	0.56712 (18)	0.0465 (7)
O1	0.3838 (4)	0.91237 (15)	0.70797 (15)	0.0485 (6)
O2	0.0726 (4)	0.76450 (16)	0.65165 (16)	0.0531 (6)
O3	0.1160 (4)	0.41215 (15)	0.79204 (15)	0.0485 (6)
O4	0.4260 (4)	0.26460 (16)	0.84843 (16)	0.0530 (6)
C1	0.7533 (6)	0.8916 (2)	0.8551 (2)	0.0412 (8)
H1	0.7668	0.9451	0.8126	0.049*
C2	0.5804 (6)	0.8102 (2)	0.8286 (2)	0.0382 (7)
C3	0.4037 (6)	0.8220 (2)	0.7529 (2)	0.0376 (7)
C4	0.2413 (6)	0.7449 (2)	0.7263 (2)	0.0403 (8)
C5	0.2564 (7)	0.6562 (2)	0.7739 (2)	0.0476 (9)
H5	0.1496	0.6046	0.7557	0.057*
C6	0.4331 (7)	0.6448 (2)	0.8495 (2)	0.0536 (9)
H6	0.4449	0.5848	0.8825	0.064*
C7	0.5912 (7)	0.7204 (2)	0.8764 (2)	0.0486 (9)
H7	0.7080	0.7111	0.9279	0.058*
C8	0.5069 (9)	0.9172 (3)	0.6126 (3)	0.0718 (12)
H8A	0.6926	0.9019	0.6176	0.108*
H8B	0.4839	0.9824	0.5862	0.108*
H8C	0.4270	0.8706	0.5698	0.108*
C9	-0.0886 (7)	0.6865 (3)	0.6191 (3)	0.0581 (10)
H9A	0.0225	0.6333	0.5948	0.087*
H9B	-0.2003	0.7100	0.5673	0.087*
H9C	-0.1965	0.6636	0.6731	0.087*
C10	1.0447 (6)	0.9765 (2)	0.9517 (2)	0.0475 (8)
H10A	1.0266	1.0238	0.8985	0.057*
H10B	1.2296	0.9563	0.9550	0.057*
C11	-0.2531 (6)	0.3919 (2)	0.6447 (2)	0.0401 (8)
H11	-0.2679	0.4464	0.6860	0.048*
C12	-0.0791 (6)	0.3099 (2)	0.6716 (2)	0.0371 (7)
C13	0.0954 (6)	0.3223 (2)	0.7471 (2)	0.0366 (7)

C14	0.2596 (6)	0.2440 (2)	0.7735 (2)	0.0410 (8)
C15	0.2442 (7)	0.1563 (2)	0.7261 (2)	0.0476 (8)
H15	0.3533	0.1038	0.7447	0.057*
C16	0.0680 (7)	0.1443 (2)	0.6506 (2)	0.0542 (9)
H16	0.0591	0.0840	0.6187	0.065*
C17	-0.0920 (7)	0.2208 (2)	0.6233 (2)	0.0478 (8)
H17	-0.2097	0.2131	0.5722	0.057*
C18	-0.0072 (9)	0.4175 (3)	0.8874 (3)	0.0732 (12)
H18A	-0.1927	0.4047	0.8823	0.110*
H18B	0.0152	0.4820	0.9143	0.110*
H18C	0.0731	0.3693	0.9298	0.110*
C19	0.5896 (7)	0.1861 (3)	0.8810 (3)	0.0576 (10)
H19A	0.4812	0.1339	0.9058	0.086*
H19B	0.7008	0.2088	0.9324	0.086*
H19C	0.6979	0.1621	0.8270	0.086*
C20	-0.5456 (6)	0.4766 (2)	0.5481 (2)	0.0466 (8)
H20A	-0.5313	0.5233	0.6015	0.056*
H20B	-0.7296	0.4581	0.5437	0.056*

Atomic displacement parameters (Å²)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
N1	0.0444 (17)	0.0526 (17)	0.0455 (16)	-0.0109 (13)	-0.0038 (13)	-0.0035 (12)
N2	0.0435 (17)	0.0508 (17)	0.0450 (16)	0.0084 (13)	-0.0041 (13)	0.0012 (12)
O1	0.0537 (15)	0.0412 (13)	0.0506 (14)	0.0013 (10)	-0.0041 (11)	0.0001 (10)
O2	0.0421 (14)	0.0577 (15)	0.0600 (14)	-0.0042 (11)	-0.0126 (11)	-0.0077 (11)
O3	0.0510 (14)	0.0437 (13)	0.0511 (14)	-0.0042 (11)	-0.0052 (11)	0.0006 (10)
O4	0.0422 (14)	0.0563 (15)	0.0609 (14)	0.0030 (11)	-0.0122 (11)	0.0088 (11)
C1	0.0410 (19)	0.0426 (18)	0.0399 (18)	-0.0035 (15)	0.0031 (15)	-0.0032 (14)
C2	0.0334 (18)	0.0415 (18)	0.0396 (17)	-0.0047 (14)	0.0039 (14)	-0.0055 (14)
C3	0.0364 (18)	0.0353 (18)	0.0410 (17)	-0.0004 (14)	0.0047 (14)	-0.0043 (13)
C4	0.0312 (18)	0.0459 (19)	0.0435 (18)	0.0001 (15)	0.0026 (15)	-0.0100 (14)
C5	0.039 (2)	0.044 (2)	0.060 (2)	-0.0077 (15)	0.0030 (17)	-0.0073 (16)
C6	0.057 (2)	0.046 (2)	0.059 (2)	-0.0063 (17)	-0.0039 (18)	0.0084 (16)
C7	0.049 (2)	0.052 (2)	0.0447 (19)	-0.0042 (17)	-0.0054 (16)	0.0007 (15)
C8	0.092 (3)	0.066 (3)	0.058 (2)	0.000 (2)	0.003 (2)	0.0093 (19)
C9	0.037 (2)	0.070 (2)	0.068 (2)	-0.0042 (18)	-0.0082 (18)	-0.0223 (19)
C10	0.0351 (19)	0.058 (2)	0.0502 (19)	-0.0087 (16)	-0.0039 (15)	0.0004 (15)
C11	0.0389 (19)	0.0429 (18)	0.0385 (18)	0.0000 (15)	0.0017 (15)	0.0005 (13)
C12	0.0324 (17)	0.0377 (18)	0.0410 (17)	0.0000 (14)	0.0023 (14)	0.0037 (13)
C13	0.0334 (18)	0.0347 (17)	0.0415 (17)	-0.0036 (14)	0.0025 (14)	0.0021 (13)
C14	0.0335 (18)	0.0439 (19)	0.0452 (19)	-0.0010 (15)	0.0033 (15)	0.0102 (15)
C15	0.042 (2)	0.044 (2)	0.056 (2)	0.0040 (15)	0.0024 (17)	0.0040 (16)
C16	0.059 (2)	0.041 (2)	0.062 (2)	0.0030 (17)	0.0016 (19)	-0.0088 (16)
C17	0.046 (2)	0.051 (2)	0.0466 (19)	0.0015 (17)	-0.0048 (16)	-0.0036 (15)
C18	0.095 (3)	0.065 (3)	0.059 (2)	0.002 (2)	0.004 (2)	-0.0108 (19)
C19	0.040 (2)	0.063 (2)	0.071 (2)	0.0084 (17)	-0.0075 (18)	0.0232 (18)
C20	0.0361 (19)	0.056 (2)	0.0472 (18)	0.0086 (16)	-0.0053 (15)	-0.0002 (15)

Geometric parameters (Å, °)

N1—C1	1.254 (4)	C9—H9A	0.9600
N1—C10	1.455 (4)	C9—H9B	0.9600
N2—C11	1.253 (4)	C9—H9C	0.9600
N2—C20	1.437 (4)	C10—C10 ⁱ	1.517 (6)
O1—C3	1.372 (3)	C10—H10A	0.9700
O1—C8	1.428 (4)	C10—H10B	0.9700
O2—C4	1.360 (4)	C11—C12	1.456 (4)
O2—C9	1.425 (4)	C11—H11	0.9300
O3—C13	1.373 (3)	C12—C13	1.378 (4)
O3—C18	1.427 (4)	C12—C17	1.381 (4)
O4—C14	1.366 (4)	C13—C14	1.386 (4)
O4—C19	1.411 (4)	C14—C15	1.359 (4)
C1—C2	1.472 (4)	C15—C16	1.382 (5)
C1—H1	0.9300	C15—H15	0.9300
C2—C7	1.381 (4)	C16—C17	1.359 (4)
C2—C3	1.381 (4)	C16—H16	0.9300
C3—C4	1.395 (4)	C17—H17	0.9300
C4—C5	1.367 (4)	C18—H18A	0.9600
C5—C6	1.379 (4)	C18—H18B	0.9600
C5—H5	0.9300	C18—H18C	0.9600
C6—C7	1.368 (4)	C19—H19A	0.9600
C6—H6	0.9300	C19—H19B	0.9600
C7—H7	0.9300	C19—H19C	0.9600
C8—H8A	0.9600	C20—C20 ⁱⁱ	1.518 (6)
C8—H8B	0.9600	C20—H20A	0.9700
C8—H8C	0.9600	C20—H20B	0.9700
C1—N1—C10	117.4 (3)	N1—C10—H10B	109.8
C11—N2—C20	116.3 (3)	C10 ⁱ —C10—H10B	109.8
C3—O1—C8	114.6 (2)	H10A—C10—H10B	108.3
C4—O2—C9	117.7 (3)	N2—C11—C12	121.4 (3)
C13—O3—C18	114.0 (2)	N2—C11—H11	119.3
C14—O4—C19	116.3 (3)	C12—C11—H11	119.3
N1—C1—C2	122.3 (3)	C13—C12—C17	120.7 (3)
N1—C1—H1	118.8	C13—C12—C11	118.8 (3)
C2—C1—H1	118.8	C17—C12—C11	120.5 (3)
C7—C2—C3	118.1 (3)	O3—C13—C12	120.5 (3)
C7—C2—C1	121.9 (3)	O3—C13—C14	120.4 (3)
C3—C2—C1	119.9 (3)	C12—C13—C14	118.9 (3)
O1—C3—C2	118.4 (3)	C15—C14—O4	125.9 (3)
O1—C3—C4	121.1 (3)	C15—C14—C13	120.0 (3)
C2—C3—C4	120.4 (3)	O4—C14—C13	114.1 (3)
O2—C4—C5	123.6 (3)	C14—C15—C16	120.8 (3)
O2—C4—C3	115.8 (3)	C14—C15—H15	119.6
C5—C4—C3	120.6 (3)	C16—C15—H15	119.6
C4—C5—C6	118.7 (3)	C17—C16—C15	119.8 (3)

C4—C5—H5	120.6	C17—C16—H16	120.1
C6—C5—H5	120.6	C15—C16—H16	120.1
C7—C6—C5	120.9 (3)	C16—C17—C12	119.8 (3)
C7—C6—H6	119.5	C16—C17—H17	120.1
C5—C6—H6	119.5	C12—C17—H17	120.1
C6—C7—C2	121.2 (3)	O3—C18—H18A	109.5
C6—C7—H7	119.4	O3—C18—H18B	109.5
C2—C7—H7	119.4	H18A—C18—H18B	109.5
O1—C8—H8A	109.5	O3—C18—H18C	109.5
O1—C8—H8B	109.5	H18A—C18—H18C	109.5
H8A—C8—H8B	109.5	H18B—C18—H18C	109.5
O1—C8—H8C	109.5	O4—C19—H19A	109.5
H8A—C8—H8C	109.5	O4—C19—H19B	109.5
H8B—C8—H8C	109.5	H19A—C19—H19B	109.5
O2—C9—H9A	109.5	O4—C19—H19C	109.5
O2—C9—H9B	109.5	H19A—C19—H19C	109.5
H9A—C9—H9B	109.5	H19B—C19—H19C	109.5
O2—C9—H9C	109.5	N2—C20—C20 ⁱⁱ	109.2 (3)
H9A—C9—H9C	109.5	N2—C20—H20A	109.8
H9B—C9—H9C	109.5	C20 ⁱⁱ —C20—H20A	109.8
N1—C10—C10 ⁱ	109.3 (3)	N2—C20—H20B	109.8
N1—C10—H10A	109.8	C20 ⁱⁱ —C20—H20B	109.8
C10 ⁱ —C10—H10A	109.8	H20A—C20—H20B	108.3
C10—N1—C1—C2	-179.3 (3)	C20—N2—C11—C12	-179.3 (3)
N1—C1—C2—C7	-13.6 (5)	N2—C11—C12—C13	168.0 (3)
N1—C1—C2—C3	167.5 (3)	N2—C11—C12—C17	-13.0 (5)
C8—O1—C3—C2	105.0 (3)	C18—O3—C13—C12	104.8 (3)
C8—O1—C3—C4	-78.0 (4)	C18—O3—C13—C14	-78.6 (4)
C7—C2—C3—O1	177.2 (3)	C17—C12—C13—O3	177.1 (3)
C1—C2—C3—O1	-3.8 (4)	C11—C12—C13—O3	-4.0 (4)
C7—C2—C3—C4	0.2 (4)	C17—C12—C13—C14	0.5 (4)
C1—C2—C3—C4	179.2 (3)	C11—C12—C13—C14	179.4 (3)
C9—O2—C4—C5	-2.7 (4)	C19—O4—C14—C15	-2.2 (4)
C9—O2—C4—C3	177.2 (3)	C19—O4—C14—C13	177.4 (3)
O1—C3—C4—O2	2.4 (4)	O3—C13—C14—C15	-177.6 (3)
C2—C3—C4—O2	179.3 (2)	C12—C13—C14—C15	-1.0 (4)
O1—C3—C4—C5	-177.7 (3)	O3—C13—C14—O4	2.8 (4)
C2—C3—C4—C5	-0.8 (4)	C12—C13—C14—O4	179.4 (2)
O2—C4—C5—C6	-179.3 (3)	O4—C14—C15—C16	-179.7 (3)
C3—C4—C5—C6	0.8 (4)	C13—C14—C15—C16	0.8 (5)
C4—C5—C6—C7	-0.2 (5)	C14—C15—C16—C17	0.0 (5)
C5—C6—C7—C2	-0.4 (5)	C15—C16—C17—C12	-0.5 (5)
C3—C2—C7—C6	0.4 (5)	C13—C12—C17—C16	0.3 (5)
C1—C2—C7—C6	-178.6 (3)	C11—C12—C17—C16	-178.6 (3)
C1—N1—C10—C10 ⁱ	120.9 (4)	C11—N2—C20—C20 ⁱⁱ	119.1 (4)

Symmetry codes: (i) $-x+2, -y+2, -z+2$; (ii) $-x-1, -y+1, -z+1$.