

N-(2,3-Dimethylphenyl)-4-methylbenzamide

Vinola Z. Rodrigues,^a Peter Herich,^b B. Thimme Gowda^{a*} and Jozef Kožíšek^b

^aDepartment of Chemistry, Mangalore University, Mangalagangothri 574 199, Mangalore, India, and ^bInstitute of Physical Chemistry and Chemical Physics, Slovak University of Technology, Radlinského 9, SK-812 37 Bratislava, Slovak Republic
Correspondence e-mail: gowdabt@yahoo.com


Received 19 August 2011; accepted 22 August 2011

Key indicators: single-crystal X-ray study; $T = 293$ K; mean $\sigma(\text{C}-\text{C}) = 0.002$ Å; R factor = 0.042; wR factor = 0.126; data-to-parameter ratio = 22.9.

In the molecule of the title compound, $\text{C}_{16}\text{H}_{17}\text{NO}$, the two aromatic rings are almost perpendicular to each other [dihedral angle $85.90(5)^\circ$]. The crystal structure is stabilized by intermolecular $\text{N}-\text{H}\cdots\text{O}$ hydrogen bonds which link the molecules, forming $C(4)$ chains running along the c axis.

Related literature

For preparation of the title compound, see: Gowda *et al.* (2003). For the study of the effect of substituents on the structures and other aspects of N -(aryl)amides, see: Arjunan *et al.* (2004); Bhat & Gowda (2000); Bowes *et al.* (2003); Gowda *et al.* (2009); Rodrigues *et al.* (2011); Saeed *et al.* (2010).



Experimental

Crystal data

$\text{C}_{16}\text{H}_{17}\text{NO}$
 $M_r = 239.31$
Monoclinic, $P2_1/c$
 $a = 8.1723(3)$ Å
 $b = 19.3923(7)$ Å
 $c = 9.3170(3)$ Å
 $\beta = 111.781(4)^\circ$

$V = 1371.14(9)$ Å³
 $Z = 4$
Mo $K\alpha$ radiation
 $\mu = 0.07$ mm⁻¹
 $T = 293$ K
 $0.76 \times 0.12 \times 0.09$ mm

Data collection

Oxford Xcalibur Ruby Gemini diffractometer
Absorption correction: analytical [CrysAlis RED (Oxford Diffraction, 2009) based on Clark

& Reid (1995)]
 $T_{\min} = 0.989$, $T_{\max} = 0.994$
21529 measured reflections
3806 independent reflections
1925 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.030$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.042$
 $wR(F^2) = 0.126$
 $S = 0.93$
3806 reflections

166 parameters
H-atom parameters constrained
 $\Delta\rho_{\max} = 0.20$ e Å⁻³
 $\Delta\rho_{\min} = -0.18$ e Å⁻³

Table 1

Hydrogen-bond geometry (Å, °).

$D-H\cdots A$	$D-H$	$H\cdots A$	$D\cdots A$	$D-H\cdots A$
$\text{N1}-\text{H1A}\cdots\text{O1}^i$	0.86	2.20	2.9256 (12)	143

Symmetry code: (i) $x, -y + \frac{1}{2}, z - \frac{1}{2}$.

Data collection: *CrysAlis CCD* (Oxford Diffraction, 2009); cell refinement: *CrysAlis CCD*; data reduction: *CrysAlis RED* (Oxford Diffraction, 2009); program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *DIAMOND* (Brandenburg, 2002); software used to prepare material for publication: *enCIFer* (Allen *et al.*, 2004).

VZR thanks the University Grants Commission, Government of India, New Delhi, for the award of an RFSMS research fellowship. PH and JK thank the Grant Agencies for their financial support: the VEGA Grant Agency of the Slovak Ministry of Education (grant No. 1/0679/11), the Research and Development Agency (Slovakia) (grant No. APVV-0202-10), and the Structural Funds, Interreg IIIA, for financial support in purchasing the diffractometer.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: BT5622).

References

- Allen, F. H., Johnson, O., Shields, G. P., Smith, B. R. & Towler, M. (2004). *J. Appl. Cryst.* **37**, 335–338.
Arjunan, V., Mohan, S., Subramanian, S. & Gowda, B. T. (2004). *Spectrochim. Acta Part A*, **60**, 1141–1159.
Bhat, D. K. & Gowda, B. T. (2000). *J. Indian Chem. Soc.* **77**, 279–284.
Bowes, K. F., Glidewell, C., Low, J. N., Skakle, J. M. S. & Wardell, J. L. (2003). *Acta Cryst.* **C59**, o1–o3.
Brandenburg, K. (2002). *DIAMOND*. Crystal Impact GbR, Bonn, Germany.
Clark, R. C. & Reid, J. S. (1995). *Acta Cryst.* **A51**, 887–897.
Gowda, B. T., Jyothi, K., Paulus, H. & Fuess, H. (2003). *Z. Naturforsch. Teil A*, **58**, 225–230.
Gowda, B. T., Tokarčík, M., Kožíšek, J., Chaithanya, U. & Fuess, H. (2009). *Acta Cryst.* **E65**, o630.
Oxford Diffraction (2009). *CrysAlis CCD* and *CrysAlis RED*. Oxford Diffraction Ltd, Yarnton, England.
Rodrigues, V. Z., Fronc, M., Gowda, B. T. & Kožíšek, J. (2011). *Acta Cryst.* **E67**, o1500.
Saeed, A., Arshad, M. & Simpson, J. (2010). *Acta Cryst.* **E66**, o2808–o2809.
Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.

supporting information

Acta Cryst. (2011). E67, o2463 [doi:10.1107/S1600536811034490]

***N*-(2,3-Dimethylphenyl)-4-methylbenzamide**

Vinola Z. Rodrigues, Peter Herich, B. Thimme Gowda and Jozef Kožíšek

S1. Comment

The structural aspects of *N*-aryl amides are of interest due to their chemical and biological importance (Arjunan *et al.*, 2004; Bhat & Gowda, 2000; Bowes *et al.*, 2003; Gowda *et al.*, 2003; Saeed *et al.*, 2010). In the present work, as part of a study of the substituent effects on the structures of benzanilides (Gowda *et al.*, 2003, 2009; Rodrigues *et al.*, 2011), the structure of 4-methyl-*N*-(2,3-dimethylphenyl)benzamide (I) has been determined (Fig. 1). In the crystal, the *ortho*- and *meta*-methyl substituents in the anilino ring are positioned *anti* to the N—H bond, similar to that observed in one of the molecules of 4-methyl-*N*-(2-methylphenyl)benzamide (II) (Rodrigues *et al.*, 2011).

The central amide group —NHCO— is tilted to the anilino ring with the C10—C9—N1—C1 and C14—C9—N1—C1 torsion angles of -63.4 (2)° and 118.1 (1)°. The C3—C2—C1—N1 and C7—C2—C1—N1 torsion angles are -24.4 (2)° and 156.8 (1)°, respectively, while the C3—C2—C1—O1 and C7—C2—C1—O1 torsion angles are 155.6 (1)° and -23.2 (2)°, respectively. But the C2—C1—N1—C9 and C9—N1—C1—O1 torsion angles are -179.5 (1)° and 0.5 (2)°, respectively.


The packing of molecules linked by N—H···O hydrogen bonds is shown in Fig. 2.

S2. Experimental


The title compound was prepared according to the method described by Gowda *et al.* (2003). The purity of the compound was checked by determining its melting point. It was characterized by recording its infrared and NMR spectra. Cuboid-like colourless single crystals of the title compound were obtained by slow evaporation from an ethanol solution of the compound (0.5 g in about 30 ml of ethanol) at room temperature.

S3. Refinement

All H atoms were visible in difference maps and then treated as riding atoms with C—H distances of 0.93 Å (C-aromatic), 0.96 Å (C-methyl) and N—H = 0.86 Å. The $U_{\text{iso}}(\text{H})$ values were set at $1.2U_{\text{eq}}(\text{C-aromatic, N})$ and $1.5U_{\text{eq}}(\text{C-methyl})$.

**Figure 1**

Molecular structure of the title compound showing the atom labelling scheme. Displacement ellipsoids are drawn at the 50% probability level. H atoms are represented as small spheres of arbitrary radii.

**Figure 2**

Part of the crystal structure of the title compound generated by N—H \cdots O hydrogen bonds which are shown by dashed lines. H atoms not involved in intermolecular bonding have been omitted.

N-(2,3-Dimethylphenyl)-4-methylbenzamide

Crystal data

$C_{16}H_{17}NO$

$M_r = 239.31$

Monoclinic, $P2_1/c$

Hall symbol: $-P 2_1/c$

$a = 8.1723 (3) \text{ \AA}$

$b = 19.3923 (7) \text{ \AA}$

$c = 9.3170 (3) \text{ \AA}$

$\beta = 111.781 (4)^\circ$

$V = 1371.14 (9) \text{ \AA}^3$

$Z = 4$

$F(000) = 512$

$D_x = 1.159 \text{ Mg m}^{-3}$

Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$

Cell parameters from 7558 reflections

$\theta = 3.5\text{--}29.5^\circ$

$\mu = 0.07 \text{ mm}^{-1}$

$T = 293 \text{ K}$

Cuboid, colourless

$0.76 \times 0.12 \times 0.09 \text{ mm}$

Data collection

Oxford Xcalibur Ruby Gemini
diffractometer
Radiation source: fine-focus sealed tube
Graphite monochromator
Detector resolution: 10.4340 pixels mm⁻¹
 ω scans

Absorption correction: analytical
[*CrysAlis RED* (Oxford Diffraction, 2009).
Analytical numeric absorption correction using
a multifaceted crystal model based on
expressions derived by Clark & Reid (1995).]
 $T_{\min} = 0.989$, $T_{\max} = 0.994$
21529 measured reflections
3806 independent reflections
1925 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.030$
 $\theta_{\max} = 29.5^\circ$, $\theta_{\min} = 3.5^\circ$
 $h = -10 \rightarrow 11$
 $k = -24 \rightarrow 26$
 $l = -12 \rightarrow 12$

Refinement

Refinement on F^2
Least-squares matrix: full
 $R[F^2 > 2\sigma(F^2)] = 0.042$
 $wR(F^2) = 0.126$
 $S = 0.93$
3806 reflections
166 parameters
0 restraints
Primary atom site location: structure-invariant
direct methods

Secondary atom site location: difference Fourier
map
Hydrogen site location: inferred from
neighbouring sites
H-atom parameters constrained
 $w = 1/[\sigma^2(F_o^2) + (0.0738P)^2]$
where $P = (F_o^2 + 2F_c^2)/3$
 $(\Delta/\sigma)_{\max} = 0.001$
 $\Delta\rho_{\max} = 0.20 \text{ e } \text{\AA}^{-3}$
 $\Delta\rho_{\min} = -0.18 \text{ e } \text{\AA}^{-3}$

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) *etc.* and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
C1	0.73885 (17)	0.70346 (6)	0.43887 (13)	0.0447 (3)
C2	0.84624 (17)	0.65196 (6)	0.39419 (13)	0.0440 (3)
C3	0.80527 (19)	0.62986 (7)	0.24275 (14)	0.0512 (3)
H3A	0.7064	0.6474	0.1642	0.061*
C4	0.9099 (2)	0.58240 (7)	0.20867 (15)	0.0572 (4)
H4A	0.8805	0.5684	0.1067	0.069*
C5	1.0570 (2)	0.55487 (7)	0.32099 (16)	0.0571 (4)
C6	1.0959 (2)	0.57579 (8)	0.47215 (17)	0.0613 (4)
H6A	1.1935	0.5573	0.5504	0.074*
C7	0.9927 (2)	0.62340 (7)	0.50858 (14)	0.0552 (4)
H7A	1.0213	0.6366	0.6110	0.066*

C8	1.1734 (3)	0.50369 (9)	0.2821 (2)	0.0863 (5)
H8C	1.2149	0.4698	0.3627	0.104*
H8B	1.2721	0.5274	0.2727	0.104*
H8A	1.1072	0.4813	0.1861	0.104*
C9	0.53294 (17)	0.79984 (6)	0.35140 (12)	0.0433 (3)
C10	0.38966 (17)	0.78287 (7)	0.39137 (13)	0.0476 (3)
C11	0.29061 (19)	0.83671 (9)	0.41903 (14)	0.0579 (4)
C12	0.3352 (2)	0.90411 (9)	0.40209 (17)	0.0671 (4)
H12A	0.2703	0.9397	0.4221	0.081*
C13	0.4729 (2)	0.92024 (8)	0.35643 (15)	0.0635 (4)
H13A	0.4983	0.9660	0.3431	0.076*
C14	0.57237 (19)	0.86776 (7)	0.33078 (14)	0.0519 (3)
H14A	0.6655	0.8779	0.2998	0.062*
C15	0.3376 (2)	0.70931 (8)	0.39997 (17)	0.0644 (4)
H15C	0.2119	0.7050	0.3519	0.077*
H15B	0.3751	0.6955	0.5063	0.077*
H15A	0.3926	0.6804	0.3473	0.077*
C16	0.1334 (2)	0.82157 (11)	0.4618 (2)	0.0875 (6)
H16C	0.0944	0.8634	0.4942	0.105*
H16B	0.1659	0.7887	0.5448	0.105*
H16A	0.0398	0.8030	0.3738	0.105*
N1	0.64148 (14)	0.74732 (5)	0.32655 (10)	0.0464 (3)
H1A	0.6453	0.7433	0.2359	0.056*
O1	0.74010 (13)	0.70534 (5)	0.57153 (9)	0.0590 (3)

Atomic displacement parameters (Å²)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
C1	0.0527 (8)	0.0490 (7)	0.0389 (6)	-0.0046 (6)	0.0246 (6)	-0.0015 (5)
C2	0.0533 (8)	0.0454 (7)	0.0388 (6)	-0.0039 (6)	0.0235 (6)	0.0006 (5)
C3	0.0606 (9)	0.0540 (8)	0.0424 (7)	0.0058 (7)	0.0229 (6)	-0.0014 (6)
C4	0.0755 (10)	0.0551 (8)	0.0476 (7)	0.0004 (7)	0.0306 (7)	-0.0053 (6)
C5	0.0686 (10)	0.0479 (8)	0.0666 (9)	0.0022 (7)	0.0387 (8)	0.0003 (6)
C6	0.0609 (9)	0.0601 (9)	0.0614 (8)	0.0103 (7)	0.0211 (7)	0.0072 (7)
C7	0.0664 (9)	0.0594 (9)	0.0411 (7)	0.0012 (7)	0.0215 (6)	0.0004 (6)
C8	0.0961 (13)	0.0766 (12)	0.1019 (13)	0.0218 (10)	0.0550 (11)	0.0016 (9)
C9	0.0481 (8)	0.0494 (8)	0.0337 (6)	-0.0015 (6)	0.0169 (5)	-0.0014 (5)
C10	0.0474 (8)	0.0599 (9)	0.0355 (6)	-0.0048 (6)	0.0154 (5)	-0.0020 (5)
C11	0.0486 (8)	0.0800 (11)	0.0440 (7)	0.0053 (8)	0.0159 (6)	-0.0056 (7)
C12	0.0661 (10)	0.0710 (11)	0.0602 (9)	0.0180 (8)	0.0186 (8)	-0.0097 (7)
C13	0.0714 (11)	0.0506 (8)	0.0600 (9)	0.0010 (8)	0.0145 (8)	-0.0013 (6)
C14	0.0550 (8)	0.0532 (8)	0.0473 (7)	-0.0053 (7)	0.0186 (6)	0.0015 (6)
C15	0.0630 (10)	0.0735 (10)	0.0602 (8)	-0.0178 (8)	0.0270 (7)	0.0017 (7)
C16	0.0647 (11)	0.1299 (16)	0.0789 (11)	0.0118 (11)	0.0395 (9)	-0.0020 (10)
N1	0.0596 (7)	0.0515 (6)	0.0367 (5)	0.0031 (5)	0.0277 (5)	0.0012 (4)
O1	0.0775 (7)	0.0704 (7)	0.0385 (5)	0.0099 (5)	0.0324 (5)	0.0019 (4)

Geometric parameters (Å, °)

C1—O1	1.2327 (13)	C9—C10	1.3935 (18)
C1—N1	1.3542 (16)	C9—N1	1.4248 (16)
C1—C2	1.4873 (17)	C10—C11	1.402 (2)
C2—C7	1.3885 (19)	C10—C15	1.4991 (19)
C2—C3	1.3913 (17)	C11—C12	1.381 (2)
C3—C4	1.3711 (19)	C11—C16	1.509 (2)
C3—H3A	0.9300	C12—C13	1.379 (2)
C4—C5	1.376 (2)	C12—H12A	0.9300
C4—H4A	0.9300	C13—C14	1.378 (2)
C5—C6	1.385 (2)	C13—H13A	0.9300
C5—C8	1.509 (2)	C14—H14A	0.9300
C6—C7	1.375 (2)	C15—H15C	0.9600
C6—H6A	0.9300	C15—H15B	0.9600
C7—H7A	0.9300	C15—H15A	0.9600
C8—H8C	0.9600	C16—H16C	0.9600
C8—H8B	0.9600	C16—H16B	0.9600
C8—H8A	0.9600	C16—H16A	0.9600
C9—C14	1.3861 (18)	N1—H1A	0.8600
O1—C1—N1	122.69 (12)	C9—C10—C11	118.22 (12)
O1—C1—C2	120.95 (11)	C9—C10—C15	121.48 (13)
N1—C1—C2	116.36 (10)	C11—C10—C15	120.27 (13)
C7—C2—C3	118.04 (12)	C12—C11—C10	119.27 (14)
C7—C2—C1	118.87 (10)	C12—C11—C16	120.03 (15)
C3—C2—C1	123.07 (12)	C10—C11—C16	120.67 (15)
C4—C3—C2	120.36 (13)	C13—C12—C11	121.99 (14)
C4—C3—H3A	119.8	C13—C12—H12A	119.0
C2—C3—H3A	119.8	C11—C12—H12A	119.0
C3—C4—C5	121.90 (12)	C14—C13—C12	119.20 (14)
C3—C4—H4A	119.0	C14—C13—H13A	120.4
C5—C4—H4A	119.0	C12—C13—H13A	120.4
C4—C5—C6	117.77 (13)	C13—C14—C9	119.69 (14)
C4—C5—C8	121.57 (13)	C13—C14—H14A	120.2
C6—C5—C8	120.66 (14)	C9—C14—H14A	120.2
C7—C6—C5	121.17 (13)	C10—C15—H15C	109.5
C7—C6—H6A	119.4	C10—C15—H15B	109.5
C5—C6—H6A	119.4	H15C—C15—H15B	109.5
C6—C7—C2	120.73 (12)	C10—C15—H15A	109.5
C6—C7—H7A	119.6	H15C—C15—H15A	109.5
C2—C7—H7A	119.6	H15B—C15—H15A	109.5
C5—C8—H8C	109.5	C11—C16—H16C	109.5
C5—C8—H8B	109.5	C11—C16—H16B	109.5
H8C—C8—H8B	109.5	H16C—C16—H16B	109.5
C5—C8—H8A	109.5	C11—C16—H16A	109.5
H8C—C8—H8A	109.5	H16C—C16—H16A	109.5
H8B—C8—H8A	109.5	H16B—C16—H16A	109.5

C14—C9—C10	121.54 (12)	C1—N1—C9	123.11 (9)
C14—C9—N1	117.78 (11)	C1—N1—H1A	118.4
C10—C9—N1	120.67 (11)	C9—N1—H1A	118.4
O1—C1—C2—C7	-23.19 (18)	C14—C9—C10—C15	174.52 (11)
N1—C1—C2—C7	156.80 (12)	N1—C9—C10—C15	-3.88 (17)
O1—C1—C2—C3	155.62 (13)	C9—C10—C11—C12	1.61 (17)
N1—C1—C2—C3	-24.40 (18)	C15—C10—C11—C12	-176.44 (12)
C7—C2—C3—C4	-1.4 (2)	C9—C10—C11—C16	179.66 (12)
C1—C2—C3—C4	179.75 (12)	C15—C10—C11—C16	1.61 (18)
C2—C3—C4—C5	0.2 (2)	C10—C11—C12—C13	1.0 (2)
C3—C4—C5—C6	1.0 (2)	C16—C11—C12—C13	-177.06 (14)
C3—C4—C5—C8	-178.80 (14)	C11—C12—C13—C14	-1.8 (2)
C4—C5—C6—C7	-1.1 (2)	C12—C13—C14—C9	-0.10 (19)
C8—C5—C6—C7	178.74 (15)	C10—C9—C14—C13	2.77 (17)
C5—C6—C7—C2	-0.1 (2)	N1—C9—C14—C13	-178.78 (11)
C3—C2—C7—C6	1.4 (2)	O1—C1—N1—C9	0.50 (19)
C1—C2—C7—C6	-179.77 (13)	C2—C1—N1—C9	-179.49 (10)
C14—C9—C10—C11	-3.50 (17)	C14—C9—N1—C1	118.12 (13)
N1—C9—C10—C11	178.09 (10)	C10—C9—N1—C1	-63.42 (16)

Hydrogen-bond geometry (Å, °)

<i>D</i> —H \cdots <i>A</i>	<i>D</i> —H	H \cdots <i>A</i>	<i>D</i> \cdots <i>A</i>	<i>D</i> —H \cdots <i>A</i>
N1—H1A \cdots O1 ⁱ	0.86	2.20	2.9256 (12)	143

Symmetry code: (i) *x*, -*y*+3/2, *z*-1/2.