

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

N'-(4-Methoxybenzylidene)-4-methylbenzohydrazide

Zeng-Xin Liu

Experimental Center, Linyi University, Linyi 276005, People's Republic of China
Correspondence e-mail: zengxin_liu@163.com


Received 21 November 2011; accepted 22 November 2011

Key indicators: single-crystal X-ray study; $T = 298$ K; mean $\sigma(\text{C}-\text{C}) = 0.005$ Å; R factor = 0.082; wR factor = 0.212; data-to-parameter ratio = 16.7.

The title compound, $\text{C}_{16}\text{H}_{16}\text{N}_2\text{O}_2$, is the product of the reaction of 4-methoxybenzaldehyde and 4-methylbenzohydrazide. The dihedral angle between the substituted benzene rings is $17.6(3)^\circ$ and the methoxy C atom is almost coplanar with its attached ring [deviation = $0.019(4)$ Å]. In the crystal, molecules are linked by $\text{N}-\text{H}\cdots\text{O}$ hydrogen bonds, forming $C(4)$ chains propagating along the b -axis direction.

Related literature

For reference bond lengths, see: Allen *et al.* (1987). For related structures, see: Horkaew *et al.* (2011); Fun *et al.* (2011); Su *et al.* (2011); Hashemian *et al.* (2011); Promdet *et al.* (2011).



Experimental

Crystal data

$\text{C}_{16}\text{H}_{16}\text{N}_2\text{O}_2$
 $M_r = 268.31$
Orthorhombic, $Pbca$
 $a = 12.138(2)$ Å
 $b = 8.0580(16)$ Å
 $c = 29.320(3)$ Å

$V = 2867.7(8)$ Å³
 $Z = 8$
Mo $K\alpha$ radiation
 $\mu = 0.08$ mm⁻¹
 $T = 298$ K
 $0.17 \times 0.13 \times 0.12$ mm

Data collection

Bruker SMART 1K CCD
diffractometer
Absorption correction: multi-scan
(*SADABS*; Sheldrick, 1996)
 $T_{\min} = 0.986$, $T_{\max} = 0.990$

20247 measured reflections
3098 independent reflections
1427 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.137$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.082$
 $wR(F^2) = 0.212$
 $S = 1.01$
3098 reflections
186 parameters
1 restraint

H atoms treated by a mixture of independent and constrained refinement
 $\Delta\rho_{\max} = 0.16$ e Å⁻³
 $\Delta\rho_{\min} = -0.24$ e Å⁻³

Table 1

Hydrogen-bond geometry (Å, °).

$D-\text{H}\cdots A$	$D-\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D-\text{H}\cdots A$
$\text{N1}-\text{H1}\cdots\text{O1}^i$	0.90 (1)	1.97 (1)	2.870 (4)	176 (3)

Symmetry code: (i) $-x + \frac{3}{2}, y + \frac{1}{2}, z$.

Data collection: *SMART* (Bruker, 2007); cell refinement: *SAINT* (Bruker, 2007); data reduction: *SAINT*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *SHELXTL* (Sheldrick, 2008); software used to prepare material for publication: *SHELXL97*.

The author thanks the Experimental Center of Linyi University for support.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: HB6527).

References

- Allen, F. H., Kennard, O., Watson, D. G., Brammer, L., Orphen, A. G. & Taylor, R. (1987). *J. Chem. Soc. Perkin Trans. 2*, pp. S1–19.
- Bruker (2007). *SMART* and *SAINT*. Bruker AXS Inc., Madison, Wisconsin, USA.
- Fun, H.-K., Horkaew, J. & Chantrapromma, S. (2011). *Acta Cryst. E67*, o2644–o2645.
- Hashemian, S., Ghacinee, V. & Notash, B. (2011). *Acta Cryst. E67*, o171.
- Horkaew, J., Chantrapromma, S. & Fun, H.-K. (2011). *Acta Cryst. E67*, o2985.
- Promdet, P., Horkaew, J., Chantrapromma, S. & Fun, H.-K. (2011). *Acta Cryst. E67*, o3224.
- Sheldrick, G. M. (1996). *SADABS*. University of Göttingen, Germany.
- Sheldrick, G. M. (2008). *Acta Cryst. A64*, 112–122.
- Su, F., Gu, Z.-G. & Lin, J. (2011). *Acta Cryst. E67*, o1634.

supporting information

Acta Cryst. (2011). E67, o3438 [https://doi.org/10.1107/S1600536811049932]

N'*-(4-Methoxybenzylidene)-4-methylbenzohydrazide*Zeng-Xin Liu****S1. Comment**

Recently, the compounds derived from the condensation reaction of carbonyl-containing compounds with substituted benzohydrazides have received considerable attention. In this paper, the title new compound, derived from the reaction of 4-methoxybenzaldehyde with 4-methylbenzohydrazide, is reported.


The molecule of the compound, Fig. 1, displays a *trans*-configuration about the C9=N2 bond. The torsion angle of C8—N1—N2—C9 is 2.3 (3)°. The dihedral angle between the C2—C7 and C10—C15 benzene rings is 17.6 (3)°, indicating the molecule of the compound is twisted. Overall, the bond distances are within normal values (Allen *et al.*, 1987), and are comparable with those reported in similar compounds (Horkaew *et al.*, 2011; Fun *et al.*, 2011; Su *et al.*, 2011; Hashemian *et al.*, 2011; Promdet *et al.*, 2011). In the crystal, molecules are linked by N—H···O hydrogen bonds (Table 1) to form C(4) chains along the *b* axis (Fig. 2).

S2. Experimental

The title compound was synthesized by the reaction of 4-methoxybenzaldehyde (1 mmol, 0.14 g) with 4-methylbenzohydrazide (1 mmol, 0.15 g) in absolute methanol (30 ml) at ambient condition. Colorless prism-shaped single crystals were obtained by slow evaporation of the solution at room temperature after several days.

S3. Refinement

The amide H atom was located in a difference map and was refined isotropically, with N—H = 0.90 (1) Å. The remaining H atoms were positioned geometrically and allowed to ride on their parent atoms, with C—H = 0.93 Å for aromatic and CH and 0.96 Å for CH₃ atoms. The U_{iso} values were constrained to be 1.5 U_{eq} of the carrier atom for methyl H atoms and 1.2 U_{eq} for the remaining H atoms. A rotating group model was used for the methyl groups.

**Figure 1**

The molecular structure of the title compound, showing 30% probability displacement ellipsoids.




Figure 2

The molecular packing of the title compound, showing the N—H...O hydrogen-bonds (dashed lines).

N'-(4-Methoxybenzylidene)-4-methylbenzohydrazide

Crystal data

$C_{16}H_{16}N_2O_2$

$M_r = 268.31$

Orthorhombic, *Pbca*

$a = 12.138$ (2) Å

$b = 8.0580$ (16) Å

$c = 29.320$ (3) Å

$V = 2867.7$ (8) Å³

$Z = 8$

$F(000) = 1136$

$D_x = 1.243$ Mg m⁻³

Mo $K\alpha$ radiation, $\lambda = 0.71073$ Å

Cell parameters from 883 reflections

$\theta = 2.2$ – 24.3°

$\mu = 0.08$ mm⁻¹

$T = 298$ K

Prism, colorless

$0.17 \times 0.13 \times 0.12$ mm

Data collection

Bruker SMART 1K CCD

diffractometer

Radiation source: fine-focus sealed tube

Graphite monochromator

ω scan

Absorption correction: multi-scan

(*SADABS*; Sheldrick, 1996)

$T_{\min} = 0.986$, $T_{\max} = 0.990$

20247 measured reflections

3098 independent reflections

1427 reflections with $I > 2\sigma(I)$

$R_{\text{int}} = 0.137$

$\theta_{\max} = 27.0^\circ$, $\theta_{\min} = 1.4^\circ$

$h = -15 \rightarrow 15$

$k = -10 \rightarrow 10$

$l = -36 \rightarrow 36$

Refinement

Refinement on F^2

Least-squares matrix: full

$R[F^2 > 2\sigma(F^2)] = 0.082$

$wR(F^2) = 0.212$

$S = 1.01$

3098 reflections

186 parameters

1 restraint

Primary atom site location: structure-invariant

direct methods

Secondary atom site location: difference Fourier map

Hydrogen site location: inferred from neighbouring sites

H atoms treated by a mixture of independent and constrained refinement

$w = 1/[\sigma^2(F_o^2) + (0.0711P)^2]$

where $P = (F_o^2 + 2F_c^2)/3$

$(\Delta/\sigma)_{\max} < 0.001$

$\Delta\rho_{\max} = 0.16$ e Å⁻³

$\Delta\rho_{\min} = -0.24$ e Å⁻³

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) *etc.* and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
N1	0.7556 (2)	0.2199 (4)	0.15333 (9)	0.0515 (7)
N2	0.7692 (2)	0.1612 (3)	0.10929 (8)	0.0503 (7)
O1	0.62721 (19)	0.0243 (3)	0.16866 (7)	0.0543 (7)
O2	0.9212 (2)	0.0558 (3)	-0.09555 (8)	0.0715 (8)
C1	0.6336 (3)	0.3773 (6)	0.36707 (12)	0.0858 (13)
H1A	0.5711	0.4498	0.3692	0.129*
H1B	0.6987	0.4356	0.3766	0.129*
H1C	0.6224	0.2827	0.3865	0.129*
C2	0.6473 (3)	0.3199 (4)	0.31818 (11)	0.0562 (9)
C3	0.7427 (3)	0.3503 (5)	0.29457 (11)	0.0623 (10)
H3	0.7994	0.4082	0.3088	0.075*
C4	0.7566 (3)	0.2965 (4)	0.25005 (11)	0.0569 (10)
H4	0.8226	0.3169	0.2350	0.068*
C5	0.6726 (3)	0.2127 (4)	0.22787 (10)	0.0465 (8)
C6	0.5756 (3)	0.1825 (5)	0.25146 (11)	0.0571 (10)
H6	0.5185	0.1248	0.2375	0.069*
C7	0.5638 (3)	0.2383 (5)	0.29572 (12)	0.0634 (10)
H7	0.4975	0.2203	0.3108	0.076*
C8	0.6825 (3)	0.1443 (4)	0.18108 (11)	0.0458 (8)
C9	0.8368 (3)	0.2430 (4)	0.08500 (11)	0.0519 (9)
H9	0.8723	0.3346	0.0975	0.062*
C10	0.8597 (3)	0.1963 (4)	0.03814 (11)	0.0465 (8)
C11	0.9435 (3)	0.2702 (4)	0.01397 (11)	0.0574 (10)
H11	0.9854	0.3518	0.0282	0.069*
C12	0.9679 (3)	0.2282 (4)	-0.03048 (11)	0.0596 (10)
H12	1.0257	0.2795	-0.0458	0.072*
C13	0.9054 (3)	0.1093 (4)	-0.05162 (11)	0.0539 (9)
C14	0.8201 (3)	0.0326 (5)	-0.02874 (11)	0.0638 (10)
H14	0.7784	-0.0489	-0.0431	0.077*
C15	0.7972 (3)	0.0773 (4)	0.01531 (11)	0.0578 (10)
H15	0.7386	0.0270	0.0304	0.069*
C16	1.0064 (3)	0.1320 (5)	-0.12119 (12)	0.0757 (12)
H16A	0.9913	0.2484	-0.1243	0.114*
H16B	1.0102	0.0819	-0.1509	0.114*
H16C	1.0755	0.1172	-0.1057	0.114*

H1	0.790 (3)	0.316 (3)	0.1592 (11)	0.080*
----	-----------	-----------	-------------	--------

Atomic displacement parameters (Å²)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
N1	0.0616 (19)	0.0518 (19)	0.0410 (15)	-0.0018 (15)	0.0025 (14)	-0.0037 (14)
N2	0.0576 (17)	0.0523 (18)	0.0410 (16)	0.0043 (14)	0.0019 (14)	-0.0043 (14)
O1	0.0599 (14)	0.0491 (15)	0.0539 (15)	-0.0044 (12)	0.0005 (11)	-0.0067 (12)
O2	0.0843 (19)	0.080 (2)	0.0499 (15)	-0.0157 (15)	0.0173 (13)	-0.0074 (13)
C1	0.091 (3)	0.106 (4)	0.060 (3)	0.003 (3)	0.008 (2)	-0.019 (2)
C2	0.065 (2)	0.057 (2)	0.047 (2)	0.0089 (19)	-0.0014 (18)	0.0015 (17)
C3	0.067 (3)	0.074 (3)	0.046 (2)	-0.008 (2)	0.0000 (19)	0.0008 (19)
C4	0.055 (2)	0.066 (3)	0.049 (2)	-0.0078 (18)	0.0022 (17)	-0.0012 (19)
C5	0.051 (2)	0.046 (2)	0.0420 (19)	0.0092 (16)	0.0036 (16)	0.0000 (16)
C6	0.047 (2)	0.066 (3)	0.058 (2)	0.0035 (18)	-0.0007 (17)	-0.0057 (19)
C7	0.053 (2)	0.077 (3)	0.061 (2)	0.010 (2)	0.0118 (18)	-0.005 (2)
C8	0.048 (2)	0.042 (2)	0.048 (2)	0.0080 (18)	-0.0020 (16)	0.0031 (16)
C9	0.056 (2)	0.051 (2)	0.049 (2)	0.0036 (18)	-0.0009 (16)	-0.0015 (17)
C10	0.0493 (19)	0.040 (2)	0.050 (2)	0.0008 (16)	0.0016 (16)	0.0028 (16)
C11	0.061 (2)	0.052 (2)	0.059 (2)	-0.0082 (18)	0.0001 (19)	-0.0059 (18)
C12	0.060 (2)	0.060 (3)	0.059 (2)	-0.0115 (19)	0.0126 (18)	-0.0009 (19)
C13	0.056 (2)	0.057 (2)	0.049 (2)	0.0008 (18)	0.0017 (18)	-0.0012 (18)
C14	0.065 (2)	0.073 (3)	0.053 (2)	-0.018 (2)	0.0060 (18)	-0.0021 (19)
C15	0.062 (2)	0.062 (3)	0.050 (2)	-0.0145 (19)	0.0089 (18)	0.0023 (18)
C16	0.091 (3)	0.084 (3)	0.053 (2)	-0.002 (2)	0.024 (2)	0.003 (2)

Geometric parameters (Å, °)

N1—C8	1.349 (4)	C6—C7	1.381 (4)
N1—N2	1.385 (3)	C6—H6	0.9300
N1—H1	0.899 (10)	C7—H7	0.9300
N2—C9	1.271 (4)	C9—C10	1.451 (4)
O1—C8	1.233 (4)	C9—H9	0.9300
O2—C13	1.372 (4)	C10—C11	1.375 (4)
O2—C16	1.418 (4)	C10—C15	1.394 (4)
C1—C2	1.515 (5)	C11—C12	1.379 (4)
C1—H1A	0.9600	C11—H11	0.9300
C1—H1B	0.9600	C12—C13	1.370 (4)
C1—H1C	0.9600	C12—H12	0.9300
C2—C3	1.371 (5)	C13—C14	1.380 (4)
C2—C7	1.376 (5)	C14—C15	1.369 (4)
C3—C4	1.385 (4)	C14—H14	0.9300
C3—H3	0.9300	C15—H15	0.9300
C4—C5	1.385 (4)	C16—H16A	0.9600
C4—H4	0.9300	C16—H16B	0.9600
C5—C6	1.388 (4)	C16—H16C	0.9600
C5—C8	1.483 (4)		

C8—N1—N2	119.1 (3)	O1—C8—C5	121.4 (3)
C8—N1—H1	126 (2)	N1—C8—C5	116.3 (3)
N2—N1—H1	115 (2)	N2—C9—C10	121.3 (3)
C9—N2—N1	114.9 (3)	N2—C9—H9	119.3
C13—O2—C16	117.6 (3)	C10—C9—H9	119.3
C2—C1—H1A	109.5	C11—C10—C15	116.9 (3)
C2—C1—H1B	109.5	C11—C10—C9	121.2 (3)
H1A—C1—H1B	109.5	C15—C10—C9	121.9 (3)
C2—C1—H1C	109.5	C10—C11—C12	122.7 (3)
H1A—C1—H1C	109.5	C10—C11—H11	118.7
H1B—C1—H1C	109.5	C12—C11—H11	118.7
C3—C2—C7	117.8 (3)	C13—C12—C11	118.7 (3)
C3—C2—C1	121.0 (3)	C13—C12—H12	120.7
C7—C2—C1	121.2 (3)	C11—C12—H12	120.7
C2—C3—C4	121.5 (3)	C12—C13—O2	124.5 (3)
C2—C3—H3	119.3	C12—C13—C14	120.6 (3)
C4—C3—H3	119.3	O2—C13—C14	114.9 (3)
C5—C4—C3	120.4 (3)	C15—C14—C13	119.5 (3)
C5—C4—H4	119.8	C15—C14—H14	120.2
C3—C4—H4	119.8	C13—C14—H14	120.2
C4—C5—C6	118.4 (3)	C14—C15—C10	121.6 (3)
C4—C5—C8	123.8 (3)	C14—C15—H15	119.2
C6—C5—C8	117.7 (3)	C10—C15—H15	119.2
C7—C6—C5	119.9 (3)	O2—C16—H16A	109.5
C7—C6—H6	120.0	O2—C16—H16B	109.5
C5—C6—H6	120.0	H16A—C16—H16B	109.5
C2—C7—C6	122.0 (3)	O2—C16—H16C	109.5
C2—C7—H7	119.0	H16A—C16—H16C	109.5
C6—C7—H7	119.0	H16B—C16—H16C	109.5
O1—C8—N1	122.3 (3)		

Hydrogen-bond geometry (Å, °)

<i>D</i> —H... <i>A</i>	<i>D</i> —H	H... <i>A</i>	<i>D</i> ... <i>A</i>	<i>D</i> —H... <i>A</i>
N1—H1...O1 ⁱ	0.90 (1)	1.97 (1)	2.870 (4)	176 (3)

Symmetry code: (i) $-x+3/2, y+1/2, z$.