

Acta Crystallographica Section E

## Structure Reports

Online

ISSN 1600-5368

2-[(*E*)-3,4-Dimethoxybenzylidene]-hydrazinecarboxamideM. Nawaz Tahir,<sup>a\*</sup> M. Naveed Umar,<sup>b</sup> Akbar Ali<sup>b</sup> and Hazoor Ahmad Shad<sup>c</sup><sup>a</sup>University of Sargodha, Department of Physics, Sargodha, Pakistan, <sup>b</sup>Department of Chemistry, University of Malakand, Pakistan, and <sup>c</sup>Department of Chemistry, Government Post Graduate College, Gojra, Punjab, Pakistan

Correspondence e-mail: dmntahir\_uos@yahoo.com


Received 7 May 2012; accepted 8 May 2012

Key indicators: single-crystal X-ray study;  $T = 296$  K; mean  $\sigma(\text{C}-\text{C}) = 0.003$  Å;  $R$  factor = 0.043;  $wR$  factor = 0.121; data-to-parameter ratio = 14.4.

In the title compound,  $\text{C}_{10}\text{H}_{13}\text{N}_3\text{O}_3$ , the 3,4-dimethoxybenzylidene and hydrazinecarboxamide groups are oriented at a dihedral angle of  $53.82(6)^\circ$  and an intramolecular  $\text{N}-\text{H}\cdots\text{N}$  hydrogen bond generates an  $S(5)$  ring motif. In the crystal, molecules are linked by  $\text{N}-\text{H}\cdots\text{O}$  hydrogen bonds into sheets propagating in  $(\bar{2}01)$ , which feature  $R_1^2(5)$ ,  $R_2^2(8)$  and  $R_4^2(14)$  loops.

## Related literature

For related structures, see: Fun *et al.* (2011); Liang *et al.* (2007); For graph-set notation, see: Bernstein *et al.* (1995).



## Experimental

## Crystal data

$\text{C}_{10}\text{H}_{13}\text{N}_3\text{O}_3$   
 $M_r = 223.23$   
 Monoclinic,  $C2/c$   
 $a = 22.2300(7)$  Å  
 $b = 7.6367(3)$  Å  
 $c = 15.6482(6)$  Å  
 $\beta = 126.234(1)^\circ$

$V = 2142.76(14)$  Å<sup>3</sup>  
 $Z = 8$   
 Mo  $K\alpha$  radiation  
 $\mu = 0.10$  mm<sup>-1</sup>  
 $T = 296$  K  
 $0.25 \times 0.18 \times 0.15$  mm

## Data collection

Bruker Kappa APEXII CCD diffractometer  
 Absorption correction: multi-scan (*SADABS*; Bruker, 2005)  
 $T_{\min} = 0.975$ ,  $T_{\max} = 0.985$

7933 measured reflections  
 2115 independent reflections  
 1389 reflections with  $I > 2\sigma(I)$   
 $R_{\text{int}} = 0.040$

## Refinement

$R[F^2 > 2\sigma(F^2)] = 0.043$   
 $wR(F^2) = 0.121$   
 $S = 1.01$   
 2115 reflections

147 parameters  
 H-atom parameters constrained  
 $\Delta\rho_{\text{max}} = 0.16$  e Å<sup>-3</sup>  
 $\Delta\rho_{\text{min}} = -0.20$  e Å<sup>-3</sup>

**Table 1**  
 Hydrogen-bond geometry (Å, °).

$D-\text{H}\cdots A$	$D-\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D-\text{H}\cdots A$
$\text{N2}-\text{H2A}\cdots\text{O3}^{\text{i}}$	0.86	2.15	2.970 (2)	159
$\text{N3}-\text{H3A}\cdots\text{O3}^{\text{ii}}$	0.86	2.19	3.044 (2)	170
$\text{N3}-\text{H3B}\cdots\text{N1}$	0.86	2.30	2.657 (2)	105
$\text{N3}-\text{H3B}\cdots\text{O1}^{\text{iii}}$	0.86	2.59	3.019 (2)	112
$\text{N3}-\text{H3B}\cdots\text{O2}^{\text{iii}}$	0.86	2.30	3.119 (2)	160

Symmetry codes: (i)  $-x, -y, -z$ ; (ii)  $-x, -y + 1, -z$ ; (iii)  $-x + \frac{1}{2}, -y + \frac{1}{2}, -z + 1$ .

Data collection: *APEX2* (Bruker, 2007); cell refinement: *SAINT* (Bruker, 2007); data reduction: *SAINT*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP-3 for Windows* (Farrugia, 1997) and *PLATON* (Spek, 2009); software used to prepare material for publication: *WinGX* (Farrugia, 1999) and *PLATON*.

The authors acknowledge the provision of funds for the purchase of a diffractometer and encouragement by Dr Muhammad Akram Chaudhary, Vice Chancellor, University of Sargodha, Pakistan.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: HB6783).

## References

- Bernstein, J., Davis, R. E., Shimoni, L. & Chang, N.-L. (1995). *Angew. Chem. Int. Ed. Engl.* **34**, 1555-1573.  
 Bruker (2005). *SADABS*. Bruker AXS Inc., Madison, Wisconsin, USA.  
 Bruker (2007). *APEX2* and *SAINT*. Bruker AXS Inc., Madison, Wisconsin, USA.  
 Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.  
 Farrugia, L. J. (1999). *J. Appl. Cryst.* **32**, 837-838.  
 Fun, H.-K., Yeap, C. S., Malladi, S. & Isloor, A. M. (2011). *Acta Cryst.* **E67**, o1786.  
 Liang, Z.-P., Li, J., Wang, H.-L. & Wang, H.-Q. (2007). *Acta Cryst.* **E63**, o2939.  
 Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112-122.  
 Spek, A. L. (2009). *Acta Cryst.* **D65**, 148-155.

## supporting information

*Acta Cryst.* (2012). E68, o1724 [doi:10.1107/S1600536812020739]

## 2-[(*E*)-3,4-Dimethoxybenzylidene]hydrazinecarboxamide

M. Nawaz Tahir, M. Naveed Umar, Akbar Ali and Hazoor Ahmad Shad

### S1. Comment

The title compound (I), (Fig. 1) has been synthesized as a derivative.

The crystal structures of (*E*)-1-(4-methoxybenzylidene)semicarbazide (Liang *et al.*, 2007) and (*E*)-2-(4-hydroxy-3-methoxybenzylidene) hydrazinecarboxamide (Fun *et al.*, 2011) have been published which are related to the title compound (I).


In (I), the parts of 3,4-dimethoxybenzaldehyde and hydrazinecarboxamide A (C1—C9/O1/O2) and B (N1/N2/C10/N3/O3), are almost planar with r. m. s. deviation of 0.0770 and 0.0159 Å, respectively. The dihedral angle between A/B is 53.82 (6)°. There exist intramolecular H-bonding of N—H···N type (Table 1, Fig. 1) and form *S*(5) ring motif (Bernstein *et al.*, 1995). Each molecule is interlinked with three molecules due to H-bondings of N—H···O type. There exist  $R_1^2(5)$ ,  $R_2^2(8)$  and  $R_2^4(14)$  ring motifs (Table 1, Fig. 2). The molecules are interlinked in the form of two-dimensional polymeric sheets in the plane  $(\bar{2}01)$  and with base vectors [100] and [102].

### S2. Experimental


Equimolar quantities of 3,4-dimethoxybenzaldehyde and hydrazinecarboxamide were refluxed in methanol for 45 min resulting in yellow solution. The solution was kept at room temperature which afforded yellow prisms after 48 h.

### S3. Refinement

The H-atoms were positioned geometrically (C—H = 0.93–0.96 Å and N—H = 0.86 Å) and refined as riding with  $U_{\text{iso}}(\text{H}) = xU_{\text{eq}}(\text{C, N})$ , where  $x = 1.5$  for methyl and  $x = 1.2$  for all other H-atoms.

**Figure 1**

View of the title compound with displacement ellipsoids drawn at the 50% probability level. The dotted lines indicate the intra-molecular hydrogen bond.

**Figure 2**

Partial packnig diagram showing molecules interlinked to form polymeric sheets with various ring motifs.

## 2-[(E)-3,4-Dimethoxybenzylidene]hydrazinecarboxamide

## Crystal data

C<sub>10</sub>H<sub>13</sub>N<sub>3</sub>O<sub>3</sub> $M_r = 223.23$ Monoclinic, *C2/c*

Hall symbol: -C 2yc

 $a = 22.2300$  (7) Å $b = 7.6367$  (3) Å $c = 15.6482$  (6) Å $\beta = 126.234$  (1)° $V = 2142.76$  (14) Å<sup>3</sup> $Z = 8$  $F(000) = 944$  $D_x = 1.384$  Mg m<sup>-3</sup>Mo  $K\alpha$  radiation,  $\lambda = 0.71073$  Å

Cell parameters from 1389 reflections

 $\theta = 2.3$ – $26.0$ ° $\mu = 0.10$  mm<sup>-1</sup> $T = 296$  K

Prism, yellow

 $0.25 \times 0.18 \times 0.15$  mm

## Data collection

Bruker Kappa APEXII CCD

diffractometer

Radiation source: fine-focus sealed tube

Graphite monochromator

Detector resolution: 8.00 pixels mm<sup>-1</sup> $\omega$  scans

Absorption correction: multi-scan

(SADABS; Bruker, 2005)

 $T_{\min} = 0.975$ ,  $T_{\max} = 0.985$ 

7933 measured reflections

2115 independent reflections

1389 reflections with  $I > 2\sigma(I)$  $R_{\text{int}} = 0.040$  $\theta_{\text{max}} = 26.0$ °,  $\theta_{\text{min}} = 2.3$ ° $h = -26 \rightarrow 27$  $k = -9 \rightarrow 9$  $l = -19 \rightarrow 19$ 

## Refinement

Refinement on  $F^2$ 

Least-squares matrix: full

 $R[F^2 > 2\sigma(F^2)] = 0.043$  $wR(F^2) = 0.121$  $S = 1.01$ 

2115 reflections

147 parameters

0 restraints

Primary atom site location: structure-invariant

direct methods

Secondary atom site location: difference Fourier map

Hydrogen site location: inferred from neighbouring sites

H-atom parameters constrained

 $w = 1/[\sigma^2(F_o^2) + (0.0592P)^2 + 0.0283P]$ where  $P = (F_o^2 + 2F_c^2)/3$  $(\Delta/\sigma)_{\text{max}} < 0.001$  $\Delta\rho_{\text{max}} = 0.16$  e Å<sup>-3</sup> $\Delta\rho_{\text{min}} = -0.20$  e Å<sup>-3</sup>

## Special details

**Geometry.** Bond distances, angles *etc.* have been calculated using the rounded fractional coordinates. All su's are estimated from the variances of the (full) variance-covariance matrix. The cell e.s.d.'s are taken into account in the estimation of distances, angles and torsion angles

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted  $R$ -factor  $wR$  and goodness of fit  $S$  are based on  $F^2$ , conventional  $R$ -factors  $R$  are based on  $F$ , with  $F$  set to zero for negative  $F^2$ . The threshold expression of  $F^2 > \sigma(F^2)$  is used only for calculating  $R$ -factors(gt) *etc.* and is not relevant to the choice of reflections for refinement.  $R$ -factors based on  $F^2$  are statistically about twice as large as those based on  $F$ , and  $R$ -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (Å<sup>2</sup>)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
O1	0.30582 (7)	-0.13305 (19)	0.72476 (10)	0.0464 (5)
O2	0.34785 (7)	0.03543 (19)	0.62646 (10)	0.0454 (5)
O3	-0.01303 (7)	0.24827 (17)	-0.02345 (10)	0.0447 (5)
N1	0.10093 (8)	0.0967 (2)	0.23838 (12)	0.0404 (5)
N2	0.04892 (8)	0.0982 (2)	0.12929 (12)	0.0421 (5)

N3	0.06302 (9)	0.3952 (2)	0.13090 (13)	0.0445 (6)
C1	0.15297 (10)	-0.0591 (2)	0.40077 (15)	0.0347 (6)
C2	0.22548 (10)	0.0085 (2)	0.45703 (15)	0.0356 (6)
C3	0.27503 (10)	-0.0179 (2)	0.56479 (14)	0.0331 (6)
C4	0.25221 (10)	-0.1097 (2)	0.61917 (15)	0.0345 (6)
C5	0.18023 (10)	-0.1725 (3)	0.56366 (15)	0.0394 (7)
C6	0.13153 (10)	-0.1495 (3)	0.45538 (15)	0.0397 (7)
C7	0.28984 (13)	-0.2490 (3)	0.78007 (16)	0.0527 (8)
C8	0.37782 (11)	0.1099 (3)	0.57544 (17)	0.0490 (8)
C9	0.10014 (10)	-0.0369 (3)	0.28603 (15)	0.0400 (7)
C10	0.03155 (9)	0.2502 (3)	0.07501 (15)	0.0347 (6)
H2	0.24028	0.07157	0.42152	0.0427*
H2A	0.02764	0.00235	0.09601	0.0505*
H3A	0.05296	0.49443	0.09922	0.0534*
H3B	0.09351	0.38993	0.19885	0.0534*
H5	0.16442	-0.23070	0.59936	0.0473*
H6	0.08359	-0.19543	0.41857	0.0476*
H7A	0.24962	-0.20238	0.77979	0.0791*
H7B	0.33332	-0.26156	0.85185	0.0791*
H7C	0.27580	-0.36131	0.74591	0.0791*
H8A	0.35195	0.21675	0.54077	0.0735*
H8B	0.37181	0.02896	0.52397	0.0735*
H8C	0.42987	0.13423	0.62723	0.0735*
H9	0.06472	-0.12360	0.24658	0.0479*

*Atomic displacement parameters (Å<sup>2</sup>)*

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
O1	0.0482 (8)	0.0532 (9)	0.0289 (8)	-0.0080 (7)	0.0179 (7)	0.0017 (7)
O2	0.0369 (8)	0.0576 (9)	0.0338 (8)	-0.0152 (7)	0.0165 (7)	-0.0050 (7)
O3	0.0471 (8)	0.0416 (9)	0.0264 (7)	0.0006 (6)	0.0113 (7)	-0.0004 (6)
N1	0.0408 (9)	0.0384 (10)	0.0272 (9)	0.0008 (7)	0.0120 (8)	-0.0009 (7)
N2	0.0448 (10)	0.0355 (9)	0.0263 (9)	-0.0042 (8)	0.0102 (8)	-0.0018 (7)
N3	0.0476 (10)	0.0351 (10)	0.0320 (10)	-0.0030 (8)	0.0132 (8)	-0.0010 (7)
C1	0.0362 (10)	0.0307 (10)	0.0330 (11)	0.0031 (8)	0.0181 (9)	-0.0009 (8)
C2	0.0401 (11)	0.0327 (11)	0.0345 (11)	-0.0023 (8)	0.0224 (9)	-0.0013 (8)
C3	0.0321 (10)	0.0330 (10)	0.0303 (11)	-0.0042 (8)	0.0163 (9)	-0.0062 (8)
C4	0.0374 (10)	0.0335 (10)	0.0304 (10)	0.0001 (8)	0.0188 (9)	-0.0022 (8)
C5	0.0417 (11)	0.0418 (12)	0.0394 (12)	-0.0001 (9)	0.0266 (10)	0.0031 (9)
C6	0.0307 (10)	0.0406 (12)	0.0421 (12)	0.0005 (9)	0.0184 (9)	0.0015 (9)
C7	0.0604 (14)	0.0619 (16)	0.0364 (12)	-0.0022 (11)	0.0289 (11)	0.0071 (11)
C8	0.0462 (12)	0.0524 (14)	0.0524 (14)	-0.0126 (10)	0.0313 (12)	-0.0047 (11)
C9	0.0350 (11)	0.0397 (12)	0.0337 (11)	-0.0015 (9)	0.0140 (10)	-0.0014 (9)
C10	0.0289 (10)	0.0391 (11)	0.0294 (10)	-0.0001 (8)	0.0136 (9)	-0.0010 (9)

*Geometric parameters (Å, °)*

O1—C4	1.362 (2)	C2—C3	1.379 (3)
O1—C7	1.422 (3)	C3—C4	1.408 (3)
O2—C3	1.368 (3)	C4—C5	1.379 (3)
O2—C8	1.426 (3)	C5—C6	1.380 (3)
O3—C10	1.245 (2)	C2—H2	0.9300
N1—N2	1.385 (2)	C5—H5	0.9300
N1—C9	1.270 (3)	C6—H6	0.9300
N2—C10	1.353 (3)	C7—H7A	0.9600
N3—C10	1.326 (3)	C7—H7B	0.9600
N2—H2A	0.8600	C7—H7C	0.9600
N3—H3A	0.8600	C8—H8A	0.9600
N3—H3B	0.8600	C8—H8B	0.9600
C1—C9	1.463 (3)	C8—H8C	0.9600
C1—C2	1.401 (3)	C9—H9	0.9300
C1—C6	1.384 (3)		
C4—O1—C7	117.75 (18)	N2—C10—N3	117.33 (17)
C3—O2—C8	118.26 (15)	O3—C10—N2	119.32 (19)
N2—N1—C9	116.05 (17)	C1—C2—H2	120.00
N1—N2—C10	120.10 (15)	C3—C2—H2	120.00
N1—N2—H2A	120.00	C4—C5—H5	120.00
C10—N2—H2A	120.00	C6—C5—H5	120.00
C10—N3—H3A	120.00	C1—C6—H6	120.00
C10—N3—H3B	120.00	C5—C6—H6	120.00
H3A—N3—H3B	120.00	O1—C7—H7A	109.00
C2—C1—C6	118.95 (18)	O1—C7—H7B	109.00
C2—C1—C9	121.3 (2)	O1—C7—H7C	109.00
C6—C1—C9	119.7 (2)	H7A—C7—H7B	109.00
C1—C2—C3	120.4 (2)	H7A—C7—H7C	109.00
C2—C3—C4	119.9 (2)	H7B—C7—H7C	109.00
O2—C3—C4	114.88 (16)	O2—C8—H8A	109.00
O2—C3—C2	125.2 (2)	O2—C8—H8B	109.00
O1—C4—C5	125.2 (2)	O2—C8—H8C	109.00
O1—C4—C3	115.4 (2)	H8A—C8—H8B	109.00
C3—C4—C5	119.39 (18)	H8A—C8—H8C	109.00
C4—C5—C6	120.3 (2)	H8B—C8—H8C	109.00
C1—C6—C5	121.0 (2)	N1—C9—H9	119.00
N1—C9—C1	122.29 (19)	C1—C9—H9	119.00
O3—C10—N3	123.4 (2)		
C7—O1—C4—C3	-169.75 (18)	C2—C1—C9—N1	-31.7 (3)
C7—O1—C4—C5	8.3 (3)	C6—C1—C9—N1	148.8 (2)
C8—O2—C3—C2	-6.2 (3)	C1—C2—C3—O2	176.97 (18)
C8—O2—C3—C4	172.38 (17)	C1—C2—C3—C4	-1.5 (3)
C9—N1—N2—C10	162.2 (2)	O2—C3—C4—O1	-0.4 (2)
N2—N1—C9—C1	178.4 (2)	O2—C3—C4—C5	-178.58 (18)

N1—N2—C10—O3	177.1 (2)	C2—C3—C4—O1	178.23 (17)
N1—N2—C10—N3	-3.6 (3)	C2—C3—C4—C5	0.1 (3)
C6—C1—C2—C3	1.3 (3)	O1—C4—C5—C6	-176.4 (2)
C9—C1—C2—C3	-178.29 (19)	C3—C4—C5—C6	1.6 (3)
C2—C1—C6—C5	0.4 (3)	C4—C5—C6—C1	-1.9 (3)
C9—C1—C6—C5	180.0 (2)		

*Hydrogen-bond geometry (Å, °)*

<i>D</i> —H... <i>A</i>	<i>D</i> —H	H... <i>A</i>	<i>D</i> ... <i>A</i>	<i>D</i> —H... <i>A</i>
N2—H2 <i>A</i> ...O3 <sup>i</sup>	0.86	2.15	2.970 (2)	159
N3—H3 <i>A</i> ...O3 <sup>ii</sup>	0.86	2.19	3.044 (2)	170
N3—H3 <i>B</i> ...N1	0.86	2.30	2.657 (2)	105
N3—H3 <i>B</i> ...O1 <sup>iii</sup>	0.86	2.59	3.019 (2)	112
N3—H3 <i>B</i> ...O2 <sup>iii</sup>	0.86	2.30	3.119 (2)	160

Symmetry codes: (i)  $-x, -y, -z$ ; (ii)  $-x, -y+1, -z$ ; (iii)  $-x+1/2, -y+1/2, -z+1$ .