

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

(E)-Methyl 2-[(1,3-dioxoisindolin-2-yl)-methyl]-3-phenylacrylate

 D. Lakshmanan,^a S. Murugavel,^{b*} D. Kannan^c and M. Bakthadoss^{c‡}

^aDepartment of Physics, C. Abdul Hakeem College of Engineering and Technology, Melvisharam, Vellore 632 509, India, ^bDepartment of Physics, Thanthai Periyar Government Institute of Technology, Vellore 632 002, India, and ^cDepartment of Organic Chemistry, University of Madras, Maraimalai Campus, Chennai 600 025, India

Correspondence e-mail: smurugavel27@gmail.com


Received 14 June 2012; accepted 21 June 2012

 Key indicators: single-crystal X-ray study; $T = 293$ K; mean $\sigma(\text{C}-\text{C}) = 0.003$ Å; R factor = 0.039; wR factor = 0.105; data-to-parameter ratio = 12.4.

In the title compound, $\text{C}_{19}\text{H}_{15}\text{NO}_4$, the isoindole ring system is essentially planar [maximum deviation = 0.011 (1) Å] and is oriented at a dihedral angle of 75.7 (1)° with respect to the phenyl ring. The molecular conformation is stabilized by an intramolecular $\text{C}-\text{H}\cdots\text{O}$ hydrogen bond. The crystal packing is stabilized by $\text{C}-\text{H}\cdots\text{O}$ hydrogen bonds, which generate zigzag chains along the a axis. The crystal packing is further stabilized by a $\text{C}-\text{H}\cdots\pi$ interaction.

Related literature

For background to the applications of isoindolinones, see: Pendrak *et al.* (1994); De Clerck (1995); Stowers (1996); Heaney & Shuhaibar (1995). For related structures, see: Kannan *et al.* (2012); Liang & Li (2006). For graph-set analysis, see: Bernstein *et al.* (1995).



Experimental

Crystal data

 $\text{C}_{19}\text{H}_{15}\text{NO}_4$
 $M_r = 321.32$

 Orthorhombic, $P2_12_12_1$
 $a = 8.682$ (5) Å
 $b = 10.299$ (4) Å
 $c = 17.903$ (5) Å
 $V = 1600.8$ (12) Å³
 $Z = 4$
 Mo $K\alpha$ radiation
 $\mu = 0.09$ mm⁻¹
 $T = 293$ K
 $0.24 \times 0.22 \times 0.17$ mm

Data collection

 Bruker APEXII CCD diffractometer
 Absorption correction: multi-scan (SADABS; Sheldrick, 1996)
 $T_{\min} = 0.978$, $T_{\max} = 0.984$

 18727 measured reflections
 2694 independent reflections
 2062 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.032$

Refinement

 $R[F^2 > 2\sigma(F^2)] = 0.039$
 $wR(F^2) = 0.105$
 $S = 1.02$
 2694 reflections

 218 parameters
 H-atom parameters constrained
 $\Delta\rho_{\text{max}} = 0.14$ e Å⁻³
 $\Delta\rho_{\text{min}} = -0.17$ e Å⁻³
Table 1

Hydrogen-bond geometry (Å, °).

 C_g is the centroid of the C2–C7 benzene ring.

$D-H\cdots A$	$D-H$	$H\cdots A$	$D\cdots A$	$D-H\cdots A$
$\text{C15}-\text{H15}\cdots\text{O1}$	0.93	2.54	3.385 (3)	150
$\text{C9}-\text{H9A}\cdots\text{O1}^i$	0.97	2.59	3.217 (3)	122
$\text{C13}-\text{H13}\cdots\text{C}_g^{ii}$	0.93	2.88	3.527 (3)	128

 Symmetry codes: (i) $x + \frac{1}{2}, -y + \frac{1}{2}, -z + 1$; (ii) $x - \frac{1}{2}, -y + \frac{1}{2}, -z + 1$.

Data collection: APEX2 (Bruker, 2004); cell refinement: APEX2 and SAINT (Bruker, 2004); data reduction: SAINT and XPREP (Bruker, 2004); program(s) used to solve structure: SHELXS97 (Sheldrick, 2008); program(s) used to refine structure: SHELXL97 (Sheldrick, 2008); molecular graphics: ORTEP-3 (Farrugia, 1997); software used to prepare material for publication: SHELXL97 and PLATON (Spek, 2009).

The authors thank Dr Babu Vargheese, SAIF, IIT, Madras, India, for his help with the data collection.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: GO2060).

References

- Bernstein, J., Davis, R. E., Shimoni, L. & Chang, N.-L. (1995). *Angew. Chem. Int. Ed. Engl.* **34**, 1555–1573.
- Bruker (2004). APEX2, SAINT and XPREP. Bruker AXS Inc., Madison, Wisconsin, USA.
- De Clerck, E. (1995). *J. Med. Chem.* **38**, 2491–2517.
- Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.
- Heaney, H. & Shuhaibar, K. F. (1995). *Synlett*, pp. 47–48.
- Kannan, D., Bakthadoss, M., Lakshmanan, D. & Murugavel, S. (2012). *Acta Cryst. E* **68**, o1107.
- Liang, Z.-P. & Li, J. (2006). *Acta Cryst. E* **62**, o4436–o4437.
- Pendrak, L., Wittrock, S., Lambert, D. M. & Kingsbury, W. D. (1994). *J. Org. Chem.* **59**, 2623–2625.
- Sheldrick, G. M. (1996). SADABS. University of Göttingen, Germany.
- Sheldrick, G. M. (2008). *Acta Cryst. A* **64**, 112–122.
- Spek, A. L. (2009). *Acta Cryst. D* **65**, 148–155.
- Stowers, J. R. (1996). *Tetrahedron*, **52**, 3339–3354.

‡ Additional correspondence author, e-mail: bhakthadoss@yahoo.com.

supporting information

Acta Cryst. (2012). E68, o2219 [https://doi.org/10.1107/S1600536812028140]

(E)-Methyl 2-[(1,3-dioxoisindolin-2-yl)methyl]-3-phenylacrylate**D. Lakshmanan, S. Murugavel, D. Kannan and M. Bakthadoss****S1. Comment**

Isoindolinones and their derivatives have been investigated widely due to their profound physiological and chemotherapeutic properties. Many compounds containing the isoindolinone skeleton have shown antiviral, antileukemic, antiinflammatory, antipsychotic and antiulcer properties (Pendrak *et al.*, 1994; De Clerck, 1995). Isoindolinones are useful for the synthesis of various drugs and naturally occurring compounds (Stowers, 1996; Heaney & Shuhaibar, 1995).

Fig. 1. shows a displacement ellipsoid plot of (I), with the atom numbering scheme. The isoindole ring system is essentially planar [maximum deviation = 0.011 (2) Å for the C8 atom] and is oriented at a dihedral angle of 75.7 (1)° with respect to the benzene ring. The methyl acrylate (O3/O4/C10–C14) plane forms dihedral angles of 79.97 (7)° and 57.05 (9)° respectively, with the isoindole and benzene rings. The sum of bond angles around N1 (360.0°) indicates that N1 is in sp^2 hybridization. The keto atoms O1 and O2 deviate by 0.023 (2) and -0.022 (2) Å, respectively, from the isoindole ring. The geometric parameters of the title molecule agree well with those reported for similar structures (Kannan *et al.*, 2012, Liang & Li 2006).


The molecular structure is stabilized by C15—H15⋯O1 intramolecular hydrogen bond, forming S(9) ring motif, (Bernstein *et al.*, 1995,) (Table 1). The crystal packing is stabilised by the intermolecular C9—H9A⋯O1(1/2+ x, 1/2-y, 1-z), hydrogen bond which forms a C(5) zigzag chains along the *a* axis (Fig. 2). The crystal packing is further stabilised by C—H⋯ π interactions, between H13 atom and the benzene ring (C2–C7) of an adjacent molecule, with a C13—H13⋯Cg(-1/2+X, 1/2-Y, 1-Z) separation of 2.88 Å, forming a chain along the *a* axis. (Table 1 and Fig. 3; Cg is the centroid of the (C2–C7) benzene ring. symmetry codes as in Fig. 3).

S2. Experimental


A solution of 2,3-dihydro-1*H*-isoindole-1,3-dione (1 mmol, 0.147 g) and potassium carbonate (1.5 mmol, 0.207 g) in acetonitrile as solvent was stirred for 15 minutes at room temperature. To this solution, methyl (2*Z*)-2-(bromomethyl)-3-phenylprop-2-enoate (1 mmol, 0.254 g) was added till the addition is complete. After the completion of the reaction as indicated by TLC, acetonitrile solvent was evaporated. Ethylacetate (15 ml) and water (15 ml) were added to the crude mass. The organic layer was dried over anhydrous sodium sulfate. Removal of solvent led to the crude product, which was purified through pad of silica gel (100–200 mesh) using ethylacetate and hexanes (1:9) as solvents. The pure title compound was obtained as a colorless solid (0.3105 g, 96% yield). Recrystallization was carried out using ethylacetate as solvent.

S3. Refinement

H atoms were positioned geometrically, with C—H = 0.93–0.98 Å and constrained to ride on their parent atom, with $U_{\text{iso}}(\text{H})=1.5U_{\text{eq}}$ for methyl H atoms and $1.2U_{\text{eq}}(\text{C})$ for other H atoms. Friedel pairs were merged.

**Figure 1**

The molecular structure of the title compound with the atom numbering scheme. Displacement ellipsoids are drawn at the 30% probability level. H atoms are presented as a small circles of arbitrary radius.

**Figure 2**

Part of the crystal structure of (I) showing intermolecular C—H...O hydrogen bonds (dotted lines), forming C(5) zigzag chains along the *a* axis. For clarity H atoms involved in the hydrogen bonds are shown. [Symmetry codes: (i) $1/2 + x, 1/2 - y, 1 - z$; (iii) $1 + x, y, z$; (iv) $3/2 + x, 1/2 - y, 1 - z$].




Figure 3

A view of the C—H... π interactions (dotted lines) in the crystal structure of the title compound, showing the formation of a chain along the *a* axis. Cg denotes centroid of the C2–C7 benzene ring. [Symmetry codes: (ii) $-1/2 + x, 1/2 - y, 1 - z$; (v) $-1 + x, y, z$; (vi) $-3/2 + x, 1/2 - y, 1 - z$; (vii) $-2 + x, y, z$].

(*E*)-Methyl 2-[(1,3-dioxoisindolin-2-yl)methyl]-3-phenylacrylate

Crystal data

$C_{19}H_{15}NO_4$

$M_r = 321.32$

Orthorhombic, $P2_12_12_1$

Hall symbol: P 2ac 2ab

$a = 8.682 (5) \text{ \AA}$

$b = 10.299 (4) \text{ \AA}$

$c = 17.903 (5) \text{ \AA}$

$V = 1600.8 (12) \text{ \AA}^3$

$Z = 4$

$F(000) = 672$

$D_x = 1.333 \text{ Mg m}^{-3}$

Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$

Cell parameters from 4756 reflections

$\theta = 2.3\text{--}30.2^\circ$

$\mu = 0.09 \text{ mm}^{-1}$

$T = 293 \text{ K}$

Block, colourless

$0.24 \times 0.22 \times 0.17 \text{ mm}$

Data collection

Bruker APEXII CCD
diffractometer

Radiation source: fine-focus sealed tube

Graphite monochromator

Detector resolution: $10.0 \text{ pixels mm}^{-1}$

ω scans

Absorption correction: multi-scan

(*SADABS*; Sheldrick, 1996)

$T_{\min} = 0.978, T_{\max} = 0.984$

18727 measured reflections

2694 independent reflections

2062 reflections with $I > 2\sigma(I)$

$R_{\text{int}} = 0.032$

$\theta_{\max} = 30.2^\circ, \theta_{\min} = 2.3^\circ$

$h = -7 \rightarrow 12$

$k = -14 \rightarrow 14$

$l = -25 \rightarrow 23$

*Refinement*Refinement on F^2

Least-squares matrix: full

 $R[F^2 > 2\sigma(F^2)] = 0.039$ $wR(F^2) = 0.105$ $S = 1.02$

2694 reflections

218 parameters

0 restraints

Primary atom site location: structure-invariant
direct methodsSecondary atom site location: difference Fourier
mapHydrogen site location: inferred from
neighbouring sites

H-atom parameters constrained

 $w = 1/[\sigma^2(F_o^2) + (0.0531P)^2 + 0.1411P]$ where $P = (F_o^2 + 2F_c^2)/3$ $(\Delta/\sigma)_{\max} < 0.001$ $\Delta\rho_{\max} = 0.14 \text{ e } \text{\AA}^{-3}$ $\Delta\rho_{\min} = -0.17 \text{ e } \text{\AA}^{-3}$ *Special details*

Geometry. All esds (except the esd in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell esds are taken into account individually in the estimation of esds in distances, angles and torsion angles; correlations between esds in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell esds is used for estimating esds involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R-factor wR and goodness of fit S are based on F^2 , conventional R-factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > 2\sigma(F^2)$ is used only for calculating R-factors(gt) etc. and is not relevant to the choice of reflections for refinement. R-factors based on F^2 are statistically about twice as large as those based on F , and R-factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
C1	0.4553 (2)	0.43112 (18)	0.59855 (10)	0.0420 (4)
C2	0.4172 (2)	0.34803 (18)	0.66357 (10)	0.0409 (4)
C3	0.4672 (3)	0.3534 (2)	0.73676 (11)	0.0507 (5)
H3	0.5364	0.4165	0.7527	0.061*
C4	0.4100 (3)	0.2611 (2)	0.78517 (11)	0.0568 (5)
H4	0.4416	0.2621	0.8348	0.068*
C5	0.3071 (3)	0.1671 (2)	0.76190 (12)	0.0543 (5)
H5	0.2702	0.1067	0.7961	0.065*
C6	0.2582 (2)	0.1617 (2)	0.68843 (11)	0.0508 (5)
H6	0.1895	0.0983	0.6723	0.061*
C7	0.3151 (2)	0.25355 (18)	0.64031 (10)	0.0408 (4)
C8	0.2867 (2)	0.27202 (19)	0.55914 (10)	0.0432 (4)
C9	0.3800 (2)	0.4375 (2)	0.46398 (10)	0.0420 (4)
H9A	0.4478	0.3857	0.4329	0.050*
H9B	0.4244	0.5236	0.4680	0.050*
C10	0.22571 (19)	0.44775 (17)	0.42645 (10)	0.0395 (4)
C11	0.1140 (2)	0.5312 (2)	0.46622 (11)	0.0501 (5)
C12	-0.1422 (3)	0.6087 (3)	0.47327 (18)	0.0915 (10)
H12A	-0.1475	0.5854	0.5251	0.137*
H12B	-0.2407	0.5942	0.4503	0.137*
H12C	-0.1151	0.6988	0.4688	0.137*
C13	0.1936 (2)	0.39586 (17)	0.35978 (10)	0.0417 (4)
H13	0.0985	0.4174	0.3394	0.050*
C14	0.2911 (2)	0.30857 (18)	0.31481 (10)	0.0424 (4)
C15	0.3622 (2)	0.19997 (19)	0.34530 (12)	0.0507 (5)

H15	0.3510	0.1820	0.3959	0.061*
C16	0.4498 (3)	0.1182 (2)	0.30087 (14)	0.0616 (6)
H16	0.4970	0.0458	0.3218	0.074*
C17	0.4671 (3)	0.1438 (3)	0.22615 (14)	0.0654 (6)
H17	0.5275	0.0895	0.1967	0.078*
C18	0.3959 (3)	0.2488 (2)	0.19479 (13)	0.0626 (6)
H18	0.4072	0.2652	0.1440	0.075*
C19	0.3068 (3)	0.3311 (2)	0.23827 (11)	0.0530 (5)
H19	0.2573	0.4015	0.2164	0.064*
N1	0.37333 (17)	0.37951 (15)	0.53831 (8)	0.0399 (3)
O1	0.20532 (18)	0.20880 (16)	0.51830 (8)	0.0641 (4)
O2	0.53828 (19)	0.52473 (14)	0.59466 (8)	0.0606 (4)
O3	0.1451 (2)	0.5935 (2)	0.52064 (11)	0.0886 (7)
O4	-0.02687 (17)	0.53002 (17)	0.43641 (9)	0.0658 (5)

Atomic displacement parameters (Å²)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
C1	0.0396 (9)	0.0411 (9)	0.0454 (9)	0.0013 (8)	-0.0047 (8)	-0.0045 (8)
C2	0.0394 (8)	0.0399 (9)	0.0435 (9)	0.0080 (8)	-0.0025 (7)	-0.0032 (8)
C3	0.0580 (11)	0.0489 (11)	0.0452 (10)	0.0061 (10)	-0.0080 (9)	-0.0078 (9)
C4	0.0693 (13)	0.0614 (13)	0.0396 (9)	0.0168 (12)	-0.0047 (10)	0.0001 (9)
C5	0.0545 (11)	0.0588 (12)	0.0494 (10)	0.0087 (11)	0.0043 (9)	0.0114 (10)
C6	0.0439 (9)	0.0555 (11)	0.0530 (11)	-0.0011 (9)	-0.0005 (8)	0.0081 (10)
C7	0.0354 (8)	0.0444 (9)	0.0425 (9)	0.0058 (8)	-0.0006 (7)	0.0002 (8)
C8	0.0352 (8)	0.0475 (10)	0.0467 (9)	-0.0046 (8)	-0.0023 (8)	0.0022 (8)
C9	0.0369 (8)	0.0505 (10)	0.0387 (8)	-0.0063 (8)	-0.0016 (7)	0.0022 (8)
C10	0.0365 (8)	0.0399 (9)	0.0420 (9)	-0.0011 (7)	-0.0008 (7)	0.0035 (8)
C11	0.0479 (10)	0.0533 (11)	0.0492 (10)	0.0052 (9)	-0.0016 (9)	-0.0008 (10)
C12	0.0606 (14)	0.113 (2)	0.101 (2)	0.0375 (17)	0.0108 (15)	-0.0164 (19)
C13	0.0356 (8)	0.0440 (9)	0.0455 (9)	-0.0002 (8)	-0.0038 (8)	0.0053 (8)
C14	0.0372 (9)	0.0462 (10)	0.0436 (9)	-0.0073 (8)	-0.0039 (8)	-0.0027 (8)
C15	0.0542 (11)	0.0455 (10)	0.0522 (11)	-0.0016 (9)	0.0010 (9)	0.0021 (9)
C16	0.0587 (12)	0.0438 (11)	0.0823 (16)	0.0003 (10)	0.0047 (12)	-0.0083 (11)
C17	0.0635 (13)	0.0602 (14)	0.0726 (15)	-0.0085 (12)	0.0146 (12)	-0.0235 (12)
C18	0.0661 (14)	0.0739 (15)	0.0478 (11)	-0.0176 (13)	0.0066 (10)	-0.0123 (11)
C19	0.0552 (11)	0.0586 (12)	0.0451 (10)	-0.0080 (11)	-0.0029 (9)	-0.0016 (9)
N1	0.0370 (7)	0.0431 (8)	0.0397 (7)	-0.0047 (7)	-0.0047 (6)	-0.0003 (6)
O1	0.0650 (9)	0.0741 (10)	0.0532 (8)	-0.0324 (9)	-0.0156 (8)	0.0079 (7)
O2	0.0744 (10)	0.0536 (8)	0.0537 (8)	-0.0230 (8)	-0.0122 (8)	-0.0021 (7)
O3	0.0753 (11)	0.1053 (16)	0.0851 (12)	0.0247 (12)	-0.0146 (10)	-0.0455 (12)
O4	0.0431 (7)	0.0809 (11)	0.0734 (10)	0.0152 (8)	-0.0009 (7)	-0.0119 (9)

Geometric parameters (Å, °)

C1—O2	1.206 (2)	C10—C11	1.479 (3)
C1—N1	1.397 (2)	C11—O3	1.198 (3)
C1—C2	1.482 (3)	C11—O4	1.334 (3)

C2—C7	1.381 (3)	C12—O4	1.448 (3)
C2—C3	1.382 (3)	C12—H12A	0.9600
C3—C4	1.379 (3)	C12—H12B	0.9600
C3—H3	0.9300	C12—H12C	0.9600
C4—C5	1.381 (3)	C13—C14	1.474 (3)
C4—H4	0.9300	C13—H13	0.9300
C5—C6	1.383 (3)	C14—C15	1.389 (3)
C5—H5	0.9300	C14—C19	1.396 (3)
C6—C7	1.372 (3)	C15—C16	1.385 (3)
C6—H6	0.9300	C15—H15	0.9300
C7—C8	1.486 (3)	C16—C17	1.372 (3)
C8—O1	1.208 (2)	C16—H16	0.9300
C8—N1	1.389 (2)	C17—C18	1.367 (3)
C9—N1	1.460 (2)	C17—H17	0.9300
C9—C10	1.502 (3)	C18—C19	1.386 (3)
C9—H9A	0.9700	C18—H18	0.9300
C9—H9B	0.9700	C19—H19	0.9300
C10—C13	1.337 (2)		
O2—C1—N1	124.33 (18)	O3—C11—C10	123.70 (19)
O2—C1—C2	129.82 (17)	O4—C11—C10	113.81 (18)
N1—C1—C2	105.84 (15)	O4—C12—H12A	109.5
C7—C2—C3	121.07 (19)	O4—C12—H12B	109.5
C7—C2—C1	108.26 (15)	H12A—C12—H12B	109.5
C3—C2—C1	130.67 (19)	O4—C12—H12C	109.5
C4—C3—C2	117.1 (2)	H12A—C12—H12C	109.5
C4—C3—H3	121.5	H12B—C12—H12C	109.5
C2—C3—H3	121.5	C10—C13—C14	127.70 (16)
C3—C4—C5	121.76 (19)	C10—C13—H13	116.2
C3—C4—H4	119.1	C14—C13—H13	116.2
C5—C4—H4	119.1	C15—C14—C19	118.41 (19)
C4—C5—C6	120.9 (2)	C15—C14—C13	122.11 (17)
C4—C5—H5	119.5	C19—C14—C13	119.39 (18)
C6—C5—H5	119.5	C16—C15—C14	120.5 (2)
C7—C6—C5	117.3 (2)	C16—C15—H15	119.8
C7—C6—H6	121.4	C14—C15—H15	119.8
C5—C6—H6	121.4	C17—C16—C15	120.2 (2)
C6—C7—C2	121.87 (17)	C17—C16—H16	119.9
C6—C7—C8	129.99 (18)	C15—C16—H16	119.9
C2—C7—C8	108.13 (16)	C18—C17—C16	120.2 (2)
O1—C8—N1	125.72 (17)	C18—C17—H17	119.9
O1—C8—C7	128.32 (18)	C16—C17—H17	119.9
N1—C8—C7	105.95 (15)	C17—C18—C19	120.4 (2)
N1—C9—C10	113.66 (15)	C17—C18—H18	119.8
N1—C9—H9A	108.8	C19—C18—H18	119.8
C10—C9—H9A	108.8	C18—C19—C14	120.3 (2)
N1—C9—H9B	108.8	C18—C19—H19	119.9
C10—C9—H9B	108.8	C14—C19—H19	119.9

H9A—C9—H9B	107.7	C8—N1—C1	111.81 (15)
C13—C10—C11	121.68 (17)	C8—N1—C9	126.31 (15)
C13—C10—C9	123.85 (17)	C1—N1—C9	121.87 (15)
C11—C10—C9	114.24 (16)	C11—O4—C12	116.5 (2)
O3—C11—O4	122.5 (2)		
O2—C1—C2—C7	179.2 (2)	C11—C10—C13—C14	-178.15 (18)
N1—C1—C2—C7	-0.7 (2)	C9—C10—C13—C14	7.6 (3)
O2—C1—C2—C3	-1.0 (3)	C10—C13—C14—C15	48.2 (3)
N1—C1—C2—C3	179.0 (2)	C10—C13—C14—C19	-135.2 (2)
C7—C2—C3—C4	-0.4 (3)	C19—C14—C15—C16	1.7 (3)
C1—C2—C3—C4	179.94 (19)	C13—C14—C15—C16	178.30 (18)
C2—C3—C4—C5	-0.1 (3)	C14—C15—C16—C17	0.0 (3)
C3—C4—C5—C6	0.5 (3)	C15—C16—C17—C18	-1.1 (3)
C4—C5—C6—C7	-0.5 (3)	C16—C17—C18—C19	0.6 (3)
C5—C6—C7—C2	0.0 (3)	C17—C18—C19—C14	1.1 (3)
C5—C6—C7—C8	179.04 (19)	C15—C14—C19—C18	-2.2 (3)
C3—C2—C7—C6	0.4 (3)	C13—C14—C19—C18	-178.92 (18)
C1—C2—C7—C6	-179.85 (17)	O1—C8—N1—C1	-179.99 (19)
C3—C2—C7—C8	-178.81 (18)	C7—C8—N1—C1	0.4 (2)
C1—C2—C7—C8	0.95 (19)	O1—C8—N1—C9	1.2 (3)
C6—C7—C8—O1	0.4 (3)	C7—C8—N1—C9	-178.40 (17)
C2—C7—C8—O1	179.5 (2)	O2—C1—N1—C8	-179.76 (18)
C6—C7—C8—N1	-179.94 (19)	C2—C1—N1—C8	0.2 (2)
C2—C7—C8—N1	-0.83 (19)	O2—C1—N1—C9	-0.9 (3)
N1—C9—C10—C13	-123.38 (19)	C2—C1—N1—C9	179.02 (16)
N1—C9—C10—C11	62.0 (2)	C10—C9—N1—C8	42.5 (3)
C13—C10—C11—O3	-169.5 (2)	C10—C9—N1—C1	-136.12 (18)
C9—C10—C11—O3	5.3 (3)	O3—C11—O4—C12	0.1 (4)
C13—C10—C11—O4	11.2 (3)	C10—C11—O4—C12	179.4 (2)
C9—C10—C11—O4	-174.02 (17)		

Hydrogen-bond geometry (Å, °)

<i>D</i> —H \cdots <i>A</i>	<i>D</i> —H	H \cdots <i>A</i>	<i>D</i> \cdots <i>A</i>	<i>D</i> —H \cdots <i>A</i>
C15—H15 \cdots O1	0.93	2.54	3.385 (3)	150
C9—H9A \cdots O1 ⁱ	0.97	2.59	3.217 (3)	122
C13—H13 \cdots Cg ⁱⁱ	0.93	2.88	3.527 (3)	128

Symmetry codes: (i) $x+1/2, -y+1/2, -z+1$; (ii) $x-1/2, -y+1/2, -z+1$.