

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

3-(1-Benzofuran-2-yl)-1*H*-1,2,4-triazole-5(4*H*)-thione monohydrate

 Hoong-Kun Fun,^{a,*} Suhana Arshad,^a Nithinchandra,^b Balakrishna Kalluraya^b and Shobhitha Shetty^b
^aX-ray Crystallography Unit, School of Physics, Universiti Sains Malaysia, 11800 USM, Penang, Malaysia, and ^bDepartment of Studies in Chemistry, Mangalore University, Mangalagangothri 574 199, Karnataka, India

Correspondence e-mail: hkfun@usm.my


Received 3 June 2012; accepted 4 June 2012

 Key indicators: single-crystal X-ray study; $T = 100$ K; mean $\sigma(\text{C}-\text{C}) = 0.002$ Å; R factor = 0.042; wR factor = 0.108; data-to-parameter ratio = 27.2.

In the title hydrate, $\text{C}_{10}\text{H}_7\text{N}_3\text{OS}\cdot\text{H}_2\text{O}$, the essentially planar benzofuran [maximum deviation = 0.006 (1) Å] and 4,5-dihydro-1*H*-1,2,4-triazole [maximum deviation = 0.007 (1) Å] rings form a dihedral angle of 11.67 (6)°. In the crystal, $\text{O}-\text{H}\cdots\text{N}$, $\text{O}-\text{H}\cdots\text{S}$, $\text{N}-\text{H}\cdots\text{O}$ and $\text{N}-\text{H}\cdots\text{S}$ hydrogen bonds link the molecules into sheets lying parallel to the bc plane. Aromatic $\pi-\pi$ stacking interactions [centroid-centroid distances = 3.5078 (8)–3.6113 (8) Å] are also observed.

Related literature

For background to 1,2,4-triazoles, see: Shujuan *et al.* (2004); Clemons *et al.* (2004); Johnston (2002); Wei *et al.* (2007). For related structures, see: Jing *et al.* (2012); Fun *et al.* (2011); Abdel-Aziz *et al.* (2011). For stability of the temperature controller used in the data collection, see: Cosier & Glazer (1986).



Experimental

Crystal data

$\text{C}_{10}\text{H}_7\text{N}_3\text{OS}\cdot\text{H}_2\text{O}$
 $M_r = 235.26$
 Monoclinic, $P2_1/c$
 $a = 7.1446$ (1) Å
 $b = 8.8075$ (1) Å
 $c = 17.3274$ (2) Å
 $\beta = 111.942$ (1)°

$V = 1011.36$ (2) Å³
 $Z = 4$
 Mo $K\alpha$ radiation
 $\mu = 0.31$ mm⁻¹
 $T = 100$ K
 $0.39 \times 0.20 \times 0.15$ mm

Data collection

Bruker SMART APEXII CCD diffractometer
 Absorption correction: multi-scan (SADABS; Bruker, 2009)
 $T_{\min} = 0.891$, $T_{\max} = 0.955$
 19917 measured reflections
 4162 independent reflections
 3347 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.039$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.042$
 $wR(F^2) = 0.108$
 $S = 1.07$
 4162 reflections
 153 parameters
 H atoms treated by a mixture of independent and constrained refinement
 $\Delta\rho_{\text{max}} = 0.61$ e Å⁻³
 $\Delta\rho_{\text{min}} = -0.31$ e Å⁻³

Table 1
 Hydrogen-bond geometry (Å, °).

| $D-H\cdots A$ | $D-H$ | $H\cdots A$ | $D\cdots A$ | $D-H\cdots A$ |
|--|------------|-------------|-------------|---------------|
| $\text{O1W}-\text{H1OW}\cdots\text{N2}^{\text{i}}$ | 0.90 | 2.05 | 2.9135 (14) | 160 |
| $\text{O1W}-\text{H2OW}\cdots\text{S1}^{\text{ii}}$ | 0.82 | 2.46 | 3.2674 (11) | 167 |
| $\text{N1}-\text{H1N1}\cdots\text{O1W}^{\text{iii}}$ | 0.90 (2) | 1.81 (2) | 2.7100 (14) | 172.6 (19) |
| $\text{N3}-\text{H1N3}\cdots\text{S1}^{\text{iv}}$ | 0.846 (18) | 2.498 (18) | 3.3242 (10) | 165.7 (16) |

Symmetry codes: (i) $-x+1, y+\frac{1}{2}, -z+\frac{1}{2}$; (ii) $-x+1, -y, -z+1$; (iii) $x+1, -y-\frac{1}{2}, z+\frac{1}{2}$; (iv) $-x+2, y+\frac{1}{2}, -z+\frac{3}{2}$.

Data collection: APEX2 (Bruker, 2009); cell refinement: SAINT (Bruker, 2009); data reduction: SAINT; program(s) used to solve structure: SHELXTL (Sheldrick, 2008); program(s) used to refine structure: SHELXTL; molecular graphics: SHELXTL; software used to prepare material for publication: SHELXTL and PLATON (Spek, 2009).

The authors thank Universiti Sains Malaysia (USM) for the Research University Grant (1001/PFIZIK/811160). SA thanks the Malaysian Government and USM for the Academic Staff Training Scheme (ASTS) award. BK is thankful to the Department of Atomic Energy, Board for Research in Nuclear Sciences, Government of India, for financial assistance.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: HB6837).

References

- Abdel-Aziz, H. A., Ng, S. W. & Tiekink, E. R. T. (2011). *Acta Cryst.* **E67**, o2675.
 Bruker (2009). *SADABS, APEX2* and *SAINTE*. Bruker AXS Inc., Madison, Wisconsin, USA.
 Clemons, M., Coleman, R. E. & Verma, S. (2004). *Cancer Treat. Rev.* **30**, 325–332.
 Cosier, J. & Glazer, A. M. (1986). *J. Appl. Cryst.* **19**, 105–107.
 Fun, H.-K., Quah, C. K., Nithinchandra, & Kalluraya, B. (2011). *Acta Cryst.* **E67**, o2413.
 Jing, B., Du, Y.-C. & Zhu, A.-X. (2012). *Acta Cryst.* **E68**, o1802.
 Johnston, G. A. R. (2002). *Curr. Top. Med. Chem.* **2**, 903–913.
 Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
 Shujuan, S., Hongxiang, L., Gao, Y., Fan, P., Ma, B., Ge, W. & Wang, X. (2004). *J. Pharm. Biomed. Anal.* **34**, 1117–1124.
 Spek, A. L. (2009). *Acta Cryst.* **D65**, 148–155.
 Wei, T.-B., Tang, J., Liu, H. & Zhang, Y.-M. (2007). *Phosphorus Sulfur Silicon*, **182**, 1581–1587.

* Thomson Reuters ResearcherID: A-3561-2009.

supporting information

Acta Cryst. (2012). E68, o2067 [https://doi.org/10.1107/S1600536812025305]

3-(1-Benzofuran-2-yl)-1*H*-1,2,4-triazole-5(4*H*)-thione monohydrate

Hoong-Kun Fun, Suhana Arshad, Nithinchandra, Balakrishna Kalluraya and Shobhitha Shetty

S1. Comment

The 1,2,4-triazole nucleus has been incorporated into a wide variety of therapeutically interesting compounds. Several compounds containing 1,2,4-triazole rings are well known as drugs. For example, fluconazole is used as an antimicrobial drug (Shujuan *et al.*, 2004), whereas vorozole, letrozole and anastrozole are non-steroidal drugs used for the treatment of cancer (Clemons *et al.*, 2004) and loreclezole is used as an anticonvulsant (Johnston, 2002). Similarly substituted derivatives of triazole possess comprehensive bioactivities such as antimicrobial, anti-inflammatory, analgesic, antihypertensive, anticonvulsant and antiviral activities (Wei *et al.*, 2007). We now report the synthesis and crystal structure of the title compound.

The asymmetric unit of the title compound, (Fig. 1), consists of one 5-(1-Benzofuran-2-yl)-2,4-dihydro-3*H*-1,2,4-triazole-3-thione molecule and one water molecule. The benzofuran ring (O1/C3–C10) and the 4,5-dihydro-1*H*-1,2,4-triazole ring (N1–N3/C1/C2) are essentially planar with maximum deviations of 0.006 (1) Å at atom O1 and 0.007 (1) Å at atom N3, respectively. The dihedral angle between the benzofuran and 4,5-dihydro-1*H*-1,2,4-triazole rings is 11.67 (6)°. Bond lengths and angles are within normal ranges and comparable to the related structures (Jing *et al.*, 2012; Fun *et al.*, 2011; Abdel-Aziz *et al.*, 2011).

The crystal packing is shown in Fig. 2. The molecules are linked *via* O1W—H1OW...N2, O1W—H2OW...S1, N1—H1N1...O1W and N3—H1N3...S1 hydrogen bonds (Table 1) into two-dimensional networks parallel to *bc*-plane. π - π interactions of $Cg1...Cg1 = 3.6113$ (8) Å (symmetry code: 1 - *x*, -*y*, 1 - *z*), $Cg1...Cg2 = 3.5078$ (8) Å (symmetry code: 2 - *x*, -*y*, 1 - *z*), $Cg2...Cg3 = 3.5881$ (8) Å (symmetry code: 1 - *x*, -*y*, 1 - *z*) and $Cg3...Cg2 = 3.6056$ (8) Å (symmetry code: 2 - *x*, -*y*, 1 - *z*) further stabilized the crystal structure [$Cg1$, $Cg2$ and $Cg3$ are the centroids of the O1/C3–C5/C10, N1–N3/C1/C2 and C5–C10 rings, respectively].

S2. Experimental

A mixture of 2-(1-benzofuran-2-ylcarbonyl)hydrazinecarbothioamide (0.01 mol) and 10% KOH (10 ml) was refluxed for 3 h. The mixture was cooled to room temperature and then neutralized by the gradual addition of glacial acetic acid. The solid product obtained was collected by filtration, washed with ethanol and dried. It was then recrystallized using ethanol. Yellow blocks of the title compound were obtained by slow evaporation of the ethanolic solution.

S3. Refinement

O- and N-bound H atoms were located from a difference Fourier map. O-bound H atoms were fixed at their found positions (O–H = 0.8961 and 0.8208 Å), with $U_{iso}(H) = 1.5 U_{eq}(O)$, whereas N-bound H atoms was refined freely [N–H = 0.844 (18) and 0.90 (2) Å]. The remaining H atoms were positioned geometrically [C–H = 0.93 Å] and refined using a riding model with $U_{iso}(H) = 1.2 U_{eq}(C)$. In the final refinement, one outlier (1 1 1) was omitted.




Figure 1

The molecular structure of the title compound, showing 50% probability displacement ellipsoids.




Figure 2

The crystal packing of the title compound, viewed down the *b* axis. The H atoms not involved in the intermolecular interactions (dashed lines) have been omitted for clarity.

3-(1-Benzofuran-2-yl)-1H-1,2,4-triazole-5(4H)-thione monohydrate

Crystal data

$C_{10}H_7N_3OS \cdot H_2O$

$M_r = 235.26$

Monoclinic, $P2_1/c$

Hall symbol: -P 2ybc

$a = 7.1446$ (1) Å

$b = 8.8075$ (1) Å

$c = 17.3274$ (2) Å

$\beta = 111.942$ (1)°

$V = 1011.36$ (2) Å³

$Z = 4$

$F(000) = 488$

$D_x = 1.545$ Mg m⁻³

Mo $K\alpha$ radiation, $\lambda = 0.71073$ Å

Cell parameters from 6273 reflections

$\theta = 2.5$ – 33.4 °

$\mu = 0.31$ mm⁻¹

$T = 100$ K

Block, yellow

$0.39 \times 0.20 \times 0.15$ mm

Data collection

Bruker SMART APEXII CCD
diffractometer

Radiation source: fine-focus sealed tube

Graphite monochromator

φ and ω scans

Absorption correction: multi-scan

(*SADABS*; Bruker, 2009)

$T_{\min} = 0.891$, $T_{\max} = 0.955$

19917 measured reflections

4162 independent reflections

3347 reflections with $I > 2\sigma(I)$

$R_{\text{int}} = 0.039$

$\theta_{\max} = 34.2$ °, $\theta_{\min} = 2.5$ °

$h = -11 \rightarrow 11$

$k = -13 \rightarrow 13$

$l = -26 \rightarrow 27$

Refinement

Refinement on F^2
 Least-squares matrix: full
 $R[F^2 > 2\sigma(F^2)] = 0.042$
 $wR(F^2) = 0.108$
 $S = 1.07$
 4162 reflections
 153 parameters
 0 restraints
 Primary atom site location: structure-invariant
 direct methods

Secondary atom site location: difference Fourier
 map
 Hydrogen site location: inferred from
 neighbouring sites
 H atoms treated by a mixture of independent
 and constrained refinement
 $w = 1/[\sigma^2(F_o^2) + (0.0491P)^2 + 0.4347P]$
 where $P = (F_o^2 + 2F_c^2)/3$
 $(\Delta/\sigma)_{\max} = 0.001$
 $\Delta\rho_{\max} = 0.61 \text{ e } \text{\AA}^{-3}$
 $\Delta\rho_{\min} = -0.31 \text{ e } \text{\AA}^{-3}$

Special details

Experimental. The crystal was placed in the cold stream of an Oxford Cryosystems Cobra open-flow nitrogen cryostat (Cosier & Glazer, 1986) operating at 100.0 (1) K.

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

| | <i>x</i> | <i>y</i> | <i>z</i> | $U_{\text{iso}}^*/U_{\text{eq}}$ |
|------|--------------|---------------|---------------|----------------------------------|
| S1 | 1.16013 (5) | -0.27662 (3) | 0.789110 (18) | 0.01410 (8) |
| O1 | 0.76589 (13) | 0.12211 (10) | 0.53014 (5) | 0.01383 (17) |
| N1 | 1.01801 (16) | -0.33637 (12) | 0.62307 (6) | 0.01333 (19) |
| N2 | 0.91410 (16) | -0.27263 (11) | 0.54676 (6) | 0.01371 (19) |
| N3 | 0.95013 (15) | -0.11026 (11) | 0.64872 (6) | 0.01228 (18) |
| C1 | 1.04179 (18) | -0.24126 (13) | 0.68643 (7) | 0.0121 (2) |
| C2 | 0.87285 (17) | -0.13492 (13) | 0.56444 (7) | 0.0120 (2) |
| C3 | 0.76153 (17) | -0.02501 (13) | 0.50237 (7) | 0.0122 (2) |
| C4 | 0.65217 (18) | -0.03918 (13) | 0.41967 (7) | 0.0139 (2) |
| H4A | 0.6284 | -0.1277 | 0.3882 | 0.017* |
| C5 | 0.58061 (17) | 0.11092 (14) | 0.39077 (7) | 0.0134 (2) |
| C6 | 0.46309 (19) | 0.17499 (15) | 0.31360 (8) | 0.0169 (2) |
| H6A | 0.4126 | 0.1157 | 0.2658 | 0.020* |
| C7 | 0.42492 (19) | 0.32943 (16) | 0.31110 (8) | 0.0185 (2) |
| H7A | 0.3474 | 0.3741 | 0.2606 | 0.022* |
| C8 | 0.5000 (2) | 0.42034 (15) | 0.38265 (9) | 0.0193 (2) |
| H8A | 0.4710 | 0.5236 | 0.3784 | 0.023* |
| C9 | 0.6168 (2) | 0.35953 (14) | 0.45977 (8) | 0.0175 (2) |
| H9A | 0.6675 | 0.4189 | 0.5075 | 0.021* |
| C10 | 0.65281 (18) | 0.20498 (13) | 0.46092 (7) | 0.0128 (2) |
| O1W | 0.12342 (14) | 0.13102 (10) | 0.11923 (6) | 0.01697 (18) |
| H10W | 0.0827 | 0.1677 | 0.0673 | 0.025* |

| | | | | |
|------|-----------|------------|-------------|------------|
| H2OW | 0.0538 | 0.1810 | 0.1383 | 0.025* |
| H1N1 | 1.062 (3) | -0.433 (2) | 0.6261 (12) | 0.032 (5)* |
| H1N3 | 0.933 (3) | -0.032 (2) | 0.6736 (11) | 0.016 (4)* |

Atomic displacement parameters (Å²)

| | U^{11} | U^{22} | U^{33} | U^{12} | U^{13} | U^{23} |
|-----|--------------|--------------|--------------|-------------|--------------|-------------|
| S1 | 0.01807 (14) | 0.01305 (13) | 0.00963 (13) | 0.00052 (9) | 0.00341 (10) | 0.00123 (9) |
| O1 | 0.0168 (4) | 0.0119 (4) | 0.0113 (4) | 0.0021 (3) | 0.0035 (3) | -0.0001 (3) |
| N1 | 0.0172 (5) | 0.0122 (4) | 0.0099 (4) | 0.0022 (3) | 0.0043 (3) | 0.0014 (3) |
| N2 | 0.0167 (5) | 0.0130 (4) | 0.0103 (4) | 0.0017 (3) | 0.0038 (3) | 0.0009 (3) |
| N3 | 0.0158 (4) | 0.0110 (4) | 0.0098 (4) | 0.0021 (3) | 0.0044 (3) | 0.0005 (3) |
| C1 | 0.0137 (5) | 0.0112 (4) | 0.0118 (5) | 0.0005 (4) | 0.0051 (4) | 0.0013 (4) |
| C2 | 0.0132 (5) | 0.0126 (5) | 0.0100 (5) | 0.0005 (4) | 0.0040 (4) | 0.0004 (4) |
| C3 | 0.0130 (5) | 0.0121 (5) | 0.0108 (5) | 0.0008 (4) | 0.0036 (4) | 0.0007 (4) |
| C4 | 0.0152 (5) | 0.0132 (5) | 0.0115 (5) | 0.0006 (4) | 0.0027 (4) | -0.0001 (4) |
| C5 | 0.0123 (5) | 0.0159 (5) | 0.0113 (5) | 0.0007 (4) | 0.0038 (4) | 0.0024 (4) |
| C6 | 0.0156 (5) | 0.0214 (6) | 0.0120 (5) | 0.0006 (4) | 0.0030 (4) | 0.0029 (4) |
| C7 | 0.0153 (5) | 0.0224 (6) | 0.0168 (6) | 0.0041 (4) | 0.0049 (4) | 0.0085 (5) |
| C8 | 0.0187 (5) | 0.0166 (5) | 0.0236 (6) | 0.0048 (4) | 0.0090 (5) | 0.0061 (5) |
| C9 | 0.0200 (6) | 0.0147 (5) | 0.0182 (6) | 0.0029 (4) | 0.0077 (4) | 0.0010 (4) |
| C10 | 0.0134 (5) | 0.0135 (5) | 0.0108 (5) | 0.0018 (4) | 0.0037 (4) | 0.0026 (4) |
| O1W | 0.0225 (4) | 0.0144 (4) | 0.0136 (4) | 0.0006 (3) | 0.0064 (3) | 0.0009 (3) |

Geometric parameters (Å, °)

| | | | |
|------------|-------------|-----------|-------------|
| S1—C1 | 1.6892 (12) | C4—H4A | 0.9300 |
| O1—C10 | 1.3784 (14) | C5—C10 | 1.4003 (17) |
| O1—C3 | 1.3785 (14) | C5—C6 | 1.4045 (17) |
| N1—C1 | 1.3403 (16) | C6—C7 | 1.3848 (19) |
| N1—N2 | 1.3715 (14) | C6—H6A | 0.9300 |
| N1—H1N1 | 0.90 (2) | C7—C8 | 1.403 (2) |
| N2—C2 | 1.3112 (15) | C7—H7A | 0.9300 |
| N3—C1 | 1.3664 (15) | C8—C9 | 1.3914 (18) |
| N3—C2 | 1.3718 (15) | C8—H8A | 0.9300 |
| N3—H1N3 | 0.844 (18) | C9—C10 | 1.3840 (17) |
| C2—C3 | 1.4448 (16) | C9—H9A | 0.9300 |
| C3—C4 | 1.3575 (16) | O1W—H1OW | 0.8961 |
| C4—C5 | 1.4382 (16) | O1W—H2OW | 0.8208 |
| C10—O1—C3 | 105.34 (9) | C10—C5—C6 | 118.94 (11) |
| C1—N1—N2 | 113.03 (10) | C10—C5—C4 | 105.90 (10) |
| C1—N1—H1N1 | 127.4 (13) | C6—C5—C4 | 135.16 (12) |
| N2—N1—H1N1 | 119.6 (13) | C7—C6—C5 | 117.72 (12) |
| C2—N2—N1 | 103.96 (10) | C7—C6—H6A | 121.1 |
| C1—N3—C2 | 107.80 (10) | C5—C6—H6A | 121.1 |
| C1—N3—H1N3 | 125.3 (12) | C6—C7—C8 | 121.81 (12) |
| C2—N3—H1N3 | 126.5 (12) | C6—C7—H7A | 119.1 |

| | | | |
|--------------|--------------|---------------|--------------|
| N1—C1—N3 | 104.16 (10) | C8—C7—H7A | 119.1 |
| N1—C1—S1 | 127.44 (9) | C9—C8—C7 | 121.54 (12) |
| N3—C1—S1 | 128.40 (9) | C9—C8—H8A | 119.2 |
| N2—C2—N3 | 111.04 (10) | C7—C8—H8A | 119.2 |
| N2—C2—C3 | 123.72 (11) | C10—C9—C8 | 115.71 (12) |
| N3—C2—C3 | 125.24 (10) | C10—C9—H9A | 122.1 |
| C4—C3—O1 | 112.58 (10) | C8—C9—H9A | 122.1 |
| C4—C3—C2 | 131.59 (11) | O1—C10—C9 | 125.35 (11) |
| O1—C3—C2 | 115.82 (10) | O1—C10—C5 | 110.37 (10) |
| C3—C4—C5 | 105.81 (10) | C9—C10—C5 | 124.28 (11) |
| C3—C4—H4A | 127.1 | H1OW—O1W—H2OW | 101.1 |
| C5—C4—H4A | 127.1 | | |
| C1—N1—N2—C2 | -0.29 (14) | C2—C3—C4—C5 | -178.79 (12) |
| N2—N1—C1—N3 | -0.49 (13) | C3—C4—C5—C10 | -0.85 (13) |
| N2—N1—C1—S1 | 179.94 (9) | C3—C4—C5—C6 | 179.54 (14) |
| C2—N3—C1—N1 | 1.06 (13) | C10—C5—C6—C7 | 0.09 (18) |
| C2—N3—C1—S1 | -179.38 (9) | C4—C5—C6—C7 | 179.66 (13) |
| N1—N2—C2—N3 | 0.98 (13) | C5—C6—C7—C8 | 0.00 (19) |
| N1—N2—C2—C3 | -179.39 (11) | C6—C7—C8—C9 | 0.0 (2) |
| C1—N3—C2—N2 | -1.34 (14) | C7—C8—C9—C10 | -0.17 (19) |
| C1—N3—C2—C3 | 179.04 (11) | C3—O1—C10—C9 | -179.75 (12) |
| C10—O1—C3—C4 | 0.01 (13) | C3—O1—C10—C5 | -0.58 (13) |
| C10—O1—C3—C2 | 179.45 (10) | C8—C9—C10—O1 | 179.33 (11) |
| N2—C2—C3—C4 | 11.6 (2) | C8—C9—C10—C5 | 0.28 (19) |
| N3—C2—C3—C4 | -168.79 (13) | C6—C5—C10—O1 | -179.42 (10) |
| N2—C2—C3—O1 | -167.68 (11) | C4—C5—C10—O1 | 0.90 (13) |
| N3—C2—C3—O1 | 11.90 (17) | C6—C5—C10—C9 | -0.24 (19) |
| O1—C3—C4—C5 | 0.54 (14) | C4—C5—C10—C9 | -179.92 (12) |

Hydrogen-bond geometry (\AA , $^\circ$)

| <i>D</i> —H \cdots <i>A</i> | <i>D</i> —H | H \cdots <i>A</i> | <i>D</i> \cdots <i>A</i> | <i>D</i> —H \cdots <i>A</i> |
|-------------------------------------|-------------|---------------------|----------------------------|-------------------------------|
| O1W—H1OW \cdots N2 ⁱ | 0.90 | 2.05 | 2.9135 (14) | 160 |
| O1W—H2OW \cdots S1 ⁱⁱ | 0.82 | 2.46 | 3.2674 (11) | 167 |
| N1—H1N1 \cdots O1W ⁱⁱⁱ | 0.90 (2) | 1.81 (2) | 2.7100 (14) | 172.6 (19) |
| N3—H1N3 \cdots S1 ^{iv} | 0.846 (18) | 2.498 (18) | 3.3242 (10) | 165.7 (16) |

Symmetry codes: (i) $-x+1, y+1/2, -z+1/2$; (ii) $-x+1, -y, -z+1$; (iii) $x+1, -y-1/2, z+1/2$; (iv) $-x+2, y+1/2, -z+3/2$.