

Acta Crystallographica Section E

## Structure Reports

Online

ISSN 1600-5368

# tert-Butyl N-[3-[(3-chloro-1,4-dioxo-1,4-dihydronaphthalen-2-yl)amino]propyl]-carbamate

Jackson A. L. C. Resende\* and Javier A. Gomez

Departamento de Química Inorgânica, Universidade Federal Fluminense, Niterói, CEP 24-020-140, Rio de Janeiro, Brazil

Correspondence e-mail: jresende@id.uff.br


Received 29 May 2012; accepted 29 June 2012

 Key indicators: single-crystal X-ray study;  $T = 150$  K; mean  $\sigma(\text{C}-\text{C}) = 0.003$  Å;  $R$  factor = 0.037;  $wR$  factor = 0.096; data-to-parameter ratio = 13.8.

In the title compound,  $\text{C}_{18}\text{H}_{21}\text{ClN}_2\text{O}_4$ , the molecular structure is stabilized by two intramolecular  $\text{N}-\text{H}\cdots\text{O}$  hydrogen bonds. In the crystal, molecules are linked by pairs of  $\text{C}-\text{H}\cdots\text{O}$  hydrogen bonds, forming inversion dimers with graph-set motif  $R_2^2(10)$ .  $\text{N}-\text{H}\cdots\text{O}$  hydrogen bonds further link the dimers into  $C(10)$  chains along  $[010]$ .

## Related literature

For biological applications of 2-amino-1,4-naphthoquinones, see: Kapadia *et al.* (2001); Brun *et al.* (2005); Hallak *et al.* (2009); Bolognesi *et al.* (2008). For a similar hydrogen-bonding pattern in a related compound, see: Lynch & McClenaghan (2003). For graph-set notation see: Bernstein *et al.* (1995).



## Experimental

## Crystal data

 $\text{C}_{18}\text{H}_{21}\text{ClN}_2\text{O}_4$ 
 $M_r = 364.82$ 

 Monoclinic,  $P2_1/n$ 
 $a = 5.5172$  (2) Å

 $b = 16.6134$  (6) Å

 $c = 19.6758$  (6) Å

 $\beta = 95.709$  (3)°

 $V = 1794.53$  (11) Å<sup>3</sup>
 $Z = 4$ 

 Cu  $K\alpha$  radiation

 $\mu = 2.10$  mm<sup>-1</sup>
 $T = 150$  K

 $0.2 \times 0.15 \times 0.02$  mm

## Data collection

Agilent Xcalibur Atlas Gemini ultra diffractometer

 Absorption correction: multi-scan (*CrysAlis PRO*; Agilent, 2011)

 $T_{\min} = 0.551$ ,  $T_{\max} = 1$ 

9109 measured reflections

3149 independent reflections

 2620 reflections with  $I > 2\sigma(I)$ 
 $R_{\text{int}} = 0.040$ 

## Refinement

 $R[F^2 > 2\sigma(F^2)] = 0.037$ 
 $wR(F^2) = 0.096$ 
 $S = 1.07$ 

3149 reflections

229 parameters

H-atom parameters constrained

 $\Delta\rho_{\text{max}} = 0.21$  e Å<sup>-3</sup>
 $\Delta\rho_{\text{min}} = -0.27$  e Å<sup>-3</sup>

Table 1

Hydrogen-bond geometry (Å, °).

$D-H\cdots A$	$D-H$	$H\cdots A$	$D\cdots A$	$D-H\cdots A$
$\text{N1}-\text{H1}\cdots\text{O4}$	0.85	2.53	3.191 (2)	135
$\text{N1}-\text{H1}\cdots\text{O1}$	0.85	2.1	2.576 (2)	115
$\text{N2}-\text{H2}\cdots\text{O2}^{\text{i}}$	0.86	2.22	2.873 (2)	132
$\text{C8}-\text{H8}\cdots\text{O1}^{\text{ii}}$	0.95	2.33	3.200 (2)	153

 Symmetry codes: (i)  $-x + \frac{1}{2}, y - \frac{1}{2}, -z + \frac{1}{2}$ ; (ii)  $-x + 2, -y + 1, -z$ .

Data collection: *CrysAlis PRO* (Agilent, 2011); cell refinement: *CrysAlis PRO*; data reduction: *CrysAlis PRO*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP-3 for Windows* (Farrugia, 1997) and *Mercury* (Macrae *et al.*, 2006); software used to prepare material for publication: *WinGX* (Farrugia, 1999).

This work was supported by the Brazilian agencies Proppi-UFF, FAPERJ and CAPES. The authors thank the X-ray diffraction laboratory LabCri-UFMG for the data collection and the Consejo Superior de Investigaciones Científicas (CSIC) of Spain for the award of a license for the use of the Cambridge Crystallographic Database (CSD).

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: BX2415).

## References

- Agilent (2011). *CrysAlis PRO*. Agilent Technologies Ltd, Yarnton, England.
- Bernstein, J., Davis, R. E., Shimon, L. & Chang, N.-L. (1995). *Angew. Chem. Int. Ed. Engl.* **34**, 1555–1573.
- Bolognesi, M. L., Calonghi, N., Mangano, C., Masotti, L. & Melchiorre, C. (2008). *J. Med. Chem.* **51**, 5463–6467.
- Brun, M. P., Braud, E., Angotti, D., Mondésert, O., Quaranta, M., Montes, M., Miteva, M., Gresh, N., Ducommun, B. & Garbay, C. (2005). *Bioorg. Med. Chem.* **13**, 4871–4879.
- Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.
- Farrugia, L. J. (1999). *J. Appl. Cryst.* **32**, 837–838.
- Hallak, M., Win, T., Shpilberg, O., Bittner, S., Granot, Y., Levy, I. & Nathan, I. (2009). *Br. J. Haematol.* **147**, 459–470.
- Kapadia, G. J., Azuine, M., Balasubramanian, V. & Sridhar, R. (2001). *Pharmacol. Res.* **43**, 363–367.
- Lynch, D. E. & McClenaghan, I. (2003). *Acta Cryst.* **E59**, o1427–o1428.
- Macrae, C. F., Edgington, P. R., McCabe, P., Pidcock, E., Shields, G. P., Taylor, R., Towler, M. & van de Streek, J. (2006). *J. Appl. Cryst.* **39**, 453–457.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.

## supporting information

*Acta Cryst.* (2012). E68, o2361 [https://doi.org/10.1107/S1600536812029674]

***tert*-Butyl N-{3-[(3-chloro-1,4-dioxo-1,4-dihydronaphthalen-2-yl)amino]propyl}-carbamate**

Jackson A. L. C. Resende and Javier A. Gomez

**S1. Comment**

Compounds with the fragment 2-amino-1,4-naphthoquinones shows a variety of uses including antimalarial activity (Kapadia *et al.*, 2001), CDC25 phosphatase inhibitory activity (Brun *et al.*, 2005), antileukemic activity (Hallak *et al.*, 2009), and anticancer potential (Bolognesi *et al.*, 2008). The title compound (I) is the product of the reaction of 2,3-dichloro-1,4-naphthoquinone with *tert*-butyl-3-aminopropylcarbamate. The molecular structure is stabilized by a bifurcated hydrogen bond between N atom of one amine group and two O atoms of carbonyl groups N1—H1 $\cdots$ O4, N1—H1 $\cdots$ O1, like as observed in 2-Chloro-3-(3-dimethylaminopropylamino)-1,4-naphthoquinone (Lynch & McClenaghan, 2003). In the crystal structure the molecules are linked by C—H $\cdots$ O and N—H $\cdots$ O hydrogen bond interactions forming centrosymmetric dimer and chains (along [010]) with graph-set notation R<sub>2</sub><sup>2</sup>(10) and C(10) respectively (Bernstein, *et al.*, 1995) Table 1, Fig.2

**S2. Experimental**

2,3-dichloro-[1,4]-naphthoquinone (2.35 g, 10.34 mmol) was dissolved in acetonitrile (20 ml). Then it was added potassium carbonate (1.43 g, 10.34 mmol) followed by *tert*-butyl-3-aminopropylcarbamate (1.50 g, 8.62 mmol) dissolved in acetonitrile (10 ml). The reaction mixture was refluxed for 5 h and concentrated under reduced pressure. The solution was diluted with ethyl acetate, and washed with saturated sodium carbonate. The organic layer was dried (Na<sub>2</sub>SO<sub>4</sub>) and the solvent was evaporated in vacuum. The residue was purified by column chromatography (silica gel, Hexane/EtOAc, 20:1) to yield *tert*-butyl 3-(3-chloro-1,4-dioxo-1,4-dihydronaphthalen-2-ylamino)propylcarbamate 2.81 g, 89%), mp. 123 – 125 °C. The red crystal compound title were obtained from a solvent mixture (Hexane/EtOAc) *via* slow evaporation. <sup>1</sup>H NMR in CDCl<sub>3</sub>:  $\delta$  1.45 (s, 9H, H14), 1.85 (q, J = 6.5 Hz, 2H, H12), 3.25 (q, J = 6.5, 2H, H13), 3.89 (q, J = 6.5 Hz, 2H, H11), 7.61 (td, J = 1.2, 7.6 Hz, 1H, H6/H7), 7.71 (td, J = 1.2, 7.6 Hz, 1H, H6/H7), 8.03 (dd, J = 0.9, 7.6 Hz, 1H, H5/H8), 8.13 (dd, J = 0.9, 7.6 Hz, 1H, H5/H8).

**S3. Refinement**

All C-bound H atoms were placed into the calculated idealized positions. The N-bound H atoms were placed at Fourier Maps. All H atoms were refined with fixed individual displacement parameters [ $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}$  and  $U_{\text{iso}}(\text{H}) = 1.5U_{\text{eq}}(\text{methyl})$ ] using a riding model.




Figure 1

ORTEP representation (Farrugia, 1997) of the molecular structure of compound I with the numbering and displacement ellipsoids at 30% probability level. Hydrogen-bonds are shown by dashed lines.




Figure 2

Packing diagram of (I), showing the formation of dimer and chains along [010]. Hydrogen-bonds are shown by dashed lines. "

***tert*-Butyl *N*-{3-[(3-chloro-1,4-dioxo-1,4-dihydronaphthalen-2-yl)amino]propyl}carbamate**

*Crystal data*

$C_{18}H_{21}ClN_2O_4$

$M_r = 364.82$

Monoclinic,  $P2_1/n$

Hall symbol:  $-P\ 2_1/n$

$a = 5.5172(2)\ \text{\AA}$

$b = 16.6134(6)\ \text{\AA}$

$c = 19.6758(6)\ \text{\AA}$

$\beta = 95.709(3)^\circ$

$V = 1794.53(11)\ \text{\AA}^3$

$Z = 4$

$F(000) = 768$

$D_x = 1.35\ \text{Mg m}^{-3}$

Cu  $K\alpha$  radiation,  $\lambda = 1.5418\ \text{\AA}$

Cell parameters from 3882 reflections

$\theta = 3.5\text{--}66.1^\circ$

$\mu = 2.10\ \text{mm}^{-1}$

$T = 150\ \text{K}$

Plate, red

$0.2 \times 0.15 \times 0.02\ \text{mm}$

*Data collection*

Agilent Xcalibur Atlas Gemini ultra  
diffractometer  
Graphite monochromator  
Detector resolution: 10.4186 pixels mm<sup>-1</sup>  
 $\omega$  scans  
Absorption correction: multi-scan  
(*CrysAlis PRO*; Agilent, 2011)  
 $T_{\min} = 0.551$ ,  $T_{\max} = 1$

9109 measured reflections  
3149 independent reflections  
2620 reflections with  $I > 2\sigma(I)$   
 $R_{\text{int}} = 0.040$   
 $\theta_{\text{max}} = 66.3^\circ$ ,  $\theta_{\text{min}} = 3.5^\circ$   
 $h = -6 \rightarrow 6$   
 $k = -19 \rightarrow 13$   
 $l = -23 \rightarrow 22$

*Refinement*

Refinement on  $F^2$   
Least-squares matrix: full  
 $R[F^2 > 2\sigma(F^2)] = 0.037$   
 $wR(F^2) = 0.096$   
 $S = 1.07$   
3149 reflections  
229 parameters  
0 restraints  
Primary atom site location: structure-invariant  
direct methods

Secondary atom site location: difference Fourier  
map  
Hydrogen site location: inferred from  
neighbouring sites  
H-atom parameters constrained  
 $w = 1/[\sigma^2(F_o^2) + (0.0487P)^2 + 0.2773P]$   
where  $P = (F_o^2 + 2F_c^2)/3$   
 $(\Delta/\sigma)_{\text{max}} = 0.001$   
 $\Delta\rho_{\text{max}} = 0.21 \text{ e } \text{\AA}^{-3}$   
 $\Delta\rho_{\text{min}} = -0.27 \text{ e } \text{\AA}^{-3}$

*Special details*

**Experimental.** *CrysAlisPro* (Agilent, 2011) Empirical absorption correction using spherical harmonics, implemented in *SCALE3 ABSPACK* scaling algorithm.

**Geometry.** All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted  $R$ -factor  $wR$  and goodness of fit  $S$  are based on  $F^2$ , conventional  $R$ -factors  $R$  are based on  $F$ , with  $F$  set to zero for negative  $F^2$ . The threshold expression of  $F^2 > \sigma(F^2)$  is used only for calculating  $R$ -factors(gt) *etc.* and is not relevant to the choice of reflections for refinement.  $R$ -factors based on  $F^2$  are statistically about twice as large as those based on  $F$ , and  $R$ -factors based on ALL data will be even larger.

*Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )*

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
Cl	0.06795 (8)	0.53090 (3)	0.20487 (2)	0.02752 (14)
O2	0.2272 (2)	0.68717 (8)	0.16913 (7)	0.0334 (3)
O1	0.7377 (2)	0.46056 (8)	0.05404 (7)	0.0309 (3)
C3	0.2965 (3)	0.54959 (11)	0.15192 (8)	0.0213 (4)
C2	0.4262 (3)	0.48957 (10)	0.12418 (8)	0.0195 (4)
C9	0.6701 (3)	0.59958 (11)	0.06765 (8)	0.0215 (4)
C10	0.5346 (3)	0.65804 (11)	0.09762 (8)	0.0225 (4)
C5	0.5789 (3)	0.73898 (12)	0.08553 (9)	0.0289 (4)
H5	0.4862	0.7793	0.1053	0.035*
C8	0.8508 (3)	0.62166 (12)	0.02638 (9)	0.0254 (4)
H8	0.9433	0.5815	0.0062	0.03*
C11	0.2428 (3)	0.35866 (11)	0.16149 (9)	0.0249 (4)
H11A	0.2312	0.3057	0.1384	0.03*
H11B	0.079	0.3836	0.156	0.03*

C4	0.3413 (3)	0.63466 (11)	0.14204 (9)	0.0234 (4)
C13	0.5714 (4)	0.30943 (12)	0.25169 (10)	0.0295 (4)
H13A	0.689	0.3429	0.2293	0.035*
H13B	0.6191	0.3112	0.3015	0.035*
C1	0.6246 (3)	0.51367 (11)	0.07960 (9)	0.0220 (4)
C7	0.8947 (3)	0.70260 (12)	0.01492 (9)	0.0292 (4)
H7	1.0174	0.7181	-0.0131	0.035*
C12	0.3190 (3)	0.34600 (12)	0.23726 (9)	0.0283 (4)
H12A	0.3156	0.3985	0.261	0.034*
H12B	0.1991	0.3103	0.2563	0.034*
C6	0.7587 (4)	0.76064 (12)	0.04458 (10)	0.0321 (5)
H6	0.7891	0.816	0.0367	0.039*
O4	0.7482 (2)	0.25328 (8)	0.12831 (7)	0.0324 (3)
N2	0.5892 (3)	0.22688 (9)	0.22833 (8)	0.0296 (4)
H2	0.541	0.189	0.2536	0.036*
C15	0.6766 (3)	0.20650 (11)	0.16955 (10)	0.0251 (4)
O3	0.6717 (2)	0.12504 (8)	0.16315 (7)	0.0310 (3)
C16	0.8079 (3)	0.08385 (12)	0.11316 (10)	0.0299 (4)
C17	0.6995 (4)	0.10180 (14)	0.04103 (11)	0.0413 (5)
H17A	0.5265	0.0873	0.0362	0.062*
H17B	0.7852	0.0704	0.0087	0.062*
H17C	0.7167	0.1593	0.0316	0.062*
C18	1.0756 (4)	0.10683 (15)	0.12453 (13)	0.0450 (6)
H18A	1.0957	0.1629	0.1108	0.067*
H18B	1.1704	0.0717	0.0971	0.067*
H18C	1.1332	0.1006	0.173	0.067*
C19	0.7714 (5)	-0.00400 (13)	0.13100 (13)	0.0472 (6)
H19A	0.8367	-0.0137	0.1785	0.071*
H19B	0.857	-0.0382	0.1006	0.071*
H19C	0.5972	-0.0168	0.1255	0.071*
N1	0.4113 (3)	0.40938 (9)	0.12852 (7)	0.0242 (3)
H1	0.524	0.3858	0.1098	0.029*

*Atomic displacement parameters (Å<sup>2</sup>)*

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
C1	0.0286 (2)	0.0288 (3)	0.0266 (2)	0.00320 (18)	0.01000 (17)	0.00058 (18)
O2	0.0422 (8)	0.0250 (7)	0.0349 (7)	0.0059 (6)	0.0136 (6)	-0.0064 (6)
O1	0.0360 (7)	0.0243 (7)	0.0349 (7)	0.0038 (6)	0.0156 (6)	-0.0027 (6)
C3	0.0228 (8)	0.0245 (9)	0.0168 (8)	0.0012 (7)	0.0032 (7)	-0.0004 (7)
C2	0.0218 (8)	0.0215 (9)	0.0147 (8)	-0.0003 (7)	-0.0014 (7)	-0.0004 (7)
C9	0.0232 (8)	0.0233 (9)	0.0173 (8)	0.0001 (7)	-0.0018 (7)	0.0001 (7)
C10	0.0262 (9)	0.0238 (9)	0.0166 (8)	0.0007 (8)	-0.0024 (7)	-0.0016 (7)
C5	0.0349 (10)	0.0229 (10)	0.0280 (10)	0.0024 (8)	-0.0004 (8)	-0.0005 (8)
C8	0.0266 (9)	0.0287 (10)	0.0208 (9)	-0.0012 (8)	0.0023 (7)	0.0002 (8)
C11	0.0250 (9)	0.0222 (9)	0.0272 (10)	-0.0039 (7)	0.0017 (8)	0.0005 (8)
C4	0.0270 (9)	0.0248 (9)	0.0179 (9)	0.0015 (8)	0.0005 (7)	-0.0022 (7)
C13	0.0364 (10)	0.0259 (10)	0.0256 (10)	-0.0009 (8)	0.0006 (8)	0.0013 (8)

C1	0.0242 (8)	0.0227 (9)	0.0186 (8)	0.0017 (7)	-0.0002 (7)	-0.0009 (7)
C7	0.0313 (9)	0.0337 (11)	0.0224 (9)	-0.0064 (8)	0.0010 (8)	0.0049 (8)
C12	0.0340 (10)	0.0252 (10)	0.0264 (10)	-0.0005 (8)	0.0068 (8)	0.0020 (8)
C6	0.0416 (11)	0.0235 (10)	0.0305 (10)	-0.0047 (9)	-0.0006 (9)	0.0044 (8)
O4	0.0372 (7)	0.0274 (7)	0.0341 (7)	-0.0043 (6)	0.0112 (6)	0.0053 (6)
N2	0.0356 (8)	0.0220 (8)	0.0328 (9)	0.0004 (7)	0.0110 (7)	0.0067 (7)
C15	0.0204 (8)	0.0221 (9)	0.0327 (10)	-0.0019 (7)	0.0025 (8)	0.0039 (8)
O3	0.0333 (7)	0.0228 (7)	0.0387 (8)	-0.0013 (6)	0.0131 (6)	0.0023 (6)
C16	0.0260 (9)	0.0262 (10)	0.0380 (11)	0.0019 (8)	0.0061 (8)	0.0010 (9)
C17	0.0432 (12)	0.0420 (13)	0.0382 (12)	-0.0032 (10)	0.0027 (10)	-0.0047 (10)
C18	0.0251 (10)	0.0480 (14)	0.0619 (15)	0.0053 (10)	0.0045 (10)	0.0020 (12)
C19	0.0519 (13)	0.0284 (12)	0.0632 (16)	0.0071 (10)	0.0158 (12)	0.0029 (11)
N1	0.0282 (8)	0.0212 (8)	0.0238 (8)	0.0012 (6)	0.0061 (6)	-0.0006 (6)

*Geometric parameters (Å, °)*

Cl—C3	1.7418 (18)	C7—C6	1.386 (3)
O2—C4	1.228 (2)	C7—H7	0.95
O1—C1	1.218 (2)	C12—H12A	0.99
C3—C2	1.372 (2)	C12—H12B	0.99
C3—C4	1.451 (3)	C6—H6	0.95
C2—N1	1.338 (2)	O4—C15	1.218 (2)
C2—C1	1.523 (2)	N2—C15	1.340 (2)
C9—C10	1.392 (2)	N2—H2	0.86
C9—C8	1.396 (3)	C15—O3	1.359 (2)
C9—C1	1.472 (3)	O3—C16	1.465 (2)
C10—C5	1.391 (3)	C16—C17	1.514 (3)
C10—C4	1.496 (3)	C16—C19	1.519 (3)
C5—C6	1.386 (3)	C16—C18	1.520 (3)
C5—H5	0.95	C17—H17A	0.98
C8—C7	1.389 (3)	C17—H17B	0.98
C8—H8	0.95	C17—H17C	0.98
C11—N1	1.454 (2)	C18—H18A	0.98
C11—C12	1.523 (3)	C18—H18B	0.98
C11—H11A	0.99	C18—H18C	0.98
C11—H11B	0.99	C19—H19A	0.98
C13—N2	1.453 (2)	C19—H19B	0.98
C13—C12	1.520 (3)	C19—H19C	0.98
C13—H13A	0.99	N1—H1	0.8486
C13—H13B	0.99		
C2—C3—C4	123.52 (16)	C11—C12—H12A	108.9
C2—C3—C1	123.08 (14)	C13—C12—H12B	108.9
C4—C3—C1	113.37 (13)	C11—C12—H12B	108.9
N1—C2—C3	131.33 (17)	H12A—C12—H12B	107.7
N1—C2—C1	110.55 (15)	C7—C6—C5	120.86 (18)
C3—C2—C1	118.12 (15)	C7—C6—H6	119.6
C10—C9—C8	120.52 (17)	C5—C6—H6	119.6

C10—C9—C1	120.11 (16)	C15—N2—C13	123.56 (16)
C8—C9—C1	119.37 (17)	C15—N2—H2	118.2
C5—C10—C9	119.41 (17)	C13—N2—H2	118.2
C5—C10—C4	119.90 (17)	O4—C15—N2	125.63 (17)
C9—C10—C4	120.70 (16)	O4—C15—O3	125.34 (18)
C6—C5—C10	119.88 (19)	N2—C15—O3	109.03 (16)
C6—C5—H5	120.1	C15—O3—C16	121.37 (15)
C10—C5—H5	120.1	O3—C16—C17	110.87 (16)
C7—C8—C9	119.66 (18)	O3—C16—C19	101.83 (16)
C7—C8—H8	120.2	C17—C16—C19	110.91 (18)
C9—C8—H8	120.2	O3—C16—C18	109.84 (16)
N1—C11—C12	112.97 (14)	C17—C16—C18	112.07 (18)
N1—C11—H11A	109	C19—C16—C18	110.86 (18)
C12—C11—H11A	109	C16—C17—H17A	109.5
N1—C11—H11B	109	C16—C17—H17B	109.5
C12—C11—H11B	109	H17A—C17—H17B	109.5
H11A—C11—H11B	107.8	C16—C17—H17C	109.5
O2—C4—C3	122.17 (16)	H17A—C17—H17C	109.5
O2—C4—C10	119.68 (16)	H17B—C17—H17C	109.5
C3—C4—C10	118.15 (16)	C16—C18—H18A	109.5
N2—C13—C12	114.05 (16)	C16—C18—H18B	109.5
N2—C13—H13A	108.7	H18A—C18—H18B	109.5
C12—C13—H13A	108.7	C16—C18—H18C	109.5
N2—C13—H13B	108.7	H18A—C18—H18C	109.5
C12—C13—H13B	108.7	H18B—C18—H18C	109.5
H13A—C13—H13B	107.6	C16—C19—H19A	109.5
O1—C1—C9	122.29 (16)	C16—C19—H19B	109.5
O1—C1—C2	118.31 (16)	H19A—C19—H19B	109.5
C9—C1—C2	119.38 (15)	C16—C19—H19C	109.5
C6—C7—C8	119.67 (18)	H19A—C19—H19C	109.5
C6—C7—H7	120.2	H19B—C19—H19C	109.5
C8—C7—H7	120.2	C2—N1—C11	130.65 (16)
C13—C12—C11	113.37 (16)	C2—N1—H1	112.3
C13—C12—H12A	108.9	C11—N1—H1	117
C4—C3—C2—N1	179.24 (17)	C10—C9—C1—C2	0.8 (2)
C1—C3—C2—N1	1.4 (3)	C8—C9—C1—C2	-179.55 (15)
C4—C3—C2—C1	-1.2 (2)	N1—C2—C1—O1	0.8 (2)
C1—C3—C2—C1	-178.99 (12)	C3—C2—C1—O1	-178.91 (15)
C8—C9—C10—C5	0.7 (2)	N1—C2—C1—C9	179.53 (14)
C1—C9—C10—C5	-179.67 (15)	C3—C2—C1—C9	-0.2 (2)
C8—C9—C10—C4	-179.81 (15)	C9—C8—C7—C6	0.0 (3)
C1—C9—C10—C4	-0.2 (2)	N2—C13—C12—C11	-67.5 (2)
C9—C10—C5—C6	-0.7 (3)	N1—C11—C12—C13	-57.5 (2)
C4—C10—C5—C6	179.74 (16)	C8—C7—C6—C5	-0.1 (3)
C10—C9—C8—C7	-0.3 (2)	C10—C5—C6—C7	0.4 (3)
C1—C9—C8—C7	-179.97 (15)	C12—C13—N2—C15	98.8 (2)
C2—C3—C4—O2	-177.80 (16)	C13—N2—C15—O4	-1.0 (3)

C1—C3—C4—O2	0.2 (2)	C13—N2—C15—O3	179.19 (15)
C2—C3—C4—C10	1.8 (2)	O4—C15—O3—C16	15.1 (3)
C1—C3—C4—C10	179.81 (12)	N2—C15—O3—C16	-165.12 (15)
C5—C10—C4—O2	-2.0 (2)	C15—O3—C16—C17	-68.5 (2)
C9—C10—C4—O2	178.51 (15)	C15—O3—C16—C19	173.46 (16)
C5—C10—C4—C3	178.43 (15)	C15—O3—C16—C18	55.9 (2)
C9—C10—C4—C3	-1.1 (2)	C3—C2—N1—C11	3.6 (3)
C10—C9—C1—O1	179.49 (16)	C1—C2—N1—C11	-175.99 (15)
C8—C9—C1—O1	-0.9 (2)	C12—C11—N1—C2	-84.5 (2)

*Hydrogen-bond geometry (Å, °)*

<i>D</i> —H $\cdots$ <i>A</i>	<i>D</i> —H	H $\cdots$ <i>A</i>	<i>D</i> $\cdots$ <i>A</i>	<i>D</i> —H $\cdots$ <i>A</i>
N1—H1 $\cdots$ O4	0.85	2.53	3.191 (2)	135
N1—H1 $\cdots$ O1	0.85	2.1	2.576 (2)	115
N2—H2 $\cdots$ O2 <sup>i</sup>	0.86	2.22	2.873 (2)	132
C8—H8 $\cdots$ O1 <sup>ii</sup>	0.95	2.33	3.200 (2)	153

Symmetry codes: (i)  $-x+1/2, y-1/2, -z+1/2$ ; (ii)  $-x+2, -y+1, -z$ .