Acta Crystallographica Section E Structure Reports Online

ISSN 1600-5368

# 2-Hydroxy-N'-methylbenzohydrazide

## Xinwen Zhang

College of Chemistry and Material Science, South-Central University for Nationalities, Wuhan 430074, People's Republic of China Correspondence e-mail: z.xinwen@yahoo.com

Received 2 July 2012; accepted 4 August 2012

Key indicators: single-crystal X-ray study; T = 294 K; mean  $\sigma$ (C–C) = 0.002 Å; R factor = 0.048; wR factor = 0.129; data-to-parameter ratio = 15.4.

In the title molecule,  $C_8H_{10}N_2O_2$ , there is an intramolecular hydrogen bond involving the hydroxy group and the O atom of the carbonyl group. The dihedral angle between the benzene ring and the amide fragment is 87.16 (10)°. The C-N-N-C torsion angle is 88.87 (18)°. In the crystal, N-H…N and N-H…O hydrogen bonds connect molecules into chains along [100]. In addition, there is a weak C-H… $\pi$  interaction.

## **Related literature**

For applications of related materials, see: Zhang *et al.* (2012); Jin *et al.* (2011). For the preparation of the title compound, see: Li *et al.* (2001). For a related structure, see: Jin (2007).



#### Experimental

Crystal data

 $\begin{array}{l} C_8 H_{10} N_2 O_2 \\ M_r = 166.18 \\ \text{Monoclinic, } P2_1/c \\ a = 7.4863 \ (10) \text{ Å} \\ b = 14.706 \ (2) \text{ Å} \\ c = 7.7232 \ (11) \text{ Å} \\ \beta = 96.898 \ (2)^{\circ} \end{array}$ 

 $V = 844.1 (2) Å^{3}$ Z = 4 Mo K\alpha radiation \(\mu = 0.10 \text{ mm}^{-1}\) T = 294 K 0.30 \times 0.20 \times 0.20 \text{ mm}\)

#### Data collection

Bruker SMART CCD

diffractometer Absorption correction: multi-scan (SADABS; Sheldrick, 1996)  $T_{min} = 0.972, T_{max} = 0.981$ 

#### Refinement

 $R[F^2 > 2\sigma(F^2)] = 0.048$   $wR(F^2) = 0.129$  S = 1.031837 reflections 119 parameters

Table 1

Hydrogen-bond geometry (Å, °).

Cg is the centroid of the C1-C6 ring.

| $D - H \cdot \cdot \cdot A$   | D-H  | $H \cdot \cdot \cdot A$                                  | $D \cdots A$  | $D - \mathbf{H} \cdots A$                                |
|---|--|--|---|--|
| $\begin{array}{c} 01 - H1B \cdots 02 \\ N1 - H1A \cdots N2^{i} \\ N1 - H1A \cdots N1^{i} \\ N2 - H2A \cdots 02^{ii} \\ C4 - H4 \cdots Cg^{iii} \end{array}$ | 0.91 (2)<br>0.859 (19)<br>0.859 (19)<br>0.884 (18)<br>0.93 | 1.72 (2)<br>2.16 (2)<br>2.619 (18)<br>2.253 (17)<br>2.83 | 2.5535 (15)<br>2.9415 (18)<br>3.1403 (18)<br>2.9866 (16)<br>3.6713 (13) | 150 (2)<br>151.9 (15)<br>120.4 (13)<br>140.3 (14)<br>152 |
|   |  |  |   |  |

6478 measured reflections

 $R_{\rm int} = 0.045$ 

refinement  $\Delta \rho_{\text{max}} = 0.16 \text{ e } \text{\AA}^{-3}$ 

 $\Delta \rho_{\rm min} = -0.26 \text{ e } \text{\AA}^{-3}$ 

1837 independent reflections

1381 reflections with  $I > 2\sigma(I)$ 

H atoms treated by a mixture of

independent and constrained

Symmetry codes: (i) -x + 1, -y + 1, -z; (ii) -x + 2, -y + 1, -z; (iii) x,  $-y + \frac{3}{2}$ ,  $z + \frac{1}{2}$ .

Data collection: *SMART* (Bruker, 2001); cell refinement: *SAINT* (Bruker, 2001); data reduction: *SAINT*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *SHELXTL* (Sheldrick, 2008); software used to prepare material for publication: *SHELXTL*.

This work was supported by the Research Funds of South-Central University for Nationalities.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: LH5501).

#### References

Bruker (2001). SMART and SAINT. Bruker AXS Inc., Madison, Wisconsin, USA.

Jin, L.-F. (2007). Acta Cryst. E63, 03465.

Jin, C. Z., Yang, Y., Jin, L. F., Wu, L. M. & Zhang, J. (2011). J. Coord. Chem. 64, 4098–4107.

Li, Z. G., Wang, Q. M. & Huang, J. M. (2001). In *Preparation of Organic Intermediate Compounds*. Beijing: Chemical Industry Publishing House. Sheldrick, G. M. (1996). *SADABS*. University of Göttingen, Germany.

- Sheldrick, G. M. (2008). Acta Cryst. A64, 112–122.
- Zhang, X. W., Wu, L. M., Zhang, J. & Jin, L. F. (2012). Synth. React. Inorg. Met. Org. Nano-Met. Chem. 42, 87–91.

# supporting information

Acta Cryst. (2012). E68, o2686 [doi:10.1107/S160053681203468X]

# 2-Hydroxy-N'-methylbenzohydrazide

# **Xinwen Zhang**

# S1. Comment

Materials such as the title compound and the recently determined crystal structure of 4-(5-bromo-2-hydroxybenzoyl)thiosemicarbazide (Jin, 2007) are potentially important ligands and intermediates (Zhang *et al.*, 2012; Jin *et al.*, 2011). Part of our studies is to find new methods to synthesize derivatives of saylicylic acid and study their structures and activities. In this paper, the X-ray crystal structure determination of the title compound (I) is reported.

The molecular structure of the title compound is shown in Fig. 1. The geometric parameters of (I) agree with those related in the structure published by Jin (2007). The atoms C1—C7/O1/O2 are essentially co-planar with an r.m.s deviation of 0.016Å. There is intramolecular hydrogen bond involving the hydroxy group and the O atom of the carbonyl group. In the crystal, N—H···N and N—H···O hydrogen bonds connect molecules into one-dimensional chains along [100] (see Table 1 and Fig. 2). In addition, there is a weak intermolecular C—H··· $\pi$  interaction. There are some intermolecular contacts which are shorter than the sums of the van der Waals radii of the atoms involved i.e. N1···N2<sup>iv</sup> [2.9415 (18) Å], O2···N2<sup>v</sup> [2.9866 (17) Å] and C6···C6<sup>vi</sup> [3.346 (2) Å] [symmetry code (iv): 1 - *x*,-*y*,1 - *z*; (v): -*x*,-*y*,1 - *z*; (vi): 1 - *x*,-*y*,*z*].

# **S2. Experimental**

Methyl salicylate (15.2 g, 0.10 mol) and methylhydrazine in aqueous solution (23.0 g, 0.20 mol) were mixed at 273 K and stirred for 1 h. The reaction mixture was slowly warmed to 338 K and refluxed for a further 12 h. After the resulting mixture was concentrated under reduced pressure, the residue was adjusted to pH 8 with acetic acid. After staying for 1 h in a refrigerator, the resulting precipitate was filtered and rinsed with ethyl ether. A white solid formed was recrystallized to give 7.0 g (42% yield) of *N*-methyl-salicylhydrazide. A block-like crystal suitable for X-ray analysis was grown from a solution of the title compound in methanol at room temperature by slow evaporation.

# **S3. Refinement**

The hydroxy H atom was located in a difference Fourier map and refined isotropically [O-H = 0.91 (2) Å] with  $U_{iso}(H) = 1.5U_{eq}(O)$ . The H atoms bonded to N atoms were located in a difference Fourier map and refined isotropically (N-H = 0.859 (19) and 0.884 (18) Å) with  $U_{iso}(H) = 1.2U_{eq}(N)$ . All other H atoms were included in a riding-model approximation, with C-H distances of 0.93 (aromatic H atoms) and 0.96 Å (methyl atoms). The isotropic displacement parameters were set to  $1.2U_{eq}(C)$  for the aromatic H atoms and to  $1.5U_{eq}(C)$  for the methyl H atoms.



# Figure 1

The molecular structure of (I), showing 30% probability displacement ellipsoids. The dashed lines indicates a hydrogen bond.



# Figure 2

Packing diagram for (I). The hydrogen bonds are indicated by dashed lines.

# 2-Hydroxy-N'-methylbenzohydrazide

Crystal data

 $C_{8}H_{10}N_{2}O_{2}$   $M_{r} = 166.18$ Monoclinic,  $P2_{1}/c$ Hall symbol: -P 2ybc a = 7.4863 (10) Å b = 14.706 (2) Å c = 7.7232 (11) Å  $\beta = 96.898$  (2)° V = 844.1 (2) Å<sup>3</sup> Z = 4 F(000) = 352  $D_x = 1.308 \text{ Mg m}^{-3}$ Mo K $\alpha$  radiation,  $\lambda = 0.71073 \text{ Å}$ Cell parameters from 1880 reflections  $\theta = 2.7-26.5^{\circ}$   $\mu = 0.10 \text{ mm}^{-1}$  T = 294 KBlock, colorless  $0.30 \times 0.20 \times 0.20 \text{ mm}$  Data collection

| Bruker SMART CCD<br>diffractometer<br>Radiation source: fine-focus sealed tube<br>Graphite monochromator<br>$\varphi$ and $\omega$ scans<br>Absorption correction: multi-scan<br>( <i>SADABS</i> ; Sheldrick, 1996)<br>$T_{\min} = 0.972, T_{\max} = 0.981$<br><i>Refinement</i> | 6478 measured reflections<br>1837 independent reflections<br>1381 reflections with $I > 2\sigma(I)$<br>$R_{int} = 0.045$<br>$\theta_{max} = 27.0^{\circ}, \ \theta_{min} = 2.7^{\circ}$<br>$h = -7 \rightarrow 9$<br>$k = -16 \rightarrow 18$<br>$l = -9 \rightarrow 9$  |
|--|--|
| Refinement on $F^2$<br>Least-squares matrix: full<br>$R[F^2 > 2\sigma(F^2)] = 0.048$<br>$wR(F^2) = 0.129$<br>S = 1.03<br>1837 reflections<br>119 parameters<br>0 restraints<br>Primary atom site location: structure-invariant<br>direct methods                                 | Secondary atom site location: difference Fourier<br>map<br>Hydrogen site location: inferred from<br>neighbouring sites<br>H atoms treated by a mixture of independent<br>and constrained refinement<br>$w = 1/[\sigma^2(F_o^2) + (0.0724P)^2]$<br>where $P = (F_o^2 + 2F_c^2)/3$<br>$(\Delta/\sigma)_{max} = 0.001$<br>$\Delta\rho_{max} = 0.16 \text{ e} \text{ Å}^{-3}$<br>$\Delta\rho_{min} = -0.26 \text{ e} \text{ Å}^{-3}$ |

## Special details

**Geometry**. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

**Refinement**. Refinement of  $F^2$  against ALL reflections. The weighted *R*-factor *wR* and goodness of fit *S* are based on  $F^2$ , conventional *R*-factors *R* are based on *F*, with *F* set to zero for negative  $F^2$ . The threshold expression of  $F^2 > \sigma(F^2)$  is used only for calculating *R*-factors(gt) *etc.* and is not relevant to the choice of reflections for refinement. *R*-factors based on  $F^2$  are statistically about twice as large as those based on *F*, and *R*- factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters  $(Å^2)$ 

| x            | у   | Ζ   | $U_{ m iso}$ */ $U_{ m eq}$  |   |
|--------------|---|---|--|---|
| 0.75411 (17) | 0.59342 (9)   | 0.39608 (15)  | 0.0389 (3)   |   |
| 0.88807 (19) | 0.63880 (10)  | 0.50734 (17)  | 0.0467 (4)   |   |
| 0.8400 (2)   | 0.68846 (12)  | 0.6475 (2)  | 0.0593 (4)   |   |
| 0.9278       | 0.7199  | 0.7192  | 0.071*   |   |
| 0.6643 (2)   | 0.69159 (11)  | 0.68107 (19)  | 0.0576 (4)   |   |
| 0.6344       | 0.7240  | 0.7769  | 0.069*   |   |
| 0.5313 (2)   | 0.64697 (10)  | 0.57369 (18)  | 0.0496 (4)   |   |
| 0.4122       | 0.6494  | 0.5965  | 0.060*   |   |
| 0.57723 (19) | 0.59916 (9)   | 0.43321 (17)  | 0.0432 (4)   |   |
| 0.4874       | 0.5697  | 0.3605  | 0.052*   |   |
| 0.80781 (18) | 0.54385 (10)  | 0.24308 (16)  | 0.0423 (4)   |   |
| 0.7418 (3)   | 0.36724 (13)  | 0.0064 (2)  | 0.0769 (6)   |   |
| 0.8366       | 0.3593  | 0.1005  | 0.115*   |   |
| 0.7758       | 0.3395  | -0.0973   | 0.115*   |   |
| 0.6338       | 0.3392  | 0.0363  | 0.115*   |   |
|              | x<br>0.75411 (17)<br>0.88807 (19)<br>0.8400 (2)<br>0.9278<br>0.6643 (2)<br>0.6344<br>0.5313 (2)<br>0.4122<br>0.57723 (19)<br>0.4874<br>0.80781 (18)<br>0.7418 (3)<br>0.8366<br>0.7758<br>0.6338 | x $y$ $0.75411 (17)$ $0.59342 (9)$ $0.88807 (19)$ $0.63880 (10)$ $0.8400 (2)$ $0.68846 (12)$ $0.9278$ $0.7199$ $0.6643 (2)$ $0.69159 (11)$ $0.6344$ $0.7240$ $0.5313 (2)$ $0.64697 (10)$ $0.4122$ $0.6494$ $0.57723 (19)$ $0.59916 (9)$ $0.4874$ $0.5697$ $0.80781 (18)$ $0.36724 (13)$ $0.8366$ $0.3593$ $0.7758$ $0.3395$ $0.6338$ $0.3392$ | xyz $0.75411(17)$ $0.59342(9)$ $0.39608(15)$ $0.88807(19)$ $0.63880(10)$ $0.50734(17)$ $0.8400(2)$ $0.68846(12)$ $0.6475(2)$ $0.9278$ $0.7199$ $0.7192$ $0.6643(2)$ $0.69159(11)$ $0.68107(19)$ $0.6344$ $0.7240$ $0.7769$ $0.5313(2)$ $0.64697(10)$ $0.57369(18)$ $0.4122$ $0.6494$ $0.5965$ $0.57723(19)$ $0.59916(9)$ $0.43321(17)$ $0.4874$ $0.5697$ $0.3605$ $0.80781(18)$ $0.36724(13)$ $0.0064(2)$ $0.8366$ $0.3593$ $0.1005$ $0.7758$ $0.3395$ $-0.0973$ $0.6338$ $0.3392$ $0.363$ | xyz $U_{iso}*/U_{eq}$ 0.75411 (17)0.59342 (9)0.39608 (15)0.0389 (3)0.88807 (19)0.63880 (10)0.50734 (17)0.0467 (4)0.8400 (2)0.68846 (12)0.6475 (2)0.0593 (4)0.92780.71990.71920.071*0.6643 (2)0.69159 (11)0.68107 (19)0.0576 (4)0.63440.72400.77690.069*0.5313 (2)0.64697 (10)0.57369 (18)0.0496 (4)0.41220.64940.59650.060*0.57723 (19)0.59916 (9)0.43321 (17)0.0432 (4)0.48740.56970.36050.052*0.80781 (18)0.36724 (13)0.0064 (2)0.0769 (6)0.83660.35930.10050.115*0.77580.3395 $-0.0973$ 0.115*0.63380.33920.03630.115* |

| N1  | 0.67678 (17) | 0.50872 (10) | 0.13066 (14)  | 0.0514 (4) |  |
|-----|--------------|--------------|---------------|------------|--|
| H1A | 0.565 (3)    | 0.5176 (12)  | 0.139 (2)     | 0.062*     |  |
| N2  | 0.71005 (17) | 0.46382 (10) | -0.02434 (14) | 0.0498 (4) |  |
| H2A | 0.805 (2)    | 0.4910 (11)  | -0.058 (2)    | 0.060*     |  |
| O1  | 1.06320 (14) | 0.63710 (9)  | 0.48180 (15)  | 0.0688 (4) |  |
| H1B | 1.071 (3)    | 0.6000 (15)  | 0.388 (3)     | 0.103*     |  |
| O2  | 0.96759 (14) | 0.53627 (8)  | 0.21771 (13)  | 0.0597 (4) |  |

Atomic displacement parameters  $(Å^2)$ 

|    | $U^{11}$    | $U^{22}$    | $U^{33}$    | $U^{12}$    | $U^{13}$    | $U^{23}$    |
|----|-------------|-------------|-------------|-------------|-------------|-------------|
| C1 | 0.0367 (8)  | 0.0413 (8)  | 0.0386 (7)  | 0.0003 (6)  | 0.0045 (5)  | 0.0015 (5)  |
| C2 | 0.0368 (8)  | 0.0526 (9)  | 0.0497 (7)  | 0.0011 (6)  | 0.0014 (6)  | -0.0013 (6) |
| C3 | 0.0537 (10) | 0.0643 (11) | 0.0576 (9)  | -0.0045 (8) | -0.0034 (7) | -0.0194 (7) |
| C4 | 0.0604 (11) | 0.0587 (10) | 0.0547 (8)  | 0.0022 (8)  | 0.0112 (7)  | -0.0166 (7) |
| C5 | 0.0436 (9)  | 0.0534 (9)  | 0.0540 (8)  | -0.0020 (7) | 0.0154 (6)  | -0.0050(7)  |
| C6 | 0.0397 (8)  | 0.0466 (8)  | 0.0438 (7)  | -0.0051 (6) | 0.0064 (5)  | -0.0015 (6) |
| C7 | 0.0339 (8)  | 0.0515 (9)  | 0.0422 (7)  | -0.0005 (6) | 0.0069 (5)  | 0.0013 (6)  |
| C8 | 0.0874 (15) | 0.0714 (14) | 0.0732 (11) | 0.0043 (10) | 0.0149 (9)  | -0.0133 (9) |
| N1 | 0.0346 (7)  | 0.0761 (9)  | 0.0442 (6)  | 0.0007 (6)  | 0.0077 (5)  | -0.0167 (6) |
| N2 | 0.0402 (7)  | 0.0668 (9)  | 0.0438 (6)  | -0.0031 (6) | 0.0113 (5)  | -0.0136 (6) |
| 01 | 0.0349 (7)  | 0.0969 (10) | 0.0734 (7)  | -0.0048 (6) | 0.0013 (5)  | -0.0247 (7) |
| O2 | 0.0352 (6)  | 0.0868 (9)  | 0.0586 (6)  | -0.0012 (5) | 0.0113 (4)  | -0.0172 (5) |
|    |             |             |             |             |             |             |

Geometric parameters (Å, °)

| C1—C6    | 1.3907 (19) | С6—Н6      | 0.9300      |
|----------|-------------|------------|-------------|
| C1—C2    | 1.4081 (18) | C7—O2      | 1.2401 (16) |
| C1—C7    | 1.4844 (18) | C7—N1      | 1.3336 (18) |
| C2—O1    | 1.3493 (17) | C8—N2      | 1.455 (2)   |
| C2—C3    | 1.388 (2)   | C8—H8A     | 0.9600      |
| C3—C4    | 1.372 (2)   | C8—H8B     | 0.9600      |
| С3—Н3    | 0.9300      | C8—H8C     | 0.9600      |
| C4—C5    | 1.383 (2)   | N1—N2      | 1.4152 (16) |
| C4—H4    | 0.9300      | N1—H1A     | 0.859 (19)  |
| С5—С6    | 1.3709 (19) | N2—H2A     | 0.884 (18)  |
| С5—Н5    | 0.9300      | O1—H1B     | 0.91 (2)    |
|          |             |            |             |
| C6—C1—C2 | 118.12 (12) | C1—C6—H6   | 119.0       |
| C6—C1—C7 | 123.34 (11) | O2—C7—N1   | 120.69 (12) |
| C2-C1-C7 | 118.52 (13) | O2—C7—C1   | 121.90 (12) |
| O1—C2—C3 | 118.09 (13) | N1—C7—C1   | 117.40 (12) |
| O1—C2—C1 | 122.37 (12) | N2—C8—H8A  | 109.5       |
| C3—C2—C1 | 119.53 (14) | N2—C8—H8B  | 109.5       |
| C4—C3—C2 | 120.61 (13) | H8A—C8—H8B | 109.5       |
| С4—С3—Н3 | 119.7       | N2         | 109.5       |
| С2—С3—Н3 | 119.7       | H8A—C8—H8C | 109.5       |
| C3—C4—C5 | 120.57 (13) | H8B—C8—H8C | 109.5       |

| C3—C4—H4   | 119.7              | C7—N1—N2  | 122.75 (12)  |
|--|--------------------|---|--------------|
| C5—C4—H4   | 119.7              | C7—N1—H1A   | 122.9 (11)   |
| C6—C5—C4   | 119.14 (14)        | N2—N1—H1A   | 113.8 (11)   |
| C6—C5—H5   | 120.4              | N1—N2—C8  | 111.07 (12)  |
| C4—C5—H5   | 120.4              | N1—N2—H2A   | 105.5 (10)   |
| C5—C6—C1   | 122.00 (13)        | C8—N2—H2A   | 111.6 (11)   |
| C5—C6—H6   | 119.0              | C2—O1—H1B   | 106.4 (14)   |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 179.99 (12)        | C2-C1-C6-C5   | -0.2 (2)     |
|  | -1.5 (2)           | C7-C1-C6-C5   | -178.69 (12) |
|  | -1.0 (2)           | C6-C1-C7-O2   | -176.57 (13) |
|  | 177.58 (13)        | C2-C1-C7-O2   | 5.0 (2)      |
|  | -179.12 (15)       | C6-C1-C7-N1   | 4.7 (2)      |
|  | 1.8 (2)            | C2-C1-C7-N1   | -173.80 (13) |
|  | -1.4 (2)           | O2-C7-N1-N2   | -1.9 (2)     |
| C3—C4—C5—C6—C1                                       | 0.2 (2)<br>0.6 (2) | $C_{1}$ $- C_{1}$ $- N_{1}$ $- N_{2}$ $- C_{8}$ $- C_{8}$ | 88.87 (18)   |

# Hydrogen-bond geometry (Å, °)

Cg is the centroid of the C1–C6 ring.

| D—H···A                    | <i>D</i> —Н | H···A      | $D^{\dots}A$ | D—H··· $A$ |
|----------------------------|-------------|------------|--------------|------------|
| O1—H1 <i>B</i> …O2         | 0.91 (2)    | 1.72 (2)   | 2.5535 (15)  | 150 (2)    |
| N1—H1A····N2 <sup>i</sup>  | 0.859 (19)  | 2.16 (2)   | 2.9415 (18)  | 151.9 (15) |
| N1—H1A····N1 <sup>i</sup>  | 0.859 (19)  | 2.619 (18) | 3.1403 (18)  | 120.4 (13) |
| N2—H2A····O2 <sup>ii</sup> | 0.884 (18)  | 2.253 (17) | 2.9866 (16)  | 140.3 (14) |
| C4—H4····Cg <sup>iii</sup> | 0.93        | 2.83       | 3.6713 (13)  | 152        |

Symmetry codes: (i) -*x*+1, -*y*+1, -*z*; (ii) -*x*+2, -*y*+1, -*z*; (iii) *x*, -*y*+3/2, *z*+1/2.