Acta Crystallographica Section E Structure Reports Online

ISSN 1600-5368

trans-Tris(4-bromophenyl)dichloridoantimony(V)

Yanling Qiao, Jin Jiang and Jichun Cui*

College of Chemistry and Chemical Engineering, Liaocheng University, Shandong 252059, People's Republic of China Correspondence e-mail: jchcui@163.com

Received 2 November 2012; accepted 22 November 2012

Key indicators: single-crystal X-ray study; T = 298 K; mean σ (C–C) = 0.011 Å; R factor = 0.040; wR factor = 0.097; data-to-parameter ratio = 16.5.

The Sb^V atom in the title compound, [SbCl₂(C₆H₄Br)₃], has an almost regular trigonal-bipyramidal geometry with the equatorial plane made up of three C atoms of the bromophenyl groups and the axial positions occupied by two Cl⁻ ions in a *trans* configuration. In the crystal, C-H···Br hydrogen bonds link the molecules into zigzag chains along the *b*-axis direction. Pairs of C-H···Cl hydrogen bonds further link molecules into cyclic dimers with $R_2^2(10)$ ring motifs, generating a three-dimensional network.

Related literature

For related structures, see: Mahalakshmi *et al.* (2001); Sharutin *et al.* (2010). For hydrogen-bond motifs, see: Bernstein *et al.* (1995).



Experimental

Crystal data [SbCl₂(C₆H₄Br)₃] $M_r = 660.66$ Monoclinic, C2/c a = 15.1050 (13) Å b = 20.124 (2) Å c = 15.1701 (14) Å $\beta = 117.748$ (1)°

 $V = 4081.0 (7) \text{ Å}^{3}$ Z = 8Mo K\alpha radiation $\mu = 7.49 \text{ mm}^{-1}$ T = 298 K $0.26 \times 0.22 \times 0.12 \text{ mm}$

Data collection

Bruker SMART CCD area-detector diffractometer Absorption correction: multi-scan (SADABS; Sheldrick, 1996) $T_{min} = 0.246, T_{max} = 0.467$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.040$	217 parameters
$wR(F^2) = 0.097$	H-atom parameters constrained
S = 0.91	$\Delta \rho_{\rm max} = 0.90 \ {\rm e} \ {\rm \AA}^{-3}$
3582 reflections	$\Delta \rho_{\rm min} = -0.61 \text{ e } \text{\AA}^{-3}$

10608 measured reflections

 $R_{\rm int} = 0.060$

3582 independent reflections

2159 reflections with $I > 2\sigma(I)$

Table 1

Selected bond lengths (Å).

Sb1-C1	2.129 (6)	Sb1-Cl1	2.4566 (16)
Sb1-C7	2.119 (6)	Sb1-Cl2	2.4716 (17)
Sb1-C13	2.132 (7)		

Table 2Hydrogen-bond geometry (Å, $^{\circ}$).

		/		
$D - H \cdot \cdot \cdot A$	D-H	$H \cdot \cdot \cdot A$	$D \cdots A$	$D - \mathbf{H} \cdot \cdot \cdot A$
$C2-H2\cdots Cl2^{i}$	0.93	2.93	3.723 (7)	144
C17−H17···Br1 ⁱⁱ	0.93	2.99	3.900 (9)	167
Symmetry codes: (i) $-x$	$+1, y, -z + \frac{1}{2}$; (ii) $-x + \frac{1}{2}, y - \frac{1}{2}$	$-\frac{1}{2}, -z + \frac{1}{2}.$	

 $\sum_{i=1}^{n} \sum_{j=1}^{n} \sum_{i=1}^{n} \sum_{j=1}^{n} \sum_{i$

Data collection: *SMART* (Bruker, 2007); cell refinement: *SAINT* (Bruker, 2007); data reduction: *SAINT*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *SHELXTL* (Sheldrick, 2008) and *Mercury* (Macrae *et al.*, 2008); software used to prepare material for publication: *SHELXTL*.

We acknowledge the National Natural Foundation of China (21105042), the National Basic Research Program (No. 2010CB234601) and the Natural Science Foundation of Shandong Province (ZR2011BM007, ZR2010BQ021) for financial support.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: SJ5279).

References

Bernstein, J., Davis, R. E., Shimoni, L. & Chang, N.-L. (1995). Angew. Chem. Int. Ed. Engl. 34, 1555–1573.

Bruker (2007). SMART and SAINT. Bruker AXS Inc., Madison, Wisconsin, USA.

Macrae, C. F., Bruno, I. J., Chisholm, J. A., Edgington, P. R., McCabe, P., Pidcock, E., Rodriguez-Monge, L., Taylor, R., van de Streek, J. & Wood, P. A. (2008). J. Appl. Cryst. 41, 466–470.

Mahalakshmi, H., Jain, V. K. & Tiekink, E. R. T. (2001). *Main Group Met. Chem.* pp. 391–392.

Sharutin, V. V., Senchurin, V. S., Sharutina, O. K. & Chagarova, O. V. (2010). *Russ J. Gen. Chem.* pp. 1789–1792.

Sheldrick, G. M. (1996). SADABS. University of Göttingen, Germany.

Sheldrick, G. M. (2008). Acta Cryst. A64, 112-122.

supporting information

Acta Cryst. (2012). E68, m1552 [doi:10.1107/S160053681204809X]

trans-Tris(4-bromophenyl)dichloridoantimony(V)

Yanling Qiao, Jin Jiang and Jichun Cui

S1. Comment

The molecular structure of the compound is depicted in Fig.1. The Sb atom has an almost regular trigonal bipyramid geometry with the equatorial plane made up of three C atoms, C1, C7 and C13 of the bromophenyl ligands and the axial positions occupied by two Cl⁻ ions. C17—H17···Br1 hydrogen bonds link the molecules into zig-zag chains along *b*. Pairs of C2—H2···Cl2 hydrogen bonds further link molecules into cyclic dimers with $R^22_2(10)$ ring motifs (Bernstein *et al.*, 1995) generating a three-dimensional network.

S2. Experimental

All operations were carried out under a protective nitrogen atmosphere. 1,4-dibromobenzene (0.5 mol), dissolved in dry ether was added dropwise to Mg turnings (0.5 mol) at 0 °C. The resulting Grignard solution was cooled to -12 °C and antimony(III)chloride (0.1 mol) dissolved in dry ether was added. This mixture was stirred for an additional hour at room temperature and after completion of the reaction was treated with a saturated NH₄Cl solution. The ether layer was separated and dried over Na₂SO₄. The solvent was then evaporated from the solution *in vacuo* and the residue recrystallized from ethanol. The resulting solid, tris(4-bromophenyl)antimony, was dissolved in petroleum ether at 6 °C and then chlorine was passed slowly into the solution to yield the title compound as a white powder which was recrystallised from dichloromethane (Yield 43%). Anal. Calcd (%) for C₁₈H₁₂Cl₂Br₃Sb (Mr = 660.67): C, 32.72; H, 1.83; Cl, 10.73; Br, 36.28. Found (%): C, 32.66; H, 1.78; Cl, 10.81; Br, 36.23.

S3. Refinement

The C–H H atoms were positioned with idealized geometry and were refined isotropically with $U_{iso}(H) = 1.2 U_{eq}(C)$.



Figure 1

The molecular structure of the compound, showing 50% probability displacement ellipsoids. H atoms have been omitted for clarity.



Figure 2

Packing diagram.

trans-Tris(4-bromophenyl)dichloridoantimony(V)

Crystal data

 $[SbCl_2(C_6H_4Br)_3]$ $M_r = 660.66$ Monoclinic, C2/c Hall symbol: -C 2yc a = 15.1050 (13) Å b = 20.124 (2) Å c = 15.1701 (14) Å $\beta = 117.748 (1)^\circ$ $V = 4081.0 (7) \text{ Å}^3$ Z = 8

Data collection

Bruker SMART CCD area-detector diffractometer Radiation source: fine-focus sealed tube Graphite monochromator φ and ω scans Absorption correction: multi-scan (*SADABS*; Sheldrick, 1996) $T_{\min} = 0.246, T_{\max} = 0.467$

Refinement

Refinement on F^2 Least-squares matrix: full $R[F^2 > 2\sigma(F^2)] = 0.040$ $wR(F^2) = 0.097$ S = 0.91 F(000) = 2480 $D_x = 2.151 \text{ Mg m}^{-3}$ Mo K\alpha radiation, $\lambda = 0.71073 \text{ Å}$ Cell parameters from 2728 reflections $\theta = 2.9-26.1^{\circ}$ $\mu = 7.49 \text{ mm}^{-1}$ T = 298 KBlock, colourless $0.26 \times 0.22 \times 0.12 \text{ mm}$

10608 measured reflections 3582 independent reflections 2159 reflections with $I > 2\sigma(I)$ $R_{int} = 0.060$ $\theta_{max} = 25.0^{\circ}, \theta_{min} = 2.5^{\circ}$ $h = -17 \rightarrow 16$ $k = -23 \rightarrow 15$ $l = -18 \rightarrow 17$

3582 reflections217 parameters0 restraintsPrimary atom site location: structure-invariant direct methods

Secondary atom site location: difference Fourier	$w = 1/[\sigma^2(F_o^2) + (0.0456P)^2]$
map	where $P = (F_o^2 + 2F_c^2)/3$
Hydrogen site location: inferred from	$(\Delta/\sigma)_{\rm max} < 0.001$
neighbouring sites	$\Delta \rho_{\rm max} = 0.90 \text{ e} \text{ Å}^{-3}$
H-atom parameters constrained	$\Delta \rho_{\rm min} = -0.61 \text{ e } \text{\AA}^{-3}$

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\hat{A}^2)

	x	У	Ζ	$U_{ m iso}$ */ $U_{ m eq}$
Sb1	0.47083 (3)	0.31132 (2)	0.45721 (3)	0.05088 (16)
C1	0.3297 (5)	0.3457 (3)	0.3455 (5)	0.0502 (16)
C2	0.3204 (5)	0.3658 (4)	0.2544 (5)	0.065 (2)
H2	0.3751	0.3632	0.2420	0.078*
C3	0.2300 (5)	0.3899 (4)	0.1816 (5)	0.069 (2)
H3	0.2225	0.4027	0.1196	0.083*
C4	0.1522 (5)	0.3943 (3)	0.2032 (5)	0.0574 (18)
C5	0.1589 (5)	0.3734 (4)	0.2912 (6)	0.0641 (19)
Н5	0.1039	0.3764	0.3030	0.077*
C6	0.2484 (5)	0.3475 (3)	0.3632 (5)	0.0580 (18)
H6	0.2535	0.3316	0.4229	0.070*
C7	0.5462 (5)	0.3531 (3)	0.6018 (5)	0.0496 (16)
C8	0.6001 (5)	0.3122 (3)	0.6817 (5)	0.0620 (18)
H8	0.6003	0.2666	0.6719	0.074*
C9	0.6535 (5)	0.3378 (4)	0.7757 (5)	0.066 (2)
H9	0.6909	0.3101	0.8293	0.079*
C10	0.6509 (5)	0.4053 (4)	0.7895 (5)	0.0617 (19)
C11	0.5935 (5)	0.4463 (4)	0.7094 (5)	0.070 (2)
H11	0.5900	0.4916	0.7194	0.084*
C12	0.5421 (5)	0.4199 (4)	0.6156 (5)	0.0609 (19)
H12	0.5046	0.4473	0.5616	0.073*
C13	0.5404 (5)	0.2323 (3)	0.4187 (4)	0.0532 (17)
C14	0.6240 (6)	0.2423 (4)	0.4084 (6)	0.079 (2)
H14	0.6518	0.2845	0.4169	0.095*
C15	0.6669 (6)	0.1895 (5)	0.3854 (7)	0.096 (3)
H15	0.7243	0.1963	0.3786	0.115*
C16	0.6274 (6)	0.1278 (4)	0.3725 (5)	0.067 (2)
C17	0.5454 (6)	0.1176 (4)	0.3810 (6)	0.080 (2)
H17	0.5189	0.0750	0.3726	0.096*
C18	0.4980 (6)	0.1699 (4)	0.4024 (6)	0.072 (2)
H18	0.4388	0.1628	0.4056	0.087*
C11	0.38762 (13)	0.23427 (9)	0.52062 (13)	0.0672 (5)
Cl2	0.55520 (13)	0.39558 (9)	0.40399 (13)	0.0642 (5)
Br1	0.03004 (6)	0.43361 (5)	0.10847 (6)	0.0882 (3)
Br2	0.72426 (7)	0.44321 (5)	0.91767 (6)	0.0951 (3)
Br3	0.68965 (7)	0.05538 (5)	0.34275 (8)	0.1048 (4)

	U^{11}	U^{22}	U ³³	U^{12}	U^{13}	U^{23}
Sb1	0.0547 (3)	0.0527 (3)	0.0488 (3)	-0.0014 (3)	0.0270 (2)	0.0039 (2)
C1	0.052 (4)	0.049 (4)	0.051 (4)	0.001 (3)	0.025 (3)	0.003 (3)
C2	0.064 (5)	0.081 (5)	0.052 (4)	0.000 (4)	0.029 (4)	0.009 (4)
C3	0.073 (5)	0.082 (6)	0.051 (4)	-0.007 (5)	0.029 (4)	0.011 (4)
C4	0.056 (4)	0.042 (4)	0.065 (5)	-0.004 (4)	0.021 (4)	-0.009 (4)
C5	0.057 (5)	0.067 (5)	0.073 (5)	0.007 (4)	0.034 (4)	-0.003 (4)
C6	0.067 (5)	0.066 (5)	0.054 (4)	0.007 (4)	0.039 (4)	0.007 (4)
C7	0.055 (4)	0.053 (4)	0.046 (4)	0.002 (4)	0.028 (3)	0.008 (3)
C8	0.072 (5)	0.045 (4)	0.063 (5)	0.001 (4)	0.027 (4)	0.003 (4)
C9	0.078 (5)	0.060 (5)	0.049 (5)	0.005 (4)	0.019 (4)	0.013 (4)
C10	0.064 (5)	0.065 (5)	0.056 (4)	0.002 (4)	0.028 (4)	0.005 (4)
C11	0.084 (5)	0.062 (5)	0.055 (5)	0.008 (4)	0.025 (4)	-0.001 (4)
C12	0.067 (5)	0.056 (5)	0.050 (4)	0.012 (4)	0.019 (4)	0.013 (4)
C13	0.058 (4)	0.059 (5)	0.041 (4)	-0.006 (4)	0.022 (3)	0.001 (3)
C14	0.080 (6)	0.067 (5)	0.112 (7)	-0.016 (5)	0.062 (5)	-0.017 (5)
C15	0.079 (6)	0.094 (7)	0.138 (8)	-0.013 (6)	0.071 (6)	-0.018 (7)
C16	0.063 (5)	0.077 (6)	0.058 (5)	0.010 (5)	0.025 (4)	-0.006 (4)
C17	0.088 (6)	0.068 (6)	0.087 (6)	-0.011 (5)	0.044 (5)	-0.016 (5)
C18	0.077 (5)	0.067 (5)	0.085 (6)	-0.007 (5)	0.048 (5)	-0.008(4)
Cl1	0.0733 (12)	0.0662 (12)	0.0739 (13)	-0.0075 (10)	0.0442 (10)	0.0113 (10)
Cl2	0.0704 (12)	0.0661 (12)	0.0652 (11)	-0.0121 (10)	0.0390 (10)	0.0037 (10)
Br1	0.0780 (6)	0.0830 (6)	0.0792 (6)	0.0122 (5)	0.0160 (5)	0.0039 (5)
Br2	0.1167 (7)	0.0916 (7)	0.0552 (5)	-0.0110 (6)	0.0218 (5)	-0.0049 (5)
Br3	0.1026 (7)	0.0967 (7)	0.1100 (8)	0.0208 (6)	0.0453 (6)	-0.0252 (6)

Atomic displacement parameters $(Å^2)$

Geometric parameters (Å, °)

2.129 (6)	С8—Н8	0.9300
2.119 (6)	C9—C10	1.377 (10)
2.132 (7)	С9—Н9	0.9300
2.4566 (16)	C10—C11	1.388 (9)
2.4716 (17)	C10—Br2	1.893 (7)
1.373 (8)	C11—C12	1.372 (9)
1.384 (8)	C11—H11	0.9300
1.385 (9)	C12—H12	0.9300
0.9300	C13—C14	1.357 (8)
1.363 (9)	C13—C18	1.380 (9)
0.9300	C14—C15	1.371 (10)
1.357 (9)	C14—H14	0.9300
1.904 (7)	C15—C16	1.351 (10)
1.384 (9)	C15—H15	0.9300
0.9300	C16—C17	1.320 (9)
0.9300	C16—Br3	1.900 (7)
1.366 (9)	C17—C18	1.392 (10)
1.375 (9)	С17—Н17	0.9300
	$\begin{array}{c} 2.129\ (6)\\ 2.119\ (6)\\ 2.132\ (7)\\ 2.4566\ (16)\\ 2.4716\ (17)\\ 1.373\ (8)\\ 1.384\ (8)\\ 1.385\ (9)\\ 0.9300\\ 1.363\ (9)\\ 0.9300\\ 1.357\ (9)\\ 1.904\ (7)\\ 1.384\ (9)\\ 0.9300\\ 0.9300\\ 1.366\ (9)\\ 1.375\ (9)\end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$

supporting information

C8—C9	1.370 (9)	C18—H18	0.9300
C7—Sb1—C1	123.5 (2)	С9—С8—Н8	119.6
C7—Sb1—C13	118.9 (2)	С7—С8—Н8	119.6
C1—Sb1—C13	117.6 (2)	C8—C9—C10	118.9 (7)
C7—Sb1—Cl1	88.37 (17)	С8—С9—Н9	120.5
C1—Sb1—Cl1	90.64 (18)	С10—С9—Н9	120.5
C13—Sb1—Cl1	92.52 (19)	C9—C10—C11	120.2 (7)
C7—Sb1—Cl2	87.45 (17)	C9—C10—Br2	120.6 (6)
C1—Sb1—Cl2	89.71 (17)	C11—C10—Br2	119.2 (6)
C13—Sb1—Cl2	91.56 (19)	C12—C11—C10	119.9 (7)
Cl1—Sb1—Cl2	175.20 (6)	C12—C11—H11	120.0
C6—C1—C2	120.3 (6)	C10-C11-H11	120.0
C6—C1—Sb1	120.6 (5)	C7—C12—C11	119.7 (6)
C2—C1—Sb1	119.2 (5)	C7—C12—H12	120.1
C1—C2—C3	120.1 (6)	C11—C12—H12	120.1
C1—C2—H2	119.9	C14—C13—C18	119.5 (7)
С3—С2—Н2	119.9	C14—C13—Sb1	121.7 (6)
C4—C3—C2	118.2 (6)	C18—C13—Sb1	118.8 (5)
С4—С3—Н3	120.9	C13—C14—C15	119.3 (7)
С2—С3—Н3	120.9	C13—C14—H14	120.3
C5—C4—C3	122.6 (6)	C15—C14—H14	120.3
C5—C4—Br1	118.3 (5)	C16—C15—C14	121.3 (7)
C3—C4—Br1	119.1 (6)	C16—C15—H15	119.4
C4—C5—C6	119.4 (6)	C14—C15—H15	119.4
C4—C5—H5	120.3	C17—C16—C15	120.0 (8)
С6—С5—Н5	120.3	C17—C16—Br3	119.7 (7)
C1—C6—C5	119.3 (6)	C15—C16—Br3	120.4 (7)
С1—С6—Н6	120.4	C16—C17—C18	120.9 (8)
С5—С6—Н6	120.4	С16—С17—Н17	119.6
С12—С7—С8	120.3 (6)	C18—C17—H17	119.6
C12—C7—Sb1	120.5 (5)	C13—C18—C17	118.9 (7)
C8—C7—Sb1	119.2 (5)	C13—C18—H18	120.5
C9—C8—C7	120.8 (7)	C17—C18—H18	120.5

Hydrogen-bond geometry (Å, °)

D—H···A	<i>D</i> —Н	H···A	D··· A	D—H···A
C2—H2···Cl2 ⁱ	0.93	2.93	3.723 (7)	144
C17—H17···Br1 ⁱⁱ	0.93	2.99	3.900 (9)	167

Symmetry codes: (i) -x+1, y, -z+1/2; (ii) -x+1/2, y-1/2, -z+1/2.