

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

2-Amino-5-bromopyridinium 5-chloro-2-hydroxybenzoate

Kaliyaperumal Thanigaimani, Nuridayanti Che Khalib, Suhana Arshad and Ibrahim Abdul Razak*‡

 School of Physics, Universiti Sains Malaysia, 11800 USM, Penang, Malaysia
 Correspondence e-mail: arazaki@usm.my


Received 27 February 2013; accepted 8 March 2013

 Key indicators: single-crystal X-ray study; $T = 100$ K; mean $\sigma(\text{C}-\text{C}) = 0.005$ Å; R factor = 0.046; wR factor = 0.091; data-to-parameter ratio = 22.5.

In the 5-chlorosalicylate anion of the title salt, $\text{C}_5\text{H}_6\text{BrN}_2^+\cdot\text{C}_7\text{H}_4\text{ClO}_3^-$, an intramolecular $\text{O}-\text{H}\cdots\text{O}$ hydrogen bond with an $S(6)$ graph-set motif is formed, so that the anion is essentially planar with a dihedral angle of $1.3(5)^\circ$ between the benzene ring and the carboxylate group. In the crystal, the protonated N atom and the 2-amino group of the cation are hydrogen bonded to the carboxylate O atoms via a pair of $\text{N}-\text{H}\cdots\text{O}$ hydrogen bonds, forming an $R_2^2(8)$ ring motif. The crystal structure also features $\text{N}-\text{H}\cdots\text{O}$ and weak $\text{C}-\text{H}\cdots\text{O}$ interactions, resulting in a layer parallel to the $(10\bar{1})$ plane.

Related literature

For background to the chemistry of substituted pyridines, see: Pozharski *et al.* (1997); Katritzky *et al.* (1996). For related structures, see: Goubitz *et al.* (2001); Quah *et al.* (2010); Thanigaimani *et al.* (2013); Raza *et al.* (2010). For hydrogen-bond motifs, see: Bernstein *et al.* (1995). For bond-length data, see: Allen *et al.* (1987). For stability of the temperature controller used for data collection, see: Cosier & Glazer (1986).



Experimental

Crystal data

$\text{C}_5\text{H}_6\text{BrN}_2^+\cdot\text{C}_7\text{H}_4\text{ClO}_3^-$	$a = 8.9769(17)$ Å
$M_r = 345.58$	$b = 5.6601(12)$ Å
Monoclinic, $P2_1$	$c = 12.753(2)$ Å

$\beta = 90.662(5)^\circ$
$V = 647.9(2)$ Å ³
$Z = 2$
Mo $K\alpha$ radiation

$\mu = 3.38$ mm ⁻¹
$T = 100$ K
$0.31 \times 0.04 \times 0.03$ mm

Data collection

Bruker SMART APEXII DUO	8030 measured reflections
CCD area-detector diffractometer	4233 independent reflections
Absorption correction: multi-scan (SADABS; Bruker, 2009)	3014 reflections with $I > 2\sigma(I)$
$T_{\min} = 0.417$, $T_{\max} = 0.894$	$R_{\text{int}} = 0.087$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.046$	H atoms treated by a mixture of independent and constrained refinement
$wR(F^2) = 0.091$	$\Delta\rho_{\text{max}} = 0.84$ e Å ⁻³
$S = 0.91$	$\Delta\rho_{\text{min}} = -0.98$ e Å ⁻³
4233 reflections	Absolute structure: Flack (1983), 1558 Friedel pairs
188 parameters	Flack parameter: 0.037 (11)
1 restraint	

Table 1

Hydrogen-bond geometry (Å, °).

$D-\text{H}\cdots A$	$D-\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D-\text{H}\cdots A$
$\text{O3}-\text{H1O3}\cdots\text{O2}$	0.77 (8)	2.02 (5)	2.553 (4)	127 (6)
$\text{N1}-\text{H1N1}\cdots\text{O2}^i$	0.86 (5)	1.82 (5)	2.666 (4)	172 (4)
$\text{N2}-\text{H1N2}\cdots\text{O1}^i$	0.96 (6)	1.81 (6)	2.770 (5)	175 (4)
$\text{N2}-\text{H2N2}\cdots\text{O1}^{ii}$	0.88 (5)	1.95 (5)	2.799 (5)	164 (3)
$\text{C8}-\text{H8A}\cdots\text{O3}^{iii}$	0.95	2.53	3.410 (5)	154

Symmetry codes: (i) $-x+2, y-\frac{3}{2}, -z+1$; (ii) $x, y-1, z-1$; (iii) $-x+1, y-\frac{1}{2}, -z+1$.

Data collection: APEX2 (Bruker, 2009); cell refinement: SAINT (Bruker, 2009); data reduction: SAINT; program(s) used to solve structure: SHELXTL (Sheldrick, 2008); program(s) used to refine structure: SHELXTL; molecular graphics: SHELXTL; software used to prepare material for publication: SHELXTL and PLATON (Spek, 2009).

The authors thank the Malaysian Government and Universiti Sains Malaysia (USM) for research facilities and a USM Short Term Grant (No. 304/PFIZIK/6312078) to conduct this work. KT thanks the Academy of Sciences for the Developing World and USM for a TWAS-USM fellowship.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: IS5251).

References

- Allen, F. H., Kennard, O., Watson, D. G., Brammer, L., Orpen, A. G. & Taylor, R. (1987). *J. Chem. Soc. Perkin Trans. 2*, pp. S1–19.
- Bernstein, J., Davis, R. E., Shimon, L. & Chang, N.-L. (1995). *Angew. Chem. Int. Ed. Engl.* **34**, 1555–1573.
- Bruker (2009). *SADABS, APEX2* and *SAINTE*. Bruker AXS Inc., Madison, Wisconsin, USA.
- Cosier, J. & Glazer, A. M. (1986). *J. Appl. Cryst.* **19**, 105–107.
- Flack, H. D. (1983). *Acta Cryst.* **A39**, 876–881.
- Goubitz, K., Sonneveld, E. J. & Schenk, H. (2001). *Z. Kristallogr.* **216**, 176–181.
- Katritzky, A. R., Rees, C. W. & Scriven, E. F. V. (1996). In *Comprehensive Heterocyclic Chemistry II*. Oxford: Pergamon Press.
- Pozharski, A. F., Soldatenkov, A. T. & Katritzky, A. R. (1997). In *Heterocycles in Life and Society*. New York: Wiley.

‡ Thomson Reuters ResearcherID: A-5599-2009.

Quah, C. K., Hemamalini, M. & Fun, H.-K. (2010). *Acta Cryst.* **E66**, o2164–o2165.
Raza, A. R., Nisar, B., Tahir, M. N. & Raza, A. (2010). *Acta Cryst.* **E66**, o2921.
Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.

Spek, A. L. (2009). *Acta Cryst.* **D65**, 148–155.
Thanigaimani, K., Farhadikoutenaei, A., Arshad, S. & Razak, I. A. (2013). *Acta Cryst.* **E69**, o132–o133.

supporting information

Acta Cryst. (2013). E69, o537–o538 [doi:10.1107/S160053681300665X]

2-Amino-5-bromopyridinium 5-chloro-2-hydroxybenzoate

Kaliyaperumal Thanigaimani, Nuridayanti Che Khalib, Suhana Arshad and Ibrahim Abdul Razak

S1. Comment

Pyridine and its derivatives play an important role in heterocyclic chemistry (Pozharski *et al.*, 1997; Katritzky *et al.*, 1996). They are often involved in hydrogen-bonding interactions. Related crystal structures of 2-amino-5-bromopyridine (Goubitz *et al.*, 2001), 2-amino-5-bromopyridinium 2-hydroxybenzoate (Quah *et al.*, 2010) and 2-amino-5-methylpyridinium 2-hydroxy-5-chlorobenzoate (Thanigaimani *et al.*, 2013) have been reported. In order to study potential hydrogen-bonding interactions, the crystal structure determination of the title compound (I) was carried out.

The asymmetric unit (Fig. 1) contains one 2-amino-5-bromopyridinium cation and one 5-chlorosalicylate anion. An intramolecular O3–H1O3 \cdots O2 hydrogen bond in the 5-chlorosalicylate anion generates an S(6) ring motif (Bernstein *et al.*, 1995). This motif is also observed in the crystal structures of 5-chloro-2-hydroxybenzoic acid (Raza *et al.*, 2010). In the 2-amino-5-bromopyridinium cation, a wide angle [122.5 (4) $^\circ$] is subtended at the protonated N1 atom. The 2-amino-5-bromopyridinium cation and 5-chlorosalicylate anion are essentially planar, with a maximum deviation of 0.008 (4) Å for atom N2 and 0.026 (4) Å for atom O1, respectively. The bond lengths (Allen *et al.*, 1987) and angles are normal.


In the crystal packing (Fig. 2), the protonated N1 atom and a nitrogen atom of the 2-amino group (N2) are hydrogen-bonded to the carboxylate oxygen atoms (O1 and O2) *via* a pair of intermolecular N1—H1N1 \cdots O2ⁱ and N2—H1N2 \cdots O1ⁱ hydrogen bonds (symmetry code in Table 1), forming a ring motif $R_2^2(8)$ (Bernstein *et al.*, 1995). The crystal structure is further stabilized by N2—H2N2 \cdots O1ⁱⁱ and C8—H8A \cdots O3ⁱⁱⁱ (symmetry codes in Table 1) intermolecular interactions. These interactions have resulted in a molecular layer parallel to the (10 $\bar{1}$) plane. This crystal structure is isomorphous to the crystal structure of 2-amino-5-methylpyridinium 2-hydroxy-5-chlorobenzoate (Thanigaimani *et al.*, 2013).

S2. Experimental


Hot methanol solutions (20 ml) of 2-amino-5-bromopyridine (43 mg, Aldrich) and 5-chlorosalicylic acid (43 mg, Aldrich) were mixed and warmed over a heating magnetic stirrer hotplate for a few minutes. The resulting solution was allowed to cool slowly at room temperature and crystals of the title compound (I) appeared after a few days.

S3. Refinement

O- and N-bound H atoms were located in a difference Fourier map and allowed to be refined freely [O—H = 0.77 (8) Å and N—H = 0.86 (5)–0.96 (6) Å]. The remaining H atoms were positioned geometrically (C—H = 0.95 Å) and refined using a riding model, with $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C})$. Eight outliers were omitted (-4 -3 1, -1 -2 2, 1 0 5, 3 2 7, -1 -2 3, -1 0 5, 2 4 0, 2 -4 0) in the final refinement.

**Figure 1**

The molecular structure of the title compound with atom labels with 50% probability displacement ellipsoids.

**Figure 2**

The crystal packing of the title compound. The H atoms not involved in the intermolecular interactions (dashed lines) have been omitted for clarity.

2-Amino-5-bromopyridinium 5-chloro-2-hydroxybenzoate

Crystal data

C₅H₆BrN₂⁺·C₇H₄ClO₃⁻ $M_r = 345.58$ Monoclinic, $P2_1$

Hall symbol: P 2yb

 $a = 8.9769 (17) \text{ \AA}$ $b = 5.6601 (12) \text{ \AA}$ $c = 12.753 (2) \text{ \AA}$ $\beta = 90.662 (5)^\circ$ $V = 647.9 (2) \text{ \AA}^3$ $Z = 2$ $F(000) = 344$ $D_x = 1.771 \text{ Mg m}^{-3}$ Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$

Cell parameters from 1541 reflections

 $\theta = 3.9\text{--}25.8^\circ$ $\mu = 3.38 \text{ mm}^{-1}$ $T = 100 \text{ K}$

Needle, colourless

 $0.31 \times 0.04 \times 0.03 \text{ mm}$

Data collection

Bruker SMART APEXII DUO CCD area-detector
diffractometer

Radiation source: fine-focus sealed tube

Graphite monochromator

 φ and ω scans

Absorption correction: multi-scan

(SADABS; Bruker, 2009)

 $T_{\min} = 0.417$, $T_{\max} = 0.894$

8030 measured reflections

4233 independent reflections

3014 reflections with $I > 2\sigma(I)$ $R_{\text{int}} = 0.087$ $\theta_{\max} = 32.7^\circ$, $\theta_{\min} = 2.3^\circ$ $h = -13 \rightarrow 13$ $k = -7 \rightarrow 8$ $l = -19 \rightarrow 19$

Refinement

Refinement on F^2

Least-squares matrix: full

 $R[F^2 > 2\sigma(F^2)] = 0.046$ $wR(F^2) = 0.091$ $S = 0.91$

4233 reflections

188 parameters

1 restraint

Primary atom site location: structure-invariant
direct methodsSecondary atom site location: difference Fourier
mapHydrogen site location: inferred from
neighbouring sitesH atoms treated by a mixture of independent
and constrained refinement $w = 1/[\sigma^2(F_o^2) + (0.P)^2]$ where $P = (F_o^2 + 2F_c^2)/3$ $(\Delta/\sigma)_{\max} < 0.001$ $\Delta\rho_{\max} = 0.84 \text{ e \AA}^{-3}$ $\Delta\rho_{\min} = -0.98 \text{ e \AA}^{-3}$ Absolute structure: Flack (1983), 1558 Friedel
pairs

Absolute structure parameter: 0.037 (11)

Special details

Experimental. The crystal was placed in the cold stream of an Oxford Cryosystems Cobra open-flow nitrogen cryostat (Cosier & Glazer, 1986) operating at 100.0 (1) K.**Geometry.** All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.**Refinement.** Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
Br1	0.79689 (4)	0.54521 (9)	0.42592 (3)	0.02463 (10)
Cl1	0.50091 (11)	0.29983 (19)	0.90762 (8)	0.0253 (2)
O1	0.8634 (3)	1.0293 (8)	0.87224 (17)	0.0248 (6)
O2	0.8465 (3)	1.1615 (5)	0.7080 (2)	0.0205 (6)
O3	0.6812 (3)	0.9496 (7)	0.5736 (2)	0.0239 (7)
N1	0.9596 (4)	0.0044 (6)	0.2466 (2)	0.0190 (8)
N2	0.9338 (4)	-0.1193 (7)	0.0762 (3)	0.0209 (8)
C1	0.8982 (4)	0.0324 (11)	0.1506 (2)	0.0177 (7)
C2	0.8005 (4)	0.2245 (7)	0.1337 (3)	0.0196 (8)
H2A	0.7561	0.2495	0.0666	0.024*
C3	0.7703 (4)	0.3746 (7)	0.2152 (3)	0.0196 (8)
H3A	0.7039	0.5034	0.2050	0.024*
C4	0.8375 (4)	0.3379 (7)	0.3134 (3)	0.0188 (8)
C5	0.9301 (4)	0.1523 (7)	0.3275 (3)	0.0207 (8)
H5A	0.9748	0.1252	0.3943	0.025*
C6	0.7012 (4)	0.8297 (7)	0.7544 (3)	0.0162 (7)
C7	0.6406 (4)	0.8057 (8)	0.6536 (3)	0.0177 (7)
C8	0.5392 (4)	0.6258 (7)	0.6314 (3)	0.0223 (9)
H8A	0.4986	0.6110	0.5626	0.027*
C9	0.4971 (4)	0.4687 (7)	0.7085 (3)	0.0210 (8)
H9A	0.4290	0.3447	0.6932	0.025*
C10	0.5563 (4)	0.4956 (7)	0.8089 (3)	0.0187 (9)
C11	0.6566 (4)	0.6721 (7)	0.8323 (3)	0.0169 (8)
H11A	0.6957	0.6868	0.9016	0.020*
C12	0.8105 (4)	1.0173 (9)	0.7811 (3)	0.0188 (8)
H1O3	0.721 (5)	1.068 (16)	0.582 (4)	0.025 (16)*
H1N1	1.027 (5)	-0.101 (9)	0.256 (4)	0.023 (12)*
H1N2	1.000 (6)	-0.248 (12)	0.092 (4)	0.039 (15)*
H2N2	0.898 (4)	-0.093 (8)	0.013 (4)	0.021 (11)*

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
Br1	0.02863 (18)	0.02674 (19)	0.01847 (16)	0.0061 (3)	-0.00223 (12)	-0.0056 (2)
Cl1	0.0287 (5)	0.0241 (5)	0.0232 (5)	-0.0076 (4)	-0.0007 (4)	0.0025 (4)
O1	0.0301 (12)	0.0291 (17)	0.0151 (11)	-0.0079 (18)	-0.0073 (9)	0.0053 (16)
O2	0.0256 (14)	0.0202 (14)	0.0158 (13)	-0.0045 (12)	-0.0028 (11)	0.0015 (11)
O3	0.0306 (18)	0.0268 (18)	0.0141 (14)	-0.0079 (15)	-0.0061 (12)	0.0035 (12)
N1	0.0225 (15)	0.020 (2)	0.0148 (13)	0.0051 (15)	-0.0014 (11)	-0.0013 (13)
N2	0.0232 (18)	0.027 (2)	0.0128 (16)	0.0059 (15)	-0.0048 (13)	-0.0038 (14)
C1	0.0196 (15)	0.0188 (19)	0.0147 (14)	0.001 (2)	0.0000 (11)	0.005 (2)
C2	0.023 (2)	0.021 (2)	0.0151 (17)	0.0002 (16)	-0.0060 (15)	0.0048 (15)
C3	0.0193 (19)	0.019 (2)	0.0204 (19)	0.0038 (16)	-0.0021 (15)	0.0031 (15)
C4	0.0206 (19)	0.022 (2)	0.0136 (17)	0.0026 (16)	0.0004 (14)	-0.0021 (15)
C5	0.027 (2)	0.022 (2)	0.0129 (17)	-0.0013 (17)	-0.0025 (15)	0.0010 (15)

C6	0.0192 (18)	0.0173 (19)	0.0119 (16)	0.0013 (15)	-0.0006 (13)	-0.0022 (14)
C7	0.0157 (17)	0.021 (2)	0.0158 (17)	-0.0011 (16)	-0.0032 (13)	-0.0027 (16)
C8	0.0209 (18)	0.027 (2)	0.0188 (18)	-0.0023 (16)	-0.0037 (15)	-0.0038 (15)
C9	0.0183 (18)	0.023 (2)	0.0218 (19)	-0.0046 (15)	-0.0005 (15)	-0.0051 (15)
C10	0.0198 (17)	0.016 (3)	0.0199 (17)	0.0029 (14)	0.0022 (14)	-0.0014 (14)
C11	0.0192 (18)	0.018 (2)	0.0130 (16)	-0.0001 (15)	-0.0019 (14)	-0.0011 (14)
C12	0.0198 (16)	0.019 (2)	0.0171 (15)	0.0002 (17)	-0.0022 (12)	0.0006 (17)

Geometric parameters (Å, °)

Br1—C4	1.893 (4)	C3—C4	1.399 (5)
C11—C10	1.754 (4)	C3—H3A	0.9500
O1—C12	1.252 (4)	C4—C5	1.350 (5)
O2—C12	1.284 (5)	C5—H5A	0.9500
O3—C7	1.359 (5)	C6—C7	1.396 (5)
O3—H1O3	0.77 (8)	C6—C11	1.398 (5)
N1—C1	1.346 (4)	C6—C12	1.483 (6)
N1—C5	1.357 (5)	C7—C8	1.393 (5)
N1—H1N1	0.86 (5)	C8—C9	1.382 (6)
N2—C1	1.321 (6)	C8—H8A	0.9500
N2—H1N2	0.96 (6)	C9—C10	1.389 (5)
N2—H2N2	0.88 (5)	C9—H9A	0.9500
C1—C2	1.412 (6)	C10—C11	1.375 (5)
C2—C3	1.372 (6)	C11—H11A	0.9500
C2—H2A	0.9500		
C7—O3—H1O3	123 (4)	C7—C6—C11	118.7 (4)
C1—N1—C5	122.5 (4)	C7—C6—C12	122.1 (3)
C1—N1—H1N1	119 (3)	C11—C6—C12	119.2 (3)
C5—N1—H1N1	118 (3)	O3—C7—C8	117.7 (3)
C1—N2—H1N2	120 (3)	O3—C7—C6	121.9 (4)
C1—N2—H2N2	117 (3)	C8—C7—C6	120.3 (4)
H1N2—N2—H2N2	122 (4)	C9—C8—C7	120.6 (4)
N2—C1—N1	118.4 (4)	C9—C8—H8A	119.7
N2—C1—C2	123.1 (3)	C7—C8—H8A	119.7
N1—C1—C2	118.5 (4)	C8—C9—C10	118.7 (4)
C3—C2—C1	119.3 (4)	C8—C9—H9A	120.6
C3—C2—H2A	120.4	C10—C9—H9A	120.6
C1—C2—H2A	120.4	C11—C10—C9	121.5 (4)
C2—C3—C4	120.0 (4)	C11—C10—C11	119.6 (3)
C2—C3—H3A	120.0	C9—C10—C11	118.9 (3)
C4—C3—H3A	120.0	C10—C11—C6	120.1 (3)
C5—C4—C3	119.6 (4)	C10—C11—H11A	120.0
C5—C4—Br1	120.3 (3)	C6—C11—H11A	120.0
C3—C4—Br1	120.1 (3)	O1—C12—O2	122.9 (4)
C4—C5—N1	120.2 (4)	O1—C12—C6	119.7 (4)
C4—C5—H5A	119.9	O2—C12—C6	117.4 (3)
N1—C5—H5A	119.9		

C5—N1—C1—N2	179.6 (4)	O3—C7—C8—C9	177.9 (4)
C5—N1—C1—C2	0.6 (6)	C6—C7—C8—C9	0.0 (6)
N2—C1—C2—C3	-179.6 (4)	C7—C8—C9—C10	0.9 (6)
N1—C1—C2—C3	-0.5 (6)	C8—C9—C10—C11	-0.9 (6)
C1—C2—C3—C4	0.7 (6)	C8—C9—C10—C11	178.9 (3)
C2—C3—C4—C5	-1.0 (6)	C9—C10—C11—C6	0.1 (5)
C2—C3—C4—Br1	179.8 (3)	C11—C10—C11—C6	-179.7 (3)
C3—C4—C5—N1	1.0 (6)	C7—C6—C11—C10	0.8 (5)
Br1—C4—C5—N1	-179.7 (3)	C12—C6—C11—C10	-179.4 (3)
C1—N1—C5—C4	-0.8 (6)	C7—C6—C12—O1	-178.9 (4)
C11—C6—C7—O3	-178.6 (3)	C11—C6—C12—O1	1.3 (6)
C12—C6—C7—O3	1.6 (6)	C7—C6—C12—O2	1.1 (5)
C11—C6—C7—C8	-0.8 (6)	C11—C6—C12—O2	-178.7 (3)
C12—C6—C7—C8	179.4 (3)		

Hydrogen-bond geometry (\AA , $^\circ$)

$D-H\cdots A$	$D-H$	$H\cdots A$	$D\cdots A$	$D-H\cdots A$
O3—H1O3 \cdots O2	0.77 (8)	2.02 (5)	2.553 (4)	127 (6)
N1—H1N1 \cdots O2 ⁱ	0.86 (5)	1.82 (5)	2.666 (4)	172 (4)
N2—H1N2 \cdots O1 ⁱ	0.96 (6)	1.81 (6)	2.770 (5)	175 (4)
N2—H2N2 \cdots O1 ⁱⁱ	0.88 (5)	1.95 (5)	2.799 (5)	164 (3)
C8—H8A \cdots O3 ⁱⁱⁱ	0.95	2.53	3.410 (5)	154

Symmetry codes: (i) $-x+2, y-3/2, -z+1$; (ii) $x, y-1, z-1$; (iii) $-x+1, y-1/2, -z+1$.