

Acta Crystallographica Section E

## Structure Reports

Online

ISSN 1600-5368

## Ammonium 2-(3,4-dimethylbenzoyl)-benzoate dihydrate

Ming-Hui Zhang, Yue-Lin Yuan and Jun-Feng Kou\*

College of Chemistry and Chemical Engineering, Yunnan Normal University, Kunming 650500, People's Republic of China  
Correspondence e-mail: kjf416@163.com


Received 24 April 2013; accepted 3 May 2013

Key indicators: single-crystal X-ray study;  $T = 293$  K; mean  $\sigma(\text{C}-\text{C}) = 0.003$  Å;  $R$  factor = 0.040;  $wR$  factor = 0.114; data-to-parameter ratio = 13.9.

In the anion of the title compound,  $\text{NH}_4^+ \cdot \text{C}_{16}\text{H}_{13}\text{O}_3^- \cdot 2\text{H}_2\text{O}$ , the benzene rings are twisted with respect to each other by  $73.56$  ( $10$ )°. In the crystal, extensive  $\text{N}-\text{H} \cdots \text{O}$  and  $\text{O}-\text{H} \cdots \text{O}$  hydrogen bonds link the cations, anions and lattice water molecules into a three dimensional supramolecular structure.

## Related literature

For the synthesis of the title compound, see: Elofson *et al.* (1965). For related compounds, see: Boon *et al.* (1986); Yeung *et al.* (2002); Gopalakrishnan *et al.* (2005); Qiao *et al.* (2008); Gouda *et al.* (2010).



## Experimental

## Crystal data

$\text{NH}_4^+ \cdot \text{C}_{16}\text{H}_{13}\text{O}_3^- \cdot 2\text{H}_2\text{O}$   
 $M_r = 307.34$   
 Triclinic,  $P\bar{1}$   
 $a = 7.5039$  (15) Å  
 $b = 7.7458$  (15) Å  
 $c = 14.439$  (3) Å  
 $\alpha = 81.63$  (3)°  
 $\beta = 79.15$  (3)°  
 $\gamma = 78.67$  (3)°  
 $V = 803.0$  (3) Å<sup>3</sup>  
 $Z = 2$   
 Mo  $K\alpha$  radiation  
 $\mu = 0.09$  mm<sup>-1</sup>  
 $T = 293$  K  
 $0.20 \times 0.18 \times 0.15$  mm

## Data collection

Rigaku MM007-HF CCD (Saturn 724+) diffractometer  
 6289 measured reflections  
 2791 independent reflections  
 1674 reflections with  $I > 2\sigma(I)$   
 $R_{\text{int}} = 0.032$

## Refinement

$R[F^2 > 2\sigma(F^2)] = 0.040$   
 $wR(F^2) = 0.114$   
 $S = 1.01$   
 2791 reflections  
 201 parameters  
 H-atom parameters constrained  
 $\Delta\rho_{\text{max}} = 0.33$  e Å<sup>-3</sup>  
 $\Delta\rho_{\text{min}} = -0.19$  e Å<sup>-3</sup>

Table 1

Hydrogen-bond geometry (Å, °).

$D-\text{H} \cdots A$	$D-\text{H}$	$\text{H} \cdots A$	$D \cdots A$	$D-\text{H} \cdots A$
$\text{N1}-\text{H1A} \cdots \text{O4W}$	0.93	1.98	2.836 (2)	152
$\text{N1}-\text{H1B} \cdots \text{O3}$	0.93	1.90	2.820 (2)	170
$\text{N1}-\text{H1C} \cdots \text{O3}^i$	0.96	1.88	2.823 (3)	167
$\text{N1}-\text{H1D} \cdots \text{O5W}^{ii}$	0.96	2.03	2.871 (3)	144
$\text{N1}-\text{H1D} \cdots \text{O4W}^{iii}$	0.96	2.45	3.067 (3)	121
$\text{O4W}-\text{H4WA} \cdots \text{O2}^{iv}$	0.90	1.93	2.809 (2)	164
$\text{O4W}-\text{H4WB} \cdots \text{O2}^{ii}$	0.90	1.91	2.808 (2)	172
$\text{O5W}-\text{H5WA} \cdots \text{O1}^v$	0.87	2.04	2.899 (2)	171
$\text{O5W}-\text{H5WB} \cdots \text{O2}$	0.85	2.31	3.032 (2)	142

Symmetry codes: (i)  $-x + 1, -y + 1, -z + 1$ ; (ii)  $x, y + 1, z$ ; (iii)  $-x + 1, -y + 2, -z + 1$ ; (iv)  $-x + 2, -y + 1, -z + 1$ ; (v)  $x - 1, y, z$ .

Data collection: *CrystalStructure* (Rigaku/MS, 2006); cell refinement: *CrystalStructure*; data reduction: *CrystalStructure*; program(s) used to solve structure: *SHELXTL* (Sheldrick, 2008); program(s) used to refine structure: *SHELXTL*; molecular graphics: *DIAMOND* (Brandenburg, 1999); software used to prepare material for publication: *SHELXTL*.

The work was supported by the Youth Fund of Yunnan Normal University and the Scientific Research Foundation of Yunnan Provincial Department of Education (grant No. 22012Z019).

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: XU5697).

## References

- Boon, J. A., Levinsky, J. A., Pflug, J. L. & Wilkes, J. S. (1986). *J. Org. Chem.* **51**, 480–483.  
 Brandenburg, K. (1999). *DIAMOND*. Crystal Impact GbR, Bonn, Germany.  
 Elofson, R. M., Schulz, K. F., Galbraith, B. E. & Newton, R. (1965). *Can. J. Chem.* **43**, 1553–1559.  
 Gopalakrishnan, M., Sureshkumar, P., Kanagarajan, V. & Thanusu, J. (2005). *Catal. Commun.* **6**, 753–756.  
 Gouda, M. A., Berghot, M. A., Shoeib, A. M. & Khalil, A. M. (2010). *Eur. J. Med. Chem.* **45**, 1843–1848.  
 Qiao, W.-Z., Zheng, J., Wang, Y.-J., Song, N.-H., Wan, X.-H. & Wang, Z.-Y. (2008). *Org. Lett.* **10**, 241–244.  
 Rigaku/MS. (2006). *CrystalStructure*. Rigaku/MS, The Woodlands, Texas, USA.  
 Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.  
 Yeung, K. S., Farkas, M. E., Qiu, Z. & Yang, Z. (2002). *Tetrahedron Lett.* **43**, 5793–5795.

## supporting information

*Acta Cryst.* (2013). E69, o860 [doi:10.1107/S1600536813012087]

## Ammonium 2-(3,4-dimethylbenzoyl)benzoate dihydrate

Ming-Hui Zhang, Yue-Lin Yuan and Jun-Feng Kou

### S1. Comment

Friedel-Crafts acylation provides a fundamental and useful method for the synthesis of aromatic ketones, which are important intermediates for preparing fine chemicals in the field of pharmaceuticals, agrochemicals, and fragrances. Typically, these reactions are performed using acyl chloride (for acylation) in the presence of a little more than one equivalent of Lewis acids, such as anhydrous aluminium chloride, titanium chloride and iron chloride (Elofson *et al.* 1965; Boon *et al.* 1986; Yeung *et al.* 2002; Gopalakrishnan *et al.* 2005; Qiao *et al.* 2008; Gouda *et al.* 2010). Herein we report the synthesis and structure of the title compound with aluminium chloride.

The structure of the title compound is shown in Fig. 1, Fig. 2 and hydrogen-bond geometry is given in Table 1. The compound crystallizes in the triclinic space group  $P\bar{1}$ , and the crystallographic asymmetric unit consists of one crystallographically independent anion, one ammonium cation and two water molecules. As shown in Fig. 2, the dihedral angle is 73.2° between benzene rings which are not coplanar. An interesting part of the structure of the title compound is the helical chains formed by the N—H $\cdots$ O and O—H $\cdots$ O hydrogen-bonding interactions along  $c$  axis in this molecule (Table 1 & Fig. 3). Two neighbouring N atoms formed helical chain (O3—N1—O4W—O2 and O2—O4W—N1—O3) which bridge two carboxy O3 atoms formed two opposite handed chains with the bond distances of N1 $\cdots$ O3 2.823 (3) Å, N1 $\cdots$ O4w 3.067 (3) Å, O4W $\cdots$ O2 2.808 (2) Å. Further connection of the helices *via* N—H $\cdots$ O5W hydrogen bond with the bond distance of 2.871 Å gives the three-dimensional structure.


### S2. Experimental

In a 250 ml dry three-necked round-bottom flask, aluminium chloride (34.8 g, 0.26 mol) was dissolved in dry dichloromethane (150 ml), *ortho*-xylene (11.2 g, 0.105 mol) was added and then phthalic anhydride portion-wise with formation of an orange liquid in ice bath for 3 h while stirring. The mixture was reacted for 10 h while elevating the temperature of the reactor up to 303 K with formation of a yellow precipitate, then cooled down to room temperature and poured over a mixture of ice (20 g) and concentrated hydrochloric acid (10 ml) with a large amount of gas generated by HCl (Elofson *et al.*, 1965). The organic layer was separated and the aqueous layer was extracted with dichloromethane (3  $\times$  50 ml). The combined organic layers were washed with water (20 ml), concentrated in the rotary evaporator to give the pure yellow compound, dried in vacuum and yield: 20.2 g, 80%. MS(EI):  $m/z = 254$  ([M—CH<sub>3</sub>]<sup>+</sup>). Crystals suitable for X-ray analysis were obtained by evaporate slowly the solution of the compound in 25% aqueous ammonia in 88% yield within a month.


### S3. Refinement

H atoms attached to carbons were geometrically fixed and allowed to ride on the corresponding non-H atom with C—H = 0.96 Å, and  $U_{\text{iso}}(\text{H}) = 1.5U_{\text{eq}}(\text{C})$  of the attached C atom for methyl H atoms and  $1.2U_{\text{eq}}(\text{C})$  for other H atoms. The H atoms were constrained with N—H distances of 0.93–0.96 Å,  $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{N})$  and O—H distance of 0.85–0.90 Å with


$$U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{O}).$$

**Figure 1**

The molecular structure of the title compound, with atom labels and 30% probability displacement ellipsoids.

**Figure 2**

Hydrogen bonds are shown as brown dashed lines.

**Figure 3**

A view of the crystal packing.

### Ammonium 2-(3,4-dimethylbenzoyl)benzoate dihydrate

#### Crystal data

$\text{NH}_4^+ \cdot \text{C}_{16}\text{H}_{13}\text{O}_3^- \cdot 2\text{H}_2\text{O}$

$M_r = 307.34$

Triclinic,  $P\bar{1}$

Hall symbol:  $-P\ 1$

$a = 7.5039\ (15)\ \text{\AA}$

$b = 7.7458\ (15)\ \text{\AA}$

$c = 14.439\ (3)\ \text{\AA}$

$\alpha = 81.63\ (3)^\circ$

$\beta = 79.15\ (3)^\circ$

$\gamma = 78.67\ (3)^\circ$

$V = 803.0\ (3)\ \text{\AA}^3$

$Z = 2$

$F(000) = 328$

$D_x = 1.271\ \text{Mg m}^{-3}$

Mo  $K\alpha$  radiation,  $\lambda = 0.71073\ \text{\AA}$

Cell parameters from 9573 reflections

$\theta = 3.2\text{--}25.0^\circ$

$\mu = 0.09\ \text{mm}^{-1}$

$T = 293\ \text{K}$

Block, colorless

$0.20 \times 0.18 \times 0.15\ \text{mm}$

#### Data collection

Rigaku MM007-HF CCD (Saturn 724+) diffractometer

Radiation source: rotating anode

Confocal monochromator

$\omega$  scans at fixed  $\chi = 45^\circ$

6289 measured reflections

2791 independent reflections

1674 reflections with  $I > 2\sigma(I)$

$R_{\text{int}} = 0.032$

$\theta_{\text{max}} = 25.0^\circ$ ,  $\theta_{\text{min}} = 3.2^\circ$

$h = -8 \rightarrow 8$

$k = -9 \rightarrow 8$

$l = -17 \rightarrow 16$

#### Refinement

Refinement on  $F^2$

Least-squares matrix: full

$R[F^2 > 2\sigma(F^2)] = 0.040$

$wR(F^2) = 0.114$

$S = 1.01$

2791 reflections

201 parameters

0 restraints

Primary atom site location: structure-invariant direct methods

Secondary atom site location: difference Fourier map

Hydrogen site location: inferred from neighbouring sites

H-atom parameters constrained  
 $w = 1/[\sigma^2(F_o^2) + (0.0585P)^2 + 0.0127P]$   
 where  $P = (F_o^2 + 2F_c^2)/3$

$(\Delta/\sigma)_{\max} < 0.001$   
 $\Delta\rho_{\max} = 0.33 \text{ e } \text{\AA}^{-3}$   
 $\Delta\rho_{\min} = -0.19 \text{ e } \text{\AA}^{-3}$

#### Special details

**Geometry.** All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted  $R$ -factor  $wR$  and goodness of fit  $S$  are based on  $F^2$ , conventional  $R$ -factors  $R$  are based on  $F$ , with  $F$  set to zero for negative  $F^2$ . The threshold expression of  $F^2 > \sigma(F^2)$  is used only for calculating  $R$ -factors(gt) *etc.* and is not relevant to the choice of reflections for refinement.  $R$ -factors based on  $F^2$  are statistically about twice as large as those based on  $F$ , and  $R$ -factors based on ALL data will be even larger.

#### Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )

	$x$	$y$	$z$	$U_{\text{iso}}^*/U_{\text{eq}}$
C1	0.8894 (3)	0.3453 (3)	0.37419 (13)	0.0384 (5)
C2	1.0501 (3)	0.4382 (2)	0.33412 (13)	0.0358 (5)
C3	1.0619 (3)	0.5954 (3)	0.36741 (15)	0.0481 (6)
H3	0.9645	0.6478	0.4100	0.058*
C4	1.2161 (3)	0.6742 (3)	0.33795 (17)	0.0568 (6)
H4	1.2218	0.7789	0.3608	0.068*
C5	1.3603 (3)	0.5986 (3)	0.27530 (17)	0.0596 (7)
H5	1.4644	0.6514	0.2560	0.071*
C6	1.3514 (3)	0.4435 (3)	0.24053 (16)	0.0502 (6)
H6	1.4501	0.3921	0.1982	0.060*
C7	1.1961 (3)	0.3644 (2)	0.26844 (13)	0.0370 (5)
C8	1.1918 (3)	0.2019 (3)	0.22316 (13)	0.0379 (5)
C9	1.0404 (3)	0.2066 (2)	0.16934 (12)	0.0350 (5)
C10	0.9867 (3)	0.0489 (3)	0.15866 (13)	0.0386 (5)
H10	1.0460	-0.0577	0.1862	0.046*
C11	0.8476 (3)	0.0471 (3)	0.10814 (13)	0.0400 (5)
C12	0.7643 (3)	0.2059 (3)	0.06282 (14)	0.0415 (5)
C13	0.8184 (3)	0.3637 (3)	0.07373 (14)	0.0458 (5)
H13	0.7633	0.4702	0.0441	0.055*
C14	0.9519 (3)	0.3644 (3)	0.12749 (14)	0.0416 (5)
H14	0.9825	0.4712	0.1357	0.050*
C15	0.7866 (3)	-0.1259 (3)	0.10343 (17)	0.0578 (6)
H15A	0.8145	-0.1540	0.0391	0.087*
H15B	0.6563	-0.1148	0.1251	0.087*
H15C	0.8504	-0.2188	0.1431	0.087*
C16	0.6165 (3)	0.2111 (3)	0.00431 (17)	0.0592 (6)
H16A	0.5107	0.1731	0.0444	0.089*
H16B	0.6623	0.1335	-0.0442	0.089*
H16C	0.5823	0.3298	-0.0245	0.089*
N1	0.5486 (2)	0.7384 (2)	0.49120 (13)	0.0498 (5)
H1A	0.6138	0.7907	0.5245	0.060*
H1B	0.6234	0.6452	0.4616	0.060*

H1C	0.4464	0.6937	0.5318	0.060*
H1D	0.5135	0.8306	0.4423	0.060*
O1	1.3187 (2)	0.07641 (19)	0.22420 (10)	0.0517 (4)
O2	0.91984 (18)	0.17891 (17)	0.37486 (9)	0.0428 (4)
O3	0.7384 (2)	0.4340 (2)	0.40630 (12)	0.0634 (5)
O4W	0.7770 (2)	0.9592 (2)	0.53226 (11)	0.0572 (4)
H4WA	0.8648	0.9304	0.5697	0.069*
H4WB	0.8282	1.0201	0.4789	0.069*
O5W	0.6084 (2)	0.0140 (3)	0.33873 (12)	0.0833 (6)
H5WA	0.5287	0.0395	0.3001	0.100*
H5WB	0.6978	0.0708	0.3198	0.100*

*Atomic displacement parameters (Å<sup>2</sup>)*

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
C1	0.0357 (12)	0.0423 (13)	0.0370 (11)	-0.0088 (10)	0.0010 (9)	-0.0099 (9)
C2	0.0341 (11)	0.0372 (11)	0.0374 (10)	-0.0096 (9)	-0.0047 (9)	-0.0054 (9)
C3	0.0511 (14)	0.0460 (13)	0.0494 (13)	-0.0131 (11)	-0.0024 (10)	-0.0137 (10)
C4	0.0656 (17)	0.0513 (14)	0.0617 (15)	-0.0262 (12)	-0.0087 (13)	-0.0142 (12)
C5	0.0577 (16)	0.0622 (17)	0.0661 (15)	-0.0360 (13)	-0.0048 (13)	-0.0033 (12)
C6	0.0406 (13)	0.0568 (14)	0.0533 (13)	-0.0181 (11)	0.0046 (10)	-0.0098 (11)
C7	0.0356 (12)	0.0405 (12)	0.0361 (11)	-0.0122 (9)	-0.0038 (9)	-0.0031 (9)
C8	0.0357 (12)	0.0396 (12)	0.0362 (11)	-0.0091 (10)	0.0038 (9)	-0.0056 (9)
C9	0.0370 (11)	0.0337 (11)	0.0331 (10)	-0.0060 (9)	0.0011 (9)	-0.0089 (9)
C10	0.0433 (12)	0.0311 (11)	0.0389 (11)	-0.0037 (9)	-0.0021 (9)	-0.0056 (9)
C11	0.0442 (12)	0.0364 (12)	0.0392 (11)	-0.0092 (10)	0.0004 (10)	-0.0099 (9)
C12	0.0372 (12)	0.0505 (13)	0.0372 (11)	-0.0090 (10)	-0.0008 (9)	-0.0112 (10)
C13	0.0486 (14)	0.0404 (12)	0.0463 (12)	-0.0035 (10)	-0.0089 (10)	-0.0027 (10)
C14	0.0475 (13)	0.0340 (12)	0.0440 (12)	-0.0088 (10)	-0.0049 (10)	-0.0073 (9)
C15	0.0688 (17)	0.0475 (14)	0.0633 (15)	-0.0197 (12)	-0.0099 (12)	-0.0143 (11)
C16	0.0538 (15)	0.0681 (17)	0.0600 (14)	-0.0092 (12)	-0.0171 (12)	-0.0133 (13)
N1	0.0438 (11)	0.0422 (10)	0.0637 (12)	-0.0110 (8)	0.0008 (9)	-0.0148 (9)
O1	0.0425 (9)	0.0480 (9)	0.0634 (10)	0.0012 (7)	-0.0080 (7)	-0.0155 (8)
O2	0.0434 (9)	0.0356 (8)	0.0480 (8)	-0.0117 (6)	0.0002 (7)	-0.0039 (6)
O3	0.0411 (10)	0.0552 (10)	0.0904 (12)	-0.0113 (8)	0.0169 (8)	-0.0289 (9)
O4W	0.0463 (9)	0.0669 (10)	0.0606 (9)	-0.0221 (8)	-0.0130 (7)	0.0081 (8)
O5W	0.0654 (12)	0.1233 (16)	0.0654 (11)	-0.0396 (12)	-0.0147 (9)	0.0123 (11)

*Geometric parameters (Å, °)*

C1—O3	1.249 (2)	C11—C15	1.513 (3)
C1—O2	1.263 (2)	C12—C13	1.399 (3)
C1—C2	1.505 (3)	C12—C16	1.507 (3)
C2—C3	1.396 (2)	C13—C14	1.379 (3)
C2—C7	1.395 (3)	C13—H13	0.9300
C3—C4	1.382 (3)	C14—H14	0.9300
C3—H3	0.9300	C15—H15A	0.9600
C4—C5	1.367 (3)	C15—H15B	0.9600

C4—H4	0.9300	C15—H15C	0.9600
C5—C6	1.386 (3)	C16—H16A	0.9600
C5—H5	0.9300	C16—H16B	0.9600
C6—C7	1.389 (3)	C16—H16C	0.9600
C6—H6	0.9300	N1—H1A	0.9264
C7—C8	1.509 (3)	N1—H1B	0.9263
C8—O1	1.220 (2)	N1—H1C	0.9630
C8—C9	1.484 (3)	N1—H1D	0.9636
C9—C14	1.385 (3)	O4W—H4WA	0.9042
C9—C10	1.396 (3)	O4W—H4WB	0.9039
C10—C11	1.385 (3)	O5W—H5WA	0.8692
C10—H10	0.9300	O5W—H5WB	0.8542
C11—C12	1.396 (3)		
O3—C1—O2	124.36 (19)	C10—C11—C15	119.80 (19)
O3—C1—C2	119.25 (18)	C12—C11—C15	120.91 (18)
O2—C1—C2	116.36 (17)	C11—C12—C13	118.71 (17)
C3—C2—C7	118.41 (18)	C11—C12—C16	121.57 (18)
C3—C2—C1	120.09 (18)	C13—C12—C16	119.7 (2)
C7—C2—C1	121.35 (16)	C14—C13—C12	121.3 (2)
C4—C3—C2	121.0 (2)	C14—C13—H13	119.3
C4—C3—H3	119.5	C12—C13—H13	119.3
C2—C3—H3	119.5	C13—C14—C9	120.21 (17)
C5—C4—C3	120.15 (19)	C13—C14—H14	119.9
C5—C4—H4	119.9	C9—C14—H14	119.9
C3—C4—H4	119.9	C11—C15—H15A	109.5
C4—C5—C6	120.0 (2)	C11—C15—H15B	109.5
C4—C5—H5	120.0	H15A—C15—H15B	109.5
C6—C5—H5	120.0	C11—C15—H15C	109.5
C5—C6—C7	120.4 (2)	H15A—C15—H15C	109.5
C5—C6—H6	119.8	H15B—C15—H15C	109.5
C7—C6—H6	119.8	C12—C16—H16A	109.5
C6—C7—C2	119.96 (17)	C12—C16—H16B	109.5
C6—C7—C8	117.37 (18)	H16A—C16—H16B	109.5
C2—C7—C8	122.65 (17)	C12—C16—H16C	109.5
O1—C8—C9	121.17 (16)	H16A—C16—H16C	109.5
O1—C8—C7	120.19 (17)	H16B—C16—H16C	109.5
C9—C8—C7	118.34 (17)	H1A—N1—H1B	111.3
C14—C9—C10	118.58 (17)	H1A—N1—H1C	111.9
C14—C9—C8	121.56 (16)	H1B—N1—H1C	108.1
C10—C9—C8	119.85 (18)	H1A—N1—H1D	103.8
C11—C10—C9	121.76 (19)	H1B—N1—H1D	107.6
C11—C10—H10	119.1	H1C—N1—H1D	114.1
C9—C10—H10	119.1	H4WA—O4W—H4WB	105.6
C10—C11—C12	119.28 (17)	H5WA—O5W—H5WB	111.4
O3—C1—C2—C3	28.0 (3)	C2—C7—C8—C9	57.7 (3)
O2—C1—C2—C3	-150.26 (18)	O1—C8—C9—C14	-147.4 (2)

O3—C1—C2—C7	-156.54 (19)	C7—C8—C9—C14	26.3 (3)
O2—C1—C2—C7	25.2 (3)	O1—C8—C9—C10	31.4 (3)
C7—C2—C3—C4	-1.5 (3)	C7—C8—C9—C10	-154.87 (18)
C1—C2—C3—C4	174.1 (2)	C14—C9—C10—C11	-0.4 (3)
C2—C3—C4—C5	0.0 (3)	C8—C9—C10—C11	-179.27 (17)
C3—C4—C5—C6	0.6 (4)	C9—C10—C11—C12	3.1 (3)
C4—C5—C6—C7	0.4 (3)	C9—C10—C11—C15	-176.39 (18)
C5—C6—C7—C2	-2.0 (3)	C10—C11—C12—C13	-3.0 (3)
C5—C6—C7—C8	176.4 (2)	C15—C11—C12—C13	176.5 (2)
C3—C2—C7—C6	2.5 (3)	C10—C11—C12—C16	178.04 (19)
C1—C2—C7—C6	-173.04 (19)	C15—C11—C12—C16	-2.5 (3)
C3—C2—C7—C8	-175.84 (18)	C11—C12—C13—C14	0.4 (3)
C1—C2—C7—C8	8.6 (3)	C16—C12—C13—C14	179.34 (19)
C6—C7—C8—O1	53.1 (3)	C12—C13—C14—C9	2.3 (3)
C2—C7—C8—O1	-128.6 (2)	C10—C9—C14—C13	-2.3 (3)
C6—C7—C8—C9	-120.7 (2)	C8—C9—C14—C13	176.55 (18)

## Hydrogen-bond geometry (Å, °)

<i>D</i> —H... <i>A</i>	<i>D</i> —H	H... <i>A</i>	<i>D</i> ... <i>A</i>	<i>D</i> —H... <i>A</i>
N1—H1 <i>A</i> ...O4 <i>W</i>	0.93	1.98	2.836 (2)	152
N1—H1 <i>B</i> ...O3	0.93	1.90	2.820 (2)	170
N1—H1 <i>C</i> ...O3 <sup>i</sup>	0.96	1.88	2.823 (3)	167
N1—H1 <i>D</i> ...O5 <i>W</i> <sup>ii</sup>	0.96	2.03	2.871 (3)	144
N1—H1 <i>D</i> ...O4 <i>W</i> <sup>iii</sup>	0.96	2.45	3.067 (3)	121
O4 <i>W</i> —H4 <i>W</i> <i>A</i> ...O2 <sup>iv</sup>	0.90	1.93	2.809 (2)	164
O4 <i>W</i> —H4 <i>W</i> <i>B</i> ...O2 <sup>ii</sup>	0.90	1.91	2.808 (2)	172
O5 <i>W</i> —H5 <i>W</i> <i>A</i> ...O1 <sup>v</sup>	0.87	2.04	2.899 (2)	171
O5 <i>W</i> —H5 <i>W</i> <i>B</i> ...O2	0.85	2.31	3.032 (2)	142

Symmetry codes: (i)  $-x+1, -y+1, -z+1$ ; (ii)  $x, y+1, z$ ; (iii)  $-x+1, -y+2, -z+1$ ; (iv)  $-x+2, -y+1, -z+1$ ; (v)  $x-1, y, z$ .