

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

2-Bromo-5-fluorobenzaldehyde

Robert E. Tureski and Joseph M. Tanski*

Department of Chemistry, Vassar College, Poughkeepsie, NY 12604, USA

Correspondence e-mail: jotanski@vassar.edu


Received 5 July 2013; accepted 7 July 2013

Key indicators: single-crystal X-ray study; $T = 125$ K; mean $\sigma(\text{C}-\text{C}) = 0.003$ Å; R factor = 0.027; wR factor = 0.068; data-to-parameter ratio = 22.5.

In the title compound, $\text{C}_7\text{H}_4\text{BrFO}$, the benzaldehyde O atom is found to be *trans* to the 2-bromo substituent. In the crystal, short $\text{Br}\cdots\text{F}$ interactions between the bromine and fluorine substituents are observed at distances of 3.1878 (14), 3.3641 (13) and 3.3675 (14) Å. Offset face-to-face π -stacking interactions are also observed for both of the independent molecules in the asymmetric unit running parallel to the crystallographic b axis, characterized by centroid-centroid distances of 3.8699 (2) and 3.8699 (2) Å.

Related literature

For information on the synthesis of 2-bromo-5-fluorobenzaldehyde, see: Dubost *et al.* (2011). For vibrational spectroscopic analysis and *ab initio* structure calculations on 2-bromo-5-fluorobenzaldehyde, see: Hiremath & Sundius (2009). For the use of 2-bromo-5-fluorobenzaldehyde in organic synthesis of biologically active compounds, see: Chen *et al.* (2013). For additional information on halogenated aromatic aldehydes in crystal structures, see: Byrn *et al.* (1993); Moorthy *et al.* (2003). For information on halogen-halogen interactions in crystal structures, see: Pedireddi *et al.* (1994).



Experimental

Crystal data

$\text{C}_7\text{H}_4\text{BrFO}$	$V = 1335.84$ (10) Å ³
$M_r = 203.01$	$Z = 8$
Monoclinic, $P2_1/c$	Mo $K\alpha$ radiation
$a = 15.3593$ (6) Å	$\mu = 6.09$ mm ⁻¹
$b = 3.8699$ (2) Å	$T = 125$ K
$c = 23.4189$ (9) Å	$0.36 \times 0.16 \times 0.03$ mm
$\beta = 106.330$ (1)°	

Data collection

Bruker APEXII CCD diffractometer	20203 measured reflections
Absorption correction: multi-scan (SADABS; Bruker, 2007)	4080 independent reflections
$T_{\min} = 0.218$, $T_{\max} = 0.838$	3468 reflections with $I > 2\sigma(I)$
	$R_{\text{int}} = 0.033$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.027$	181 parameters
$wR(F^2) = 0.068$	H-atom parameters constrained
$S = 1.03$	$\Delta\rho_{\text{max}} = 1.83$ e Å ⁻³
4080 reflections	$\Delta\rho_{\text{min}} = -0.82$ e Å ⁻³

Data collection: APEX2 (Bruker, 2007); cell refinement: SAINT (Bruker, 2007); data reduction: SAINT; program(s) used to solve structure: SHELXS97 (Sheldrick, 2008); program(s) used to refine structure: SHELXL97 (Sheldrick, 2008); molecular graphics: SHELXTL (Sheldrick, 2008); software used to prepare material for publication: SHELXTL, OLEX2 (Dolomanov *et al.*, 2009) and Mercury (Macrae *et al.*, 2006).

This work was supported by Vassar College. X-ray facilities were provided by the US National Science Foundation (grant No. 0521237 to JMT).

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: JJ2171).

References

- Bruker (2007). SAINT, SADABS and APEX2. Bruker AXS Inc., Madison, Wisconsin, USA.
- Byrn, M. P., Curtis, C. J., Hsiou, Y., Khan, S. I., Sawin, P. A., Tendick, S. K., Terzis, A. & Strouse, C. E. (1993). *J. Am. Chem. Soc.* **115**, 9480–9497.
- Chen, D. S., Dou, G. L., Li, Y. L., Liu, Y. & Wang, X. S. (2013). *J. Org. Chem.* **78**, 5700–5704.
- Dolomanov, O. V., Bourhis, L. J., Gildea, R. J., Howard, J. A. K. & Puschmann, H. (2009). *J. Appl. Cryst.* **42**, 339–341.
- Dubost, E., Fossey, C., Cailly, T., Rault, S. & Fabis, F. (2011). *J. Org. Chem.* **76**, 6414–6420.
- Hiremath, C. S. & Sundius, T. (2009). *Spectrochim. Acta Part A*, **74**, 1260–1267.
- Macrae, C. F., Edgington, P. R., McCabe, P., Pidcock, E., Shields, G. P., Taylor, R., Towler, M. & van de Streek, J. (2006). *J. Appl. Cryst.* **39**, 453–457.
- Moorthy, J. N., Venkatakrishnan, P., Mal, P., Dixit, S. & Venugopalan, P. (2003). *Cryst. Growth Des.* **3**, 581–585.
- Pedireddi, V. R., Reddy, D. S., Goud, B. S., Craig, D. C., Rae, A. D. & Desiraju, G. R. (1994). *J. Chem. Soc. Perkin Trans. 2*, pp. 2353–2360.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.

supporting information

Acta Cryst. (2013). E69, o1246 [doi:10.1107/S1600536813018783]

2-Bromo-5-fluorobenzaldehyde

Robert E. Tureski and Joseph M. Tanski

S1. Comment

Ab initio electronic structure calculations have predicted that the lower energy conformer of 2-bromo-5-fluorobenzaldehyde is the one in which the benzaldehyde oxygen is *trans* to the 2-bromo substituent (Hiremath & Sundius, 2009). The crystal structure of 2-bromo-5-fluorobenzaldehyde reported here is consistent with this finding. The compound may be synthesized by selective *ortho*-bromination of the appropriate benzaldoxime (Dubost *et al.*, 2011). The substance has found laboratory application in the synthesis of quinazolinones which are known to show antitumor activity (Chen *et al.*, 2013). Crystal structures of halogenated aromatic aldehydes have been previously reported (Moorthy *et al.*, 2003), and they are also known in clathrates (Byrn *et al.*, 1993).

The titular compound crystallizes with two molecules of 2-bromo-5-fluorobenzaldehyde in the asymmetric unit (Fig. 1). The benzaldehyde oxygen is *trans* to the 2-bromo substituent, with O1—C1—C2—C3 and O2—C8—C9—C10 torsional angles of 174.3 (2)° and 170.2 (2)°, respectively. Several short intermolecular halogen-halogen interactions can be seen in the structure between fluorine and bromine atoms. Within the asymmetric unit, the F1⋯Br2 distance of 3.1878 (14) Å is significantly shorter than the sum of the van der Waals radii of bromine and fluorine, 3.40 Å (Pedireddi *et al.*, 1994). Somewhat longer, the F2⋯Br1ⁱ distance 3.3641 (13) and F2⋯Br1ⁱⁱ distance 3.3675 (14) Å are about the same as the sum of the van der Waals radii of fluorine and bromine (Fig 2.)


The aromatic compound packs in the solid state with an offset face-to-face π -stacking motif parallel to the crystallographic *b*-axis (Fig 2.). Each independent molecule in the asymmetric unit π -stacks with itself. This π -stacking motif is characterized by a centroid-to-centroid distance of 3.8699 (2) Å, centroid-to-*plane* distance of 3.371 (2) Å, and ring-offset of 1.901 (3) Å for molecule 1 and centroid-to-centroid distance of 3.8699 (2) Å, centroid-to-*plane* distance of 3.431 (2) Å, and ring-offset of 1.790 (3) Å for molecule 2.

S2. Experimental


2-bromo-5-fluorobenzaldehyde was purchased from Aldrich Chemical Company, USA, and was recrystallized from chloroform.

S3. Refinement

All non-hydrogen atoms were refined anisotropically. Hydrogen atoms on carbon were included in calculated positions and refined using a riding model at C—H = 0.95 Å and $U_{\text{iso}}(\text{H}) = 1.2 \times U_{\text{eq}}(\text{C})$ of the aryl C-atoms. The extinction parameter (EXTI) refined to zero and was removed from the refinement.

**Figure 1**

A view of the title compound with the atom numbering scheme. F1...Br2 distance 3.1878 (14) Å. Displacement ellipsoids are shown at the 50% probability level.

**Figure 2**

A view of the offset face-to-face π -stacking in the structure of title compound, characterized by a centroid-to-centroid distance of 3.8699 (2) Å, centroid-to-plane distance of 3.371 (2) Å, and ring-offset of 1.901 (3) Å for molecule 1 and centroid-to-centroid distance of 3.8699 (2) Å, centroid-to-plane distance of 3.431 (2) Å, and ring-offset of 1.790 (3) Å for molecule 2. F1...Br2 distance 3.1878 (14) Å, F2...Br1ⁱ distance 3.3641 (13), and F2...Br1ⁱⁱ distance 3.3675 (14) Å. Displacement ellipsoids are shown at the 50% probability level. Symmetry codes: (i) $x + 1, y + 1, z$; (ii) $-x + 1, y + 1/2, -z + 1/2$.

2-Bromo-5-fluorobenzaldehyde

Crystal data

C₇H₄BrFO

$M_r = 203.01$

Monoclinic, $P2_1/c$

Hall symbol: $-P 2_1 ybc$

$a = 15.3593$ (6) Å

$b = 3.8699$ (2) Å

$c = 23.4189$ (9) Å

$\beta = 106.330$ (1)°

$V = 1335.84$ (10) Å³

$Z = 8$

$F(000) = 784$

$D_x = 2.019$ Mg m⁻³

Mo $K\alpha$ radiation, $\lambda = 0.71073$ Å

Cell parameters from 9913 reflections

$\theta = 2.6$ – 30.5 °

$\mu = 6.09$ mm⁻¹

$T = 125$ K

Plate, colourless

$0.36 \times 0.16 \times 0.03$ mm

Data collection

Bruker APEXII CCD diffractometer	20203 measured reflections
Radiation source: fine-focus sealed tube	4080 independent reflections
Graphite monochromator	3468 reflections with $I > 2\sigma(I)$
φ and ω scans	$R_{\text{int}} = 0.033$
Absorption correction: multi-scan (SADABS; Bruker, 2007)	$\theta_{\text{max}} = 30.5^\circ$, $\theta_{\text{min}} = 1.8^\circ$
$T_{\text{min}} = 0.218$, $T_{\text{max}} = 0.838$	$h = -21 \rightarrow 21$
	$k = -5 \rightarrow 5$
	$l = -33 \rightarrow 33$

Refinement

Refinement on F^2	Secondary atom site location: difference Fourier map
Least-squares matrix: full	Hydrogen site location: inferred from neighbouring sites
$R[F^2 > 2\sigma(F^2)] = 0.027$	H-atom parameters constrained
$wR(F^2) = 0.068$	$w = 1/[\sigma^2(F_o^2) + (0.0289P)^2 + 1.4137P]$
$S = 1.03$	where $P = (F_o^2 + 2F_c^2)/3$
4080 reflections	$(\Delta/\sigma)_{\text{max}} = 0.001$
181 parameters	$\Delta\rho_{\text{max}} = 1.83 \text{ e } \text{\AA}^{-3}$
0 restraints	$\Delta\rho_{\text{min}} = -0.82 \text{ e } \text{\AA}^{-3}$
Primary atom site location: structure-invariant direct methods	

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$
Br1	0.080111 (13)	0.22202 (5)	0.216581 (8)	0.01891 (6)
Br2	0.462736 (14)	0.76345 (5)	0.083534 (10)	0.02508 (6)
F1	0.25127 (9)	0.6309 (4)	0.02624 (6)	0.0291 (3)
F2	0.85470 (8)	1.1648 (4)	0.15460 (6)	0.0280 (3)
O1	-0.05661 (10)	0.8333 (4)	0.05688 (7)	0.0262 (3)
O2	0.60148 (11)	1.3284 (5)	0.24807 (7)	0.0319 (4)
C1	-0.01416 (13)	0.6545 (5)	0.09806 (9)	0.0192 (4)
H1A	-0.0436	0.5795	0.1265	0.023*
C2	0.08121 (12)	0.5479 (5)	0.10601 (8)	0.0154 (3)
C3	0.13221 (13)	0.3679 (5)	0.15590 (8)	0.0156 (3)
C4	0.22246 (13)	0.2828 (5)	0.16300 (9)	0.0194 (4)
H4A	0.2564	0.1646	0.1977	0.023*
C5	0.26256 (14)	0.3727 (5)	0.11871 (9)	0.0219 (4)
H5A	0.3241	0.3164	0.1225	0.026*
C6	0.21117 (14)	0.5449 (5)	0.06927 (9)	0.0206 (4)
C7	0.12254 (13)	0.6377 (5)	0.06165 (8)	0.0181 (4)

H7A	0.0898	0.7601	0.0271	0.022*
C8	0.57143 (14)	1.1450 (6)	0.20481 (9)	0.0226 (4)
H8A	0.5118	1.0545	0.1978	0.027*
C9	0.62435 (13)	1.0572 (5)	0.16259 (8)	0.0166 (3)
C10	0.58708 (13)	0.8909 (5)	0.10820 (9)	0.0176 (3)
C11	0.63924 (15)	0.8169 (5)	0.06990 (9)	0.0217 (4)
H11A	0.6125	0.7055	0.0330	0.026*
C12	0.73049 (14)	0.9061 (5)	0.08565 (9)	0.0218 (4)
H12A	0.7673	0.8545	0.0602	0.026*
C13	0.76605 (13)	1.0719 (5)	0.13929 (9)	0.0191 (4)
C14	0.71611 (13)	1.1487 (5)	0.17800 (8)	0.0181 (3)
H14A	0.7435	1.2621	0.2146	0.022*

Atomic displacement parameters (Å²)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
Br1	0.02187 (10)	0.01889 (9)	0.01725 (9)	-0.00061 (7)	0.00756 (7)	0.00286 (7)
Br2	0.01723 (10)	0.02099 (11)	0.03344 (12)	-0.00366 (7)	0.00124 (8)	-0.00262 (8)
F1	0.0273 (7)	0.0388 (7)	0.0277 (6)	-0.0023 (6)	0.0182 (5)	0.0033 (6)
F2	0.0148 (6)	0.0395 (7)	0.0314 (7)	-0.0053 (5)	0.0095 (5)	0.0010 (6)
O1	0.0215 (7)	0.0328 (8)	0.0237 (7)	0.0061 (6)	0.0051 (6)	0.0075 (6)
O2	0.0253 (8)	0.0419 (9)	0.0317 (9)	-0.0034 (7)	0.0130 (7)	-0.0137 (7)
C1	0.0164 (8)	0.0208 (9)	0.0212 (9)	-0.0006 (7)	0.0064 (7)	0.0012 (7)
C2	0.0140 (8)	0.0145 (8)	0.0174 (8)	-0.0019 (6)	0.0038 (7)	-0.0007 (6)
C3	0.0175 (8)	0.0134 (8)	0.0168 (8)	-0.0017 (6)	0.0062 (7)	-0.0009 (6)
C4	0.0171 (9)	0.0176 (9)	0.0224 (9)	0.0011 (7)	0.0039 (7)	0.0010 (7)
C5	0.0160 (9)	0.0207 (9)	0.0298 (10)	0.0002 (7)	0.0080 (8)	-0.0013 (8)
C6	0.0222 (10)	0.0216 (9)	0.0219 (9)	-0.0034 (7)	0.0126 (8)	-0.0017 (7)
C7	0.0196 (9)	0.0179 (8)	0.0164 (8)	-0.0032 (7)	0.0044 (7)	-0.0011 (7)
C8	0.0164 (9)	0.0259 (10)	0.0267 (10)	-0.0005 (8)	0.0081 (8)	-0.0012 (8)
C9	0.0152 (8)	0.0151 (8)	0.0206 (9)	0.0006 (6)	0.0066 (7)	0.0014 (7)
C10	0.0145 (8)	0.0144 (8)	0.0221 (9)	0.0000 (6)	0.0023 (7)	0.0016 (7)
C11	0.0260 (10)	0.0190 (9)	0.0190 (9)	0.0016 (8)	0.0047 (8)	0.0007 (7)
C12	0.0250 (10)	0.0224 (9)	0.0212 (9)	0.0026 (8)	0.0115 (8)	0.0024 (7)
C13	0.0143 (9)	0.0214 (9)	0.0221 (9)	-0.0001 (7)	0.0061 (7)	0.0038 (7)
C14	0.0158 (8)	0.0187 (8)	0.0196 (9)	-0.0017 (7)	0.0048 (7)	0.0007 (7)

Geometric parameters (Å, °)

Br1—C3	1.9021 (18)	C5—C6	1.376 (3)
Br2—C10	1.8985 (19)	C5—H5A	0.9500
Br2—F1	3.1878 (14)	C6—C7	1.370 (3)
F1—C6	1.362 (2)	C7—H7A	0.9500
F2—C13	1.355 (2)	C8—C9	1.485 (3)
F2—Br1 ⁱ	3.3641 (13)	C8—H8A	0.9500
F2—Br1 ⁱⁱ	3.3675 (14)	C9—C10	1.398 (3)
O1—C1	1.217 (3)	C9—C14	1.399 (3)
O2—C8	1.217 (3)	C10—C11	1.390 (3)

C1—C2	1.482 (3)	C11—C12	1.389 (3)
C1—H1A	0.9500	C11—H11A	0.9500
C2—C3	1.396 (3)	C12—C13	1.379 (3)
C2—C7	1.405 (3)	C12—H12A	0.9500
C3—C4	1.389 (3)	C13—C14	1.374 (3)
C4—C5	1.391 (3)	C14—H14A	0.9500
C4—H4A	0.9500		
C10—Br2—F1	171.36 (6)	C6—C7—H7A	120.7
C6—F1—Br2	110.32 (11)	C2—C7—H7A	120.7
C13—F2—Br1 ⁱ	165.26 (12)	O2—C8—C9	122.51 (19)
C13—F2—Br1 ⁱⁱ	97.22 (10)	O2—C8—H8A	118.7
Br1 ⁱ —F2—Br1 ⁱⁱ	68.67 (3)	C9—C8—H8A	118.7
O1—C1—C2	123.25 (18)	C10—C9—C14	118.44 (17)
O1—C1—H1A	118.4	C10—C9—C8	123.47 (17)
C2—C1—H1A	118.4	C14—C9—C8	118.09 (17)
C3—C2—C7	118.59 (17)	C11—C10—C9	121.34 (18)
C3—C2—C1	123.09 (16)	C11—C10—Br2	117.59 (15)
C7—C2—C1	118.31 (17)	C9—C10—Br2	121.06 (14)
C4—C3—C2	121.66 (17)	C12—C11—C10	119.94 (19)
C4—C3—Br1	117.11 (14)	C12—C11—H11A	120.0
C2—C3—Br1	121.23 (14)	C10—C11—H11A	120.0
C3—C4—C5	119.19 (18)	C13—C12—C11	117.98 (18)
C3—C4—H4A	120.4	C13—C12—H12A	121.0
C5—C4—H4A	120.4	C11—C12—H12A	121.0
C6—C5—C4	118.62 (18)	F2—C13—C14	118.27 (18)
C6—C5—H5A	120.7	F2—C13—C12	118.38 (17)
C4—C5—H5A	120.7	C14—C13—C12	123.35 (18)
F1—C6—C7	118.63 (18)	C13—C14—C9	118.94 (18)
F1—C6—C5	117.97 (18)	C13—C14—H14A	120.5
C7—C6—C5	123.39 (18)	C9—C14—H14A	120.5
C6—C7—C2	118.54 (18)		
O1—C1—C2—C3	174.3 (2)	O2—C8—C9—C14	9.3 (3)
O1—C1—C2—C7	-4.5 (3)	C14—C9—C10—C11	-0.1 (3)
C7—C2—C3—C4	1.3 (3)	C8—C9—C10—C11	179.40 (19)
C1—C2—C3—C4	-177.61 (18)	C14—C9—C10—Br2	-179.19 (14)
C7—C2—C3—Br1	-177.71 (14)	C8—C9—C10—Br2	0.3 (3)
C1—C2—C3—Br1	3.4 (3)	C9—C10—C11—C12	0.5 (3)
C2—C3—C4—C5	-1.4 (3)	Br2—C10—C11—C12	179.70 (15)
Br1—C3—C4—C5	177.64 (15)	C10—C11—C12—C13	-0.9 (3)
C3—C4—C5—C6	0.3 (3)	Br1 ⁱ —F2—C13—C14	74.6 (5)
Br2—F1—C6—C7	148.75 (15)	Br1 ⁱⁱ —F2—C13—C14	58.25 (18)
Br2—F1—C6—C5	-30.4 (2)	Br1 ⁱ —F2—C13—C12	-105.5 (4)
C4—C5—C6—F1	-179.91 (18)	Br1 ⁱⁱ —F2—C13—C12	-121.91 (16)
C4—C5—C6—C7	1.0 (3)	C11—C12—C13—F2	-178.98 (18)
F1—C6—C7—C2	179.81 (17)	C11—C12—C13—C14	0.8 (3)
C5—C6—C7—C2	-1.1 (3)	F2—C13—C14—C9	179.45 (17)

C3—C2—C7—C6	0.0 (3)	C12—C13—C14—C9	-0.4 (3)
C1—C2—C7—C6	178.90 (18)	C10—C9—C14—C13	0.0 (3)
O2—C8—C9—C10	-170.2 (2)	C8—C9—C14—C13	-179.52 (18)

Symmetry codes: (i) $x+1, y+1, z$; (ii) $-x+1, y+1/2, -z+1/2$.