

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

4-Hydroxy-3-methoxybenzaldehyde 4-ethylthiosemicarbazone

Adriano Bof de Oliveira,^{a*} Johannes Beck,^b Jörg Daniels^b
and Bárbara Regina Santos Feitosa^a

^aDepartamento de Química, Universidade Federal de Sergipe, Av. Marechal Rondon s/n, Campus, 49100-000 São Cristóvão-SE, Brazil, and ^bInstitut für Anorganische Chemie, Universität Bonn, Gerhard-Domagk-Strasse 1, D-53121 Bonn, Germany
Correspondence e-mail: adriano@daad-alumni.de

Received 15 June 2014; accepted 9 July 2014


Edited by I. Brito, University of Antofagasta, Chile

Key indicators: single-crystal X-ray study; $T = 293$ K; mean $\sigma(\text{C}-\text{C}) = 0.002$ Å; R factor = 0.030; wR factor = 0.071; data-to-parameter ratio = 13.3.

In the crystal structure of the title compound, $\text{C}_{11}\text{H}_{15}\text{N}_3\text{O}_2\text{S}$, the C—N—N—C and C—N—C—C torsion angles involving the benzene ring and ethyl group are 11.91 (15) and 99.4 (2)°, respectively. An intramolecular N—H...N hydrogen bond is observed. In the crystal, molecules are linked *via* N—H...O and N—H...S hydrogen bonds into a three-dimensional hydrogen bonded network. Finally, the molecules show a herringbone arrangement when viewed along the *a* axis.

Related literature

For the synthesis and biological applications of thiosemicarbazone derivatives, see: Lovejoy & Richardson (2008). For one of the first reports on the synthesis of thiosemicarbazone derivatives, see: Freund & Schander (1902).



Experimental

Crystal data

 $\text{C}_{11}\text{H}_{15}\text{N}_3\text{O}_2\text{S}$ $M_r = 253.32$ Orthorhombic, $Pna2_1$ $a = 8.9962$ (2) Å $b = 16.1159$ (2) Å $c = 8.5491$ (1) Å $V = 1239.46$ (3) Å³ $Z = 4$ Mo $K\alpha$ radiation $\mu = 0.26$ mm⁻¹ $T = 293$ K

0.15 × 0.13 × 0.12 mm

Data collection

Nonius Kappa CCD diffractometer

Absorption correction: multi-scan

(Blessing, 1995)

 $T_{\min} = 0.939$, $T_{\max} = 0.990$

22619 measured reflections

2837 independent reflections

2590 reflections with $I > 2\sigma(I)$ $R_{\text{int}} = 0.050$

Refinement

 $R[F^2 > 2\sigma(F^2)] = 0.030$ $wR(F^2) = 0.071$ $S = 1.01$

2837 reflections

214 parameters

1 restraint

All H-atom parameters refined

 $\Delta\rho_{\max} = 0.15$ e Å⁻³ $\Delta\rho_{\min} = -0.23$ e Å⁻³

Absolute structure: Flack (1983)

Absolute structure parameter:

0.03 (6)

Table 1

Hydrogen-bond geometry (Å, °).

$D-H\cdots A$	$D-H$	$H\cdots A$	$D\cdots A$	$D-H\cdots A$
$\text{O2}-\text{H}\text{O2}\cdots\text{S1}^i$	0.86 (3)	2.26 (3)	3.1144 (14)	173 (2)
$\text{N3}-\text{H}\text{N3}\cdots\text{N1}$	0.77 (2)	2.25 (2)	2.643 (2)	112.4 (19)
$\text{N3}-\text{H}\text{N3}\cdots\text{O2}^{ii}$	0.77 (2)	2.43 (2)	3.023 (2)	135 (2)
$\text{N3}-\text{H}\text{N3}\cdots\text{O1}^{ii}$	0.77 (2)	2.52 (2)	3.061 (2)	128.3 (19)

Symmetry codes: (i) $x + 1, y, z - 1$; (ii) $-x + 1, -y, z + \frac{1}{2}$.

Data collection: *COLLECT* (Nonius, 1998); cell refinement: *HKL SCALEPACK* (Otwinowski & Minor, 1997); data reduction: *HKL DENZO* (Otwinowski & Minor, 1997) and *SCALEPACK*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *DIAMOND* (Brandenburg, 2006); software used to prepare material for publication: *publCIF* (Westrip, 2010).

We gratefully acknowledge financial support by the German Research Foundation (DFG) through the Collaborative Research Center SFB 813, Chemistry at Spin Centers. BRSF acknowledges the CNPq/UFS for the award of a PIBIC scholarship.

Supporting information for this paper is available from the IUCr electronic archives (Reference: BX2462).

References

- Blessing, R. H. (1995). *Acta Cryst.* **A51**, 33–38.
 Brandenburg, K. (2006). *DIAMOND*. Crystal Impact GbR, Bonn, Germany.
 Flack, H. D. (1983). *Acta Cryst.* **A39**, 876–881.
 Freund, M. & Schander, A. (1902). *Chem. Ber.* **35**, 2602–2606.
 Lovejoy, D. & Richardson, D. R. (2008). *The development of iron chelators for the treatment of cancer - Aroyldrazone and thiosemicarbazone chelators for cancer treatment*, pp. 1–117. Köln: Lambert Academic Publishing AG & Co. KG.
 Nonius (1998). *COLLECT*. Nonius BV, Delft, The Netherlands.
 Otwinowski, Z. & Minor, W. (1997). *Methods in Enzymology, Vol. 276, Macromolecular Crystallography, Part A*, edited by C. W. Carter Jr & R. M. Sweet, pp. 307–326. New York: Academic Press.
 Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
 Westrip, S. P. (2010). *J. Appl. Cryst.* **43**, 920–925.

supporting information

Acta Cryst. (2014). E70, o868 [doi:10.1107/S1600536814016018]

4-Hydroxy-3-methoxybenzaldehyde 4-ethylthiosemicarbazone

Adriano Bof de Oliveira, Johannes Beck, Jörg Daniels and Bárbara Regina Santos Feitosa

S1. Related Literature

For Biological activities of thiosemicarbazone derivatives see Lovejoy & Richardson, 2008.

S2. Comment

Thiosemicarbazone derivatives have a wide range of biological properties. For example, some thiosemicarbazones show anti-proliferative activity against tumor cells (Lovejoy & Richardson, 2008). As part of our study on synthesis and structural chemistry of thiosemicarbazone derivatives from natural products, we report herein the crystal structure of a derivative of vanillin.


In the title compound, C₁₁H₁₅N₃O₂S, Fig. 1, the C–N–N–C and C–N–C–C fragments makes torsion angles of 11.91 (15)° and 99.4 (2)° with the benzene ring and ethyl group respectively. The molecule matches the asymmetric unit (Fig. 1) and shows a *trans* conformation at the C7—N1 and N1—N2 bonds. In the crystal structure the molecules are linked *via* N—H···O and O—H···S hydrogen bonds interactions into a crystal packing which shows a herringbone arrangement viewed along the *a*-axis, Fig. 2. Additionally, one N—H···N intramolecular hydrogen bond interactions is observed, Table 1,

S3. Experimental


Starting materials were commercially available and were used without further purification. The synthesis of the title compound was adapted to a procedure reported previously (Freund & Schander, 1902). In a hydrochloric acid catalyzed reaction, a mixture of vanillin (10 mmol) and 4-ethyl-3-thiosemicarbazide (10 mmol) in ethanol (80 ml), was refluxed for 5 h. After cooling and filtering, the title compound was obtained. Crystals suitable for X-ray diffraction were obtained in ethanol by the slow evaporation of solvent.

S4. Refinement

All hydrogen atoms were localized in a difference density Fourier map. Their positions and isotropic displacement parameters were refined.

**Figure 1**

The molecular structure of the title compound with labeling and displacement ellipsoids drawn at the 50% probability level.

**Figure 2**

Crystal structure of the title compound viewed along the *b*-axis. The herringbone pattern of the crystal packing along the *a*-axis is observed.

4-Hydroxy-3-methoxybenzaldehyde 4-ethylthiosemicarbazone

Crystal data

C₁₁H₁₅N₃O₂S $M_r = 253.32$ Orthorhombic, *Pna*2₁

Hall symbol: P 2c -2n

 $a = 8.9962$ (2) Å $b = 16.1159$ (2) Å $c = 8.5491$ (1) Å $V = 1239.46$ (3) Å³ $Z = 4$ $F(000) = 536$ $D_x = 1.358$ Mg m⁻³Mo $K\alpha$ radiation, $\lambda = 0.71073$ Å

Cell parameters from 31793 reflections

 $\theta = 2.9$ – 27.5° $\mu = 0.26$ mm⁻¹ $T = 293$ K

Prism, yellow

 $0.15 \times 0.13 \times 0.12$ mm

Data collection

Nonius Kappa CCD

diffractometer

Radiation source: fine-focus sealed tube, Nonius

KappaCCD

Graphite monochromator

Detector resolution: 9 pixels mm⁻¹

CCD rotation images, thick slices scans

Absorption correction: multi-scan

(Blessing, 1995)

 $T_{\min} = 0.939$, $T_{\max} = 0.990$

22619 measured reflections

2837 independent reflections

2590 reflections with $I > 2\sigma(I)$ $R_{\text{int}} = 0.050$ $\theta_{\max} = 27.5^\circ$, $\theta_{\min} = 3.4^\circ$ $h = -11 \rightarrow 11$ $k = -20 \rightarrow 20$ $l = -11 \rightarrow 11$

Refinement

Refinement on F^2

Least-squares matrix: full

 $R[F^2 > 2\sigma(F^2)] = 0.030$ $wR(F^2) = 0.071$ $S = 1.01$

2837 reflections

214 parameters

1 restraint

Primary atom site location: structure-invariant

direct methods

Secondary atom site location: difference Fourier

map

Hydrogen site location: inferred from

neighbouring sites

All H-atom parameters refined

 $w = 1/[\sigma^2(F_o^2) + (0.0355P)^2 + 0.3575P]$ where $P = (F_o^2 + 2F_c^2)/3$ $(\Delta/\sigma)_{\max} < 0.001$ $\Delta\rho_{\max} = 0.15$ e Å⁻³ $\Delta\rho_{\min} = -0.23$ e Å⁻³Absolute structure: Flack (1983), ??? **Friedel****pairs**

Absolute structure parameter: 0.03 (6)

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) *etc.* and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (Å²)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
S1	-0.13718 (5)	-0.18485 (2)	-0.32559 (6)	0.02743 (12)
O1	0.63909 (13)	0.01577 (7)	-0.84398 (16)	0.0256 (3)
O2	0.77231 (14)	-0.08623 (8)	-1.02714 (15)	0.0254 (3)

N1	0.21760 (16)	-0.15200 (8)	-0.58307 (17)	0.0196 (3)
N2	0.10393 (16)	-0.18657 (9)	-0.49707 (18)	0.0212 (3)
N3	0.03634 (18)	-0.05684 (9)	-0.41867 (19)	0.0210 (3)
C1	0.42396 (18)	-0.17397 (10)	-0.7544 (2)	0.0189 (3)
C2	0.47154 (19)	-0.09078 (10)	-0.7448 (2)	0.0190 (3)
C3	0.58669 (18)	-0.06350 (9)	-0.8387 (2)	0.0195 (3)
C4	0.65784 (18)	-0.11894 (11)	-0.9413 (2)	0.0193 (3)
C5	0.61052 (19)	-0.20035 (11)	-0.9515 (2)	0.0211 (3)
C6	0.49352 (18)	-0.22780 (10)	-0.8580 (2)	0.0208 (3)
C7	0.29879 (19)	-0.20341 (11)	-0.6600 (2)	0.0199 (3)
C8	0.00811 (18)	-0.13729 (10)	-0.4166 (2)	0.0194 (3)
C9	-0.0612 (2)	0.00841 (10)	-0.3584 (2)	0.0242 (4)
C10	-0.1481 (2)	0.04899 (14)	-0.4896 (2)	0.0328 (4)
C11	0.5543 (2)	0.07826 (11)	-0.7660 (3)	0.0306 (4)
HO2	0.795 (3)	-0.1171 (16)	-1.105 (3)	0.052 (8)*
HN2	0.094 (2)	-0.2387 (13)	-0.487 (2)	0.019 (5)*
HN3	0.109 (2)	-0.0442 (13)	-0.461 (2)	0.022 (5)*
H2	0.425 (2)	-0.0549 (12)	-0.676 (2)	0.022 (5)*
H5	0.664 (2)	-0.2354 (12)	-1.029 (2)	0.021 (5)*
H6	0.461 (2)	-0.2851 (12)	-0.866 (2)	0.026 (5)*
H7	0.2793 (19)	-0.2637 (12)	-0.662 (2)	0.017 (4)*
H9A	0.008 (2)	0.0526 (12)	-0.307 (2)	0.023 (5)*
H9B	-0.129 (2)	-0.0134 (12)	-0.279 (2)	0.022 (5)*
H10A	-0.078 (3)	0.0751 (15)	-0.573 (3)	0.047 (7)*
H10B	-0.212 (2)	0.0056 (12)	-0.544 (3)	0.028 (5)*
H10C	-0.215 (3)	0.0921 (15)	-0.450 (3)	0.046 (6)*
H11A	0.604 (2)	0.1297 (13)	-0.788 (3)	0.032 (6)*
H11B	0.448 (3)	0.0771 (13)	-0.803 (3)	0.038 (6)*
H11C	0.553 (3)	0.0652 (14)	-0.645 (3)	0.045 (7)*

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
S1	0.0304 (2)	0.02365 (19)	0.0283 (2)	-0.00829 (17)	0.0134 (2)	-0.0068 (2)
O1	0.0267 (6)	0.0195 (5)	0.0305 (7)	-0.0043 (5)	0.0100 (6)	-0.0047 (6)
O2	0.0264 (6)	0.0264 (6)	0.0234 (7)	-0.0068 (5)	0.0098 (5)	-0.0045 (5)
N1	0.0187 (7)	0.0211 (7)	0.0190 (7)	-0.0021 (6)	0.0033 (6)	0.0017 (6)
N2	0.0221 (7)	0.0163 (7)	0.0253 (8)	-0.0019 (6)	0.0089 (6)	0.0004 (6)
N3	0.0207 (7)	0.0180 (7)	0.0244 (8)	-0.0002 (6)	0.0054 (6)	0.0001 (6)
C1	0.0183 (8)	0.0217 (8)	0.0168 (7)	0.0011 (6)	-0.0002 (7)	0.0038 (6)
C2	0.0181 (8)	0.0205 (8)	0.0182 (8)	0.0023 (6)	0.0014 (7)	-0.0012 (7)
C3	0.0207 (7)	0.0184 (7)	0.0192 (8)	-0.0006 (6)	-0.0001 (7)	0.0011 (7)
C4	0.0191 (8)	0.0235 (8)	0.0154 (7)	-0.0009 (6)	0.0022 (7)	0.0021 (6)
C5	0.0217 (8)	0.0217 (8)	0.0200 (9)	0.0020 (6)	0.0019 (7)	-0.0016 (7)
C6	0.0209 (8)	0.0188 (7)	0.0226 (8)	-0.0005 (6)	0.0008 (7)	0.0013 (7)
C7	0.0212 (8)	0.0202 (8)	0.0182 (8)	0.0006 (7)	0.0006 (7)	0.0013 (7)
C8	0.0208 (8)	0.0213 (8)	0.0162 (7)	-0.0021 (7)	0.0002 (7)	-0.0015 (7)
C9	0.0299 (9)	0.0190 (7)	0.0238 (9)	0.0026 (7)	0.0081 (8)	-0.0024 (7)

C10	0.0321 (10)	0.0347 (10)	0.0316 (10)	0.0121 (9)	0.0042 (9)	-0.0003 (9)
C11	0.0323 (11)	0.0192 (9)	0.0404 (12)	-0.0005 (8)	0.0100 (9)	-0.0054 (8)

Geometric parameters (Å, °)

S1—C8	1.7035 (17)	C2—H2	0.93 (2)
O1—C3	1.3625 (18)	C3—C4	1.406 (2)
O1—C11	1.429 (2)	C4—C5	1.382 (2)
O2—C4	1.370 (2)	C5—C6	1.394 (2)
O2—HO2	0.86 (3)	C5—H5	0.99 (2)
N1—C7	1.286 (2)	C6—H6	0.97 (2)
N1—N2	1.377 (2)	C7—N1	1.286 (2)
N2—C8	1.359 (2)	C7—H7	0.988 (18)
N2—N1	1.377 (2)	C9—C10	1.515 (3)
N2—HN2	0.85 (2)	C9—H9A	1.046 (19)
N3—C8	1.321 (2)	C9—H9B	0.98 (2)
N3—C9	1.463 (2)	C10—H10A	1.04 (3)
N3—HN3	0.77 (2)	C10—H10B	1.02 (2)
C1—C6	1.389 (2)	C10—H10C	0.98 (3)
C1—C2	1.410 (2)	C11—H11A	0.96 (2)
C1—C7	1.464 (2)	C11—H11B	1.00 (2)
C2—C3	1.382 (2)	C11—H11C	1.06 (3)
C3—O1—C11	117.43 (14)	C5—C6—H6	119.1 (12)
C4—O2—HO2	112.0 (18)	N1—C7—C1	120.67 (15)
C7—N1—N2	115.75 (14)	N1—C7—C1	120.67 (15)
C8—N2—N1	120.31 (14)	N1—C7—H7	122.7 (11)
C8—N2—N1	120.31 (14)	N1—C7—H7	122.7 (11)
C8—N2—HN2	117.5 (13)	C1—C7—H7	116.6 (11)
N1—N2—HN2	122.1 (13)	N3—C8—N2	116.42 (15)
N1—N2—HN2	122.1 (13)	N3—C8—S1	126.51 (13)
C8—N3—C9	125.82 (15)	N2—C8—S1	117.07 (12)
C8—N3—HN3	115.3 (16)	N3—C9—C10	111.04 (15)
C9—N3—HN3	118.8 (16)	N3—C9—H9A	106.1 (10)
C6—C1—C2	119.64 (15)	C10—C9—H9A	109.0 (11)
C6—C1—C7	119.69 (15)	N3—C9—H9B	111.2 (11)
C2—C1—C7	120.63 (15)	C10—C9—H9B	110.1 (11)
C3—C2—C1	119.74 (15)	H9A—C9—H9B	109.3 (16)
C3—C2—H2	120.7 (12)	C9—C10—H10A	111.8 (14)
C1—C2—H2	119.5 (12)	C9—C10—H10B	109.3 (12)
O1—C3—C2	125.22 (15)	H10A—C10—H10B	108.0 (18)
O1—C3—C4	114.69 (14)	C9—C10—H10C	111.4 (15)
C2—C3—C4	120.09 (14)	H10A—C10—H10C	109 (2)
O2—C4—C5	124.25 (15)	H10B—C10—H10C	107.4 (17)
O2—C4—C3	115.59 (14)	O1—C11—H11A	105.6 (12)
C5—C4—C3	120.17 (15)	O1—C11—H11B	110.1 (13)
C4—C5—C6	119.85 (16)	H11A—C11—H11B	113.4 (17)
C4—C5—H5	115.7 (11)	O1—C11—H11C	108.9 (13)

C6—C5—H5	124.4 (11)	H11A—C11—H11C	111.5 (19)
C1—C6—C5	120.50 (15)	H11B—C11—H11C	107 (2)
C1—C6—H6	120.4 (12)		
C7—N1—N2—C8	-177.34 (16)	C7—C1—C6—C5	178.46 (16)
C6—C1—C2—C3	0.1 (3)	C4—C5—C6—C1	0.0 (3)
C7—C1—C2—C3	-177.84 (15)	N2—N1—C7—C1	-179.36 (15)
C11—O1—C3—C2	-10.6 (3)	C6—C1—C7—N1	-168.55 (16)
C11—O1—C3—C4	168.32 (16)	C2—C1—C7—N1	9.4 (3)
C1—C2—C3—O1	177.64 (16)	C6—C1—C7—N1	-168.55 (16)
C1—C2—C3—C4	-1.2 (3)	C2—C1—C7—N1	9.4 (3)
O1—C3—C4—O2	2.2 (2)	C9—N3—C8—N2	171.47 (17)
C2—C3—C4—O2	-178.86 (14)	C9—N3—C8—S1	-7.6 (3)
O1—C3—C4—C5	-177.30 (15)	N1—N2—C8—N3	-4.0 (2)
C2—C3—C4—C5	1.6 (3)	N1—N2—C8—N3	-4.0 (2)
O2—C4—C5—C6	179.51 (15)	N1—N2—C8—S1	175.21 (13)
C3—C4—C5—C6	-1.0 (3)	N1—N2—C8—S1	175.21 (13)
C2—C1—C6—C5	0.5 (2)	C8—N3—C9—C10	-99.4 (2)

Hydrogen-bond geometry (\AA , $^\circ$)

$D-H\cdots A$	$D-H$	$H\cdots A$	$D\cdots A$	$D-H\cdots A$
O2—HO2 \cdots S1 ⁱ	0.86 (3)	2.26 (3)	3.1144 (14)	173 (2)
N3—HN3 \cdots N1	0.77 (2)	2.25 (2)	2.643 (2)	112.4 (19)
N3—HN3 \cdots O2 ⁱⁱ	0.77 (2)	2.43 (2)	3.023 (2)	135 (2)
N3—HN3 \cdots O1 ⁱⁱ	0.77 (2)	2.52 (2)	3.061 (2)	128.3 (19)

Symmetry codes: (i) $x+1, y, z-1$; (ii) $-x+1, -y, z+1/2$.