

Uma V. Katre,^a S. M. Gaikwad,^a
S. S. Bhagyawant,^b
U. D. Deshpande,^b M. I. Khan^a
and C. G. Suresh^{a*}

^aDivision of Biochemical Sciences, National
Chemical Laboratory, Pune 411008, India, and
^bSchool of Life Sciences, S. R. T. M. University,
Nanded 431606, India

Correspondence e-mail: suresh@ems.ncl.res.in

Received 1 October 2004

Accepted 6 December 2004

Online 24 December 2004


Crystallization and preliminary X-ray characterization of a lectin from *Cicer arietinum* (chickpea)

The lectin isolated from mature seeds of *Cicer arietinum* (CAL) agglutinates pronase-treated rabbit and human erythrocytes and its haemagglutination activity is inhibited by fetuin and desialated fetuin but not by simple monosaccharides or oligosaccharides. The purified lectin is a dimer of molecular weight 43 000 Da composed of two identical subunits (MW 21 500), as confirmed by SDS-PAGE. The lectin has been crystallized using the hanging-drop vapour-diffusion method at 295 K over a well solution containing 0.2 M sodium acetate, 0.1 M sodium phosphate buffer pH 6.5 and 14% (w/v) polyethylene glycol 8000. The triangular prism-shaped crystals belong to space group *R*3 and have unit-cell parameters $a = b = 81.2$, $c = 69.4$ Å. The diffraction data are 93.8% complete to 2.3 Å Bragg spacing with an R_{merge} of 0.103.

1. Introduction

Lectins are non-catalytic carbohydrate-binding proteins of non-immune origin that are widely distributed in microorganisms, plants and animals. They bind glycoconjugates or cell-surface carbohydrates and cause agglutination of erythrocytes and other cells. Lectins participate in many biological processes, including cell-cell recognition, host-pathogen interaction, serum glycoprotein turnover and innate immune responses (Sharon, 1993). The applications of lectins include use in structural characterization of complex carbohydrates; lectins are also useful as diagnostic tools and are employed in the protection of plants from pathogens *etc.* The crystal structures of several lectins from different sources and possessing varying specificities have been determined (Loris *et al.*, 1998). Most of these lectins are specific for simple sugars and their haemagglutination activity is inhibited by monosaccharides or oligosaccharides. In addition, lectins with complex specificity that are inhibited only by complex glycoproteins and not by simple sugars have also been reported (Guzmán-Partida *et al.*, 2004; Ueda *et al.*, 2002; Sato *et al.*, 2000; Singh *et al.*, 2004; Wright *et al.*, 1999). Recently, the structure of one such lectin from *Scilla campanulata* (SCAfet), specific for complex glycoproteins, has become available (PDB code 1dlp; Wright *et al.*, 2000).

Cicer arietinum, commonly known as the chickpea, is a pulse that is extensively grown and consumed in India. There is a previous report of the isolation of a lectin from chickpea (Kolberg *et al.*, 1983), but no further studies have been reported for this lectin. We have isolated and purified this *C. arietinum* lectin (CAL) possessing complex-sugar specificity from mature chickpea seeds. The molecular weight of the native protein as determined by gel filtration using HPLC is 43 000 Da. It has been identified as a homodimer of subunit molecular weight 21 500 Da by SDS-PAGE both in the presence and in the absence of β -mercaptoethanol. The lectin is basic in nature (pI 9.0) and is a glycoprotein containing 4.5% neutral sugars. Neither human (blood groups A, B and O) nor rabbit erythrocytes are agglutinated by this lectin; however, pronase-treated versions of both have been successfully agglutinated. None of the sugars, such as glucose, mannose or galactose, nor their derivatives, disaccharides, trisaccharides and tetrasaccharides have any effect on the agglutination activity of this lectin. The evidence for the complex specificity of CAL comes from the observation that the haemagglutination activity of 1 μ g lectin can be inhibited using about 10 μ g desialated fetuin. All



© 2005 International Union of Crystallography
All rights reserved




Figure 1
Crystals of *C. arietinum* lectin (CAL) grown in 0.1 M sodium phosphate buffer pH 6.5, 0.2 M sodium acetate and 14% (w/v) polyethylene glycol 8000 using the hanging-drop vapour-diffusion method.

the above observations for CAL grossly resemble those reported by Kolberg *et al.* (1983) for the lectin isolated by them.

2. Materials and methods

2.1. Purification of *C. arietinum* lectin

All purification steps were performed at 277 K unless otherwise stated. To start with, 100 g dry seeds of *C. arietinum* cv. BDN 9-3 were finely powdered and soaked in 500 ml 10 mM Tris-HCl, 150 mM NaCl pH 7.2. The suspension was stirred for 16 h and filtered through a muslin cloth. The filtrate was centrifuged at 10 000g for 20 min. The supernatant was precipitated with 80% saturated ammonium sulfate (AS) and centrifuged at 10 000g for 20 min. The precipitate was dissolved in 20 mM Tris-HCl buffer pH 7.2 and dialysed extensively against the same buffer. The dialysate was centrifuged at 10 000g for 10 min and the clear supernatant was loaded onto a DEAE-cellulose column pre-equilibrated with 20 mM Tris-HCl buffer pH 7.2. The column was washed with the same buffer until the wash showed no absorbance at 280 nm. The lectin eluted with the unadsorbed portion. Fractions (2 ml) of the wash with OD greater than 0.2 and possessing haemagglutination activity were pooled together, concentrated and dialysed against 20 mM acetate buffer pH 5.0. This sample was loaded onto an SP-Sephadex column (4 × 20 cm) pre-equilibrated with 20 mM acetate buffer pH 5.0 and washed with the same buffer. Finally, the bound protein was eluted with acetate buffer pH 5.0 containing NaCl in a step gradient of 0.1–0.5 M NaCl in steps of 0.1 M. The fractions with OD greater than 0.2 and possessing haemagglutination activity were pooled and dialysed against deionized water. The final yield of the lectin was 150 mg from 100 g dried seeds, with a specific activity of 5×10^4 U mg⁻¹. The protein solution was concentrated to 15 mg ml⁻¹ in deionized water prior to setting up crystallization experiments.

2.2. Circular-dichroism experiment

The CD spectrum of CAL was recorded on a Jasco J-500A spectropolarimeter using a sample cell of path length 1 mm. The protein solution used had a concentration of 25 μM and was prepared in 20 mM phosphate buffer pH 7.2. The spectra were collected with a response time of 4 s and a scan speed of 100 nm s⁻¹ in the wavelength range 200–250 nm. Each data point is an average of six accumulations. The software package *K2D* (Andrade *et al.*, 1993) was used to predict the secondary structure from the UV-CD spectral values.

Table 1
Diffraction data statistics for CAL.

Values in parentheses are for the last shell.

Temperature (K)	295
X-ray source	Cu K α
Wavelength (Å)	1.542
Resolution limits (Å)	30.0–2.30 (2.38–2.30)
No. measured reflections	126672
No. unique reflections	7121
Completeness of data (%)	93.8 (97.9)
R factor (%)	10.3 (18.9)
Average $I/\sigma(I)$	8.8 (4.3)
Mosaicity (°)	0.3
Space group	R3
Unit-cell parameters (Å)	$a = b = 81.2, c = 69.4$
Unit-cell volume (Å ³)	396613
Matthews coefficient (Å ³ Da ⁻¹)	2.2
No. molecules per unit cell (Z)	9
Solvent content (%)	44.2

2.3. Crystallization

Initial crystallization trials were conducted at 295 K with the sparse-matrix screen Crystal Screen I (Hampton Research) employing the hanging-drop vapour-diffusion method. The hanging drops, which were set up on siliconized cover slips over 0.5 ml reservoir solutions in multi-well trays, contained 1 μl protein solution mixed with 1 μl reservoir solution. Rhombohedral crystals grew within 6 d from conditions Nos. 28, 40 and 46 of Crystal Screen. The crystals grown from condition No. 28 [0.2 M sodium acetate, 0.1 M sodium cacodylate pH 6.5, 30% (w/v) polyethylene glycol (PEG) 8000] were found to be suitable for X-ray diffraction data collection. The quality of the crystals was further improved by refining the above condition, particularly with regard to buffer choice and PEG concentration. Finally, a solution containing 0.2 M sodium acetate, 0.1 M sodium phosphate buffer pH 6.5 and 14% (w/v) PEG 8000 yielded the best diffraction-quality crystals grown at 295 K.

2.4. Data collection and processing

A single crystal chosen from the drop was mounted in a thin-walled glass capillary of diameter 1.0 mm and X-ray diffraction data were collected at 295 K on an R-AXIS IV⁺⁺ image plate using Cu K α radiation generated by a Rigaku rotating-anode X-ray generator operated at 50 kV and 100 mA and equipped with a confocal mirror focusing system. The crystal-to-detector distance was kept at 150 mm and each frame was recorded with 0.5° crystal oscillation and 120 s exposure time. The diffraction data consisted of 180 images. The data were processed with *DENZO* and scaled using *SCALEPACK* (Otwinowski & Minor, 1997).

3. Results and discussion

The secondary-structural components for this lectin estimated from CD experiments are 34% helix, 28% β -sheet and 38% random coil; the helix component is unexpected for a legume lectin. Thus, the structure of CAL seems to differ from the characteristic antiparallel β -sheet structure of legume lectins (Loris *et al.*, 1998; Chandra *et al.*, 2001) and, unlike other legume lectins, CAL lacks specificity for simple sugars or sugar derivatives (Reeke & Becker, 1988).

The crystals of CAL (Fig. 1) diffract to a resolution of 2.3 Å and belong to the rhombohedral space group R3, with unit-cell parameters $a = b = 81.2, c = 69.4$ Å. Data-collection and processing statistics are summarized in Table 1. A total of 126 672 measured reflections were merged into 7121 unique reflections with an R_{merge} of 10.3%. The merged data set was 93.8% complete to a Bragg spacing

