

Room-temperature serial crystallography using a kinetically optimized microfluidic device for protein crystallization and on-chip X-ray diffraction. Corrigendum

Michael Heymann,^{a,b,‡,§} Achini Opathalage,^{b,‡} Jennifer L. Wierman,^c Sathish Akella,^{b,¶} Doletha M. E. Szebenyi,^d Sol M. Gruner^{d,e,f} and Seth Fraden^{b,*}

‡ These authors contributed equally.

§ Present address: Center for Free-Electron Laser Science, DESY, Notkestrasse 85, 22607 Hamburg, Germany.

¶ Present address: Collective Interactions Unit, Okinawa Institute of Science and Technology Onna-Son, Okinawa, Japan.

Keywords: protein crystallization; X-ray diffraction; serial crystallography; microfluidic devices

^aGraduate Program in Biophysics and Structural Biology, Brandeis University, 415 South Street, Waltham, MA 02454, USA, ^bMartin Fisher School of Physics, Brandeis University, 415 South Street, Waltham, MA 02454, USA, ^cField of Biophysics, Cornell University, Ithaca, NY 14853, USA, ^dCornell High Energy Synchrotron Source (CHESS) and Macromolecular Diffraction Facility at CHESS (MacCHESS), Cornell University, Ithaca, NY 14853, USA, ^eDepartment of Physics, Cornell University, Ithaca, NY 14853, USA, and ^fKavli Institute at Cornell for Nanoscale Science, Cornell University, Ithaca, NY 14853, USA. *Correspondence e-mail: fraden@brandeis.edu

The name of one of the authors in the article by Heymann *et al.* [(2014), *IUCrJ*, **1**, 349–360] is corrected.

In the article by Heymann *et al.* (2014) the name of the second author was given incorrectly. The correct name should be Achini Opathalage as given above.

References

Heymann, M., Opathalage, A., Wierman, J. L., Akella, S., Szebenyi, D. M. E., Gruner, S. M. & Fraden, S. (2014). *IUCrJ*, **1**, 349–360.

