

# Chlorido(chlorodiphenylphosphine- $\kappa P$ )-(diphenylpiperidinophosphine- $\kappa P$ )-( $\eta^5$ -pentamethylcyclopentadienyl)-ruthenium(II)

 Florian Jantscher,<sup>a</sup> Karl Kirchner<sup>a</sup> and Kurt Mereiter<sup>b\*</sup>

<sup>a</sup>Institute of Applied Synthetic Chemistry, Vienna University of Technology, Getreidemarkt 9/163, A-1060 Vienna, Austria, and <sup>b</sup>Institute of Chemical Technologies and Analytics, Vienna University of Technology, Getreidemarkt 9/164SC, A-1060 Vienna, Austria

Correspondence e-mail: kurt.mereiter@tuwien.ac.at


Received 12 July 2009; accepted 14 July 2009

 Key indicators: single-crystal X-ray study;  $T = 173$  K; mean  $\sigma(\text{C}-\text{C}) = 0.004$  Å;  $R$  factor = 0.033;  $wR$  factor = 0.083; data-to-parameter ratio = 24.7.

The title compound,  $[\text{Ru}(\text{C}_{10}\text{H}_{15})\text{Cl}(\text{C}_{12}\text{H}_{10}\text{ClIP})(\text{C}_{17}\text{H}_{20}\text{NP})]$ , is a half-sandwich complex of  $\text{Ru}^{\text{II}}$  with the chlorodiphenylphosphine ligand formed from the diphenylpiperidinophosphine and chlorine of the precursor complex  $[\text{Ru}(\eta^5\text{-C}_5\text{Me}_5)(\kappa^1\text{P}-\text{Ph}_2\text{PNC}_5\text{H}_{10})\text{Cl}_2]$  by an unexpected reaction with  $\text{NaBH}_4$ . The complex has a three-legged piano-stool geometry, with  $\text{Ru}-\text{P}$  bond lengths of 2.2598 (5) Å for the chlorophosphine and 2.3303 (5) Å for the aminophosphine.

## Related literature

For general background to the reaction of half-sandwich ruthenium aminophosphine complexes with diynes, see: Pavlik *et al.* (2006). For the unexpected formation and the crystal structure of a related Ru chlorodiphenylphosphine complex, see: Torres-Lubia *et al.* (1999). For the unexpected formation of another Mn chlorodiphenylphosphine complex, see: Liu *et al.* (1995). For the preparation of  $[\text{Ru}(\text{Cp}^*)\text{Cl}_2]_2$ , see: Oshima *et al.* (1984).



## Experimental

### Crystal data

$[\text{Ru}(\text{C}_{10}\text{H}_{15})\text{Cl}(\text{C}_{12}\text{H}_{10}\text{ClIP})\text{-}(\text{C}_{17}\text{H}_{20}\text{NP})]$	$\beta = 98.881$ (1) $^\circ$
$M_r = 761.67$	$V = 3525.0$ (4) Å <sup>3</sup>
Monoclinic, $P2_1/c$	$Z = 4$
$a = 17.5427$ (12) Å	Mo $K\alpha$ radiation
$b = 9.1014$ (6) Å	$\mu = 0.72$ mm <sup>-1</sup>
$c = 22.3459$ (15) Å	$T = 173$ K
	$0.58 \times 0.45 \times 0.39$ mm

### Data collection

Bruker SMART APEX CCD diffractometer	26236 measured reflections
Absorption correction: multi-scan (SADABS; Bruker, 2003)	10162 independent reflections
$T_{\text{min}} = 0.61$ , $T_{\text{max}} = 0.76$	8628 reflections with $I > 2\sigma(I)$
	$R_{\text{int}} = 0.025$

### Refinement

$R[F^2 > 2\sigma(F^2)] = 0.033$	411 parameters
$wR(F^2) = 0.083$	H-atom parameters constrained
$S = 1.03$	$\Delta\rho_{\text{max}} = 1.10$ e Å <sup>-3</sup>
10162 reflections	$\Delta\rho_{\text{min}} = -0.97$ e Å <sup>-3</sup>

**Table 1**

Selected bond lengths (Å).

Ru—C1	2.251 (2)	Ru—C4	2.240 (2)
Ru—C2	2.274 (2)	Ru—C5	2.250 (2)
Ru—C3	2.209 (2)	Ru—Cl1	2.4587 (5)

Data collection: *SMART* (Bruker, 2003); cell refinement: *SAINT* (Bruker, 2003); data reduction: *SAINT*, *SADABS* and *XPREP* (Bruker, 2003); program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *SHELXTL* (Sheldrick, 2008); software used to prepare material for publication: *SHELXTL*.

Financial support by the FWF Austrian Science Fund (project No. P16600-N11) is gratefully acknowledged.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: GK2223).

## References

- Bruker (2003). *SMART*, *SAINT* and *SADABS*. Bruker AXS Inc., Madison, Wisconsin, USA.
- Liu, S.-T., Huo, D.-R., Lin, T.-C., Cheng, M.-C. & Peng, S.-M. (1995). *Organometallics*, **14**, 1529–1532.
- Oshima, N., Suzuki, H. & Moro-oka, Y. (1984). *Chem. Lett.* **13**, 1161–1164.
- Pavlik, S., Jantscher, F., Dazinger, G., Mereiter, K. & Kirchner, K. (2006). *Eur. J. Inorg. Chem.* pp. 1006–1021.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
- Torres-Lubia, R., Rosales-Hoz, M. J., Arif, A. M., Ernst, R. D. & Paz-Sandoval, M. A. (1999). *J. Organomet. Chem.* **585**, 68–82.

## supporting information

*Acta Cryst.* (2009). E65, m941 [doi:10.1107/S1600536809027676]

## Chlorido(chlorodiphenylphosphine- $\kappa P$ )(diphenylpiperidinophosphine- $\kappa P$ )( $\eta^5$ -pentamethylcyclopentadienyl)ruthenium(II)

Florian Jantscher, Karl Kirchner and Kurt Mereiter

### S1. Comment


We found that halfsandwich ruthenium aminophosphine complexes  $[\text{Ru}(\text{Cp}')(\kappa^1 P\text{—Ph}_2\text{PNRR}')_2(\text{CH}_3\text{CN})_2]^+$  (Cp' is either Cp = cyclopentadienyl or Cp\* = pentamethylcyclopentadienyl; Ph = phenyl; NRR' = NH<sup>*n*</sup>Pr, NEt<sub>2</sub>, or NC<sub>5</sub>H<sub>10</sub> = piperidin-1-yl) react with diynes to afford novel  $\eta^3$ -phosphaallyl- $\eta^2$ -vinylamine complexes and may transform under certain conditions to aminocarbenes (Pavlik *et al.*, 2006). In continuation of this work we were interested to react  $[\text{Ru}(\text{Cp}^*)(\kappa^1 P\text{—Ph}_2\text{PNC}_5\text{H}_{10})\text{Cl}_2]$ , a Ru(III) complex, with NaBH<sub>4</sub> in order to obtain a hydrido or borohydride complex. After workup of the reaction, NMR spectra indicated that another unknown Ru complex must have formed which was studied subsequently with X-ray diffraction and is reported here. The title compound, (I), turned out to contain, in addition to an intact piperidinodiphenylphosphine (Ph<sub>2</sub>PNC<sub>5</sub>H<sub>10</sub>), a chlorodiphenylphosphine as the second phosphine ligand of a half-sandwich complex with a three-legged piano-stool structure (Fig. 1). It is a Ru<sup>II</sup> complex with the chemical formula  $[\text{Ru}(\text{Cp}^*)(\kappa^1 P\text{—Ph}_2\text{PCL})(\kappa^1 P\text{—Ph}_2\text{PNC}_5\text{H}_{10})\text{Cl}]$  that bears similarities to  $[\text{Ru}(\text{Cp}^*)(\kappa^1 P\text{—Ph}_2\text{PCL})_2\text{Cl}]$  (Torres-Lubia *et al.*, 1999) with respect to stereochemistry of the complex, but also with respect to its formation. In case of  $[\text{Ru}(\text{Cp}^*)(\kappa^1 P\text{—Ph}_2\text{PCL})_2\text{Cl}]$  the chlorophosphine was not directly introduced but formed from  $[\text{Ru}(\text{Cp}^*)(\kappa^1 P\text{—Ph}_2\text{PH})_2\text{Cl}]$  (Ph<sub>2</sub>PH = hydridodiphenylphosphine) in CDCl<sub>3</sub> as the solvent in the presence of the strong base DBN (1,5-diazabicyclo[4.3.0]non-5-ene) by a stepwise chlorine/hydride exchange between the solvent and the two hydridophosphines. In a related way the title compound must have formed from  $[\text{Ru}(\text{Cp}^*)(\kappa^1 P\text{—Ph}_2\text{PNC}_5\text{H}_{10})\text{Cl}_2]$  and NaBH<sub>4</sub>. However, there were no chlorinated solvents present in our reaction and the chlorine of the generated chlorophosphine must originate from the starting complex. It can be speculated that the formation of the title compound involves the intermediary formation of a hydridodiphenylphosphine, which by a hydride/chloride substitution leads to the chlorodiphenylphosphine of the title compound obtained in a poor yield of only 9%. A related and also unexpected transformation of a thiol-substituted hydridodiphenylphosphine into a thiol-substituted chlorodiphenylphosphine was observed in the reaction with Mn(CO)<sub>5</sub>Br in chloroform (Liu *et al.*, 1995). Bond lengths and angles in the title compound (see Table 1 and supplementary materials) are similar to those of  $[\text{Ru}(\text{Cp}^*)(\kappa^1 P\text{—Ph}_2\text{PCL})_2\text{Cl}]$  (Torres-Lubia *et al.*, 1999), which has  $\langle\text{Ru—C}\rangle = 2.246$  (20) Å (2.245 (21) Å for (I)), Ru—P = 2.242 (2) and 2.257 (2) Å, Ru—Cl = 2.438 (2) Å, and P—Cl = 2.085 (3) Å. Both Ru complexes adopt related conformations and have in common that the Ru-bonded and the P-bonded Cl lie on opposite sides. In both complexes the phosphine ligands adopt orientations that lead to a stabilization by intramolecular  $\pi$ - $\pi$ -stacking between the two adjacent phenyl rings (Fig. 1) with a shortest contact distance of C(12)⋯C(28) = 3.183 (3) Å in the title compound (ring-ring centroid distance 3.717 (2) Å, ring-ring inclination angle 12.96°). Moreover, it is remarkable that the title compound shows eight intramolecular C—H⋯Cl/N interactions (seven to Cl, one to N), but only one intermolecular C—H⋯Cl interaction (see supplementary materials).

## S2. Experimental

The synthesis of  $[\text{Ru}(\text{Cp}^*)(\kappa^1\text{P}-\text{PPh}_2\text{NC}_3\text{H}_{10})(\kappa^1\text{P}-\text{PPh}_2\text{Cl})\text{Cl}]$ , (I), was carried out as follows: A solution of  $[\text{Ru}(\text{Cp}^*)\text{Cl}_2]_2$  (322 mg, 0.52 mmol) (Oshima *et al.*, 1984) in THF (10 ml) in THF (10 ml) was treated with  $\text{Ph}_2\text{PNC}_3\text{H}_{10}$  (300 mg, 1.2 mmol) and the solution was stirred for 1 h at room temperature. After that  $\text{NaBH}_4$  (150 mg, 4.0 mmol) was added and the mixture was stirred for 12 h. After evaporation of the solvent an oily residue was obtained from which the product was extracted with pentane (2 x 10 ml). The volume of the solution was then reduced to about 0.5 ml whereupon red crystals of the title compound were obtained. Yield: 42 mg (9%).  $^1\text{H}$  NMR ( $\text{C}_6\text{D}_6$ , 293 K,  $\delta$ , p.p.m.): 7.50 - 6.51 [m, 20H, Ph], 3.03 - 2.72 [m, 4H,  $\text{CH}_2$ ], 1.40 [s, 15H,  $\text{Cp}^*$ ], 1.33 - 1.26 [m, 4H,  $\text{CH}_2$ ], 1.00 - 0.89 [m, 2H,  $\text{CH}_2$ ].  $^{13}\text{C}\{^1\text{H}\}$  NMR ( $\text{C}_6\text{D}_6$ , 293 K,  $\delta$ , p.p.m.): 137.1 - 125.7 [Ph], 93.2 [ $\text{Cp}^*$ ], 45.86 [ $\text{CH}_2$ ], 26.2 [ $\text{CH}_2$ ], 24.6 [ $\text{CH}_2$ ], 8.9 [ $\text{Cp}^*$ ].  $^{31}\text{P}\{^1\text{H}\}$  NMR (acetone- $d_6$ , 293 K,  $\delta$ , p.p.m.): 93.1 [d,  $J_{\text{HP}} = 37.2$  Hz,  $\text{PPh}_2\text{Cl}$ ], 36.0 [d,  $J_{\text{HP}} = 38.5$  Hz,  $\text{PPh}_2\text{N}$ ]. Crystals for X-ray diffraction were obtained by cooling a pentane solution to  $-20^\circ\text{C}$ .

## S3. Refinement

All H atoms were placed in calculated positions, with  $\text{C}-\text{H} = 0.93\text{--}0.98$  Å, and were thereafter treated as riding, with  $U_{\text{iso}}(\text{H})$  values of  $1.5U_{\text{eq}}(\text{C})$  for methyl groups and  $1.2U_{\text{eq}}(\text{C})$  for others.



**Figure 1**

Perspective view of the title compound with the atom numbering scheme. Displacement ellipsoids are at the 30% probability level.

### Chlorido(chlorodiphenylphosphine- $\kappa\text{P}$ )(diphenylpiperidinophosphine- $\kappa\text{P}$ )( $\eta^5$ -pentamethylcyclopentadienyl)ruthenium(II)

#### Crystal data

$[\text{Ru}(\text{C}_{10}\text{H}_{15})\text{Cl}(\text{C}_{12}\text{H}_{10}\text{ClP})(\text{C}_{17}\text{H}_{20}\text{NP})]$

$M_r = 761.67$

Monoclinic,  $P2_1/c$

Hall symbol:  $-P\ 2_1/c$

$a = 17.5427$  (12) Å

$b = 9.1014$  (6) Å

$c = 22.3459 (15) \text{ \AA}$   
 $\beta = 98.881 (1)^\circ$   
 $V = 3525.0 (4) \text{ \AA}^3$   
 $Z = 4$   
 $F(000) = 1576$   
 $D_x = 1.435 \text{ Mg m}^{-3}$   
 Mo  $K\alpha$  radiation,  $\lambda = 0.71073 \text{ \AA}$

Cell parameters from 8233 reflections  
 $\theta = 2.3\text{--}30.0^\circ$   
 $\mu = 0.72 \text{ mm}^{-1}$   
 $T = 173 \text{ K}$   
 Block, orange  
 $0.58 \times 0.45 \times 0.39 \text{ mm}$

*Data collection*

Bruker SMART APEX CCD  
 diffractometer  
 Radiation source: fine-focus sealed tube  
 Graphite monochromator  
 $\omega$  scans  
 Absorption correction: multi-scan  
 (SADABS; Bruker, 2003)  
 $T_{\min} = 0.61, T_{\max} = 0.76$

26236 measured reflections  
 10162 independent reflections  
 8628 reflections with  $I > 2\sigma(I)$   
 $R_{\text{int}} = 0.025$   
 $\theta_{\max} = 30.0^\circ, \theta_{\min} = 2.4^\circ$   
 $h = -24 \rightarrow 20$   
 $k = -12 \rightarrow 11$   
 $l = -30 \rightarrow 31$

*Refinement*

Refinement on  $F^2$   
 Least-squares matrix: full  
 $R[F^2 > 2\sigma(F^2)] = 0.033$   
 $wR(F^2) = 0.083$   
 $S = 1.03$   
 10162 reflections  
 411 parameters  
 0 restraints  
 Primary atom site location: structure-invariant  
 direct methods

Secondary atom site location: difference Fourier  
 map  
 Hydrogen site location: inferred from  
 neighbouring sites  
 H-atom parameters constrained  
 $w = 1/[\sigma^2(F_o^2) + (0.0326P)^2 + 2.7631P]$   
 where  $P = (F_o^2 + 2F_c^2)/3$   
 $(\Delta/\sigma)_{\max} = 0.001$   
 $\Delta\rho_{\max} = 1.10 \text{ e \AA}^{-3}$   
 $\Delta\rho_{\min} = -0.97 \text{ e \AA}^{-3}$

*Special details*

**Geometry.** All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted  $R$ -factor  $wR$  and goodness of fit  $S$  are based on  $F^2$ , conventional  $R$ -factors  $R$  are based on  $F$ , with  $F$  set to zero for negative  $F^2$ . The threshold expression of  $F^2 > \sigma(F^2)$  is used only for calculating  $R$ -factors(gt) etc. and is not relevant to the choice of reflections for refinement.  $R$ -factors based on  $F^2$  are statistically about twice as large as those based on  $F$ , and  $R$ -factors based on ALL data will be even larger.

*Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )*

	$x$	$y$	$z$	$U_{\text{iso}}^*/U_{\text{eq}}$
Ru	0.319239 (8)	0.284822 (17)	0.404551 (6)	0.02488 (4)
Cl1	0.35958 (3)	0.03019 (6)	0.39015 (2)	0.03404 (10)
Cl2	0.22523 (4)	0.50673 (8)	0.27604 (3)	0.05243 (16)
P1	0.19442 (3)	0.22618 (5)	0.41995 (2)	0.02501 (9)
P2	0.29029 (3)	0.31711 (6)	0.30332 (2)	0.03087 (11)
N1	0.18748 (9)	0.12798 (18)	0.48395 (7)	0.0268 (3)
C1	0.40816 (12)	0.2978 (2)	0.48857 (9)	0.0345 (4)
C2	0.34730 (11)	0.3924 (2)	0.49720 (9)	0.0323 (4)
C3	0.33811 (12)	0.5006 (2)	0.44971 (10)	0.0355 (4)
C4	0.39950 (13)	0.4777 (3)	0.41486 (10)	0.0388 (5)

---

C5	0.44181 (11)	0.3528 (3)	0.43769 (10)	0.0372 (4)
C6	0.43962 (14)	0.1718 (3)	0.52760 (11)	0.0486 (6)
H6A	0.4953	0.1848	0.5399	0.073*
H6B	0.4300	0.0799	0.5048	0.073*
H6C	0.4143	0.1681	0.5637	0.073*
C7	0.30928 (13)	0.3945 (3)	0.55296 (10)	0.0412 (5)
H7A	0.3482	0.4133	0.5886	0.062*
H7B	0.2847	0.2993	0.5575	0.062*
H7C	0.2701	0.4722	0.5492	0.062*
C8	0.28894 (15)	0.6353 (3)	0.44579 (13)	0.0481 (6)
H8A	0.3204	0.7195	0.4620	0.072*
H8B	0.2469	0.6208	0.4695	0.072*
H8C	0.2672	0.6539	0.4034	0.072*
C9	0.42049 (18)	0.5852 (3)	0.36886 (12)	0.0565 (7)
H9A	0.4466	0.6702	0.3898	0.085*
H9B	0.3735	0.6179	0.3427	0.085*
H9C	0.4550	0.5375	0.3442	0.085*
C10	0.51677 (13)	0.2956 (4)	0.42237 (13)	0.0552 (7)
H10A	0.5587	0.3198	0.4552	0.083*
H10B	0.5270	0.3410	0.3846	0.083*
H10C	0.5135	0.1887	0.4173	0.083*
C11	0.12841 (11)	0.1238 (2)	0.36245 (8)	0.0307 (4)
C12	0.15773 (12)	-0.0043 (2)	0.34017 (9)	0.0346 (4)
H12	0.2105	-0.0293	0.3520	0.041*
C13	0.10999 (14)	-0.0957 (3)	0.30068 (10)	0.0430 (5)
H13	0.1305	-0.1823	0.2855	0.052*
C14	0.03307 (15)	-0.0612 (3)	0.28344 (11)	0.0491 (6)
H14	0.0009	-0.1233	0.2562	0.059*
C15	0.00306 (14)	0.0643 (3)	0.30598 (11)	0.0486 (6)
H15	-0.0500	0.0878	0.2945	0.058*
C16	0.05041 (12)	0.1562 (3)	0.34542 (10)	0.0400 (5)
H16	0.0293	0.2418	0.3609	0.048*
C17	0.13699 (10)	0.3886 (2)	0.43291 (9)	0.0309 (4)
C18	0.12363 (11)	0.4305 (2)	0.49036 (11)	0.0365 (4)
H18	0.1408	0.3696	0.5243	0.044*
C19	0.08509 (13)	0.5620 (3)	0.49828 (13)	0.0479 (6)
H19	0.0764	0.5900	0.5376	0.057*
C20	0.05979 (14)	0.6505 (3)	0.44984 (16)	0.0576 (7)
H20	0.0343	0.7403	0.4556	0.069*
C21	0.07135 (14)	0.6091 (3)	0.39243 (15)	0.0560 (7)
H21	0.0530	0.6697	0.3587	0.067*
C22	0.10972 (13)	0.4791 (3)	0.38403 (12)	0.0437 (5)
H22	0.1175	0.4516	0.3444	0.052*
C23	0.24435 (13)	0.0107 (2)	0.50082 (9)	0.0353 (4)
H23A	0.2957	0.0434	0.4929	0.042*
H23B	0.2295	-0.0776	0.4759	0.042*
C24	0.24849 (14)	-0.0274 (3)	0.56766 (10)	0.0423 (5)
H24A	0.2678	0.0588	0.5925	0.051*

H24B	0.2854	-0.1090	0.5780	0.051*
C25	0.16975 (15)	-0.0720 (3)	0.58253 (10)	0.0454 (5)
H25A	0.1540	-0.1671	0.5629	0.055*
H25B	0.1729	-0.0845	0.6269	0.055*
C26	0.11003 (13)	0.0447 (3)	0.56040 (10)	0.0424 (5)
H26A	0.1214	0.1352	0.5847	0.051*
H26B	0.0582	0.0095	0.5661	0.051*
C27	0.11023 (11)	0.0792 (2)	0.49367 (9)	0.0342 (4)
H27A	0.0952	-0.0095	0.4690	0.041*
H27B	0.0721	0.1574	0.4805	0.041*
C28	0.24045 (12)	0.1834 (3)	0.24860 (9)	0.0390 (5)
C29	0.28044 (15)	0.0544 (3)	0.24101 (11)	0.0486 (6)
H29	0.3299	0.0391	0.2642	0.058*
C30	0.24893 (19)	-0.0529 (4)	0.19986 (13)	0.0633 (8)
H30	0.2767	-0.1410	0.1956	0.076*
C31	0.1786 (2)	-0.0315 (4)	0.16586 (13)	0.0688 (9)
H31	0.1574	-0.1042	0.1376	0.083*
C32	0.13863 (18)	0.0936 (4)	0.17229 (12)	0.0656 (9)
H32	0.0895	0.1075	0.1484	0.079*
C33	0.16873 (15)	0.2039 (3)	0.21393 (11)	0.0517 (6)
H33	0.1401	0.2909	0.2181	0.062*
C34	0.37129 (12)	0.3511 (2)	0.26195 (9)	0.0340 (4)
C35	0.43729 (13)	0.2691 (3)	0.27841 (10)	0.0406 (5)
H35	0.4403	0.2018	0.3112	0.049*
C36	0.49969 (15)	0.2849 (3)	0.24692 (12)	0.0476 (5)
H36	0.5451	0.2283	0.2584	0.057*
C37	0.49574 (15)	0.3824 (3)	0.19928 (11)	0.0476 (6)
H37	0.5386	0.3946	0.1785	0.057*
C38	0.42924 (15)	0.4617 (3)	0.18205 (10)	0.0473 (6)
H38	0.4262	0.5274	0.1487	0.057*
C39	0.36657 (14)	0.4471 (3)	0.21260 (9)	0.0414 (5)
H39	0.3208	0.5020	0.2001	0.050*

*Atomic displacement parameters (Å<sup>2</sup>)*

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
Ru	0.02481 (7)	0.02548 (8)	0.02439 (7)	-0.00146 (5)	0.00396 (5)	-0.00187 (5)
Cl1	0.0356 (2)	0.0312 (2)	0.0362 (2)	0.00403 (18)	0.00831 (18)	-0.00388 (18)
Cl2	0.0585 (3)	0.0544 (4)	0.0469 (3)	0.0194 (3)	0.0158 (3)	0.0190 (3)
P1	0.0252 (2)	0.0242 (2)	0.0253 (2)	-0.00082 (16)	0.00303 (16)	0.00145 (17)
P2	0.0303 (2)	0.0367 (3)	0.0258 (2)	-0.00082 (19)	0.00501 (17)	0.00290 (19)
N1	0.0287 (7)	0.0258 (8)	0.0260 (7)	-0.0005 (6)	0.0047 (6)	0.0015 (6)
C1	0.0316 (9)	0.0404 (11)	0.0295 (9)	-0.0002 (8)	-0.0017 (7)	-0.0072 (8)
C2	0.0314 (9)	0.0342 (10)	0.0304 (9)	-0.0053 (7)	0.0022 (7)	-0.0088 (8)
C3	0.0364 (10)	0.0293 (10)	0.0402 (10)	-0.0059 (8)	0.0045 (8)	-0.0070 (8)
C4	0.0398 (11)	0.0393 (12)	0.0377 (10)	-0.0159 (9)	0.0072 (8)	-0.0078 (9)
C5	0.0280 (9)	0.0460 (12)	0.0374 (10)	-0.0074 (8)	0.0039 (7)	-0.0114 (9)
C6	0.0464 (13)	0.0562 (15)	0.0382 (11)	0.0100 (11)	-0.0093 (9)	-0.0013 (11)

C7	0.0425 (11)	0.0486 (13)	0.0334 (10)	-0.0063 (10)	0.0088 (8)	-0.0122 (9)
C8	0.0512 (13)	0.0282 (11)	0.0642 (15)	-0.0027 (9)	0.0063 (11)	-0.0068 (10)
C9	0.0725 (18)	0.0477 (15)	0.0513 (14)	-0.0288 (13)	0.0160 (13)	-0.0018 (12)
C10	0.0295 (10)	0.082 (2)	0.0551 (14)	-0.0038 (11)	0.0088 (10)	-0.0193 (14)
C11	0.0322 (9)	0.0349 (10)	0.0242 (8)	-0.0063 (7)	0.0022 (7)	0.0045 (7)
C12	0.0393 (10)	0.0334 (10)	0.0304 (9)	-0.0065 (8)	0.0035 (7)	0.0017 (8)
C13	0.0545 (13)	0.0390 (12)	0.0350 (10)	-0.0149 (10)	0.0053 (9)	-0.0035 (9)
C14	0.0535 (14)	0.0559 (16)	0.0351 (11)	-0.0231 (12)	-0.0019 (10)	-0.0003 (10)
C15	0.0356 (11)	0.0644 (17)	0.0415 (12)	-0.0130 (11)	-0.0074 (9)	0.0077 (11)
C16	0.0335 (10)	0.0469 (13)	0.0380 (10)	-0.0047 (9)	0.0001 (8)	0.0036 (9)
C17	0.0249 (8)	0.0253 (9)	0.0429 (10)	0.0012 (7)	0.0065 (7)	0.0039 (8)
C18	0.0305 (9)	0.0307 (10)	0.0481 (11)	0.0006 (8)	0.0052 (8)	-0.0040 (9)
C19	0.0386 (11)	0.0355 (12)	0.0700 (16)	0.0014 (9)	0.0102 (11)	-0.0131 (11)
C20	0.0391 (12)	0.0288 (12)	0.106 (2)	0.0066 (9)	0.0150 (13)	0.0010 (13)
C21	0.0372 (12)	0.0409 (13)	0.091 (2)	0.0074 (10)	0.0150 (12)	0.0307 (14)
C22	0.0352 (10)	0.0412 (12)	0.0561 (13)	0.0039 (9)	0.0113 (9)	0.0173 (10)
C23	0.0408 (10)	0.0319 (10)	0.0337 (9)	0.0073 (8)	0.0079 (8)	0.0052 (8)
C24	0.0481 (12)	0.0440 (13)	0.0336 (10)	0.0051 (10)	0.0023 (9)	0.0113 (9)
C25	0.0590 (14)	0.0430 (13)	0.0344 (10)	-0.0071 (11)	0.0076 (10)	0.0104 (9)
C26	0.0444 (12)	0.0479 (13)	0.0372 (11)	-0.0064 (10)	0.0134 (9)	0.0075 (10)
C27	0.0329 (9)	0.0354 (11)	0.0346 (9)	-0.0050 (8)	0.0067 (7)	0.0047 (8)
C28	0.0355 (10)	0.0565 (14)	0.0246 (9)	-0.0111 (9)	0.0031 (7)	0.0030 (9)
C29	0.0499 (13)	0.0570 (16)	0.0392 (11)	-0.0112 (11)	0.0078 (10)	-0.0129 (11)
C30	0.0765 (19)	0.068 (2)	0.0471 (14)	-0.0179 (16)	0.0154 (13)	-0.0225 (14)
C31	0.083 (2)	0.080 (2)	0.0416 (14)	-0.0289 (19)	0.0032 (14)	-0.0154 (15)
C32	0.0586 (16)	0.094 (3)	0.0387 (13)	-0.0312 (17)	-0.0110 (11)	0.0103 (14)
C33	0.0443 (13)	0.0681 (18)	0.0399 (12)	-0.0131 (12)	-0.0024 (10)	0.0119 (12)
C34	0.0383 (10)	0.0373 (11)	0.0275 (9)	-0.0066 (8)	0.0083 (7)	-0.0019 (8)
C35	0.0414 (11)	0.0438 (12)	0.0393 (11)	-0.0010 (9)	0.0148 (9)	0.0013 (9)
C36	0.0448 (12)	0.0498 (14)	0.0529 (13)	-0.0012 (10)	0.0223 (10)	0.0002 (11)
C37	0.0573 (14)	0.0478 (14)	0.0438 (12)	-0.0160 (11)	0.0269 (11)	-0.0087 (10)
C38	0.0600 (15)	0.0535 (15)	0.0311 (10)	-0.0140 (12)	0.0157 (10)	-0.0004 (10)
C39	0.0492 (12)	0.0479 (13)	0.0270 (9)	-0.0081 (10)	0.0054 (8)	0.0027 (9)

*Geometric parameters (Å, °)*

Ru—C1	2.251 (2)	C15—H15	0.9500
Ru—C2	2.274 (2)	C16—H16	0.9500
Ru—C3	2.209 (2)	C17—C22	1.393 (3)
Ru—C4	2.240 (2)	C17—C18	1.393 (3)
Ru—C5	2.250 (2)	C18—C19	1.399 (3)
Ru—P1	2.3303 (5)	C18—H18	0.9500
Ru—P2	2.2598 (5)	C19—C20	1.367 (4)
Ru—C11	2.4587 (5)	C19—H19	0.9500
P1—N1	1.7067 (16)	C20—C21	1.382 (4)
P1—C11	1.844 (2)	C20—H20	0.9500
P1—C17	1.837 (2)	C21—C22	1.388 (4)
P2—C12	2.1066 (8)	C21—H21	0.9500

P2—C28	1.846 (2)	C22—H22	0.9500
P2—C34	1.837 (2)	C23—C24	1.524 (3)
N1—C23	1.470 (2)	C23—H23A	0.9900
N1—C27	1.474 (2)	C23—H23B	0.9900
C1—C2	1.408 (3)	C24—C25	1.525 (3)
C1—C5	1.449 (3)	C24—H24A	0.9900
C1—C6	1.494 (3)	C24—H24B	0.9900
C2—C3	1.438 (3)	C25—C26	1.520 (4)
C2—C7	1.501 (3)	C25—H25A	0.9900
C3—C4	1.438 (3)	C25—H25B	0.9900
C3—C8	1.494 (3)	C26—C27	1.524 (3)
C4—C5	1.409 (3)	C26—H26A	0.9900
C4—C9	1.506 (3)	C26—H26B	0.9900
C5—C10	1.502 (3)	C27—H27A	0.9900
C6—H6A	0.9800	C27—H27B	0.9900
C6—H6B	0.9800	C28—C33	1.385 (3)
C6—H6C	0.9800	C28—C29	1.392 (4)
C7—H7A	0.9800	C29—C30	1.396 (4)
C7—H7B	0.9800	C29—H29	0.9500
C7—H7C	0.9800	C30—C31	1.359 (5)
C8—H8A	0.9800	C30—H30	0.9500
C8—H8B	0.9800	C31—C32	1.357 (5)
C8—H8C	0.9800	C31—H31	0.9500
C9—H9A	0.9800	C32—C33	1.414 (4)
C9—H9B	0.9800	C32—H32	0.9500
C9—H9C	0.9800	C33—H33	0.9500
C10—H10A	0.9800	C34—C35	1.379 (3)
C10—H10B	0.9800	C34—C39	1.400 (3)
C10—H10C	0.9800	C35—C36	1.397 (3)
C11—C16	1.394 (3)	C35—H35	0.9500
C11—C12	1.397 (3)	C36—C37	1.379 (4)
C12—C13	1.394 (3)	C36—H36	0.9500
C12—H12	0.9500	C37—C38	1.375 (4)
C13—C14	1.381 (4)	C37—H37	0.9500
C13—H13	0.9500	C38—C39	1.387 (3)
C14—C15	1.385 (4)	C38—H38	0.9500
C14—H14	0.9500	C39—H39	0.9500
C15—C16	1.393 (3)		
P1—Ru—P2	96.11 (2)	C16—C11—P1	124.58 (17)
P1—Ru—C11	95.71 (2)	C12—C11—P1	116.36 (15)
P2—Ru—C11	90.94 (2)	C13—C12—C11	120.3 (2)
N1—P1—C11	101.58 (8)	C13—C12—H12	119.8
N1—P1—C17	100.22 (8)	C11—C12—H12	119.8
C11—P1—C17	102.46 (9)	C14—C13—C12	120.4 (2)
C12—P2—C28	99.68 (8)	C14—C13—H13	119.8
C12—P2—C34	98.23 (8)	C12—C13—H13	119.8
C28—P2—C34	95.83 (9)	C13—C14—C15	119.7 (2)



C3—Ru—C4	37.71 (8)	C13—C14—H14	120.1
C3—Ru—C5	62.42 (8)	C15—C14—H14	120.1
C4—Ru—C5	36.58 (9)	C14—C15—C16	120.1 (2)
C3—Ru—C1	62.41 (8)	C14—C15—H15	119.9
C4—Ru—C1	61.93 (8)	C16—C15—H15	119.9
C5—Ru—C1	37.56 (8)	C15—C16—C11	120.7 (2)
C3—Ru—P2	109.66 (6)	C15—C16—H16	119.7
C4—Ru—P2	92.38 (6)	C11—C16—H16	119.7
C5—Ru—P2	110.44 (6)	C22—C17—C18	118.3 (2)
C1—Ru—P2	147.97 (6)	C22—C17—P1	118.87 (17)
C3—Ru—C2	37.39 (8)	C18—C17—P1	122.69 (16)
C4—Ru—C2	61.63 (8)	C17—C18—C19	120.3 (2)
C5—Ru—C2	61.35 (7)	C17—C18—H18	119.9
C1—Ru—C2	36.24 (7)	C19—C18—H18	119.9
P2—Ru—C2	147.03 (6)	C20—C19—C18	120.5 (3)
C3—Ru—P1	102.36 (6)	C20—C19—H19	119.7
C4—Ru—P1	138.97 (6)	C18—C19—H19	119.7
C5—Ru—P1	152.42 (5)	C19—C20—C21	119.9 (2)
C1—Ru—P1	115.77 (6)	C19—C20—H20	120.1
C2—Ru—P1	92.32 (5)	C21—C20—H20	120.1
C3—Ru—C11	150.65 (6)	C20—C21—C22	120.1 (2)
C4—Ru—C11	124.27 (6)	C20—C21—H21	119.9
C5—Ru—C11	91.30 (6)	C22—C21—H21	119.9
C1—Ru—C11	88.98 (6)	C21—C22—C17	120.9 (2)
C2—Ru—C11	119.91 (6)	C21—C22—H22	119.6
N1—P1—Ru	115.71 (6)	C17—C22—H22	119.6
C17—P1—Ru	112.94 (6)	N1—C23—C24	110.12 (17)
C11—P1—Ru	121.08 (6)	N1—C23—H23A	109.6
C34—P2—Ru	116.99 (7)	C24—C23—H23A	109.6
C28—P2—Ru	125.98 (7)	N1—C23—H23B	109.6
C12—P2—Ru	115.10 (3)	C24—C23—H23B	109.6
C2—C1—C5	107.78 (19)	H23A—C23—H23B	108.1
C2—C1—C6	127.5 (2)	C23—C24—C25	111.50 (19)
C5—C1—C6	124.4 (2)	C23—C24—H24A	109.3
C2—C1—Ru	72.77 (11)	C25—C24—H24A	109.3
C5—C1—Ru	71.18 (11)	C23—C24—H24B	109.3
C6—C1—Ru	126.36 (16)	C25—C24—H24B	109.3
C1—C2—C3	108.58 (18)	H24A—C24—H24B	108.0
C1—C2—C7	124.4 (2)	C26—C25—C24	110.18 (19)
C3—C2—C7	126.2 (2)	C26—C25—H25A	109.6
C1—C2—Ru	70.99 (11)	C24—C25—H25A	109.6
C3—C2—Ru	68.85 (11)	C26—C25—H25B	109.6
C7—C2—Ru	134.38 (14)	C24—C25—H25B	109.6
C4—C3—C2	107.00 (19)	H25A—C25—H25B	108.1
C4—C3—C8	124.1 (2)	C25—C26—C27	110.92 (19)
C2—C3—C8	127.1 (2)	C25—C26—H26A	109.5
C4—C3—Ru	72.30 (12)	C27—C26—H26A	109.5
C2—C3—Ru	73.76 (11)	C25—C26—H26B	109.5

C8—C3—Ru	131.17 (16)	C27—C26—H26B	109.5
C5—C4—C3	108.50 (19)	H26A—C26—H26B	108.0
C5—C4—C9	126.9 (2)	N1—C27—C26	110.32 (17)
C3—C4—C9	123.9 (2)	N1—C27—H27A	109.6
C5—C4—Ru	72.12 (12)	C26—C27—H27A	109.6
C3—C4—Ru	69.99 (11)	N1—C27—H27B	109.6
C9—C4—Ru	130.94 (16)	C26—C27—H27B	109.6
C4—C5—C1	107.90 (18)	H27A—C27—H27B	108.1
C4—C5—C10	128.9 (2)	C33—C28—C29	118.5 (2)
C1—C5—C10	122.4 (2)	C33—C28—P2	125.3 (2)
C4—C5—Ru	71.31 (11)	C29—C28—P2	116.14 (17)
C1—C5—Ru	71.26 (11)	C28—C29—C30	121.0 (3)
C10—C5—Ru	130.95 (16)	C28—C29—H29	119.5
C1—C6—H6A	109.5	C30—C29—H29	119.5
C1—C6—H6B	109.5	C31—C30—C29	120.1 (3)
H6A—C6—H6B	109.5	C31—C30—H30	120.0
C1—C6—H6C	109.5	C29—C30—H30	120.0
H6A—C6—H6C	109.5	C32—C31—C30	120.0 (3)
H6B—C6—H6C	109.5	C32—C31—H31	120.0
C2—C7—H7A	109.5	C30—C31—H31	120.0
C2—C7—H7B	109.5	C31—C32—C33	121.2 (3)
H7A—C7—H7B	109.5	C31—C32—H32	119.4
C2—C7—H7C	109.5	C33—C32—H32	119.4
H7A—C7—H7C	109.5	C28—C33—C32	119.2 (3)
H7B—C7—H7C	109.5	C28—C33—H33	120.4
C3—C8—H8A	109.5	C32—C33—H33	120.4
C3—C8—H8B	109.5	C35—C34—C39	119.6 (2)
H8A—C8—H8B	109.5	C35—C34—P2	117.25 (16)
C3—C8—H8C	109.5	C39—C34—P2	123.04 (17)
H8A—C8—H8C	109.5	C34—C35—C36	120.1 (2)
H8B—C8—H8C	109.5	C34—C35—H35	120.0
C4—C9—H9A	109.5	C36—C35—H35	120.0
C4—C9—H9B	109.5	C37—C36—C35	120.3 (2)
H9A—C9—H9B	109.5	C37—C36—H36	119.8
C4—C9—H9C	109.5	C35—C36—H36	119.8
H9A—C9—H9C	109.5	C38—C37—C36	119.5 (2)
H9B—C9—H9C	109.5	C38—C37—H37	120.2
C5—C10—H10A	109.5	C36—C37—H37	120.2
C5—C10—H10B	109.5	C37—C38—C39	121.0 (2)
H10A—C10—H10B	109.5	C37—C38—H38	119.5
C5—C10—H10C	109.5	C39—C38—H38	119.5
H10A—C10—H10C	109.5	C38—C39—C34	119.5 (2)
H10B—C10—H10C	109.5	C38—C39—H39	120.3
C16—C11—C12	118.64 (19)	C34—C39—H39	120.3
C3—Ru—P1—N1	-90.96 (9)	C2—C3—C4—C9	-167.3 (2)
C4—Ru—P1—N1	-101.90 (11)	C8—C3—C4—C9	-1.7 (3)
C5—Ru—P1—N1	-38.14 (16)	Ru—C3—C4—C9	126.6 (2)

C1—Ru—P1—N1	-25.85 (9)	C2—C3—C4—Ru	66.14 (13)
P2—Ru—P1—N1	157.33 (6)	C8—C3—C4—Ru	-128.2 (2)
C2—Ru—P1—N1	-54.59 (8)	C3—Ru—C4—C5	118.19 (18)
C11—Ru—P1—N1	65.77 (6)	C1—Ru—C4—C5	37.90 (12)
C3—Ru—P1—C17	23.72 (9)	P2—Ru—C4—C5	-122.04 (12)
C4—Ru—P1—C17	12.79 (12)	C2—Ru—C4—C5	79.24 (13)
C5—Ru—P1—C17	76.55 (16)	P1—Ru—C4—C5	135.82 (11)
C1—Ru—P1—C17	88.84 (10)	C11—Ru—C4—C5	-29.28 (14)
P2—Ru—P1—C17	-87.98 (7)	C5—Ru—C4—C3	-118.19 (18)
C2—Ru—P1—C17	60.10 (9)	C1—Ru—C4—C3	-80.29 (14)
C11—Ru—P1—C17	-179.54 (7)	P2—Ru—C4—C3	119.77 (12)
C3—Ru—P1—C11	145.64 (10)	C2—Ru—C4—C3	-38.95 (12)
C4—Ru—P1—C11	134.71 (12)	P1—Ru—C4—C3	17.63 (17)
C5—Ru—P1—C11	-161.54 (16)	C11—Ru—C4—C3	-147.47 (11)
C1—Ru—P1—C11	-149.24 (10)	C3—Ru—C4—C9	-118.1 (3)
P2—Ru—P1—C11	33.93 (8)	C5—Ru—C4—C9	123.8 (3)
C2—Ru—P1—C11	-177.99 (10)	C1—Ru—C4—C9	161.7 (3)
C11—Ru—P1—C11	-57.62 (8)	P2—Ru—C4—C9	1.7 (2)
C3—Ru—P2—C34	80.02 (10)	C2—Ru—C4—C9	-157.0 (3)
C4—Ru—P2—C34	45.70 (10)	P1—Ru—C4—C9	-100.4 (2)
C5—Ru—P2—C34	13.08 (11)	C11—Ru—C4—C9	94.5 (3)
C1—Ru—P2—C34	10.91 (14)	C3—C4—C5—C1	-1.4 (2)
C2—Ru—P2—C34	81.63 (13)	C9—C4—C5—C1	169.5 (2)
P1—Ru—P2—C34	-174.49 (8)	Ru—C4—C5—C1	-62.25 (14)
C11—Ru—P2—C34	-78.66 (8)	C3—C4—C5—C10	-171.1 (2)
C3—Ru—P2—C28	-159.27 (11)	C9—C4—C5—C10	-0.2 (4)
C4—Ru—P2—C28	166.41 (11)	Ru—C4—C5—C10	128.0 (2)
C5—Ru—P2—C28	133.79 (11)	C3—C4—C5—Ru	60.84 (14)
C1—Ru—P2—C28	131.61 (14)	C9—C4—C5—Ru	-128.2 (2)
C2—Ru—P2—C28	-157.67 (13)	C2—C1—C5—C4	-1.7 (2)
P1—Ru—P2—C28	-53.79 (10)	C6—C1—C5—C4	-176.0 (2)
C11—Ru—P2—C28	42.05 (10)	Ru—C1—C5—C4	62.28 (14)
C3—Ru—P2—C12	-34.56 (7)	C2—C1—C5—C10	168.8 (2)
C4—Ru—P2—C12	-68.88 (7)	C6—C1—C5—C10	-5.5 (3)
C5—Ru—P2—C12	-101.50 (7)	Ru—C1—C5—C10	-127.2 (2)
C1—Ru—P2—C12	-103.67 (11)	C2—C1—C5—Ru	-64.02 (14)
C2—Ru—P2—C12	-32.95 (10)	C6—C1—C5—Ru	121.7 (2)
P1—Ru—P2—C12	70.92 (3)	C3—Ru—C5—C4	-37.47 (12)
C11—Ru—P2—C12	166.76 (3)	C1—Ru—C5—C4	-117.22 (18)
C17—P1—N1—C23	-161.77 (15)	P2—Ru—C5—C4	64.67 (12)
C11—P1—N1—C23	93.12 (16)	C2—Ru—C5—C4	-80.07 (13)
Ru—P1—N1—C23	-40.00 (16)	P1—Ru—C5—C4	-98.89 (17)
C17—P1—N1—C27	62.39 (16)	C11—Ru—C5—C4	156.15 (12)
C11—P1—N1—C27	-42.73 (16)	C3—Ru—C5—C1	79.75 (13)
Ru—P1—N1—C27	-175.85 (12)	C4—Ru—C5—C1	117.22 (18)
C3—Ru—C1—C2	36.55 (12)	P2—Ru—C5—C1	-178.11 (11)
C4—Ru—C1—C2	79.42 (14)	C2—Ru—C5—C1	37.14 (12)
C5—Ru—C1—C2	116.33 (19)	P1—Ru—C5—C1	18.3 (2)

P2—Ru—C1—C2	119.67 (12)	C11—Ru—C5—C1	-86.63 (12)
P1—Ru—C1—C2	-54.36 (13)	C3—Ru—C5—C10	-163.2 (3)
C11—Ru—C1—C2	-150.20 (12)	C4—Ru—C5—C10	-125.7 (3)
C3—Ru—C1—C5	-79.78 (14)	C1—Ru—C5—C10	117.1 (3)
C4—Ru—C1—C5	-36.91 (13)	P2—Ru—C5—C10	-61.1 (3)
P2—Ru—C1—C5	3.34 (19)	C2—Ru—C5—C10	154.2 (3)
C2—Ru—C1—C5	-116.33 (19)	P1—Ru—C5—C10	135.4 (2)
P1—Ru—C1—C5	-170.69 (11)	C11—Ru—C5—C10	30.4 (2)
C11—Ru—C1—C5	93.46 (12)	N1—P1—C11—C16	92.25 (18)
C3—Ru—C1—C6	160.9 (2)	C17—P1—C11—C16	-11.1 (2)
C4—Ru—C1—C6	-156.3 (2)	Ru—P1—C11—C16	-137.91 (16)
C5—Ru—C1—C6	-119.4 (2)	N1—P1—C11—C12	-80.18 (16)
P2—Ru—C1—C6	-116.03 (19)	C17—P1—C11—C12	176.48 (15)
C2—Ru—C1—C6	124.3 (3)	Ru—P1—C11—C12	49.67 (17)
P1—Ru—C1—C6	69.9 (2)	C16—C11—C12—C13	1.4 (3)
C11—Ru—C1—C6	-25.90 (19)	P1—C11—C12—C13	174.28 (16)
C5—C1—C2—C3	4.2 (2)	C11—C12—C13—C14	-0.4 (3)
C6—C1—C2—C3	178.2 (2)	C12—C13—C14—C15	-0.6 (3)
Ru—C1—C2—C3	-58.77 (14)	C13—C14—C15—C16	0.6 (4)
C5—C1—C2—C7	-165.66 (19)	C14—C15—C16—C11	0.3 (4)
C6—C1—C2—C7	8.4 (3)	C12—C11—C16—C15	-1.3 (3)
Ru—C1—C2—C7	131.4 (2)	P1—C11—C16—C15	-173.59 (17)
C5—C1—C2—Ru	62.99 (13)	N1—P1—C17—C22	-162.32 (17)
C6—C1—C2—Ru	-123.0 (2)	C11—P1—C17—C22	-57.91 (18)
C3—Ru—C2—C1	-119.64 (18)	Ru—P1—C17—C22	73.97 (17)
C4—Ru—C2—C1	-80.35 (14)	N1—P1—C17—C18	21.93 (18)
C5—Ru—C2—C1	-38.50 (13)	C11—P1—C17—C18	126.33 (17)
P2—Ru—C2—C1	-122.13 (13)	Ru—P1—C17—C18	-101.79 (16)
P1—Ru—C2—C1	132.90 (12)	C22—C17—C18—C19	-1.3 (3)
C11—Ru—C2—C1	34.97 (14)	P1—C17—C18—C19	174.52 (17)
C4—Ru—C2—C3	39.29 (12)	C17—C18—C19—C20	0.3 (3)
C5—Ru—C2—C3	81.14 (13)	C18—C19—C20—C21	0.9 (4)
C1—Ru—C2—C3	119.64 (18)	C19—C20—C21—C22	-1.1 (4)
P2—Ru—C2—C3	-2.49 (17)	C20—C21—C22—C17	0.1 (4)
P1—Ru—C2—C3	-107.45 (11)	C18—C17—C22—C21	1.1 (3)
C11—Ru—C2—C3	154.61 (10)	P1—C17—C22—C21	-174.87 (18)
C3—Ru—C2—C7	120.4 (3)	C27—N1—C23—C24	-61.0 (2)
C4—Ru—C2—C7	159.7 (3)	P1—N1—C23—C24	160.01 (15)
C5—Ru—C2—C7	-158.4 (3)	N1—C23—C24—C25	56.8 (3)
C1—Ru—C2—C7	-119.9 (3)	C23—C24—C25—C26	-52.6 (3)
P2—Ru—C2—C7	117.9 (2)	C24—C25—C26—C27	52.8 (3)
P1—Ru—C2—C7	13.0 (2)	C23—N1—C27—C26	61.7 (2)
C11—Ru—C2—C7	-85.0 (2)	P1—N1—C27—C26	-159.53 (15)
C1—C2—C3—C4	-5.0 (2)	C25—C26—C27—N1	-57.6 (3)
C7—C2—C3—C4	164.60 (19)	C34—P2—C28—C33	-115.1 (2)
Ru—C2—C3—C4	-65.15 (14)	C12—P2—C28—C33	-15.7 (2)
C1—C2—C3—C8	-170.2 (2)	Ru—P2—C28—C33	115.29 (19)
C7—C2—C3—C8	-0.5 (3)	C34—P2—C28—C29	62.84 (19)

Ru—C2—C3—C8	129.7 (2)	C12—P2—C28—C29	162.24 (16)
C1—C2—C3—Ru	60.10 (14)	Ru—P2—C28—C29	-66.80 (19)
C7—C2—C3—Ru	-130.3 (2)	C33—C28—C29—C30	-0.6 (4)
C5—Ru—C3—C4	36.34 (13)	P2—C28—C29—C30	-178.6 (2)
C1—Ru—C3—C4	78.93 (14)	C28—C29—C30—C31	0.9 (4)
P2—Ru—C3—C4	-67.07 (13)	C29—C30—C31—C32	-0.6 (5)
C2—Ru—C3—C4	114.37 (18)	C30—C31—C32—C33	0.1 (5)
P1—Ru—C3—C4	-168.26 (12)	C29—C28—C33—C32	0.1 (3)
C11—Ru—C3—C4	65.05 (18)	P2—C28—C33—C32	177.94 (19)
C4—Ru—C3—C2	-114.37 (18)	C31—C32—C33—C28	0.2 (4)
C5—Ru—C3—C2	-78.03 (13)	C28—P2—C34—C35	-94.28 (19)
C1—Ru—C3—C2	-35.44 (11)	C12—P2—C34—C35	165.03 (17)
P2—Ru—C3—C2	178.56 (10)	Ru—P2—C34—C35	41.3 (2)
P1—Ru—C3—C2	77.37 (11)	C28—P2—C34—C39	81.0 (2)
C11—Ru—C3—C2	-49.32 (18)	C12—P2—C34—C39	-19.66 (19)
C4—Ru—C3—C8	120.2 (3)	Ru—P2—C34—C39	-143.34 (16)
C5—Ru—C3—C8	156.5 (2)	C39—C34—C35—C36	1.6 (4)
C1—Ru—C3—C8	-160.9 (2)	P2—C34—C35—C36	177.13 (19)
P2—Ru—C3—C8	53.1 (2)	C34—C35—C36—C37	0.0 (4)
C2—Ru—C3—C8	-125.4 (3)	C35—C36—C37—C38	-1.4 (4)
P1—Ru—C3—C8	-48.1 (2)	C36—C37—C38—C39	1.2 (4)
C11—Ru—C3—C8	-174.74 (16)	C37—C38—C39—C34	0.5 (4)
C2—C3—C4—C5	3.9 (2)	C35—C34—C39—C38	-1.9 (3)
C8—C3—C4—C5	169.6 (2)	P2—C34—C39—C38	-177.08 (18)
Ru—C3—C4—C5	-62.19 (15)		

Hydrogen-bond geometry ( $\text{\AA}$ ,  $^\circ$ )

$D-H\cdots A$	$D-H$	$H\cdots A$	$D\cdots A$	$D-H\cdots A$
C6—H6B $\cdots$ C11	0.98	2.71	3.426 (2)	131
C12—H12 $\cdots$ C11	0.95	2.68	3.559 (2)	154
C18—H18 $\cdots$ N1	0.95	2.56	2.984 (3)	107
C22—H22 $\cdots$ C12	0.95	2.66	3.391 (2)	135
C23—H23A $\cdots$ C11	0.99	2.71	3.432 (2)	130
C29—H29 $\cdots$ C11	0.95	2.78	3.414 (3)	125
C33—H33 $\cdots$ C12	0.95	2.68	3.175 (3)	113
C37—H37 $\cdots$ C11 <sup>i</sup>	0.95	2.81	3.716 (2)	159
C39—H39 $\cdots$ C12	0.95	2.56	3.088 (2)	115

Symmetry code: (i)  $-x+1, y+1/2, -z+1/2$ .