

Acta Crystallographica Section E

## Structure Reports

Online

ISSN 1600-5368

## 2-Chloro-5-([5-(4-methoxyphenyl)-1,3,4-oxadiazol-2-yl]sulfanyl)methylpyridine

Hao Ji and Xu-Dong Xu\*

Department of Bioengineering, College of Medicine, Southeast University, Nanjing 210009, People's Republic of China, and Jiangsu Tiansheng Pharmaceutical Company Limited Jurong City 212415, Jiangsu Province, People's Republic of China  
Correspondence e-mail: xuxd5555@163.com


Received 12 November 2011; accepted 24 November 2011

Key indicators: single-crystal X-ray study;  $T = 298$  K; mean  $\sigma(\text{C}-\text{C}) = 0.006$  Å;  $R$  factor = 0.060;  $wR$  factor = 0.147; data-to-parameter ratio = 13.6.

In the title compound,  $\text{C}_{15}\text{H}_{12}\text{ClN}_3\text{O}_2\text{S}$ , the central oxadiazole ring forms dihedral angles of 7.72 (14) and 69.86 (12)° with the benzene and pyridine rings, respectively. The crystal packing is governed only by van der Waals interactions.

### Related literature

For background to the biological activity of heterocyclic compounds, see: Mamolo *et al.* (2001); Liu *et al.* (2001); Demirbas *et al.* (2004). For the synthesis, see: Zareef *et al.* (2008); Wu *et al.* (2011). For standard bond lengths, see: Allen *et al.* (1987).



### Experimental

#### Crystal data

 $\text{C}_{15}\text{H}_{12}\text{ClN}_3\text{O}_2\text{S}$  $M_r = 333.80$ Orthorhombic, *Pbca*

$a = 12.311$  (2) Å  
 $b = 8.1229$  (15) Å  
 $c = 29.956$  (6) Å  
 $V = 2995.6$  (10) Å<sup>3</sup>

 $Z = 8$ 

Mo  $K\alpha$  radiation  
 $\mu = 0.40$  mm<sup>-1</sup>  
 $T = 298$  K

 $0.30 \times 0.20 \times 0.05$  mm

#### Data collection

Bruker SMART APEX area-detector diffractometer  
 Absorption correction: multi-scan (*SADABS*; Sheldrick, 1996)  
 $T_{\min} = 0.886$ ,  $T_{\max} = 0.980$

5300 measured reflections  
 2730 independent reflections  
 1514 reflections with  $I > 2\sigma(I)$   
 $R_{\text{int}} = 0.089$

#### Refinement

$R[F^2 > 2\sigma(F^2)] = 0.060$   
 $wR(F^2) = 0.147$   
 $S = 0.97$   
 2730 reflections

201 parameters  
 H-atom parameters constrained  
 $\Delta\rho_{\text{max}} = 0.24$  e Å<sup>-3</sup>  
 $\Delta\rho_{\text{min}} = -0.23$  e Å<sup>-3</sup>

Data collection: *SMART* (Bruker, 1998); cell refinement: *SAINT* (Bruker, 1998); data reduction: *SAINT*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *SHELXTL* (Sheldrick, 2008); software used to prepare material for publication: *SHELXTL*.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: RZ2672).

### References

- Allen, F. H., Kennard, O., Watson, D. G., Brammer, L., Orpen, A. G. & Taylor, R. (1987). *J. Chem. Soc. Perkin Trans. 2*, pp. S1–19.  
 Bruker (1998). *SMART* and *SAINT*. Bruker AXS Inc., Madison, Wisconsin, USA.  
 Demirbas, N., Karaoglu, S. A., Demirbas, A. & Sancak, K. (2004). *Eur. J. Med. Chem.* **39**, 793–804.  
 Liu, F., Luo, X. Q., Song, B. A., Bhadury, P. S., Yang, S., Jin, L. H., Xue, W. & Hu, D. Y. (2001). *Bioorg. Med. Chem.* **16**, 3632–3640.  
 Mamolo, M. G., Falagiani, V., Zampieri, D., Vio, L. & Banfi, E. (2001). *Farmaco*, **56**, 587–592.  
 Sheldrick, G. M. (1996). *SADABS*. University of Göttingen, Germany.  
 Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.  
 Wu, X. L., Zhu, C. F., Lü, Z. D., Wei, C. S. & Liao, X. C. (2011). *Chin. J. Org. Chem.* **31**, 824–831.  
 Zareef, M., Iqbal, R., Mirza, B., Khan, K. M., Manan, A., Asim, F. & Khan, S. W. (2008). *ARKIVOC*, **ii**, 141–152.

## supporting information

*Acta Cryst.* (2011). E67, o3490 [https://doi.org/10.1107/S1600536811050410]

## 2-Chloro-5-({[5-(4-methoxyphenyl)-1,3,4-oxadiazol-2-yl]sulfanyl)methyl}pyridine

Hao Ji and Xu-Dong Xu

### S1. Comment

Heterocyclic compounds have been of great interest since many years, in particular due to the important role these compounds play in the development of medicinal chemistry (Mamolo *et al.*, 2001; Liu *et al.*, 2001; Demirbas *et al.*, 2004). As a contribution to the structural characterization of new heterocyclic compounds, we report here the structure of the title compound.

In the title compound (Fig. 1) all bond lengths are within normal ranges (Allen *et al.*, 1987). The dihedral angle between the central oxadiazole ring (N1/N2/O2/C8/C9) and the benzene (C2–C7) and pyridine (N3/C11–C15) rings are of 7.72 (14) and 69.86 (12)°, respectively. In the crystal structure, no hydrogen bonds,  $\pi\cdots\pi$  interactions or C—H $\cdots\pi$  short contacts are observed, the structure being stabilized only by van der Waals interactions.

### S2. Experimental

The title compound was synthesized according to the previously reported literature methods (Zareef *et al.*, 2008; Wu *et al.*, 2011). Single crystals suitable for X-ray diffraction analysis were obtained by evaporation of an ethanol solution.

### S3. Refinement

All H atoms were placed in geometrically idealized positions and constrained to ride on their parent atoms, with C—H distances of 0.93–0.97 Å, and with with  $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C})$  or  $1.5U_{\text{eq}}(\text{C})$  for methyl H atoms.




Figure 1

The molecular structure of the title compound showing 30% probability displacement ellipsoids.

## 2-Chloro-5-({[5-(4-methoxyphenyl)-1,3,4-oxadiazol-2-yl]sulfanyl)methyl}pyridine

### Crystal data

$\text{C}_{15}\text{H}_{12}\text{ClN}_3\text{O}_2\text{S}$   
 $M_r = 333.80$

Orthorhombic, *Pbca*  
Hall symbol: -P 2ac 2ab

$a = 12.311$  (2) Å  
 $b = 8.1229$  (15) Å  
 $c = 29.956$  (6) Å  
 $V = 2995.6$  (10) Å<sup>3</sup>  
 $Z = 8$   
 $F(000) = 1376$   
 $D_x = 1.480$  Mg m<sup>-3</sup>

Mo  $K\alpha$  radiation,  $\lambda = 0.71073$  Å  
 Cell parameters from 2256 reflections  
 $\theta = 4.2\text{--}26^\circ$   
 $\mu = 0.40$  mm<sup>-1</sup>  
 $T = 298$  K  
 Needle, yellow  
 $0.30 \times 0.20 \times 0.05$  mm

*Data collection*

Bruker SMART APEX area-detector  
 diffractometer  
 Radiation source: fine-focus sealed tube  
 Graphite monochromator  
 $\omega$  scans  
 Absorption correction: multi-scan  
 (SADABS; Sheldrick, 1996)  
 $T_{\min} = 0.886$ ,  $T_{\max} = 0.980$

5300 measured reflections  
 2730 independent reflections  
 1514 reflections with  $I > 2\sigma(I)$   
 $R_{\text{int}} = 0.089$   
 $\theta_{\max} = 25.3^\circ$ ,  $\theta_{\min} = 1.4^\circ$   
 $h = -14 \rightarrow 14$   
 $k = -9 \rightarrow 0$   
 $l = 0 \rightarrow 35$

*Refinement*

Refinement on  $F^2$   
 Least-squares matrix: full  
 $R[F^2 > 2\sigma(F^2)] = 0.060$   
 $wR(F^2) = 0.147$   
 $S = 0.97$   
 2730 reflections  
 201 parameters  
 0 restraints  
 Primary atom site location: structure-invariant  
 direct methods

Secondary atom site location: difference Fourier  
 map  
 Hydrogen site location: inferred from  
 neighbouring sites  
 H-atom parameters constrained  
 $w = 1/[\sigma^2(F_o^2) + (0.0512P)^2]$   
 where  $P = (F_o^2 + 2F_c^2)/3$   
 $(\Delta/\sigma)_{\max} < 0.001$   
 $\Delta\rho_{\max} = 0.24$  e Å<sup>-3</sup>  
 $\Delta\rho_{\min} = -0.23$  e Å<sup>-3</sup>

*Special details*

**Geometry.** All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted  $R$ -factor  $wR$  and goodness of fit  $S$  are based on  $F^2$ , conventional  $R$ -factors  $R$  are based on  $F$ , with  $F$  set to zero for negative  $F^2$ . The threshold expression of  $F^2 > \sigma(F^2)$  is used only for calculating  $R$ -factors(gt) *etc.* and is not relevant to the choice of reflections for refinement.  $R$ -factors based on  $F^2$  are statistically about twice as large as those based on  $F$ , and  $R$ -factors based on ALL data will be even larger.

*Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (Å<sup>2</sup>)*

	$x$	$y$	$z$	$U_{\text{iso}}^*/U_{\text{eq}}$
C1	0.5087 (4)	-0.2986 (7)	0.24553 (18)	0.0714 (16)
H1A	0.5338	-0.1867	0.2461	0.107*
H1B	0.5102	-0.3387	0.2154	0.107*
H1C	0.5552	-0.3654	0.2638	0.107*
C2	0.3779 (4)	-0.2211 (6)	0.29959 (14)	0.0472 (11)
C3	0.4536 (3)	-0.1655 (5)	0.33013 (14)	0.0455 (11)
H3	0.5271	-0.1861	0.3256	0.055*
C4	0.4201 (3)	-0.0794 (5)	0.36728 (13)	0.0420 (11)
H4	0.4715	-0.0414	0.3876	0.050*
C5	0.3108 (3)	-0.0486 (5)	0.37482 (13)	0.0371 (10)

C6	0.2359 (3)	-0.1103 (6)	0.34482 (14)	0.0507 (12)
H6	0.1621	-0.0936	0.3498	0.061*
C7	0.2693 (4)	-0.1962 (6)	0.30773 (15)	0.0600 (14)
H7	0.2179	-0.2379	0.2880	0.072*
C8	0.2797 (3)	0.0489 (5)	0.41334 (13)	0.0364 (10)
C9	0.1752 (3)	0.1674 (5)	0.46014 (14)	0.0396 (11)
C10	0.1054 (4)	0.3455 (5)	0.52966 (12)	0.0442 (11)
H10A	0.1658	0.4113	0.5190	0.053*
H10B	0.0493	0.4206	0.5397	0.053*
C11	0.1431 (3)	0.2446 (5)	0.56864 (13)	0.0384 (10)
C12	0.2518 (3)	0.2350 (6)	0.57983 (14)	0.0473 (11)
H12	0.3018	0.2869	0.5613	0.057*
C13	0.2170 (4)	0.0810 (6)	0.64102 (14)	0.0454 (12)
C14	0.1079 (4)	0.0776 (6)	0.63222 (15)	0.0518 (12)
H14	0.0604	0.0206	0.6507	0.062*
C15	0.0706 (3)	0.1604 (6)	0.59533 (14)	0.0481 (12)
H15	-0.0030	0.1597	0.5884	0.058*
N1	0.3412 (3)	0.1276 (4)	0.44087 (11)	0.0436 (9)
N2	0.2721 (3)	0.2060 (5)	0.47184 (11)	0.0447 (9)
N3	0.2897 (3)	0.1545 (5)	0.61608 (12)	0.0501 (10)
O1	0.4021 (3)	-0.3058 (5)	0.26198 (11)	0.0770 (12)
O2	0.1718 (2)	0.0681 (3)	0.42357 (9)	0.0415 (7)
S	0.05258 (9)	0.22470 (15)	0.48350 (4)	0.0480 (3)
Cl1	0.26557 (11)	-0.01868 (18)	0.68838 (4)	0.0683 (4)

*Atomic displacement parameters (Å<sup>2</sup>)*

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
C1	0.066 (3)	0.076 (4)	0.072 (4)	0.002 (3)	0.013 (3)	-0.028 (3)
C2	0.049 (3)	0.043 (3)	0.049 (3)	-0.003 (2)	0.002 (2)	-0.007 (2)
C3	0.040 (2)	0.046 (3)	0.050 (3)	-0.002 (2)	0.003 (2)	0.000 (2)
C4	0.043 (3)	0.041 (3)	0.041 (3)	-0.003 (2)	-0.008 (2)	-0.002 (2)
C5	0.037 (2)	0.036 (2)	0.038 (2)	-0.004 (2)	-0.0005 (18)	0.008 (2)
C6	0.033 (2)	0.058 (3)	0.061 (3)	0.000 (2)	0.003 (2)	-0.007 (3)
C7	0.044 (3)	0.068 (4)	0.068 (3)	-0.007 (3)	-0.005 (2)	-0.021 (3)
C8	0.037 (2)	0.030 (2)	0.043 (2)	0.000 (2)	-0.0009 (19)	0.003 (2)
C9	0.044 (3)	0.032 (2)	0.043 (3)	0.001 (2)	0.001 (2)	0.004 (2)
C10	0.051 (3)	0.036 (2)	0.045 (3)	0.009 (2)	0.010 (2)	0.001 (2)
C11	0.043 (2)	0.029 (2)	0.044 (2)	0.004 (2)	0.005 (2)	-0.001 (2)
C12	0.046 (2)	0.046 (3)	0.049 (3)	-0.008 (2)	0.008 (2)	-0.001 (2)
C13	0.053 (3)	0.036 (3)	0.048 (3)	0.005 (2)	-0.012 (2)	0.000 (2)
C14	0.045 (3)	0.047 (3)	0.063 (3)	-0.009 (2)	0.005 (2)	0.020 (3)
C15	0.032 (2)	0.050 (3)	0.062 (3)	0.002 (2)	0.001 (2)	0.013 (2)
N1	0.039 (2)	0.043 (2)	0.049 (2)	0.0011 (19)	0.0011 (17)	-0.0014 (19)
N2	0.036 (2)	0.049 (2)	0.049 (2)	0.0006 (18)	0.0023 (16)	-0.0050 (19)
N3	0.042 (2)	0.054 (3)	0.054 (2)	0.000 (2)	0.0002 (19)	0.001 (2)
O1	0.061 (2)	0.098 (3)	0.072 (2)	-0.015 (2)	0.0116 (19)	-0.045 (2)
O2	0.0362 (16)	0.0386 (17)	0.0497 (19)	-0.0011 (14)	-0.0003 (13)	0.0021 (15)

S	0.0375 (6)	0.0510 (7)	0.0556 (7)	0.0047 (6)	0.0017 (5)	0.0007 (7)
C11	0.0728 (9)	0.0660 (9)	0.0661 (8)	-0.0008 (7)	-0.0169 (7)	0.0169 (7)

*Geometric parameters (Å, °)*

C1—O1	1.404 (6)	C9—N2	1.282 (5)
C1—H1A	0.9600	C9—O2	1.361 (5)
C1—H1B	0.9600	C9—S	1.728 (4)
C1—H1C	0.9600	C10—C11	1.500 (5)
C2—O1	1.353 (5)	C10—S	1.816 (4)
C2—C3	1.381 (6)	C10—H10A	0.9700
C2—C7	1.375 (6)	C10—H10B	0.9700
C3—C4	1.378 (5)	C11—C15	1.379 (5)
C3—H3	0.9300	C11—C12	1.383 (6)
C4—C5	1.387 (5)	C12—N3	1.350 (5)
C4—H4	0.9300	C12—H12	0.9300
C5—C6	1.382 (5)	C13—N3	1.310 (5)
C5—C8	1.451 (5)	C13—C14	1.368 (6)
C6—C7	1.375 (6)	C13—C11	1.740 (4)
C6—H6	0.9300	C14—C15	1.373 (6)
C7—H7	0.9300	C14—H14	0.9300
C8—N1	1.289 (5)	C15—H15	0.9300
C8—O2	1.372 (4)	N1—N2	1.411 (4)
O1—C1—H1A	109.5	O2—C9—S	117.3 (3)
O1—C1—H1B	109.5	C11—C10—S	114.1 (3)
H1A—C1—H1B	109.5	C11—C10—H10A	108.7
O1—C1—H1C	109.5	S—C10—H10A	108.7
H1A—C1—H1C	109.5	C11—C10—H10B	108.7
H1B—C1—H1C	109.5	S—C10—H10B	108.7
O1—C2—C3	124.7 (4)	H10A—C10—H10B	107.6
O1—C2—C7	115.9 (4)	C15—C11—C12	117.2 (4)
C3—C2—C7	119.4 (4)	C15—C11—C10	121.5 (4)
C4—C3—C2	120.0 (4)	C12—C11—C10	121.3 (4)
C4—C3—H3	120.0	N3—C12—C11	123.9 (4)
C2—C3—H3	120.0	N3—C12—H12	118.1
C3—C4—C5	120.9 (4)	C11—C12—H12	118.1
C3—C4—H4	119.6	N3—C13—C14	124.7 (4)
C5—C4—H4	119.6	N3—C13—C11	116.2 (3)
C6—C5—C4	118.4 (4)	C14—C13—C11	119.0 (4)
C6—C5—C8	122.6 (4)	C13—C14—C15	118.2 (4)
C4—C5—C8	119.0 (4)	C13—C14—H14	120.9
C7—C6—C5	120.7 (4)	C15—C14—H14	120.9
C7—C6—H6	119.7	C14—C15—C11	119.6 (4)
C5—C6—H6	119.7	C14—C15—H15	120.2
C6—C7—C2	120.6 (4)	C11—C15—H15	120.2
C6—C7—H7	119.7	C8—N1—N2	106.8 (3)
C2—C7—H7	119.7	C9—N2—N1	105.7 (3)

---

N1—C8—O2	111.7 (4)	C13—N3—C12	116.3 (4)
N1—C8—C5	128.6 (4)	C2—O1—C1	118.4 (4)
O2—C8—C5	119.7 (4)	C9—O2—C8	102.5 (3)
N2—C9—O2	113.2 (4)	C9—S—C10	98.1 (2)
N2—C9—S	129.5 (4)		
O1—C2—C3—C4	179.6 (4)	C13—C14—C15—C11	-0.4 (7)
C7—C2—C3—C4	-3.0 (7)	C12—C11—C15—C14	2.6 (7)
C2—C3—C4—C5	0.6 (7)	C10—C11—C15—C14	-176.1 (4)
C3—C4—C5—C6	1.8 (6)	O2—C8—N1—N2	-0.1 (5)
C3—C4—C5—C8	-177.3 (4)	C5—C8—N1—N2	178.7 (4)
C4—C5—C6—C7	-1.8 (7)	O2—C9—N2—N1	0.2 (5)
C8—C5—C6—C7	177.2 (4)	S—C9—N2—N1	-179.1 (3)
C5—C6—C7—C2	-0.6 (7)	C8—N1—N2—C9	0.0 (4)
O1—C2—C7—C6	-179.4 (4)	C14—C13—N3—C12	1.6 (7)
C3—C2—C7—C6	3.0 (8)	C11—C13—N3—C12	-178.6 (3)
C6—C5—C8—N1	-171.9 (4)	C11—C12—N3—C13	0.9 (7)
C4—C5—C8—N1	7.2 (6)	C3—C2—O1—C1	-19.0 (7)
C6—C5—C8—O2	6.8 (6)	C7—C2—O1—C1	163.5 (5)
C4—C5—C8—O2	-174.1 (4)	N2—C9—O2—C8	-0.2 (4)
S—C10—C11—C15	-69.6 (5)	S—C9—O2—C8	179.1 (3)
S—C10—C11—C12	111.7 (4)	N1—C8—O2—C9	0.2 (4)
C15—C11—C12—N3	-3.0 (7)	C5—C8—O2—C9	-178.7 (3)
C10—C11—C12—N3	175.8 (4)	N2—C9—S—C10	-2.2 (5)
N3—C13—C14—C15	-1.8 (8)	O2—C9—S—C10	178.6 (3)
C11—C13—C14—C15	178.4 (4)	C11—C10—S—C9	-79.9 (3)

---