Acta Crystallographica Section E **Structure Reports** Online

ISSN 1600-5368

(Nitrato- κ O)tris[tris(4-fluorophenyl)phosphane-*kP*]copper(I)

Tania N. Hill* and Andreas Roodt

Department of Chemistry, University of the Free State, PO Box 339, Bloemfontein 9300. South Africa

Correspondence e-mail: tania.hill@gmail.com

Received 27 September 2012; accepted 18 October 2012

Key indicators: single-crystal X-ray study; T = 100 K; mean σ (C–C) = 0.003 Å; R factor = 0.035; wR factor = 0.085; data-to-parameter ratio = 18.4.

In the title complex, $[Cu(NO_3)(C_{18}H_{12}F_3P)_3]$, the ligating atoms define a distorted tetrahedon with the three tris(4fluorophenyl)phosphane ligands in the basal positions and the nitrate ligand in the axial position. The intramolecular π - π interaction [centroid–centroid distance = 3.6113(11) Å] between two of the 4-fluorophenyl groups is complemented by both $C-H\cdots F$ and $C-H\cdots O$ interactions with distances in the range 2.51-2.60 Å, resulting in a tight head-to-tail packing.

Related literature

For related complexes, see: Hanna et al. (2005); Stevl (2009); Saravanabharathi et al. (2002); Dyason et al. (1986); Matthew et al. (1971).



Experimental

Crystal data

$[Cu(NO_2)(C_{12}H_{12}F_2P)_2]$	$\nu = 74.954 \ (1)^{\circ}$
$M_r = 1074.29$	$V = 2376.76 (13) \text{ Å}^3$
Triclinic, $P\overline{1}$	Z = 2
a = 9.3861 (3) Å	Mo Ka radiation
b = 12.2552 (4) Å	$\mu = 0.64 \text{ mm}^{-1}$
c = 21.4820 (7) Å	$T = 100 { m K}$
$\alpha = 85.274 \ (2)^{\circ}$	$0.38 \times 0.11 \times 0.08$ r
$\beta = 86.843 \ (1)^{\circ}$	

Data collection

Bruker X8 APEXII 4K KappaCCD diffractometer Absorption correction: multi-scan (SADABS; Bruker, 2004)

 $T_{\min} = 0.792, \ T_{\max} = 0.950$

28458 measured reflections 11760 independent reflections 9439 reflections with $I > 2\sigma(I)$ $R_{\rm int} = 0.030$

.08 mm

Refinement

 $R[F^2 > 2\sigma(F^2)] = 0.035$ 640 parameters $wR(F^2) = 0.085$ H-atom parameters constrained S = 1.05 $\Delta \rho_{\rm max} = 0.40 \text{ e} \text{ Å}^{-3}$ $\Delta \rho_{\rm min} = -0.41$ e Å⁻³ 11760 reflections

Table 1

Selected bond lengths (Å).

O1-Cu1	2.1182 (12)	P2-Cu1	2.2840 (5)
P1-Cu1	2.2901 (5)	P3-Cu1	2.3256 (5)

Table 2

Hydrogen-bond geometry (Å, °).

$\overline{D-\mathrm{H}\cdots A}$	D-H	$H \cdot \cdot \cdot A$	$D \cdots A$	$D - \mathbf{H} \cdots A$
C122-H122···O2	0.95	2.30	3.224 (2)	163
C336-H336···O1	0.95	2.17	3.037 (2)	151
$C126-H126\cdots F22^{i}$	0.95	2.40	3.281 (2)	154
C136-H136O3 ⁱⁱ	0.95	2.53	3.223 (2)	130
C215-H215F13 ⁱⁱⁱ	0.95	2.51	3.301 (2)	141
C315-H315F33 ^{iv}	0.95	2.50	3.403 (2)	159
$C332-H332\cdots F32^{v}$	0.95	2.48	3.131 (2)	125
$C326-H326\cdots F33^{vi}$	0.95	2.36	3.150 (2)	141

Symmetry codes: (i) x - 1, y + 1, z; (ii) x - 1, y, z; (iii) -x + 1, -y + 1, -z + 1; (iv) x, y - 1, z; (v) - x + 1, -y + 2, -z; (vi) - x + 2, -y + 2, -z.

Data collection: APEX2 (Bruker, 2005); cell refinement: SAINT-Plus (Bruker, 2004); data reduction: SAINT-Plus and XPREP (Bruker, 2004); program(s) used to solve structure: SHELXS97 (Sheldrick, 2008); program(s) used to refine structure: SHELXL97 (Sheldrick, 2008); molecular graphics: DIAMOND (Brandenburg & Putz, 2005); software used to prepare material for publication: WinGX (Farrugia, 1999).

Financial assistance from the University of the Free State is gratefully acknowledged. We also express our gratitude towards SASOL and the South African National Research Foundation (SA-NRF/THRIP) for financial support of this project. Part of this material is based on work supported by the SA-NRF/THRIP under grant No. GUN 2068915. Opinions, findings, conclusions or recommendations expressed in this material are those of the authors and do not necessarily reflect the views of the SA-NRF.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: MW2090).

References

- Brandenburg, K. & Putz, H. (2005). DIAMOND. Crystal Impact GbR, Bonn, Germany.
- Bruker (2004). SAINT-Plus and SADABS. Bruker AXS Inc., Madison, Wisconsin, USA.
- Bruker (2005). APEX2. Bruker AXS Inc., Madison, Wisconsin, USA.
- Dyason, J. C., Engelhardt, L. M., Healy, P. C., Klich, H. L. & White, A. H. (1986). Aust. J. Chem. 39, 2003-2011.
- Farrugia, L. J. (1999). J. Appl. Cryst. 32, 837-838.
- Hanna, J. V., Boyd, S. E., Healy, P. C., Bowmaker, G. A., Skelton, B. W. & White, A. H. (2005). J. Chem. Soc. Dalton Trans. pp. 2547-2556.

Matthew, M., Palenik, G. J. & Carty, A. J. (1971). Can. J. Chem. 49, 4119-4121.



Saravanabharathi, D., Monika, Venugopalan, P. & Samuelson, A. G. (2002). Polyhedron, **21**, 2433–2443.

Sheldrick, G. M. (2008). Acta Cryst. A**64**, 112–122. Steyl, G. (2009). Acta Cryst. E**65**, m272.

supporting information

Acta Cryst. (2012). E68, m1396-m1397 [doi:10.1107/S1600536812043346]

(Nitrato-*kO*)tris[tris(4-fluorophenyl)phosphane-*kP*]copper(I)

Tania N. Hill and Andreas Roodt

S1. Comment

The title compound (I) has a copper(I) metal center co-ordinated by three tris-4-fluorophenylphosphane ligands ((*p*-FPh)₃P) and a nitrato ligand. The ligating atoms define a distorted trigonal pyramid which is similar to what was found for [Cu(PPh₃)₃(X)] X = ClO₄⁻, BF₄⁻,NO₃⁻, HCO₂⁻ (Hanna *et al.*, 2005) complexes, where the average P—Cu—P angles are in the range 112.29 (4)° - 121.37 (6)°. While markedly different, the P—Cu—P bond angles for for I (Table 1) fall within this range with an average of 116 (2)°. The dissimilarity observed for the O—Cu—P bond angles (Table 1) are as a result of C—H···O (Figure 4) and O2···π (centroid C221-C226) interactions contributing to the non-linearity of the N1—O1—Cu1 angle and the deviation (14.39 (5)°) of the nitrato ligand from the axial position. The average Cu—P bond lengths for [Cu(PPh₃)₃(NO₃)].EtOH (Dyason *et al.*, 1986), [Cu(PPh₃)₃(NO₃)].MeOH (Steyl, 2009) and I were observed to be 2.329 (9) Å, 2.326 (10) Å and 2.300 (13) Å respectively.

An intermolecular π - π interaction is observed for A (centroid C131—C136)···B (centroid C211—C216) with a distance of 3.6113 (11) Å and is stabilized by the bifurcated hydrogen fluorine interaction C215—H215···F21ⁱⁱⁱ and C215—H215···F21ⁱⁱⁱ and C215—H215···F21ⁱⁱⁱ with H···F distances of 2.61 Å and 2.51 Å respectively (see Figure 2). An additional stabilizing effect arises from the C135ⁱⁱ—H135ⁱⁱ···O2 and C136ⁱⁱ—H136ⁱⁱ···O3 interactions (Figure 4) with H···O distances of 2.58 Å and 2.53 Å. Additional C—H···F interactions are illustrated in Figure 3. All of these interactions contribute to tight packing of I.

S2. Experimental

tris-4-fluorophenylphosphane (2 mmol) was added to a solution of $CuNO_3$ (1 mmol) in warm MeOH (15 ml, 70 °C) and the resulting solution was stirred for *c.a.* 1 h. The solution was filtered and allowed to cool slowly. Crystals suitable for single-crystal X-ray diffraction were obtained from the slow evaporation of the solution.

S3. Refinement

All H atoms were placed in geometrically idealized positions and constrained to ride on their parent atoms, with C—H = 0.95 Å and $U_{iso}(H) = 1.2 U_{eq}(C)$ for aromatic H atoms.



Figure 1

View of I (50% probability displacement ellipsoids). Phenyl rings are numbered Cxyz where *x* represents the phosphane to which the ring is attached, *y* represents the ring number and *z* the atom number in the ring. Only the first phenyl ring is completely numbered for illustrative purpose Hydrogen atoms have been omitted for clarity.



Figure 2

Intermolecular C—H…F and intramolecular π – π interactions (dashed bonds) for I. Symmetry code (iii) -*x* + 1, -*y* + 1, -*z* + 1. Non-relavent hydrogen atoms and phenyl rings have been omitted for clarity.



Figure 3

Intermolecular C—H…F (dashed bonds) for I. Symmetry codes (i) x - 1, y + 1, z, (iv) x, y - 1, z and (vi) -x + 2, -y + 2, -z. Non-relevant hydrogen atoms and phenyl rings have been omitted for clarity.



Figure 4

Inter- and intramolecular C—H···O interactions (dashed bonds) for I. Symmetry code (iii) x - 1, y, z. Non-relevant hydrogen atoms and phenyl rings have been omitted for clarity.

(Nitrato-κO)tris[tris(4-fluorophenyl)phosphane-κP]copper(l)

Crystal data	
$\begin{bmatrix} Cu(NO_3)(C_{18}H_{12}F_3P)_3 \end{bmatrix}$ $M_r = 1074.29$ Triclinic, $P\overline{1}$ Hall symbol: -P 1 a = 9.3861 (3) Å b = 12.2552 (4) Å c = 21.4820 (7) Å a = 85.274 (2)° $\beta = 86.843$ (1)° $\gamma = 74.954$ (1)° V = 2376.76 (13) Å ³	Z = 2 F(000) = 1092 $D_x = 1.501 \text{ Mg m}^{-3}$ Mo K\alpha radiation, \lambda = 0.71073 \mathcal{A} Cell parameters from 9076 reflections $\theta = 2.5-28.2^{\circ}$ $\mu = 0.64 \text{ mm}^{-1}$ T = 100 K Column, colourless $0.38 \times 0.11 \times 0.08 \text{ mm}$
Data collection	
Bruker X8 APEXII 4K KappaCCD diffractometer Radiation source: sealed tube Graphite monochromator Detector resolution: 512 pixels mm ⁻¹ φ and ω scans	Absorption correction: multi-scan (SADABS; Bruker, 2004) $T_{min} = 0.792$, $T_{max} = 0.950$ 28458 measured reflections 11760 independent reflections 9439 reflections with $I > 2\sigma(I)$ $R_{int} = 0.030$

$\theta_{\rm max} = 28.5^{\circ}, \theta_{\rm min} = 2.4^{\circ}$	$k = -16 \rightarrow 16$
$h = -9 \rightarrow 12$	$l = -28 \rightarrow 27$
Refinement	
Refinement on F^2	0 restraints
Least-squares matrix: full	H-atom parameters constrained
$R[F^2 > 2\sigma(F^2)] = 0.035$	$w = 1/[\sigma^2(F_o^2) + (0.0333P)^2 + 0.8637P]$
$wR(F^2) = 0.085$	where $P = (F_o^2 + 2F_c^2)/3$
<i>S</i> = 1.05	$(\Delta/\sigma)_{\rm max} = 0.001$
11760 reflections	$\Delta ho_{ m max} = 0.40$ e Å ⁻³
640 parameters	$\Delta \rho_{\rm min} = -0.41 \text{ e } \text{\AA}^{-3}$
Special details	

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

	X	у	Ζ	$U_{ m iso}$ */ $U_{ m eq}$	
C111	0.64094 (18)	1.01573 (14)	0.27195 (8)	0.0156 (3)	
C112	0.68685 (19)	1.07502 (15)	0.21964 (9)	0.0188 (4)	
H112	0.7894	1.0632	0.2097	0.023*	
C113	0.5860 (2)	1.15064 (16)	0.18194 (9)	0.0214 (4)	
H113	0.6179	1.1905	0.1463	0.026*	
C114	0.4384 (2)	1.16645 (16)	0.19755 (9)	0.0224 (4)	
C115	0.3879 (2)	1.11255 (17)	0.24917 (9)	0.0236 (4)	
H115	0.2851	1.1269	0.2592	0.028*	
C116	0.49013 (19)	1.03644 (16)	0.28659 (9)	0.0200 (4)	
H116	0.4569	0.9981	0.3225	0.024*	
C121	0.88511 (18)	0.99336 (15)	0.35054 (8)	0.0164 (4)	
C122	1.0241 (2)	0.93895 (17)	0.37273 (9)	0.0235 (4)	
H122	1.0636	0.8604	0.3679	0.028*	
C123	1.1054 (2)	0.99874 (18)	0.40190 (10)	0.0302 (5)	
H123	1.2002	0.9621	0.4172	0.036*	
C124	1.0452 (2)	1.11196 (18)	0.40800 (10)	0.0300 (5)	
C125	0.9084 (2)	1.16862 (18)	0.38719 (11)	0.0338 (5)	
H125	0.8696	1.2471	0.3925	0.041*	
C126	0.8282 (2)	1.10793 (16)	0.35806 (10)	0.0261 (4)	
H126	0.7333	1.1454	0.3431	0.031*	
C131	0.67292 (18)	0.86418 (15)	0.38106 (8)	0.0155 (3)	
C132	0.67507 (19)	0.89769 (15)	0.44123 (8)	0.0183 (4)	
H132	0.7372	0.9443	0.4497	0.022*	
C133	0.5868 (2)	0.86338 (16)	0.48895 (9)	0.0217 (4)	
H133	0.5892	0.885	0.5303	0.026*	
C134	0.4963 (2)	0.79770 (16)	0.47510 (9)	0.0214 (4)	
C135	0.49013 (19)	0.76214 (15)	0.41629 (9)	0.0202 (4)	
H135	0.4258	0.717	0.4082	0.024*	
C136	0.58129 (19)	0.79473 (15)	0.36951 (9)	0.0177 (4)	

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\hat{A}^2)

H136	0.5817	0.7695	0.3288	0.021*
C211	0.84201 (19)	0.55517 (15)	0.36385 (8)	0.0169 (4)
C212	0.88652 (19)	0.60020 (16)	0.41492 (9)	0.0203 (4)
H212	0.956	0.6446	0.4086	0.024*
C213	0.8305 (2)	0.58076 (18)	0.47462 (9)	0.0259 (4)
H213	0.861	0.6106	0.5095	0.031*
C214	0.7292 (2)	0.51683 (18)	0.48172 (9)	0.0286 (5)
C215	0.6808 (2)	0.47230 (17)	0.43309 (10)	0.0296 (5)
H215	0.6102	0.429	0.4399	0.036*
C216	0.7382 (2)	0.49225 (16)	0.37315 (9)	0.0225 (4)
H216	0.706	0.4626	0.3385	0.027*
C221	1.10916 (18)	0.48680 (15)	0.29250 (8)	0.0161 (4)
C222	1.2149 (2)	0.49938 (16)	0.24626 (9)	0.0225 (4)
H222	1.1869	0.5508	0.2108	0.027*
C223	1.3602 (2)	0.43753 (17)	0.25149 (11)	0.0288 (5)
H223	1.4323	0.4455	0.2198	0.035*
C224	1.3979 (2)	0.36487 (17)	0.30303 (10)	0.0269 (4)
C225	1.2974 (2)	0.34649 (18)	0.34868 (10)	0.0297 (5)
H225	1.3265	0.2931	0.3832	0.036*
C226	1.1516 (2)	0.40819 (17)	0.34301 (9)	0.0249 (4)
H226	1.0797	0.3967	0.374	0.03*
C231	0.83035 (18)	0.52013 (15)	0.23431 (8)	0.0155 (3)
C232	0.70057 (19)	0.58837 (16)	0.20949 (8)	0.0182 (4)
H232	0.6622	0.6624	0.2232	0.022*
C233	0.6262 (2)	0.55066 (17)	0.16533 (9)	0.0236 (4)
H233	0.5381	0.5978	0.1482	0.028*
C234	0.6842 (2)	0.44263 (18)	0.14708 (9)	0.0238 (4)
C235	0.8096 (2)	0.37125 (17)	0.17122 (10)	0.0263 (4)
H235	0.8451	0.2964	0.1582	0.032*
C236	0.8839 (2)	0.41083 (16)	0.21519 (9)	0.0224 (4)
H236	0.9716	0.363	0.2322	0.027*
C311	1.04880 (18)	0.69465 (14)	0.10744 (8)	0.0140 (3)
C312	1.18958 (18)	0.70551 (15)	0.08908 (8)	0.0168 (4)
H312	1.2172	0.7721	0.0972	0.02*
C313	1.2899 (2)	0.62024 (16)	0.05907 (9)	0.0214 (4)
H313	1.3852	0.6283	0.0459	0.026*
C314	1.2481 (2)	0.52395 (16)	0.04881 (9)	0.0212 (4)
C315	1.1117 (2)	0.50835 (16)	0.06709 (9)	0.0224 (4)
H315	1.0865	0.4404	0.0598	0.027*
C316	1.0117 (2)	0.59482 (15)	0.09661 (9)	0.0192 (4)
H316	0.9168	0.5858	0.1096	0.023*
C321	0.74569 (18)	0.81865 (14)	0.10980 (8)	0.0144 (3)
C322	0.61174 (19)	0.85818 (15)	0.14206 (9)	0.0177 (4)
H322	0.6108	0.8702	0.1852	0.021*
C323	0.4793 (2)	0.88015 (16)	0.11152 (10)	0.0244 (4)
H323	0.3876	0.9072	0.1332	0.029*
C324	0.4848 (2)	0.86173 (16)	0.04930 (10)	0.0241 (4)
C325	0.6133 (2)	0.82046 (17)	0.01569 (9)	0.0248 (4)

H325	0.6123	0.8071	-0.0272	0.03*
C326	0.7452 (2)	0.79875 (16)	0.04667 (8)	0.0196 (4)
H326	0.8361	0.7701	0.0246	0.024*
C331	0.96604 (18)	0.93534 (14)	0.12332 (8)	0.0137 (3)
C332	0.8948 (2)	1.00834 (15)	0.07499 (9)	0.0200 (4)
H332	0.8237	0.9868	0.0522	0.024*
C333	0.9262 (2)	1.11221 (16)	0.05949 (9)	0.0225 (4)
H333	0.8762	1.1625	0.027	0.027*
C334	1.0311 (2)	1.13997 (15)	0.09233 (9)	0.0190 (4)
C335	1.1049 (2)	1.07060 (16)	0.14004 (9)	0.0210 (4)
H335	1.1774	1.0924	0.1618	0.025*
C336	1.07114 (19)	0.96782 (15)	0.15582 (9)	0.0182 (4)
H336	1.1201	0.9191	0.1891	0.022*
N1	1.24915 (16)	0.72517 (14)	0.29043 (8)	0.0232 (4)
01	1.14700 (13)	0.76757 (11)	0.25203 (6)	0.0228 (3)
O2	1.21663 (16)	0.68829 (12)	0.34380 (7)	0.0288 (3)
O3	1.37844 (15)	0.71966 (15)	0.27340 (8)	0.0413 (4)
F11	0.33854 (12)	1.23879 (10)	0.16002 (6)	0.0319 (3)
F12	1.12332 (15)	1.17149 (11)	0.43652 (7)	0.0458 (4)
F13	0.40845 (13)	0.76620 (10)	0.52191 (6)	0.0330 (3)
F21	0.67367 (15)	0.49784 (12)	0.54008 (6)	0.0447 (4)
F22	1.54253 (12)	0.30798 (11)	0.30944 (7)	0.0418 (3)
F23	0.61304 (14)	0.40369 (11)	0.10379 (6)	0.0355 (3)
F31	1.34503 (13)	0.44073 (10)	0.01912 (6)	0.0320 (3)
F32	0.35528 (12)	0.88451 (11)	0.01908 (6)	0.0364 (3)
F33	1.06177 (12)	1.24204 (9)	0.07802 (5)	0.0261 (3)
P1	0.78177 (5)	0.90846 (4)	0.31532 (2)	0.01394 (9)
P2	0.92541 (5)	0.58263 (4)	0.28780 (2)	0.01375 (9)
P3	0.91661 (5)	0.80309 (4)	0.15007 (2)	0.01231 (9)
Cu1	0.92130 (2)	0.766649 (17)	0.258012 (10)	0.01294 (6)

Atomic displacement parameters $(Å^2)$

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
C111	0.0158 (8)	0.0129 (9)	0.0179 (9)	-0.0022 (7)	-0.0035 (7)	-0.0036 (7)
C112	0.0167 (8)	0.0160 (9)	0.0234 (10)	-0.0028 (7)	-0.0020 (7)	-0.0035 (7)
C113	0.0265 (10)	0.0166 (9)	0.0217 (10)	-0.0066 (8)	-0.0040 (8)	0.0000 (7)
C114	0.0231 (9)	0.0154 (9)	0.0281 (11)	-0.0017 (8)	-0.0144 (8)	0.0006 (8)
C115	0.0145 (8)	0.0253 (11)	0.0304 (11)	-0.0027 (8)	-0.0071 (8)	-0.0021 (8)
C116	0.0172 (8)	0.0226 (10)	0.0202 (10)	-0.0046 (8)	-0.0029 (7)	-0.0012 (7)
C121	0.0139 (8)	0.0164 (9)	0.0190 (9)	-0.0034 (7)	-0.0020 (7)	-0.0020 (7)
C122	0.0201 (9)	0.0185 (10)	0.0297 (11)	0.0007 (8)	-0.0072 (8)	-0.0029 (8)
C123	0.0207 (9)	0.0300 (12)	0.0405 (13)	-0.0047 (9)	-0.0131 (9)	-0.0029 (9)
C124	0.0306 (11)	0.0278 (11)	0.0375 (12)	-0.0154 (9)	-0.0142 (9)	-0.0013 (9)
C125	0.0368 (12)	0.0165 (10)	0.0497 (14)	-0.0053 (9)	-0.0207 (10)	-0.0040 (9)
C126	0.0228 (9)	0.0181 (10)	0.0370 (12)	-0.0013 (8)	-0.0143 (9)	-0.0036 (8)
C131	0.0134 (8)	0.0139 (9)	0.0173 (9)	-0.0002 (7)	-0.0016 (7)	0.0001 (7)
C132	0.0196 (9)	0.0149 (9)	0.0199 (9)	-0.0026 (7)	-0.0021 (7)	-0.0027 (7)

C133	0.0258 (10)	0.0186 (10)	0.0177 (10)	0.0002 (8)	-0.0014 (7)	-0.0020(7)
C134	0.0200 (9)	0.0182 (10)	0.0231 (10)	-0.0021 (8)	0.0053 (7)	0.0026 (7)
C135	0.0162 (8)	0.0158 (9)	0.0276 (10)	-0.0029 (7)	-0.0026 (7)	0.0012 (7)
C136	0.0167 (8)	0.0150 (9)	0.0204 (9)	-0.0012 (7)	-0.0023 (7)	-0.0025 (7)
C211	0.0161 (8)	0.0134 (9)	0.0179 (9)	0.0010 (7)	0.0020 (7)	0.0012 (7)
C212	0.0165 (8)	0.0199 (10)	0.0211 (10)	0.0007 (7)	-0.0007 (7)	0.0019 (7)
C213	0.0228 (9)	0.0292 (11)	0.0185 (10)	0.0056 (8)	-0.0010 (8)	0.0001 (8)
C214	0.0302 (11)	0.0268 (11)	0.0197 (10)	0.0042 (9)	0.0103 (8)	0.0067 (8)
C215	0.0323 (11)	0.0214 (11)	0.0338 (12)	-0.0083 (9)	0.0142 (9)	0.0013 (9)
C216	0.0258 (10)	0.0150 (9)	0.0253 (10)	-0.0041 (8)	0.0049 (8)	-0.0005 (8)
C221	0.0153 (8)	0.0129 (9)	0.0197 (9)	-0.0024 (7)	-0.0007 (7)	-0.0022(7)
C222	0.0188 (9)	0.0181 (10)	0.0278 (11)	-0.0018 (8)	0.0018 (8)	0.0034 (8)
C223	0.0175 (9)	0.0226 (11)	0.0441 (13)	-0.0038 (8)	0.0080 (9)	-0.0001 (9)
C224	0.0145 (9)	0.0202 (10)	0.0429 (13)	0.0040 (8)	-0.0076 (8)	-0.0083 (9)
C225	0.0301 (11)	0.0255 (11)	0.0249 (11)	0.0083 (9)	-0.0057 (9)	0.0002 (8)
C226	0.0248 (10)	0.0229 (11)	0.0212 (10)	0.0030 (8)	0.0021 (8)	0.0011 (8)
C231	0.0146 (8)	0.0160 (9)	0.0162 (9)	-0.0052 (7)	0.0026 (7)	-0.0002(7)
C232	0.0187 (8)	0.0163 (9)	0.0204 (9)	-0.0068 (7)	0.0009 (7)	0.0014 (7)
C233	0.0231 (9)	0.0255 (11)	0.0241 (10)	-0.0110 (8)	-0.0043 (8)	0.0044 (8)
C234	0.0273 (10)	0.0337 (12)	0.0169 (10)	-0.0189 (9)	-0.0003 (8)	-0.0031 (8)
C235	0.0235 (9)	0.0238 (11)	0.0344 (12)	-0.0089 (8)	0.0054 (8)	-0.0143 (9)
C236	0.0167 (9)	0.0191 (10)	0.0305 (11)	-0.0021 (7)	0.0020 (8)	-0.0073 (8)
C311	0.0144 (8)	0.0148 (9)	0.0121 (8)	-0.0030 (7)	-0.0020 (6)	0.0013 (6)
C312	0.0154 (8)	0.0153 (9)	0.0196 (9)	-0.0040 (7)	-0.0021 (7)	0.0003 (7)
C313	0.0146 (8)	0.0218 (10)	0.0266 (10)	-0.0028 (7)	0.0005 (7)	-0.0012 (8)
C314	0.0225 (9)	0.0176 (10)	0.0202 (10)	0.0013 (8)	0.0009 (7)	-0.0039 (7)
C315	0.0290 (10)	0.0154 (9)	0.0242 (10)	-0.0087 (8)	0.0022 (8)	-0.0028(7)
C316	0.0199 (9)	0.0174 (9)	0.0214 (10)	-0.0077 (7)	0.0023 (7)	-0.0005 (7)
C321	0.0147 (8)	0.0135 (8)	0.0164 (9)	-0.0067 (7)	-0.0028 (6)	0.0019 (7)
C322	0.0167 (8)	0.0159 (9)	0.0213 (10)	-0.0052 (7)	-0.0024 (7)	-0.0015 (7)
C323	0.0131 (8)	0.0223 (10)	0.0379 (12)	-0.0049 (8)	-0.0032 (8)	-0.0008 (8)
C324	0.0190 (9)	0.0205 (10)	0.0358 (12)	-0.0108 (8)	-0.0165 (8)	0.0094 (8)
C325	0.0312 (10)	0.0270 (11)	0.0207 (10)	-0.0155 (9)	-0.0107 (8)	0.0048 (8)
C326	0.0200 (9)	0.0232 (10)	0.0177 (9)	-0.0098 (8)	-0.0030 (7)	0.0020 (7)
C331	0.0133 (8)	0.0128 (8)	0.0152 (9)	-0.0039 (7)	0.0030 (6)	-0.0024 (6)
C332	0.0233 (9)	0.0187 (10)	0.0199 (10)	-0.0087 (8)	-0.0051 (7)	0.0013 (7)
C333	0.0300 (10)	0.0178 (10)	0.0191 (10)	-0.0063 (8)	-0.0041 (8)	0.0051 (7)
C334	0.0224 (9)	0.0125 (9)	0.0225 (10)	-0.0066 (7)	0.0099 (7)	-0.0033 (7)
C335	0.0178 (9)	0.0188 (10)	0.0290 (11)	-0.0086 (8)	-0.0003 (7)	-0.0044 (8)
C336	0.0155 (8)	0.0170 (9)	0.0226 (10)	-0.0049 (7)	-0.0034 (7)	0.0003 (7)
N1	0.0156 (7)	0.0231 (9)	0.0315 (10)	-0.0032(7)	-0.0046 (7)	-0.0089 (7)
01	0.0144 (6)	0.0267 (7)	0.0269 (7)	-0.0059 (6)	-0.0067 (5)	0.0062 (6)
O2	0.0338 (8)	0.0245 (8)	0.0250 (8)	-0.0007 (6)	-0.0099 (6)	0.0000 (6)
03	0.0131 (7)	0.0582 (11)	0.0545 (11)	-0.0075 (7)	-0.0034 (7)	-0.0180 (9)
F11	0.0277 (6)	0.0272 (7)	0.0392 (7)	-0.0039 (5)	-0.0192 (5)	0.0091 (5)
F12	0.0462 (8)	0.0346 (8)	0.0653 (10)	-0.0196 (6)	-0.0318 (7)	-0.0038 (7)
F13	0.0361 (7)	0.0334 (7)	0.0298 (7)	-0.0134 (6)	0.0123 (5)	0.0017 (5)
F21	0.0517 (8)	0.0537 (9)	0.0229 (7)	-0.0095 (7)	0.0156 (6)	0.0076 (6)

supporting information

F22	0.0165 (6)	0.0341 (8)	0.0685 (10)	0.0086 (5)	-0.0121 (6)	-0.0083 (7)
F23	0.0444 (7)	0.0440 (8)	0.0280 (7)	-0.0263 (6)	-0.0070 (6)	-0.0078 (6)
F31	0.0287 (6)	0.0238 (6)	0.0409 (7)	-0.0006 (5)	0.0087 (5)	-0.0140 (5)
F32	0.0242 (6)	0.0418 (8)	0.0470 (8)	-0.0159 (6)	-0.0236 (5)	0.0143 (6)
F33	0.0366 (6)	0.0156 (6)	0.0289 (6)	-0.0135 (5)	0.0089 (5)	-0.0020 (5)
P1	0.0130 (2)	0.0125 (2)	0.0160 (2)	-0.00207 (17)	-0.00181 (16)	-0.00245 (17)
P2	0.0129 (2)	0.0121 (2)	0.0153 (2)	-0.00204 (17)	-0.00006 (16)	0.00020 (17)
P3	0.01112 (19)	0.0127 (2)	0.0135 (2)	-0.00410 (17)	-0.00106 (16)	0.00032 (16)
Cu1	0.01211 (10)	0.01249 (11)	0.01381 (11)	-0.00253 (8)	-0.00091 (8)	-0.00025 (8)

Geometric parameters (Å, °)

C111—C116	1.394 (2)	С225—Н225	0.95
C111—C112	1.397 (3)	С226—Н226	0.95
C111—P1	1.8372 (18)	C231—C236	1.391 (2)
C112—C113	1.384 (3)	C231—C232	1.392 (2)
C112—H112	0.95	C231—P2	1.8209 (18)
C113—C114	1.375 (3)	C232—C233	1.383 (3)
С113—Н113	0.95	С232—Н232	0.95
C114—F11	1.359 (2)	C233—C234	1.375 (3)
C114—C115	1.369 (3)	С233—Н233	0.95
C115—C116	1.391 (3)	C234—F23	1.359 (2)
С115—Н115	0.95	C234—C235	1.370 (3)
C116—H116	0.95	C235—C236	1.392 (3)
C121—C126	1.386 (3)	С235—Н235	0.95
C121—C122	1.392 (2)	С236—Н236	0.95
C121—P1	1.8249 (17)	C311—C312	1.395 (2)
C122—C123	1.389 (3)	C311—C316	1.396 (2)
C122—H122	0.95	C311—P3	1.8340 (18)
C123—C124	1.370 (3)	C312—C313	1.388 (3)
С123—Н123	0.95	C312—H312	0.95
C124—F12	1.359 (2)	C313—C314	1.374 (3)
C124—C125	1.371 (3)	С313—Н313	0.95
C125—C126	1.390 (3)	C314—F31	1.355 (2)
С125—Н125	0.95	C314—C315	1.375 (3)
С126—Н126	0.95	C315—C316	1.391 (3)
C131—C132	1.391 (2)	С315—Н315	0.95
C131—C136	1.401 (2)	C316—H316	0.95
C131—P1	1.8263 (18)	C321—C322	1.392 (2)
C132—C133	1.389 (3)	C321—C326	1.398 (2)
С132—Н132	0.95	C321—P3	1.8236 (17)
C133—C134	1.371 (3)	C322—C323	1.391 (2)
С133—Н133	0.95	С322—Н322	0.95
C134—F13	1.360 (2)	C323—C324	1.370 (3)
C134—C135	1.379 (3)	С323—Н323	0.95
C135—C136	1.385 (2)	C324—F32	1.363 (2)
С135—Н135	0.95	C324—C325	1.371 (3)
С136—Н136	0.95	C325—C326	1.392 (2)

C211—C216	1 389 (2)	С325—Н325	0.95
$C_{211} = C_{212}$	1 397 (3)	C326—H326	0.95
C211—P2	1.8166 (18)	$C_{321} - C_{332}$	1 392 (2)
C_{212} C_{213}	1 385 (3)	$C_{331} - C_{336}$	1.392(2) 1 394(2)
C212 C213	0.95	C331_P3	1.394(2) 1.8385(17)
$C_{212} - 11212$	1 376 (3)	$C_{331} = 15$	1.0000(17)
$C_{213} = C_{214}$	0.95	C332 H332	1.590 (2)
C217-11213	1.357(2)	C333 C334	1 368 (3)
$C_{214} - C_{215}$	1.357(2) 1.367(2)	C333 H333	1.508 (5)
$C_{214} = C_{215}$	1.307 (3)	C334 F33	0.95
C215 H215	0.05	C_{334} C_{335}	1.3024(19) 1.372(3)
$C_{216} = H_{216}$	0.95	$C_{335} = C_{335}$	1.372(3)
$C_{210} - 11210$	0.95	$C_{225} = U_{225}$	1.388 (2)
$C_{221} - C_{220}$	1.393(3) 1.202(2)	С335—П355	0.95
$C_{221} - C_{222}$	1.393(2)	C330—H330	0.95
C221—F2	1.8199 (18)	NI-03	1.234(2)
C222—C223	1.385 (3)	NI-O2	1.249 (2)
С222—Н222	0.95		1.2/5/(19)
C223—C224	1.364 (3)	OI—Cui	2.1182 (12)
C223—H223	0.95	PI—Cul	2.2901 (5)
C224—F22	1.364 (2)	P2—Cul	2.2840 (5)
C224—C225	1.370 (3)	P3—Cul	2.3256 (5)
C225—C226	1.387 (3)		
C116 C111 C112	119 42 (16)	C231 C232 H232	110.2
$C_{110} - C_{111} - C_{112}$	110.43(10) 122.28(14)	$C_{231} - C_{232} - C_{232}$	117.5
$C_{110} - C_{111} - F_1$	125.20(14) 118.20(12)	$C_{234} = C_{235} = C_{232}$	117.07 (16)
	118.20(13) 121.24(17)	C234—C233—H233	121.2
	121.34 (17)	C232—C233—H233	121.2
C113—C112—H112	119.3	F23-C234-C235	118.14 (18)
CIII—CII2—HII2	119.3	$F_{23} = C_{234} = C_{233}$	118.74 (18)
	118.08 (18)	$C_{235} - C_{234} - C_{233}$	123.11 (17)
C114—C113—H113	121	$C_{234} - C_{235} - C_{236}$	118.50 (18)
СП2—СП3—НП3	121	C234—C235—H235	120.8
F11—C114—C115	118.73 (17)	C236—C235—H235	120.8
F11—C114—C113	118.43 (17)	C231—C236—C235	120.30 (18)
C115—C114—C113	122.83 (17)	C231—C236—H236	119.8
C114—C115—C116	118.59 (17)	C235—C236—H236	119.8
C114—C115—H115	120.7	C312—C311—C316	118.70 (16)
C116—C115—H115	120.7	C312—C311—P3	121.87 (13)
C115—C116—C111	120.70 (18)	C316—C311—P3	119.29 (13)
C115—C116—H116	119.7	C313—C312—C311	120.86 (16)
C111—C116—H116	119.7	C313—C312—H312	119.6
C126—C121—C122	119.30 (16)	C311—C312—H312	119.6
C126—C121—P1	122.57 (13)	C314—C313—C312	118.43 (16)
C122—C121—P1	118.08 (14)	С314—С313—Н313	120.8
C123—C122—C121	120.47 (18)	С312—С313—Н313	120.8
C123—C122—H122	119.8	F31—C314—C313	118.77 (16)
C121—C122—H122	119.8	F31—C314—C315	118.34 (17)
C124—C123—C122	118.28 (18)	C313—C314—C315	122.88 (17)

C124—C123—H123	120.9	C314—C315—C316	118.14 (17)
C122—C123—H123	120.9	C314—C315—H315	120.9
F12—C124—C123	118.94 (18)	C316—C315—H315	120.9
F12—C124—C125	117.93 (19)	C315—C316—C311	120.98 (16)
C123—C124—C125	123.13 (18)	C315—C316—H316	119.5
C124—C125—C126	118.07 (19)	C311—C316—H316	119.5
C124—C125—H125	121	C322—C321—C326	119.14 (16)
C126—C125—H125	121	C322—C321—P3	118 73 (13)
$C_{121} - C_{126} - C_{125}$	120 75 (18)	C326—C321—P3	122.01(13)
C121—C126—H126	119.6	$C_{323} - C_{322} - C_{321}$	122.01(13) 120.44(17)
$C_{125} - C_{126} - H_{126}$	119.6	$C_{323} = C_{322} = H_{322}$	119.8
$C_{122} = C_{121} = C_{131} = C_{136}$	118.98 (16)	C321—C322—H322	119.8
C_{132} C_{131} P_{1}	123 15 (13)	C_{324} C_{323} C_{322}	119.0 118.23(17)
C_{136} C_{131} P_{1}	117.86 (13)	C324 C323 C322	120.9
$C_{133} = C_{131} = C_{131}$	120.30 (15)	C322 C323 H323	120.9
$C_{133} = C_{132} = C_{131}$	120.39 (10)	$E_{322} = C_{323} = 11523$	120.9 118 35 (18)
$C_{133} - C_{132} - H_{132}$	119.0	$F_{32} = C_{324} = C_{325}$	110.33(10)
C131 - C132 - C132	119.8	$F_{32} = C_{324} = C_{325}$	117.93(18) 122.70(17)
C134 - C133 - C132	118.33 (17)	$C_{323} - C_{324} - C_{323}$	123.70(17)
C134—C133—H133	120.7	$C_{324} - C_{325} - C_{326}$	117.62 (18)
CI32—CI33—HI33	120.7	C324—C325—H325	121.2
F13—C134—C133	118.11 (17)	C326—C325—H325	121.2
F13—C134—C135	118.56 (16)	C325—C326—C321	120.84 (17)
C133—C134—C135	123.33 (17)	C325—C326—H326	119.6
C134—C135—C136	117.47 (16)	C321—C326—H326	119.6
C134—C135—H135	121.3	C332—C331—C336	118.71 (16)
C136—C135—H135	121.3	C332—C331—P3	122.55 (13)
C135—C136—C131	121.24 (17)	C336—C331—P3	118.56 (13)
C135—C136—H136	119.4	C333—C332—C331	121.02 (16)
C131—C136—H136	119.4	С333—С332—Н332	119.5
C216—C211—C212	119.37 (17)	С331—С332—Н332	119.5
C216—C211—P2	123.31 (14)	C334—C333—C332	118.15 (17)
C212—C211—P2	117.31 (13)	С334—С333—Н333	120.9
C213—C212—C211	120.73 (18)	С332—С333—Н333	120.9
C213—C212—H212	119.6	F33—C334—C333	118.72 (17)
C211—C212—H212	119.6	F33—C334—C335	118.29 (16)
C214—C213—C212	117.87 (19)	C333—C334—C335	122.97 (17)
C214—C213—H213	121.1	C334—C335—C336	118.45 (17)
C212—C213—H213	121.1	С334—С335—Н335	120.8
F21—C214—C215	118.41 (19)	С336—С335—Н335	120.8
F21—C214—C213	118.1 (2)	C335—C336—C331	120.68 (17)
C215—C214—C213	123.51 (18)	С335—С336—Н336	119.7
C214—C215—C216	118.15 (19)	С331—С336—Н336	119.7
C_{214} C_{215} H_{215}	120.9	03 - N1 - 02	121.54 (17)
C216—C215—H215	120.9	03—N1—01	118.99 (17)
$C_{211} - C_{216} - C_{215}$	120.35 (19)	02—N1—01	119.45 (15)
$C_{211} - C_{216} - H_{216}$	119.8	N1-01-Cu1	129.87 (11)
$C_{215} - C_{216} - H_{216}$	119.8	$C_{121} = P_{1} = C_{131}$	103.52 (8)
$C_{226} - C_{221} - C_{222}$	118.76 (17)	$C_{121} = P_1 = C_{111}$	102.89 (8)

C226—C221—P2	122 63 (14)	C131—P1—C111	101 99 (8)
$C_{222} = C_{221} = P_2$	118 38 (14)	C_{121} P_{1} C_{11}	115 18 (6)
C_{223} C_{222} C_{221}	120 54 (18)	C_{131} P1 C_{u1}	116.00 (6)
C223—C222—H222	1197	C_{111} $-P_{1}$ $-C_{111}$	115 38 (6)
$C_{221} = C_{222} = H_{222}$	119.7	$C_{211} = P_{2} = C_{221}$	102 44 (8)
C_{224} C_{223} C_{222}	118 67 (18)	$C_{211} = P_{2} = C_{231}$	103.80 (8)
C224 C223 C222	120.7	$C_{211} = P_{2} = C_{231}$	103.00 (8)
$C_{22} = C_{223} = H_{223}$	120.7	$C_{211} = P_{2} = C_{11}$	117.00(6)
F_{22} C_{223} F_{22} C_{223} F_{22} C_{223}	118 50 (18)	$C_{211} = P_{22} = C_{11}$	114 73 (6)
$F_{22} = C_{224} = C_{225}$	118.46 (19)	$C_{221} = 12 = Cu1$	112 79 (6)
$C_{223} C_{224} C_{225}$	123.04 (18)	$C_{221} = P_{2} = C_{311}$	102.69 (8)
$C_{223} = C_{224} = C_{225} = C_{226}$	123.04(10) 118.02(10)	$C_{321} = P_3 = C_{331}$	102.09(0)
$C_{224} = C_{225} = C_{220}$	121	$C_{311} P_3 C_{331}$	101.01 (8)
$C_{224} = C_{225} = H_{225}$	121	$C_{321} = P_3 = C_{321}$	110.88 (6)
$C_{220} - C_{223} - M_{223}$	121	$C_{321} = 13 = Cu1$	113.00(0)
$C_{225} = C_{226} = C_{221}$	110.6	$C_{221} = P_{2} = C_{11}$	113.47 (0)
$C_{223} - C_{220} - H_{220}$	119.0	$C_{331} - 1_{3} - C_{01}$	113.16(0) 103.06(4)
$C_{221} - C_{220} - H_{220}$	119.0 118.07.(16)	O1 - Cu1 - F2	103.90(4)
$C_{230} - C_{231} - C_{232}$	110.97(10) 122.58(14)	$D_1 = C_{u1} = P_1$	112.11(4) 110.527(18)
$C_{230} = C_{231} = P_2$	125.38(14) 117.28(12)	P_2 — Cu_1 — P_1	119.337 (18)
$C_{232} = C_{231} = F_2$	117.30(13) 121.42(18)	$D_1 = C_{11} = P_2$	87.93 (4) 112 280 (18)
$C_{233} = C_{232} = C_{231}$	121.42 (10)	r_2 —Cu1— r_3 D1 Cu1 D2	112.209(10)
С233—С232—Н232	119.5	FI-CuI-F3	115.705 (18)
C116 C111 C112 C113	-16(3)	C332 C331 C336 C335	-0.4(3)
P1 = C111 = C112 = C113	1.0(3) 174.03(14)	$P_3 = C_{331} = C_{336} = C_{335}$	-175.65(14)
$C_{111} = C_{112} = C_{113} = C_{114}$	1/4.93(14)	13 - C331 - C330 - C333	175.05(14) 168 52 (13)
$C_{112} = C_{112} = C_{113} = C_{114} = E_{114}$	-17864(16)	$O_2 = N_1 = O_1 = Cu_1$	-101(2)
C_{112} C_{113} C_{114} C_{115}	-1/6.04(10) 1 4 (2)	$C_{126} = C_{121} = D_1 = C_{121}$	-10.1(2)
C112 - C113 - C114 - C115	1.4(3) 178 20(16)	$C_{120} - C_{121} - F_1 - C_{131}$	-80.10(17)
$\Gamma_{11} = C_{114} = C_{115} = C_{116}$	-1.6(2)	C_{122} C_{121} P_1 C_{111}	91.29(10) 10.76(18)
$C_{113} - C_{114} - C_{113} - C_{110}$	-1.0(3)	C_{120} C_{121} P_1 C_{111}	19.70(10)
$C_{114} - C_{113} - C_{116} - C_{115}$	0.2(3)	C122— $C121$ — $P1$ — $C111$	-102.80(13)
C_{112} $-C_{111}$ $-C_{116}$ $-C_{115}$	1.4(3)	$C_{120} - C_{121} - F_1 - C_{01}$	140.10(13)
$\mathbf{F} = \mathbf{C} \mathbf{I} \mathbf{I} \mathbf{I} \mathbf{I} \mathbf{C} \mathbf{I} \mathbf{I} \mathbf{I} \mathbf{I} \mathbf{I} \mathbf{I} \mathbf{I} I$	-1/3.00(14)	C_{122} C_{121} P_1 C_{121}	-30.39(17)
C120 - C121 - C122 - C123	-0.2(3)	C132 - C131 - P1 - C121	2.17(17)
P1 - C121 - C122 - C123	-1//8(10)	C130 - C131 - P1 - C121	-1/8.98(14)
C121 - C122 - C123 - C124	-0.1(3)	C_{132} C_{131} P_1 C_{111}	-104.43(13)
C122 - C123 - C124 - F12	1/9.89(19)	C_{130} C_{131} P_1 C_{211}	74.42(13)
C122 - C123 - C124 - C125	0.0 (4)	C132 - C131 - P1 - Cu1	129.34 (14)
F12 - C124 - C125 - C126	-1/9.9(2)	C136 $C131$ $P1$ $C121$	-51.81(15)
C123 - C124 - C125 - C126	-0.6(4)	C110 - C111 - P1 - C121	-115.02(15)
C122 - C121 - C126 - C125	0.2(3)	CI12 - CI11 - PI - C121	68.61 (15)
PI - C12I - C126 - C125	1//.03(1/)	C116 - C111 - P1 - C131	-7.93(17)
C124 - C125 - C126 - C121	0.2(3)	$C_{112} - C_{111} - P_1 - C_{131}$	1/5./0(14)
$C_{130} - C_{131} - C_{132} - C_{133}$	-0.5(3)	CIID-CIII-PI-Cul	118./0(14)
P1—C131—C132—C133	1/8.38 (14)	CII2—CIII—PI—Cul	-57.67 (15)
C131—C132—C133—C134	-1 1 (3)	(2) + 6 - (2) + 1 - P - (2) - (2) + 1 - P - (2) - (2) + 1 - P - (2) +	-10451(16)
G100 G100 G104 E10	1.1 (5)		75.22 (15)
C132—C133—C134—F13	-178.86 (16)	C212—C211—P2—C221	75.32 (15)

F13-C134-C135-C136	-179.62 (16)	C212—C211—P2—C231	-176.01 (14)
C133—C134—C135—C136	0.4 (3)	C216—C211—P2—Cu1	129.11 (14)
C134—C135—C136—C131	-2.0 (3)	C212—C211—P2—Cu1	-51.06 (15)
C132—C131—C136—C135	2.0 (3)	C226—C221—P2—C211	6.02 (17)
P1-C131-C136-C135	-176.86 (14)	C222—C221—P2—C211	-168.41 (14)
C216—C211—C212—C213	1.3 (3)	C226—C221—P2—C231	-102.03 (16)
P2-C211-C212-C213	-178.51 (14)	C222—C221—P2—C231	83.53 (15)
C211—C212—C213—C214	-0.6 (3)	C226—C221—P2—Cu1	133.86 (14)
C212—C213—C214—F21	-179.82 (17)	C222—C221—P2—Cu1	-40.58 (16)
C212—C213—C214—C215	-0.3 (3)	C236—C231—P2—C211	-94.43 (16)
F21—C214—C215—C216	179.91 (17)	C232—C231—P2—C211	88.54 (14)
C213—C214—C215—C216	0.4 (3)	C236—C231—P2—C221	12.62 (17)
C212—C211—C216—C215	-1.2 (3)	C232—C231—P2—C221	-164.42 (13)
P2-C211-C216-C215	178.61 (15)	C236—C231—P2—Cu1	137.95 (14)
C214—C215—C216—C211	0.4 (3)	C232—C231—P2—Cu1	-39.08(15)
C226—C221—C222—C223	-2.1 (3)	C322—C321—P3—C311	155.05 (14)
P2-C221-C222-C223	172.58 (15)	$C_{326} - C_{321} - P_3 - C_{311}$	-28.92(16)
$C_{221} - C_{222} - C_{223} - C_{224}$	-0.5(3)	C_{322} C_{321} P_{3} C_{331}	-97.54(14)
$C_{222} = C_{223} = C_{224} = F_{22}$	-17699(17)	$C_{326} - C_{321} - P_{3} - C_{331}$	78 49 (16)
$C_{222} = C_{223} = C_{224} = C_{225}$	2.9(3)	$C_{322} = C_{321} = P_3 = C_{11}$	28 18 (16)
F_{22} C_{224} C_{225} C_{226}	177.41 (18)	$C_{326} - C_{321} - P_3 - C_{u1}$	-155.80(12)
C223—C224—C225—C226	-2.5(3)	C312—C311—P3—C321	135.09 (15)
$C_{224} - C_{225} - C_{226} - C_{221}$	-0.3(3)	$C_{316} - C_{311} - P_{3} - C_{321}$	-49.29(16)
C_{222} C_{221} C_{226} C_{225}	2.5 (3)	C_{312} C_{311} P_{3} C_{331}	29.31 (16)
P2-C221-C226-C225	-171.92(16)	C316—C311—P3—C331	-155.07(14)
$C_{236} - C_{231} - C_{232} - C_{233}$	-1.5(3)	C312—C311—P3—Cu1	-94.04 (14)
P_2 — C_{231} — C_{232} — C_{233}	175.64 (14)	C_{316} C_{311} P_{3} C_{u1}	81.58 (15)
$C_{231} - C_{232} - C_{233} - C_{234}$	0.6 (3)	C_{332} C_{331} P_{3} C_{321}	-10.69(17)
C232—C233—C234—F23	179.96 (16)	C336—C331—P3—C321	164.33 (14)
C232—C233—C234—C235	1.0 (3)	C332—C331—P3—C311	95.75 (16)
F23-C234-C235-C236	179.45 (17)	$C_{336} - C_{331} - P_3 - C_{311}$	-89.23(15)
C233—C234—C235—C236	-1.6(3)	C332—C331—P3—Cu1	-140.71(14)
$C_{232} - C_{231} - C_{236} - C_{235}$	0.9(3)	C336—C331—P3—Cu1	34.31 (15)
P2-C231-C236-C235	-176.07(15)	N1-O1-Cu1-P2	-47.17(15)
$C_{234} - C_{235} - C_{236} - C_{231}$	0.6 (3)	N1 - O1 - Cu1 - P1	83.31 (15)
C316—C311—C312—C313	1.7 (3)	N1-O1-Cu1-P3	-159.63(15)
P3—C311—C312—C313	177.38 (14)	C211—P2—Cu1—O1	115.58 (8)
C311—C312—C313—C314	-1.1 (3)	C221—P2—Cu1—O1	-4.47 (8)
C312—C313—C314—F31	179.49 (16)	C231—P2—Cu1—O1	-124.11 (7)
C312—C313—C314—C315	-0.2 (3)	C211—P2—Cu1—P1	-10.33(7)
F31—C314—C315—C316	-178.93 (17)	C221—P2—Cu1—P1	-130.38 (6)
C313—C314—C315—C316	0.7 (3)	$C_{231} - P_{2} - C_{u1} - P_{1}$	109.98 (6)
$C_{314} - C_{315} - C_{316} - C_{311}$	0.0(3)	$C_{211} = P_{2} = C_{u1} = P_{3}$	-150.88(7)
C312—C311—C316—C315	-1.2 (3)	C221—P2—Cu1—P3	89.07 (7)
P3—C311—C316—C315	-176.91 (14)	C231—P2—Cu1—P3	-30.58 (6)
$C_{326} - C_{321} - C_{322} - C_{323}$	-1.5 (3)	C_{121} = P1 = Cu1 = O1	-3.63(8)
P3—C321—C322—C323	174.63 (14)	C131—P1—Cu1—O1	-124.75(7)
$C_{321} - C_{322} - C_{323} - C_{324}$	0.1 (3)	C_{111} P_{1} C_{u1} O_{1}	116.10(7)
	(0)		

C322—C323—C324—F32	-179.21 (16)	C121—P1—Cu1—P2	118.34 (7)
C322—C323—C324—C325	1.5 (3)	C131—P1—Cu1—P2	-2.78 (7)
F32—C324—C325—C326	179.20 (16)	C111—P1—Cu1—P2	-121.93 (6)
C323—C324—C325—C326	-1.5 (3)	C121—P1—Cu1—P3	-102.42 (7)
C324—C325—C326—C321	0.0 (3)	C131—P1—Cu1—P3	136.47 (6)
C322—C321—C326—C325	1.5 (3)	C111—P1—Cu1—P3	17.32 (6)
P3—C321—C326—C325	-174.51 (14)	C321—P3—Cu1—O1	-179.52 (8)
C336—C331—C332—C333	-0.6 (3)	C311—P3—Cu1—O1	58.78 (7)
P3—C331—C332—C333	174.43 (14)	C331—P3—Cu1—O1	-59.34 (7)
C331—C332—C333—C334	1.2 (3)	C321—P3—Cu1—P2	76.24 (7)
C332—C333—C334—F33	-179.35 (16)	C311—P3—Cu1—P2	-45.46 (6)
C332—C333—C334—C335	-0.7 (3)	C331—P3—Cu1—P2	-163.59 (6)
F33—C334—C335—C336	178.36 (15)	C321—P3—Cu1—P1	-65.89 (7)
C333—C334—C335—C336	-0.2 (3)	C311—P3—Cu1—P1	172.40 (6)
C334—C335—C336—C331	0.8 (3)	C331—P3—Cu1—P1	54.28 (6)

Hydrogen-bond geometry (Å, °)

D—H···A	D—H	H···A	D····A	D—H···A
C122—H122····O2	0.95	2.30	3.224 (2)	163
С336—Н336…О1	0.95	2.17	3.037 (2)	151
C126—H126…F22 ⁱ	0.95	2.40	3.281 (2)	154
C136—H136…O3 ⁱⁱ	0.95	2.53	3.223 (2)	130
C215—H215…F13 ⁱⁱⁱ	0.95	2.51	3.301 (2)	141
C315—H315…F33 ^{iv}	0.95	2.50	3.403 (2)	159
C332—H332···F32 ^v	0.95	2.48	3.131 (2)	125
C326—H326…F33 ^{vi}	0.95	2.36	3.150 (2)	141

Symmetry codes: (i) *x*-1, *y*+1, *z*; (ii) *x*-1, *y*, *z*; (iii) -*x*+1, -*y*+1, -*z*+1; (iv) *x*, *y*-1, *z*; (v) -*x*+1, -*y*+2, -*z*; (vi) -*x*+2, -*y*+2, -*z*.