

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

2,3-Bis(thiophen-3-yl)quinoxaline

Guy Crundwell* and Jorge de Freitas

Department of Chemistry, Central Connecticut State University, New Britain, CT 06053, USA

Correspondence e-mail: crundwellg@mail.ccsu.edu


Received 7 February 2013; accepted 12 February 2013

Key indicators: single-crystal X-ray study; $T = 293$ K; mean $\sigma(\text{C}-\text{C}) = 0.003$ Å; R factor = 0.057; wR factor = 0.183; data-to-parameter ratio = 26.2.

In the title compound, $\text{C}_{16}\text{H}_{10}\text{N}_2\text{S}_2$, the thienyl rings are inclined to one another by $62.71(10)^\circ$, and are inclined by $63.94(8)$ and $21.35(8)^\circ$ to the quinoline mean plane [maximum deviation = $0.031(2)$ Å]. In the crystal, the molecules pack in a herringbone pattern, with π - π stacking interactions [centroid-centroid distances = $3.7381(15)$ and $3.7268(15)$ Å].

Related literature

For the synthesis of the title compound, and the crystal structure of the 2,3-di(thiophen-2-yl)quinoxaline analogue, see: Crundwell *et al.* (2003). For the structure of a similar compound, see: Cantalupo *et al.* (2010).



Experimental

Crystal data

 $\text{C}_{16}\text{H}_{10}\text{N}_2\text{S}_2$ $M_r = 294.38$ Monoclinic, $P2_1/c$ $a = 15.966(2)$ Å $b = 5.5741(15)$ Å $c = 15.629(4)$ Å $\beta = 98.25(2)^\circ$ $V = 1376.5(6)$ Å³ $Z = 4$ Mo $K\alpha$ radiation $\mu = 0.38$ mm⁻¹ $T = 293$ K $0.45 \times 0.44 \times 0.39$ mm

Data collection

Oxford Diffraction Xcalibur

Sapphire3 diffractometer

Absorption correction: multi-scan

(CrysAlis PRO; Oxford

Diffraction, 2009)

 $T_{\min} = 0.731$, $T_{\max} = 1.000$

30279 measured reflections

4745 independent reflections

2660 reflections with $I > 2\sigma(I)$ $R_{\text{int}} = 0.087$

Refinement

 $R[F^2 > 2\sigma(F^2)] = 0.057$ $wR(F^2) = 0.183$ $S = 0.92$

4745 reflections

181 parameters

H-atom parameters constrained

 $\Delta\rho_{\text{max}} = 0.44$ e Å⁻³ $\Delta\rho_{\text{min}} = -0.50$ e Å⁻³

Data collection: *CrysAlis CCD* (Oxford Diffraction, 2009); cell refinement: *CrysAlis RED* (Oxford Diffraction, 2009); data reduction: *CrysAlis RED*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *PLATON* (Spek, 2009); software used to prepare material for publication: *SHELXTL* (Sheldrick, 2008).

This research was funded by a CCSU-AAUP research grant.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: SU2562).

References

- Cantalupo, S. A., Crundwell, G. & Glagovich, N. (2010). *Acta Cryst.* **E66**, o2184.
 Crundwell, G., Sayers, D., Herron, S. R. & Kantardjieff, K. A. (2003). *Acta Cryst.* **E59**, o314–o315.
 Oxford Diffraction (2009). *CrysAlis CCD*, *CrysAlis PRO* and *CrysAlis RED*. Oxford Diffraction Ltd, Yarnton, England.
 Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
 Spek, A. L. (2009). *Acta Cryst.* **D65**, 148–155.

supporting information

Acta Cryst. (2013). E69, o394 [doi:10.1107/S1600536813004248]

2,3-Bis(thiophen-3-yl)quinoxaline**Guy Crundwell and Jorge de Freitas****S1. Comment**

In the title compound, Fig. 1, the quinoxaline moiety is flat, with a dihedral angle involving rings N1/N2/C1-C3/C8 and C3-C8 of 1.71 (9) °, and the two thienyl rings, S1/C9-C12 and S2/C13-C16, are inclined to the quinoxaline mean plane by 63.94 (8) and 21.35 (8) °, respectively. All bond lengths and angles fall within the typical ranges found in similar compounds (Cantalupo *et al.*, 2010; Crundwell *et al.*, 2003).


In the crystal, molecules pack in a herringbone pattern with $\pi\cdots\pi$ intermolecular contacts of 3.7381 (15) and 3.7268 (15) Å, for Cg1 \cdots Cg1ⁱ and Cg2 \cdots Cg3ⁱⁱ, respectively [where Cg1 is ring S1/C9-C12; Cg2 is ring S2/C13-C16; Cg3 is ring N1/N2/C1-C3/C8; symmetry codes: (i) -x+1, -y+1, -z; (ii) x, y+1, z].

S2. Experimental

The title compound was prepared and purified according to literature methods (Crundwell *et al.*, 2003). Equal mole amounts of *o*-phenylenediamine (1.62 g, 15.0 mmol) and 3,3'-thienil (3.33 g, 15.0 mmol) were dissolved in 95% ethanol and heated in an Erlenmeyer flask in a hot water bath. Recrystallization of the crude product from boiling ethanol sufficiently purified the quinoxaline product as a pale white solid (3.71 g, 12.6 mmol; 84% yield; M.p. 403 K). Spectroscopic data for the title compound are available in the archived CIF.

S3. Refinement

Hydrogen atoms were included in calculated positions and included in the refinement in the riding motion approximation: C-H = 0.93 Å with $U_{\text{iso}} = 1.2U_{\text{eq}}(\text{C})$.

**Figure 1**

A view of the molecular structure of the title compound, with atom labelling. Displacement ellipsoids are drawn at the 50% probability level.

2,3-Bis(thiophen-3-yl)quinoxaline

Crystal data

$C_{16}H_{10}N_2S_2$
 $M_r = 294.38$
 Monoclinic, $P2_1/c$
 Hall symbol: $-P\ 2_1/c$
 $a = 15.966\ (2)\ \text{\AA}$
 $b = 5.5741\ (15)\ \text{\AA}$
 $c = 15.629\ (4)\ \text{\AA}$
 $\beta = 98.25\ (2)^\circ$
 $V = 1376.5\ (6)\ \text{\AA}^3$
 $Z = 4$

$F(000) = 608$
 $D_x = 1.420\ \text{Mg m}^{-3}$
 Melting point: 406 K
 Mo $K\alpha$ radiation, $\lambda = 0.71073\ \text{\AA}$
 Cell parameters from 3293 reflections
 $\theta = 4.1\text{--}33.0^\circ$
 $\mu = 0.38\ \text{mm}^{-1}$
 $T = 293\ \text{K}$
 Block, white
 $0.45 \times 0.44 \times 0.39\ \text{mm}$

Data collection

Oxford Diffraction Xcalibur Sapphire3
 diffractometer
 Radiation source: fine-focus sealed tube
 Graphite monochromator
 Detector resolution: $16.1790\ \text{pixels mm}^{-1}$
 ω scans
 Absorption correction: multi-scan
 (*CrysAlis PRO*; Oxford Diffraction, 2009)
 $T_{\min} = 0.731$, $T_{\max} = 1.000$

30279 measured reflections
 4745 independent reflections
 2660 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.087$
 $\theta_{\max} = 32.5^\circ$, $\theta_{\min} = 4.2^\circ$
 $h = -23 \rightarrow 23$
 $k = -8 \rightarrow 8$
 $l = -23 \rightarrow 23$

Refinement

Refinement on F^2	Secondary atom site location: difference Fourier map
Least-squares matrix: full	Hydrogen site location: inferred from neighbouring sites
$R[F^2 > 2\sigma(F^2)] = 0.057$	H-atom parameters constrained
$wR(F^2) = 0.183$	$w = 1/[\sigma^2(F_o^2) + (0.1124P)^2]$
$S = 0.92$	where $P = (F_o^2 + 2F_c^2)/3$
4745 reflections	$(\Delta/\sigma)_{\max} = 0.001$
181 parameters	$\Delta\rho_{\max} = 0.44 \text{ e } \text{\AA}^{-3}$
0 restraints	$\Delta\rho_{\min} = -0.50 \text{ e } \text{\AA}^{-3}$
Primary atom site location: structure-invariant direct methods	

Special details

Experimental. Spectroscopic data for the title compound: ^1H NMR (300 MHz, $(\text{CD}_3)_2\text{CO}$) d 8.088 (m, 1H), 7.840 (m, 1H), 7.678 (dd, 1H), 7.539 (dd, 1H), 7.331 (dd, 1H); ^{13}C NMR (300 MHz, CDCl_3) d 148.81, 140.86, 140.51, 129.88, 128.90, 128.60, 127.02, 125.50.

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$
N1	0.29116 (9)	0.2491 (3)	-0.02718 (9)	0.0397 (3)
C1	0.29649 (11)	0.4316 (3)	0.02698 (11)	0.0360 (4)
C2	0.22246 (11)	0.5650 (3)	0.04216 (11)	0.0373 (4)
N2	0.14724 (10)	0.5169 (3)	-0.00197 (10)	0.0423 (4)
C3	0.14154 (11)	0.3343 (4)	-0.06015 (11)	0.0406 (4)
C4	0.06234 (12)	0.2759 (4)	-0.10817 (13)	0.0531 (5)
H4	0.0146	0.3653	-0.1010	0.064*
C5	0.05559 (14)	0.0887 (4)	-0.16501 (14)	0.0586 (6)
H5	0.0034	0.0525	-0.1970	0.070*
C6	0.12757 (15)	-0.0510 (4)	-0.17559 (14)	0.0543 (5)
H6	0.1222	-0.1786	-0.2143	0.065*
C7	0.20477 (13)	0.0005 (4)	-0.12934 (13)	0.0466 (5)
H7	0.2516	-0.0929	-0.1361	0.056*
C8	0.21308 (11)	0.1952 (3)	-0.07156 (11)	0.0391 (4)
C9	0.43076 (12)	0.3380 (4)	0.12458 (12)	0.0478 (5)
H9	0.4125	0.1877	0.1400	0.057*
C10	0.38308 (11)	0.4901 (3)	0.07058 (11)	0.0367 (4)
C11	0.42746 (12)	0.7043 (4)	0.05750 (12)	0.0469 (5)
H11	0.4048	0.8291	0.0220	0.056*
C12	0.50766 (12)	0.7072 (4)	0.10303 (14)	0.0535 (5)
H12	0.5458	0.8328	0.1019	0.064*
S1	0.52814 (3)	0.45345 (12)	0.16120 (4)	0.0617 (2)

C13	0.28349 (12)	0.7946 (4)	0.17905 (12)	0.0453 (4)
H13	0.3306	0.6973	0.1940	0.054*
C14	0.22447 (11)	0.7587 (3)	0.10719 (11)	0.0387 (4)
C15	0.15839 (13)	0.9348 (4)	0.10173 (13)	0.0459 (5)
H15	0.1122	0.9381	0.0581	0.055*
C16	0.17121 (12)	1.1020 (4)	0.16974 (13)	0.0439 (4)
H16	0.1355	1.2304	0.1765	0.053*
S2	0.26067 (4)	1.03661 (12)	0.23738 (4)	0.0598 (2)

Atomic displacement parameters (Å²)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
N1	0.0331 (7)	0.0495 (9)	0.0355 (7)	-0.0031 (6)	0.0019 (6)	-0.0029 (7)
C1	0.0306 (8)	0.0450 (10)	0.0321 (8)	-0.0010 (7)	0.0028 (6)	0.0029 (7)
C2	0.0324 (8)	0.0463 (11)	0.0324 (8)	-0.0016 (7)	0.0020 (6)	0.0040 (7)
N2	0.0338 (8)	0.0528 (10)	0.0387 (8)	-0.0007 (6)	0.0000 (6)	0.0033 (7)
C3	0.0352 (9)	0.0495 (11)	0.0353 (8)	-0.0035 (8)	-0.0007 (7)	0.0041 (8)
C4	0.0373 (10)	0.0663 (14)	0.0523 (11)	-0.0016 (9)	-0.0054 (8)	-0.0031 (10)
C5	0.0437 (11)	0.0759 (16)	0.0515 (12)	-0.0120 (10)	-0.0088 (9)	-0.0036 (11)
C6	0.0559 (12)	0.0628 (14)	0.0414 (10)	-0.0125 (10)	-0.0028 (9)	-0.0093 (10)
C7	0.0445 (10)	0.0530 (12)	0.0418 (10)	-0.0057 (8)	0.0043 (8)	-0.0053 (8)
C8	0.0346 (8)	0.0497 (11)	0.0322 (8)	-0.0066 (7)	0.0019 (6)	0.0027 (8)
C9	0.0388 (10)	0.0525 (12)	0.0490 (11)	-0.0023 (8)	-0.0045 (8)	0.0020 (9)
C10	0.0306 (8)	0.0470 (10)	0.0322 (8)	-0.0010 (7)	0.0030 (6)	-0.0044 (7)
C11	0.0424 (10)	0.0518 (12)	0.0461 (10)	-0.0055 (8)	0.0049 (8)	0.0037 (9)
C12	0.0373 (10)	0.0597 (13)	0.0635 (13)	-0.0132 (9)	0.0076 (9)	-0.0124 (11)
S1	0.0398 (3)	0.0779 (5)	0.0612 (4)	0.0005 (2)	-0.0134 (2)	-0.0057 (3)
C13	0.0437 (10)	0.0523 (11)	0.0398 (9)	0.0014 (9)	0.0052 (7)	-0.0036 (9)
C14	0.0358 (8)	0.0446 (10)	0.0368 (8)	-0.0011 (7)	0.0092 (7)	0.0008 (7)
C15	0.0408 (10)	0.0519 (12)	0.0462 (10)	0.0024 (8)	0.0104 (8)	0.0049 (9)
C16	0.0397 (9)	0.0428 (10)	0.0518 (11)	0.0044 (8)	0.0154 (8)	0.0022 (8)
S2	0.0572 (4)	0.0705 (4)	0.0532 (3)	-0.0039 (3)	0.0130 (3)	-0.0152 (3)

Geometric parameters (Å, °)

N1—C1	1.318 (2)	C9—C10	1.351 (3)
N1—C8	1.370 (2)	C9—S1	1.7040 (19)
C1—C2	1.445 (2)	C9—H9	0.9300
C1—C10	1.487 (2)	C10—C11	1.418 (3)
C2—N2	1.324 (2)	C11—C12	1.373 (3)
C2—C14	1.480 (2)	C11—H11	0.9300
N2—C3	1.359 (2)	C12—S1	1.688 (2)
C3—C8	1.413 (3)	C12—H12	0.9300
C3—C4	1.413 (2)	C13—C14	1.373 (2)
C4—C5	1.365 (3)	C13—S2	1.697 (2)
C4—H4	0.9300	C13—H13	0.9300
C5—C6	1.417 (3)	C14—C15	1.435 (3)
C5—H5	0.9300	C15—C16	1.406 (3)

C6—C7	1.367 (3)	C15—H15	0.9300
C6—H6	0.9300	C16—S2	1.690 (2)
C7—C8	1.406 (3)	C16—H16	0.9300
C7—H7	0.9300		
C1—N1—C8	117.70 (15)	C10—C9—S1	112.20 (16)
N1—C1—C2	121.58 (16)	C10—C9—H9	123.9
N1—C1—C10	115.70 (15)	S1—C9—H9	123.9
C2—C1—C10	122.72 (16)	C9—C10—C11	111.71 (17)
N2—C2—C1	120.83 (17)	C9—C10—C1	123.50 (17)
N2—C2—C14	115.76 (16)	C11—C10—C1	124.71 (16)
C1—C2—C14	123.41 (15)	C12—C11—C10	112.53 (18)
C2—N2—C3	117.98 (16)	C12—C11—H11	123.7
N2—C3—C8	121.18 (16)	C10—C11—H11	123.7
N2—C3—C4	119.79 (17)	C11—C12—S1	111.33 (16)
C8—C3—C4	118.99 (18)	C11—C12—H12	124.3
C5—C4—C3	120.2 (2)	S1—C12—H12	124.3
C5—C4—H4	119.9	C12—S1—C9	92.21 (10)
C3—C4—H4	119.9	C14—C13—S2	112.35 (15)
C4—C5—C6	120.42 (19)	C14—C13—H13	123.8
C4—C5—H5	119.8	S2—C13—H13	123.8
C6—C5—H5	119.8	C13—C14—C15	111.18 (18)
C7—C6—C5	120.5 (2)	C13—C14—C2	127.79 (17)
C7—C6—H6	119.7	C15—C14—C2	121.00 (17)
C5—C6—H6	119.7	C16—C15—C14	112.50 (18)
C6—C7—C8	119.8 (2)	C16—C15—H15	123.8
C6—C7—H7	120.1	C14—C15—H15	123.8
C8—C7—H7	120.1	C15—C16—S2	110.37 (15)
N1—C8—C7	119.34 (17)	C15—C16—H16	124.8
N1—C8—C3	120.58 (17)	S2—C16—H16	124.8
C7—C8—C3	120.08 (16)	C16—S2—C13	93.60 (10)
