

Shlichta and R. A. Young, whom I thank.

JENNY PICKWORTH GLUSKER

*The Institute for Cancer Research  
Fox Chase  
Philadelphia  
Pennsylvania 19111  
U.S.A.*

### Title Program

American Crystallographic Association, Albuquerque, 3-7 April 1972.

- A1 Electronic charge distributions and chemical bonding in simple molecules. P. E. CADE
- A2 Determination of electron distributions by electron diffraction. L. S. BARTELL
- A3 Experimental spin densities. R. M. MOON
- B1 Aspects of the electron density problem. Theoretical and experimental. W. N. LIPSCOMB
- B2 Alternatives in the comparison of experimental and theoretical charge densities. P. COPPENS
- B3 Charge density distribution in tetracyanoethyleneoxide by difference Fourier techniques and population refinement of the diffraction data. D. A. MATTHEWS & G. D. STUCKY
- B4 MASSA (Post-deadline paper)
- C1 The crystal structure of 1,3-*O*-*D*-mannitol borate monohydrate, [1,3-(hydroxyborylene)-*D*-mannitol monohydrate]. J. C. WAL-LACE
- C2 The crystal structures of two Schiff's bases - *N*-benzylidene-*p*-bromoaniline and *N*-(2-naphthylmethylene)-*p*-bromoaniline. B. T. BLAYLOCK & R. F. BRYAN
- C3 The structure of two biologically interesting molecules. W. H. WATSON, J. E. WHINNERY & K. C. GO
- C4 Crystal and molecular structure of maytansine. R. F. BRYAN, C. J. GILMORE & R. C. HALTIWANGER
- C5 A comparison of two anthracene alkylating agents, ICR 489 and ICR 450. A. CHOMYN, J. P. GLUSKER, H. M. BERMAN & H. L. CARRELL
- C6 The structure and absolute configuration of pactamycin. X-ray analysis of desalipactamycate tosylate. D. J. DUCHAMP
- C8 The crystal and molecular structure of alpha promedol alcohol. W. H. DE CAMP & F. R. AHMED
- C9 The crystal structure of heliotrine: A pyrrolizidine alkaloid (mono-ester). S. WODAK
- C10 Crystal and molecular structure of barium 2-sulfuryl-L-ascorbate dihydrate. B. W. McCLELLAND & J. R. EINSTEIN
- C11 Molecular and crystal structures of two compounds of pharmaceutical interest. D. B. COSULICH & F. M. LOVELL
- D1 Refinement of the structure of sucrose. J. C. HANSON, L. C. SIEKER & L. H. JENSEN
- D2 The crystal structure and electron distribution of 1,1'-azobisdicarbamide and acetylene dicarboxylic acid. D. T. CROMER & A. C. LARSON
- D3 The use of liquid-helium data in charge density studies: *p*-nitropyridine *N*-oxide. F. K. ROSS & P. COPPENS
- E1 Crystal and molecular structure of 2,2,3,3,4-pentamethyl-1-phenylphosphetane-1-oxide. A. FITZGERALD, C. N. CAUGHLAN & G. D. SMITH
- E2 The crystal structure of bis-*p*-methoxy-phenyl 2,5-furandicarboxylate. W. C. BRYSON & S. H. SIMONSEN
- E3 The molecular structure of ethyl 2-amino-4,5,6,7-tetrahydrobenzo[*b*]thiophene-3-carboxylate. S. H. SIMONSEN
- E4 The structures of pyridine and isoquinoline fluvalenes. G. L. WHEELER & H. L. AMMON
- E5 Aminopentafulvenes. 5-ring bond lengths. N.M.R. coupling constants and rotational energies. H. L. AMMON, G. L. WHEELER & L. A. PLASTAS
- E6 The structure of exo-2-methoxy-3-aza-4-keto-7,8-benzobicyclo-[4.2.1]nonene. P. H. WATTS JR, H. L. AMMON, P. H. MAZZOCHI, H. J. TAMBURIN & W. J. KOPECKY
- E7 Crystal structures of two photo-products of *N*-chloroacetyltyramine. D. S. JONES & I. L. KARLE
- E8 The crystal structures of two antimalarials. L. A. PLASTAS & H. L. AMMON
- E9 The crystal and molecular structures of three compounds derived from a benzodiazepine. C. G. CHILDESTER, D. J. DUCHAMP & J. SZMUSZKOVICZ
- E11 The crystal structure of the orange molecular complex lumiflavin bis-(naphthalene-2,3-diol) trihydrate. C. J. FRITCHIE JR & R. M. JOHNSTON
- E12 Crystal structure of bis-10-methyl-*i*-alloxazine sesqui [silver(I)] perchlorate hydrate. G. D. SPROUL & C. J. FRITCHIE JR
- F1 The crystal structure of bikitaite. V. KOCMAN, J. C. RUCKLIDGE & R. I. GAIT
- F2 Tetrahedral sizes of orthopyroxenes and silicon-aluminum ordering. H. TAKEDA
- F3 The crystal structure of scawtite. J. J. PLUTH & J. V. SMITH
- F4 The crystal structure of a titaniferous clinohumite. J. C. RUCKLIDGE & V. KOCMAN
- F5 The crystal structure of gladite, PbCuBi<sub>5</sub>S<sub>9</sub>. I. KOHATSU & B. J. WUENSCH
- F6 Borate framework of boracite and its relationship to the ferroelectric effects. E. DOWTY & J. R. CLARK
- F7 Fully automated computer controlled laboratory. M. SLAUGHTER (Post-deadline)
- G1 Concept of lattice. F. E. WANG & J. R. HOLDEN
- G2 Definition and determination of derivative lattices. A. D. MIGHELL & A. SANTORO
- G3 Application of derivative lattices to the determination of coincidence-site lattices. A. SANTORO & A. D. MIGHELL
- G4 Diamorphism in the three colored, crystallographic, point groups. D. HARKER
- G5 Packing of tetrahedral molecules in molecular crystals. G. J. PIERMARINI & S. BLOCK
- G6 Structural relationships of compounds A<sub>2</sub>BX<sub>4</sub> and A<sub>2</sub>BX<sub>3</sub>. W. EYSEL & T. HAHN
- G7 Domain patterns and crystal structure of Pb<sub>5</sub>Ge<sub>3</sub>O<sub>11</sub>, an optically active ferroelectric. J. P. DOUGHERTY, E. SAWAGUCHI, C. N. W. DARLINGTON & R. E. NEWNHAM
- G8 Neutron diffraction study of vanadium deuterides at various temperatures. M. H. MUELLER, D. G. WESTLAKE & H. W. KNOTT
- G9 Ferroelastic reorientation and detwinning in synthetic boracite. L. P. TORRE, S. C. ABRAHAMS, R. L. BARNES & K. NASSAU
- G10 New ferroelastic crystals - predictions and verification. S. C. ABRAHAMS
- G11 A disordered structure - octafluoronaphthalene. G. S. MANDEL & J. DONOHUE
- H1 The structure of (bicyclo[6.2.0]-deca-2,4,6-triene) hexacarbonyl-diiron, (C<sub>10</sub>H<sub>12</sub>)Fe<sub>2</sub>(CO)<sub>6</sub>. F. A. COTTON & B. A. FRENZ
- H2 The crystal structures of the green and the orange forms of bis(5,5'-diethylbarbiturato) bis(imidazole) nickel(II). B. C. WANG

- H3* The structure of  $\text{CoCl}_2(\text{NO})[\text{P}(\text{CH}_3)(\text{C}_6\text{H}_5)_2]_2$ . C. S. PRATT, J. A. IBERS, P. FARNHAM, C. REED & J. P. COLLMAN
- H4* The structure of nitrosylbis[*o*-phenylenebis(dimethylarsine)]cobalt diperchlorate. J. H. ENEMARK & R. D. FELTHAM
- H5* The crystal and molecular structure of potassium nitro(ethylene-diaminetriacetato)cobaltate(III) 1.5hydrate. J. D. BELL & G. L. BLACKMER
- H6* The structures of  $\text{RhCl}(\text{NO})[\text{PF}_6]$ , where  $\text{L} = \text{C}_6\text{H}_5\text{P}[\text{CH}_2\text{CH}_2\text{CH}_2\text{P}(\text{C}_6\text{H}_5)_2]_2$ . R. M. KIRCHNER & J. A. IBERS
- H7* The structure of the tetranuclear ruthenium carbonyl hydride,  $\alpha\text{-H}_2\text{Ru}_4(\text{CO})_{13}$ . R. J. DOEDENS & D. B. W. YAWNEY
- H8* The crystal and molecular structure of neutral bis(ethylene-1,2-dithiolene) complexes of Pd and Pt: Evidence for metal-metal bonding. J. S. KASPER, K. W. BROWALL, T. BURSH & L. V. INTERRANTE
- H9* The crystal structure of  $\{[\text{C}_4(\text{CH}_3)_4\text{CF}_3\text{Pt}[\text{P}(\text{CH}_3)_2\text{C}_6\text{H}_5]_2][\text{SbF}_6]\}$ . D. B. CRUMP & N. C. PAYNE
- H10* Chelative addition of methylhydrazine to coordinated isocyanides: The structure of  $[(\text{C}_5\text{H}_{11}\text{N}_4)\text{Pt}(\text{CNCH}_3)_2][\text{B}(\text{C}_6\text{H}_5)_4]$ . W. M. BUTLER, J. H. ENEMARK & A. L. BALCH
- H11* Sulfur dioxide attachment to halogen. M. R. SNOW & J. A. IBERS
- H12* The crystal and molecular structure of  $\mu$ -(dimethylstannado)- $\mu$ -hydridododecacarbonyl-trirhenium. B. T. HUIE & C. M. KNOBLER
- I1* The structure of the tetrakis(succinimidato)cuprate(II) anion. L. SRINIVASAN & M. R. TAYLOR
- I2* The crystal and molecular structure of di- $\mu$ -(pyridine oxide)-bis[dichlorodimethylsulfoxidocopper(II)]. R. J. WILLIAMS, W. H. WATSON & A. C. LARSON
- I3* The structures of two copper(II) complexes of 2-(2-aminoethyl)pyridine. P. SINGH, V. C. COPELAND, W. E. HATFIELD & D. J. HODGSON
- I4* A complex ion pair formed between an ether-coordinated potassium ion and bis(cyclooctate-trienyl)cerium(III) anion—The structure of  $\{\text{K}[(\text{CH}_3\text{OCH}_2\text{CH}_2)_2\text{O}]\}[\text{Ce}(\text{C}_8\text{H}_8)_2]$ . K. O. HODGSON & K. N. RAYMOND
- I5* Rotomers of a  $\pi$ -sandwich complex—The structure of  $\text{U}[\text{C}_8\text{H}_4(\text{CH}_3)_4]_2$ . K. N. RAYMOND & K. O. HODGSON
- I6* Identification and crystal structure analysis of a compound of heptavalent neptunium,  $\text{LiCo}(\text{NH}_3)_6\text{Np}_2\text{O}_8(\text{OH})_2 \cdot 2\text{H}_2\text{O}$ . J. H. BURNS, W. H. BALDWIN & J. R. STOKELY
- I7* The aquated hydrogen ion,  $\text{H}_7\text{O}_3^+$ : A high precision neutron diffraction study of sulfosalicylic acid trihydrate (SSATH),  $\text{C}_6\text{H}_3(\text{COOH})(\text{OH})\text{SO}_3\text{H} \cdot 3\text{H}_2\text{O}$ . J. M. WILLIAMS, S. W. PETERSON & H. A. LEVY
- I8* The crystal structures of  $\text{Na}_2\text{HPO}_4 \cdot \text{H}_2\text{O}$ ,  $\text{Na}_2\text{HPO}_4 \cdot 7\text{H}_2\text{O}$ , and  $\text{Na}_2\text{HPO}_4 \cdot 12\text{H}_2\text{O}$ ; order and disorder in hydrogen bonds. A. ZALKIN, H. RUBEN & D. H. TEMPLETON
- I9* Lithium hydroxide monohydrate. P. A. AGRON, W. R. BUSING & H. A. LEVY
- I10* The structure of organometallic derivatives of quinquevalent antimony and bismuth containing metal-oxygen-metal bonds. F. C. MARCH, G. FERGUSON, D. R. RIDLEY & R. G. GOEL
- I11* The crystal structure of the barium thiocyanate complex of the cyclic polyether dicyclohexyl-18-crown-6 (isomer A). N. K. DALLEY, D. E. SMITH, R. M. IZATT & J. J. CHRISTENSEN
- I12* The crystal and molecular structure of trinitrato-1,2-di(pyridine-2-aldimino) ethane gadolinium(III). C. N. CAUGHLAN, M. -UL-HAQUE & F. A. HART
- J1* Multiple diffraction in perfect and mosaic crystals. B. POST
- J2* Experimental measurements of X-ray double reflection. J. A. MCGINNETY
- J3* Anomalous diffraction by  $\alpha$ -quartz. R. D. DRAGSDORF & J. MWANJE
- J4* Thermal diffuse scattering in cubic powder patterns. C. B. WALKER & D. R. CHIPMAN
- J5* Calculation of the intensity of secondary scattering of X-rays by non-crystalline materials: moving sample transmission geometry. C. W. DWIGGINS JR
- J6* Measurement of the lattice parameters and interference distribution of small single crystals using a planar diffracted beam monochromator. C. M. MITCHELL
- J7* Use of digital microdensitometer in the analysis of X-ray powder diffraction photographs. C. F. PIHL & R. L. BIEBER
- J8* A computer-controlled X-ray powder diffractometry system with on-line data processing. R. C. MEDRUD, E. J. HARTER, D. A. STEPHENSON & W. T. KANE
- J9* A disc oriented diffractometer control program. P. G. LENHART
- J10* A rapid data acquisition system for protein crystallography. N. H. XUONG & W. VERNON
- K1* The crystal structure of the phase (Mg, Li)Al. S. SAMSON
- K2* Crystal structure and electrical conductivity of the nickel platinum bronze,  $\text{Ni}_{0.25}\text{Pt}_3\text{O}_4$ . D. CAHEN, J. A. IBERS & R. D. SHANNON
- K3* Crystal structures of some zirconium and niobium intermetallic compounds. A. E. DWIGHT
- K4* The crystal structure of  $\text{Eu}_3\text{As}_4$ . M. L. SMART & L. D. CALVERT
- K5* Crystallography of  $\text{Cu}_3\text{SbS}_3$ . E. MAKOVICKY & B. J. SKINNER
- K6* The 'planar' peroxide group in ammonium persulfate. G. G. CHRISTOPH & W. P. SCHAEFER
- K7* Phases and phase transformations of  $\text{Na}_4\text{P}_2\text{O}_7$ . K. Y. LEUNG, D. DE LA MATTER & C. CALVO
- K8* Structure of paramagnetic beta-nickel iodate dihydrate. J. L. BERNSTEIN & S. C. ABRAHAMS
- K9* The crystal structure of penoxtelurine diiodide. J. D. MCCULLOUGH
- K10* The structure of gamma uranyl dihydroxide. S. SIEGEL, H. R. HOEKSTRA & E. GEBERT
- K11* The crystal structure of  $\text{CaKAsO}_4 \cdot 8\text{H}_2\text{O}$ . B. DICKENS & W. E. BROWN
- K12* The crystal structure of  $[\text{SbCl}_4]^+[\text{Sb}_2\text{F}_{11}]^-$ . H. W. BAIRD & H. B. MILLER
- L1* The structure of flavodoxin at 2.5 Å resolution. K. D. WATENPAUGH, L. C. SIEKER & L. H. JENSEN
- L2* The structure of a bacterial ferredoxin. E. ADMAN, L. C. SIEKER & L. H. JENSEN
- L3* The structure of t-butylloxycarbonyl-L-prolyl-L-prolylglycine monohydrate. J. M. HODSDON, B. SHAW, J. M. SCHURR & L. H. JENSEN
- L4* The confirmation of cyclo(L-pro-L-hydro). G. KARTHA & G. AMBADY
- L5* Structure and conformation of orthorhombic L-cysteine. K. A. KERR
- L6* X-ray crystal structure analysis of L-histidinium dihydrogen orthophosphate orthophosphoric acid. R. H. BLESSING & E. L. MCGANDY
- L7* Alkaline phosphatase at 7.7 Å resolution. J. R. KNOX & H. W. WYCOFF

- L8 The crystal and molecular structure of 2-thioisouridine, a crowded nucleoside. L. M. JACOB, B. C. PAL & J. R. EINSTEIN
- L9 Effects of sulfur substituents on base stacking and hydrogen bonding: crystal structure of 6-thioguanosine monohydrate. C. E. BUGG & U. THEWALT
- L10 Conformational studies of cyclic cytidine 2',3'-phosphate. C. L. COULTER & D. K. LAVALLEE
- L12 The crystal structure of guanidinium 5-5-diethylbarbiturate dihydrate. R. J. McCLURE & B. M. CRAVEN
- M1 The molecular packing of steroids. D. A. NORTON & W. L. DUAX
- M2 Flexible A-ring conformations in 2,2-disubstituted steroids: normal chair and twist conformations. V. CODY, W. L. DUAX, F. E. DEJARNETTE, D. A. NORTON & Y. OSAWA
- M3 Ring A conformations in three steroids. W. C. MARSH, G. FERGUSON & D. F. RENDLE
- M4 The crystal structure of a choleic acid - (deoxycholic acid/acetic acid, 1:1). B. M. CRAVEN & G. T. DETITTA
- M5 The structure of 9 $\alpha$ -fluorocortisol. C. M. WEEKS & W. L. DUAX
- M6 The crystal structure of 5,6,6a,6b $\alpha$ ,7,8,12b,13,14,14a-decahydro-3-ethoxy-10-methoxy,6a $\beta$ ,12b $\beta$ ,14a $\alpha$ -tri-methylpene and 4b,5,6,6a,9,10,10a,10b $\alpha$ ,11,12-decahydro-2-methoxy-7(8H)-oxo-4b $\beta$ ,6a $\alpha$ ,10a $\beta$ -trimethylchrysene. B. L. TRUS & R. E. MARSH
- M7 Thyroid hormone stereochemistry. I. The molecular structure of L-triiodothyronine. N. CAMERMAN & A. CAMERMAN
- M8 Crystal structure of zygacine acetonide hydroiodide acetonate. R. RESTIVO & R. F. BRYAN
- M9 The crystal and molecular structure of yohimbin hydrochloride. G. AMBADY & G. KARTHA
- M10 Crystal structure and stereochemistry of nupharidine hydrobromide. J. OHRT, R. PARTHASARATHY, R. T. LALONDE & C. F. WONG
- M11 Crystal structure of 2,6-bis(bromomethyl)-1,4-diphenylpiperazine. J. HOWATSON & B. MOROSIN
- N1 Hydrogen isotope fractionation, phase transformation and dynamic disorder in YH<sub>2</sub>O<sub>2</sub>(C<sub>2</sub>O<sub>4</sub>)<sub>2</sub>H<sub>2</sub>O; A neutron diffraction study. C. K. JOHNSON & G. D. BRUNTON
- N2 A neutron diffraction study of ferroelectric triglycine sulfate. M. I. KAY & R. KLEINBERG
- N3 Contrast in electron micrographs of crystal lattices. J. M. COWLEY, P. L. FEJES & S. IJIMA
- N4 Electron-microscopic study of niobium oxides. S. IJIMA
- N5 Ring bending vibration and crystal structure of 1,1-cyclopentane-dicarboxylic acid. T. N. MARGULIS
- N6 Magnetic exchange in hydrobridged copper(II) and chromium (III) complexes. D. L. LEWIS, J. T. VEAL, W. E. HATFIELD & D. J. HODGSON
- N7 The high pressure synthesis, crystal structure, and properties of CrP<sub>4</sub> and MoP<sub>4</sub>. W. JEITSCHKO & P. C. DONOHUE
- N8 Some measurements on the thermal expansion of  $\alpha$ -Nb<sub>2</sub>O<sub>5</sub>. G. M. WOLTEN
- N9 Errors in quantitative measurements of local order. J. E. GRAGG JR, M. HAYAKAWA & J. B. COHEN
- N10 Silica glass: X-ray diffraction evidence for a tridymite-like structure. J. H. KONNERT & J. KARLE
- N11 The structure of an ammonia sorption complex of zeolite A. K. SEFF & R. Y. YANAGIDA
- N12 The crystal structures of arsonium and phosphonium cyclopentadienylides. G. FERGUSON, F. C. MARCH & D. F. RENDLE
- O1 Generalized tangent formula. J. KARLE
- O2 Strong enantiomorph discrimination employing calculated cosine in variants and interacting classes of phases. H. HAUPTMAN & W. L. DUAX
- O3 Phase determination for valinomycin: strong enantiomorph discrimination. W. L. DUAX & H. HAUPTMAN
- O4 Structure of beryllium acetylacetonate solved by tangent refinement method. J. M. STEWARD & B. MOROSIN
- O5 Direct methods in neutron crystallography. The solution of the structure of the amino acid L-serine monohydrate. M. N. FREY, M. S. LEHMANN, T. F. KOETZLE & W. C. HAMILTON
- O6 The combination of anomalous dispersion methods with the tangent formula as a solution technique: Application to polar space groups. J. S. SHERFINSKI, R. E. MARSH & T. J. KISTENMACHER
- O7 Neutron anomalous scattering. A study of the complex salt NaSmEDTA.8H<sub>2</sub>O using three-wavelength data. T. F. KOETZLE & W. C. HAMILTON
- O8 Some comments on weights and error analysis: A comparison between three independent structure refinements of L-asparagine monohydrate. W. C. HAMILTON, J. F. VERBIST, T. F. KOETZLE & M. S. LEHMANN
- O9 Background determination for step-scan measured Bragg reflections. M. S. LEHMANN, W. C. HAMILTON & F. K. LARSEN
- O10 Location of Nd dopant in fluorapatite. R. A. YOUNG & P. E. MACKIE
- O11 System crystal: random file program system and crystallographic library for CDC 6000 series computers (Scope). J. W. EDMONDS
- P1 Crystal structure of 2,5-dimethyl-2,5-hexanediol tetrahydrate: a water-hydrocarbon layer structure. G. A. JEFFREY & M. S. SHEN
- P2 The crystal structure of levopimaric acid, C<sub>20</sub>H<sub>30</sub>O<sub>2</sub>. I. L. KARLE
- P3 Crystal structure and molecular geometry of hexahelicene derivatives. G. W. FRANK, D. T. HEFFELFINGER, K. N. TRUEBLOOD & D. A. LIGHTNER
- P4 The crystal structure of 9-dicyanomethylene-2,4,5,7-tetranitrofluorene: comparison with two related fluorene derivatives. J. SILVERMAN & N. F. YANNONI
- P5 The crystal and molecular structure of bis-1,8-dimethylaminonaphthalene. H. EINSPAHR, R. E. MARSH, J. D. ROBERTS & J.-B. ROBERT
- P6 The crystal and molecular structure of 3,3,8,8-tetracarboxymethoxybicyclo[8.4.0]-tetradec-5-ene. J. M. JENKS & S. H. SIMONSEN
- P7 The crystal and molecular structure of pyridoxol 5'-methylphosphonate. F. E. COLE, B. LACHMANN & W. KORYTNYK
- P8 The molecular structure of two phenylphosphonothioates. N. S. MANDEL & J. DONOHUE
- P9 The structure of the solution photodimer of 3-phenyl-2-cyclopentenone. A. V. FRATINI & C. M. SHAW
- P10 The crystal structures of two thiolactams containing odd-membered rings. J. L. FLIPPEN & R. D. GILARDI
- P11 The crystal and molecular structure of a 2-H thiopyran *p*-bromobenzyloxy C<sub>20</sub>H<sub>22</sub>O<sub>4</sub>NS<sub>2</sub>Br. A. E. SMITH
- P12  $\alpha,\alpha$ -trehalose dihydrate, C<sub>12</sub>H<sub>22</sub>O<sub>11</sub>.2H<sub>2</sub>O. Three independent determinations. G. M. BROWN, D. C. ROHRER, B. BERKING, C. A. BEEVERS, R. O. GOULD & R. SIMPSON