

Poly[μ -aqua-aqua{ μ -6-ethoxy-2-[(2-isonicotinoylhydrazinylidene)methyl]-phenolato- $\kappa^3 O, N, O'$ }dioxidosodium-vanadate(V)]

Hon Wee Wong, Kong Mun Lo and Seik Weng Ng*

 Department of Chemistry, University of Malaya, 50603 Kuala Lumpur, Malaysia
 Correspondence e-mail: seikweng@um.edu.my


Received 18 May 2011; accepted 19 May 2011

 Key indicators: single-crystal X-ray study; $T = 100$ K; mean $\sigma(C-C) = 0.003$ Å; R factor = 0.038; wR factor = 0.120; data-to-parameter ratio = 16.5.

The V^V atom in the polymeric title compound, $[NaV(C_{15}H_{13}N_3O_3)O_2(H_2O)_2]_n$, is O, N, O' -chelated by the Schiff base dianion and is five-coordinated in a trigonal-bipyramidal coordination geometry. The oxide O atoms occupy the equatorial sites and one oxide O atom is connected to the Na^I atom. The ligand simultaneously O, O' -chelates to the water-coordinated Na^I atom; its coordination number is seven owing to an $Na \cdots N_{pyridyl}$ bond. The two independent formula units, which are disposed about a false center of inversion, are connected into a layer. Adjacent layers are consolidated into a three-dimensional network by $O-H \cdots O$ and $O-H \cdots N$ hydrogen bonds.

Related literature

For the synthesis of isonicotinic acid (2-hydroxy-3-ethoxybenzylidene)hydrazide, see: Georgieva & Gadjeva (2002). For related vanadates, see: Lippold *et al.* (2000); Plass *et al.* (2000); Plass & Yozgatli (2003).



Experimental

Crystal data

 $[NaV(C_{15}H_{13}N_3O_3)O_2(H_2O)_2]$
 $M_r = 425.25$

 Monoclinic, $P2_1/c$
 $a = 19.1731$ (2) Å
 $b = 14.6913$ (2) Å
 $c = 13.2277$ (2) Å
 $\beta = 106.4902$ (6)°
 $V = 3572.69$ (8) Å³
 $Z = 8$
 Mo $K\alpha$ radiation
 $\mu = 0.62$ mm⁻¹
 $T = 100$ K
 $0.40 \times 0.40 \times 0.40$ mm

Data collection

 Bruker SMART APEX
 diffractometer
 Absorption correction: multi-scan
 (SADABS; Sheldrick, 1996)
 $T_{min} = 0.789$, $T_{max} = 0.789$

 23057 measured reflections
 8084 independent reflections
 6785 reflections with $I > 2\sigma(I)$
 $R_{int} = 0.020$

Refinement

 $R[F^2 > 2\sigma(F^2)] = 0.038$
 $wR(F^2) = 0.120$
 $S = 1.04$
 8084 reflections

 489 parameters
 H-atom parameters constrained
 $\Delta\rho_{max} = 0.56$ e Å⁻³
 $\Delta\rho_{min} = -0.74$ e Å⁻³
Table 1

Hydrogen-bond geometry (Å, °).

$D-H \cdots A$	$D-H$	$H \cdots A$	$D \cdots A$	$D-H \cdots A$
$O1w-H12 \cdots N2^i$	0.84	2.21	2.894 (2)	139
$O2w-H21 \cdots N5^{ii}$	0.84	2.16	2.879 (2)	143
$O3w-H32 \cdots O9$	0.84	2.01	2.825 (2)	162
$O3w-H31 \cdots O10^{iii}$	0.84	2.23	2.799 (2)	126
$O4w-H41 \cdots O4$	0.84	2.05	2.865 (2)	162
$O4w-H42 \cdots O5^{iv}$	0.84	2.13	2.822 (2)	139

 Symmetry codes: (i) $-x, -y + 1, -z + 1$; (ii) $-x + 1, -y + 1, -z + 1$; (iii) $x, -y + \frac{1}{2}, z + \frac{1}{2}$; (iv) $x, -y + \frac{3}{2}, z - \frac{1}{2}$.

Data collection: APEX2 (Bruker, 2009); cell refinement: SAINT (Bruker, 2009); data reduction: SAINT; program(s) used to solve structure: SHELXS97 (Sheldrick, 2008); program(s) used to refine structure: SHELXL97 (Sheldrick, 2008); molecular graphics: X-SEED (Barbour, 2001); software used to prepare material for publication: publCIF (Westrip, 2010).

We thank the University of Malaya (grant No. RG020/09AFR) for supporting this study.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: IM2289).

References

- Barbour, L. J. (2001). *J. Supramol. Chem.* **1**, 189–191.
 Bruker (2009). APEX2 and SAINT. Bruker AXS Inc., Madison, Wisconsin, USA.
 Georgieva, N. & Gadjeva, V. (2002). *Biochemistry*, **67**, 588–591.
 Lippold, I., Vlay, K., Görls, H. & Plass, W. (2000). *J. Inorg. Biochem.* **103**, 480–480.
 Plass, W., Pohlmann, A. & Yozgatli, H.-P. (2000). *J. Inorg. Biochem.* **80**, 181–183.
 Plass, W. & Yozgatli, H.-P. (2003). *Z. Anorg. Allg. Chem.* **629**, 75–70.
 Sheldrick, G. M. (1996). SADABS. University of Göttingen, Germany.
 Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
 Westrip, S. P. (2010). *J. Appl. Cryst.* **43**, 920–925.

supporting information

Acta Cryst. (2011). E67, m799 [doi:10.1107/S1600536811019106]

Poly[μ -aqua-aqua{ μ -6-ethoxy-2-[(2-isonicotinoylhydrazinylidene)methyl]-phenolato- $\kappa^3 O,N,O'$ }dioxidosodiumvanadate(V)]

Hon Wee Wong, Kong Mun Lo and Seik Weng Ng

S1. Comment

Schiff bases derived from condensation of isonicotinoyl hydrazide and *o*-vanillin type of aromatic aldehydes function as tridentate chelates towards a large number of metal ions. For the dioxovanadium(V) species in particular, the dianionic nature of the deprotonated ligand requires a monocationic species to balance the charges. Isonicotinic acid (2-hydroxy-3-ethoxybenzylidene)hydrazide reacts with vanadyl(IV) sulfate in the presence of sodium acetate to yield the title vanadium(V) derivative, $[\text{NaVO}_2(\text{H}_2\text{O})_2(\text{C}_{15}\text{H}_{13}\text{N}_3\text{O}_2)]_n$ (Scheme I, Fig. 1). The V^{V} atom is O,N,O' -chelated by the Schiff base dianion, and is five-coordinate in a trigonal bipyramidal geometry. The oxo O atoms occupy equatorial sites; one oxo O atom is connected to the Na^{I} atom. The ligand simultaneously O,O' -chelates to the water-coordinated Na^{I} atom; its coordination number is seven owing to an $\text{Na}\cdots\text{N}_{\text{pyridyl}}$ bond. The two independent formula units are connected into a layer. Adjacent layers are consolidated into a three-dimensional network by $\text{O}-\text{H}\cdots\text{O}$ and $\text{O}-\text{H}\cdots\text{N}$ hydrogen bonds (Table 1).


Dioxovanadates(V) based on similar Schiff bases whose negative charge is also balanced by a monovalent cation have been reported before (Lippold *et al.*, 2000; Plass *et al.*, 2000; Plass & Yozgatli; 2003).

S2. Experimental


The Schiff base was synthesized by using a literature procedure (Georgieva & Gadjeva, 2002) that involved condensing isonicotinic acid hydrazide (1 g, 7.5 mmol) and 3-ethoxysalicylaldehyde (1.25 g, 7.5 mmol) in ethanol. The compound (1 g, 3.5 mmol), vanadyl(IV) sulfate (0.57 g, 3.5 mmol) and sodium acetate (0.3 g, 3.5 mmol) along with ethanol (100 ml) were heated for 4 h. The solution was filtered and light brown crystals were obtained upon slow cooling of the solvent.

S3. Refinement

H atoms were placed in calculated positions (C—H 0.95 to 0.98, O—H 0.84 Å) and were included in the refinement in the riding model approximation, with $U(\text{H})$ set to 1.2 to 1.5 $U(\text{C},\text{O})$. The water molecule that is connected to two Na atoms was treated as a methylene type whereas the water that is coordinated to only one Na atom was treated as a methyl type, but with the occupancy of one H atom being zero; $\text{H}\cdots\text{H}$ distances are a little longer than 2.0 Å.

**Figure 1**

Thermal ellipsoid plot (Barbour, 2001) of a portion of the layer structure of $[\text{NaVO}_2(\text{H}_2\text{O})_2(\text{C}_{15}\text{H}_{13}\text{N}_3\text{O}_2)]_n$ at the 70% probability level; hydrogen atoms are drawn as spheres of arbitrary radius.

**Figure 2**

Packing diagram of the title structure.

Poly[μ -aqua-aqua[μ -6-ethoxy-2-[(2-isonicotinoylhydrazinylidene)methyl]phenolato- κ^3O,N,O']dioxidosodiumvanadate(V)]

Crystal data

[NaV(C₁₅H₁₃N₃O₃)O₂(H₂O)₂]

$M_r = 425.25$

Monoclinic, $P2_1/c$

Hall symbol: -P 2ybc

$a = 19.1731$ (2) Å

$b = 14.6913$ (2) Å

$c = 13.2277$ (2) Å

$\beta = 106.4902$ (6)°

$V = 3572.69$ (8) Å³

$Z = 8$

$F(000) = 1744$

$D_x = 1.581$ Mg m⁻³

Mo $K\alpha$ radiation, $\lambda = 0.71073$ Å

Cell parameters from 9902 reflections

$\theta = 2.6$ – 28.4 °

$\mu = 0.62$ mm⁻¹

$T = 100$ K

Block, dark brown

$0.40 \times 0.40 \times 0.40$ mm

Data collection

Bruker SMART APEX
diffractometer

Radiation source: fine-focus sealed tube

Graphite monochromator

ω scans

Absorption correction: multi-scan
(*SADABS*; Sheldrick, 1996)

$T_{\min} = 0.789$, $T_{\max} = 0.789$

23057 measured reflections

8084 independent reflections

6785 reflections with $I > 2\sigma(I)$

$R_{\text{int}} = 0.020$

$\theta_{\max} = 27.5$ °, $\theta_{\min} = 2.2$ °

$h = -24 \rightarrow 24$

$k = -17 \rightarrow 19$

$l = -14 \rightarrow 17$

Refinement

Refinement on F^2

Least-squares matrix: full

$R[F^2 > 2\sigma(F^2)] = 0.038$

$wR(F^2) = 0.120$

$S = 1.04$

8084 reflections

489 parameters

0 restraints

Primary atom site location: structure-invariant
direct methods

Secondary atom site location: difference Fourier
map

Hydrogen site location: inferred from
neighbouring sites

H-atom parameters constrained

$w = 1/[\sigma^2(F_o^2) + (0.0684P)^2 + 2.7411P]$

where $P = (F_o^2 + 2F_c^2)/3$

$(\Delta/\sigma)_{\max} = 0.001$

$\Delta\rho_{\max} = 0.56$ e Å⁻³

$\Delta\rho_{\min} = -0.74$ e Å⁻³

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (Å²)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
V1	0.117273 (15)	0.64283 (2)	0.60824 (2)	0.01136 (9)
V2	0.385383 (15)	0.35452 (2)	0.37870 (2)	0.01121 (9)
Na1	0.26390 (4)	0.49475 (5)	0.64647 (6)	0.01554 (16)
Na2	0.23922 (4)	0.50365 (5)	0.33801 (6)	0.01598 (17)
O1	0.24513 (7)	0.43456 (10)	0.81471 (11)	0.0192 (3)
O2	0.15035 (7)	0.53002 (9)	0.67556 (10)	0.0146 (3)
O3	0.04859 (7)	0.70200 (9)	0.48708 (10)	0.0156 (3)
O4	0.18565 (7)	0.65269 (9)	0.55605 (11)	0.0158 (3)
O5	0.12649 (7)	0.71610 (9)	0.70224 (11)	0.0189 (3)
O6	0.26740 (7)	0.57022 (10)	0.17087 (11)	0.0196 (3)
O7	0.35533 (7)	0.47021 (9)	0.31652 (10)	0.0146 (3)
O8	0.44973 (7)	0.28505 (9)	0.49566 (10)	0.0160 (3)

O9	0.31480 (7)	0.34343 (9)	0.42565 (11)	0.0155 (3)
O10	0.37743 (7)	0.28683 (9)	0.27927 (11)	0.0177 (3)
O1w	0.19031 (7)	0.42958 (9)	0.47312 (11)	0.0168 (3)
H11	0.1954	0.3728	0.4722	0.025*
H12	0.1460	0.4416	0.4623	0.025*
O2w	0.30731 (7)	0.57278 (9)	0.50975 (11)	0.0170 (3)
H21	0.3523	0.5650	0.5209	0.026*
H22	0.2990	0.6289	0.5098	0.026*
O3w	0.32561 (8)	0.35904 (10)	0.64240 (12)	0.0233 (3)
H31	0.3100	0.3187	0.6754	0.035*
H32	0.3189	0.3426	0.5795	0.035*
O4w	0.16471 (8)	0.63013 (10)	0.33428 (12)	0.0240 (3)
H41	0.1705	0.6492	0.3960	0.036*
H42	0.1758	0.6714	0.2978	0.036*
N1	0.01291 (8)	0.58117 (10)	0.59125 (12)	0.0129 (3)
N2	-0.04650 (8)	0.62497 (11)	0.52086 (12)	0.0131 (3)
N3	-0.16486 (9)	0.88260 (12)	0.27671 (13)	0.0196 (3)
N4	0.49119 (8)	0.41490 (11)	0.41014 (12)	0.0128 (3)
N5	0.54804 (8)	0.36662 (11)	0.47984 (12)	0.0137 (3)
N6	0.65617 (9)	0.10161 (12)	0.72044 (13)	0.0208 (4)
C1	0.31672 (12)	0.41932 (18)	0.99966 (17)	0.0331 (5)
H1A	0.3547	0.3823	1.0472	0.050*
H1B	0.2725	0.4172	1.0227	0.050*
H1C	0.3335	0.4824	1.0010	0.050*
C2	0.30060 (11)	0.38249 (14)	0.88914 (16)	0.0215 (4)
H2A	0.3457	0.3833	0.8669	0.026*
H2B	0.2844	0.3185	0.8884	0.026*
C3	0.17389 (10)	0.41942 (13)	0.81015 (15)	0.0157 (4)
C4	0.14874 (11)	0.35585 (13)	0.86843 (16)	0.0200 (4)
H4	0.1824	0.3210	0.9207	0.024*
C5	0.07381 (12)	0.34254 (14)	0.85081 (16)	0.0225 (4)
H5	0.0570	0.2979	0.8902	0.027*
C6	0.02461 (11)	0.39376 (14)	0.77681 (16)	0.0198 (4)
H6	-0.0261	0.3842	0.7650	0.024*
C7	0.04927 (10)	0.46034 (13)	0.71855 (14)	0.0144 (4)
C8	0.12410 (10)	0.47349 (12)	0.73408 (14)	0.0136 (3)
C9	-0.00366 (10)	0.51195 (13)	0.64041 (14)	0.0146 (4)
H9	-0.0533	0.4942	0.6242	0.018*
C10	-0.02060 (9)	0.68851 (12)	0.47280 (14)	0.0136 (3)
C11	-0.07164 (10)	0.75199 (13)	0.40071 (14)	0.0139 (4)
C12	-0.04406 (11)	0.82798 (14)	0.36272 (16)	0.0207 (4)
H12A	0.0069	0.8367	0.3772	0.025*
C13	-0.09251 (11)	0.89082 (15)	0.30320 (17)	0.0232 (4)
H13	-0.0729	0.9434	0.2796	0.028*
C14	-0.19078 (10)	0.80815 (14)	0.31169 (15)	0.0175 (4)
H14	-0.2420	0.8001	0.2932	0.021*
C15	-0.14690 (10)	0.74169 (13)	0.37369 (15)	0.0162 (4)
H15	-0.1680	0.6902	0.3971	0.019*

C16	0.14547 (12)	0.57897 (18)	0.0608 (2)	0.0364 (6)
H16A	0.1122	0.6113	0.0017	0.055*
H16B	0.1280	0.5845	0.1234	0.055*
H16C	0.1474	0.5146	0.0426	0.055*
C17	0.21980 (12)	0.61956 (16)	0.08341 (18)	0.0295 (5)
H17A	0.2378	0.6147	0.0205	0.035*
H17B	0.2184	0.6847	0.1017	0.035*
C18	0.34010 (10)	0.58845 (13)	0.19174 (15)	0.0171 (4)
C19	0.36960 (12)	0.65790 (14)	0.14579 (17)	0.0227 (4)
H19	0.3387	0.6959	0.0940	0.027*
C20	0.44503 (12)	0.67204 (14)	0.17573 (17)	0.0238 (4)
H20	0.4648	0.7208	0.1454	0.029*
C21	0.49049 (11)	0.61638 (14)	0.24814 (16)	0.0204 (4)
H21A	0.5416	0.6261	0.2674	0.025*
C22	0.46124 (10)	0.54448 (13)	0.29418 (15)	0.0154 (4)
C23	0.38582 (10)	0.53105 (12)	0.26846 (14)	0.0139 (4)
C24	0.51098 (10)	0.48724 (13)	0.36962 (15)	0.0147 (4)
H24	0.5610	0.5034	0.3908	0.018*
C25	0.51939 (9)	0.29891 (13)	0.51815 (14)	0.0140 (4)
C26	0.56794 (10)	0.23195 (13)	0.58868 (14)	0.0153 (4)
C27	0.53878 (11)	0.15123 (14)	0.61331 (16)	0.0215 (4)
H27	0.4882	0.1390	0.5863	0.026*
C28	0.58465 (11)	0.08880 (15)	0.67801 (17)	0.0235 (4)
H28	0.5641	0.0334	0.6932	0.028*
C29	0.68389 (11)	0.17940 (14)	0.69501 (16)	0.0203 (4)
H29	0.7346	0.1897	0.7231	0.024*
C30	0.64247 (10)	0.24577 (14)	0.62976 (15)	0.0184 (4)
H30	0.6647	0.2995	0.6136	0.022*

Atomic displacement parameters (Å²)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
V1	0.01057 (15)	0.01037 (16)	0.01223 (16)	-0.00005 (10)	0.00178 (12)	0.00022 (11)
V2	0.01082 (15)	0.01033 (16)	0.01139 (16)	-0.00039 (10)	0.00139 (12)	0.00012 (11)
Na1	0.0139 (3)	0.0157 (4)	0.0162 (4)	-0.0009 (3)	0.0030 (3)	-0.0007 (3)
Na2	0.0147 (3)	0.0154 (4)	0.0169 (4)	-0.0013 (3)	0.0029 (3)	-0.0016 (3)
O1	0.0161 (6)	0.0189 (7)	0.0204 (7)	0.0038 (5)	0.0016 (5)	0.0059 (5)
O2	0.0142 (6)	0.0132 (6)	0.0162 (6)	0.0016 (5)	0.0042 (5)	0.0041 (5)
O3	0.0115 (6)	0.0176 (7)	0.0166 (6)	0.0000 (5)	0.0022 (5)	0.0046 (5)
O4	0.0145 (6)	0.0144 (6)	0.0182 (7)	0.0016 (5)	0.0041 (5)	0.0029 (5)
O5	0.0191 (6)	0.0175 (7)	0.0180 (7)	-0.0003 (5)	0.0020 (5)	-0.0040 (5)
O6	0.0197 (7)	0.0181 (7)	0.0182 (7)	0.0040 (5)	0.0007 (5)	0.0049 (5)
O7	0.0151 (6)	0.0126 (6)	0.0161 (6)	0.0011 (5)	0.0042 (5)	0.0033 (5)
O8	0.0117 (6)	0.0178 (7)	0.0166 (6)	-0.0002 (5)	0.0011 (5)	0.0052 (5)
O9	0.0140 (6)	0.0151 (6)	0.0165 (6)	0.0013 (5)	0.0030 (5)	0.0021 (5)
O10	0.0174 (6)	0.0158 (7)	0.0183 (7)	0.0003 (5)	0.0025 (5)	-0.0028 (5)
O1w	0.0142 (6)	0.0146 (6)	0.0210 (7)	0.0001 (5)	0.0038 (5)	0.0004 (5)
O2w	0.0132 (6)	0.0154 (7)	0.0218 (7)	0.0003 (5)	0.0038 (5)	-0.0004 (5)

O3w	0.0310 (8)	0.0222 (8)	0.0175 (7)	0.0068 (6)	0.0084 (6)	0.0051 (6)
O4w	0.0311 (8)	0.0234 (8)	0.0179 (7)	0.0082 (6)	0.0076 (6)	0.0054 (6)
N1	0.0129 (7)	0.0126 (7)	0.0118 (7)	0.0025 (6)	0.0015 (6)	0.0004 (6)
N2	0.0103 (7)	0.0142 (7)	0.0130 (7)	0.0025 (6)	0.0004 (6)	0.0015 (6)
N3	0.0201 (8)	0.0194 (8)	0.0180 (8)	0.0022 (7)	0.0034 (6)	0.0038 (7)
N4	0.0127 (7)	0.0135 (7)	0.0110 (7)	0.0018 (6)	0.0014 (6)	0.0004 (6)
N5	0.0117 (7)	0.0145 (7)	0.0130 (7)	0.0018 (6)	0.0005 (6)	-0.0001 (6)
N6	0.0209 (8)	0.0222 (9)	0.0186 (8)	0.0049 (7)	0.0045 (7)	0.0049 (7)
C1	0.0264 (11)	0.0473 (15)	0.0218 (11)	0.0035 (10)	0.0005 (9)	-0.0052 (10)
C2	0.0192 (9)	0.0221 (10)	0.0194 (10)	0.0068 (8)	-0.0007 (7)	0.0029 (8)
C3	0.0164 (8)	0.0150 (9)	0.0144 (9)	0.0011 (7)	0.0023 (7)	-0.0010 (7)
C4	0.0246 (10)	0.0181 (10)	0.0147 (9)	0.0035 (7)	0.0014 (8)	0.0049 (7)
C5	0.0296 (11)	0.0192 (10)	0.0203 (10)	-0.0014 (8)	0.0094 (8)	0.0074 (8)
C6	0.0214 (9)	0.0191 (10)	0.0193 (9)	-0.0002 (8)	0.0066 (8)	0.0031 (8)
C7	0.0165 (8)	0.0135 (9)	0.0135 (8)	0.0004 (7)	0.0050 (7)	0.0004 (7)
C8	0.0181 (8)	0.0107 (8)	0.0120 (8)	0.0011 (7)	0.0042 (7)	0.0001 (6)
C9	0.0140 (8)	0.0149 (9)	0.0149 (9)	0.0007 (7)	0.0043 (7)	-0.0003 (7)
C10	0.0145 (8)	0.0134 (8)	0.0122 (8)	0.0019 (7)	0.0027 (7)	-0.0012 (7)
C11	0.0143 (8)	0.0153 (9)	0.0113 (8)	0.0022 (7)	0.0024 (7)	0.0011 (7)
C12	0.0160 (9)	0.0217 (10)	0.0238 (10)	-0.0010 (8)	0.0047 (8)	0.0068 (8)
C13	0.0198 (9)	0.0228 (10)	0.0252 (11)	-0.0015 (8)	0.0037 (8)	0.0096 (8)
C14	0.0133 (8)	0.0203 (10)	0.0170 (9)	0.0011 (7)	0.0011 (7)	0.0021 (7)
C15	0.0161 (8)	0.0151 (9)	0.0157 (9)	-0.0002 (7)	0.0017 (7)	0.0023 (7)
C16	0.0281 (11)	0.0395 (14)	0.0341 (13)	0.0074 (10)	-0.0032 (10)	0.0051 (11)
C17	0.0288 (11)	0.0266 (12)	0.0261 (11)	0.0099 (9)	-0.0036 (9)	0.0086 (9)
C18	0.0220 (9)	0.0140 (9)	0.0153 (9)	0.0024 (7)	0.0054 (7)	0.0003 (7)
C19	0.0328 (11)	0.0173 (10)	0.0187 (10)	0.0050 (8)	0.0086 (8)	0.0058 (8)
C20	0.0341 (11)	0.0173 (10)	0.0231 (11)	-0.0008 (8)	0.0129 (9)	0.0057 (8)
C21	0.0240 (10)	0.0182 (10)	0.0212 (10)	-0.0016 (8)	0.0098 (8)	0.0010 (8)
C22	0.0198 (9)	0.0118 (9)	0.0156 (9)	0.0008 (7)	0.0066 (7)	0.0002 (7)
C23	0.0187 (8)	0.0104 (8)	0.0126 (8)	0.0010 (7)	0.0043 (7)	-0.0003 (6)
C24	0.0135 (8)	0.0146 (9)	0.0167 (9)	-0.0020 (7)	0.0052 (7)	-0.0015 (7)
C25	0.0135 (8)	0.0160 (9)	0.0112 (8)	0.0013 (7)	0.0014 (6)	-0.0009 (7)
C26	0.0153 (8)	0.0172 (9)	0.0127 (8)	0.0017 (7)	0.0029 (7)	0.0016 (7)
C27	0.0154 (9)	0.0247 (11)	0.0228 (10)	0.0003 (8)	0.0026 (8)	0.0074 (8)
C28	0.0228 (10)	0.0217 (10)	0.0258 (11)	0.0008 (8)	0.0066 (8)	0.0093 (8)
C29	0.0171 (9)	0.0235 (10)	0.0183 (10)	0.0023 (8)	0.0018 (7)	0.0025 (8)
C30	0.0165 (9)	0.0198 (10)	0.0166 (9)	-0.0001 (7)	0.0012 (7)	0.0018 (8)

Geometric parameters (Å, °)

V1—O5	1.6159 (14)	C1—C2	1.506 (3)
V1—O4	1.6523 (13)	C1—H1A	0.9800
V1—O2	1.9029 (13)	C1—H1B	0.9800
V1—O3	1.9648 (13)	C1—H1C	0.9800
V1—N1	2.1494 (15)	C2—H2A	0.9900
V2—O10	1.6211 (14)	C2—H2B	0.9900
V2—O9	1.6496 (13)	C3—C4	1.382 (3)

V2—O7	1.9048 (13)	C3—C8	1.418 (2)
V2—O8	1.9682 (13)	C4—C5	1.402 (3)
V2—N4	2.1439 (15)	C4—H4	0.9500
Na1—O3w	2.3268 (16)	C5—C6	1.375 (3)
Na1—O2	2.3732 (14)	C5—H5	0.9500
Na1—O2w	2.4764 (15)	C6—C7	1.408 (3)
Na1—O1	2.5136 (16)	C6—H6	0.9500
Na1—O1w	2.5157 (15)	C7—C8	1.404 (2)
Na1—N6 ⁱ	2.5260 (18)	C7—C9	1.441 (2)
Na1—O4	2.8368 (15)	C9—H9	0.9500
Na2—O4w	2.3357 (16)	C10—C11	1.486 (2)
Na2—O7	2.3743 (15)	C11—C12	1.389 (3)
Na2—O1w	2.4918 (15)	C11—C15	1.393 (2)
Na2—O2w	2.4925 (15)	C12—C13	1.386 (3)
Na2—N3 ⁱⁱ	2.5040 (18)	C12—H12A	0.9500
Na2—O6	2.6104 (16)	C13—H13	0.9500
Na2—O9	2.8338 (15)	C14—C15	1.394 (3)
O1—C3	1.368 (2)	C14—H14	0.9500
O1—C2	1.446 (2)	C15—H15	0.9500
O2—C8	1.328 (2)	C16—C17	1.495 (3)
O3—C10	1.301 (2)	C16—H16A	0.9800
O6—C18	1.368 (2)	C16—H16B	0.9800
O6—C17	1.448 (2)	C16—H16C	0.9800
O7—C23	1.325 (2)	C17—H17A	0.9900
O8—C25	1.299 (2)	C17—H17B	0.9900
O1w—H11	0.8400	C18—C19	1.388 (3)
O1w—H12	0.8400	C18—C23	1.416 (3)
O2w—H21	0.8400	C19—C20	1.402 (3)
O2w—H22	0.8400	C19—H19	0.9500
O3w—H31	0.8400	C20—C21	1.368 (3)
O3w—H32	0.8400	C20—H20	0.9500
O4w—H41	0.8400	C21—C22	1.412 (3)
O4w—H42	0.8400	C21—H21A	0.9500
N1—C9	1.294 (2)	C22—C23	1.402 (3)
N1—N2	1.406 (2)	C22—C24	1.440 (3)
N2—C10	1.304 (2)	C24—H24	0.9500
N3—C14	1.337 (3)	C25—C26	1.487 (2)
N3—C13	1.336 (3)	C26—C27	1.389 (3)
N3—Na2 ⁱⁱⁱ	2.5040 (18)	C26—C30	1.392 (2)
N4—C24	1.295 (2)	C27—C28	1.386 (3)
N4—N5	1.404 (2)	C27—H27	0.9500
N5—C25	1.306 (2)	C28—H28	0.9500
N6—C28	1.339 (3)	C29—C30	1.392 (3)
N6—C29	1.343 (3)	C29—H29	0.9500
N6—Na1 ^{iv}	2.5260 (18)	C30—H30	0.9500
O5—V1—O4	109.68 (7)	C25—N5—N4	107.82 (14)
O5—V1—O2	105.72 (7)	C28—N6—C29	116.46 (17)

O4—V1—O2	94.20 (6)	C28—N6—Na1 ^{iv}	123.45 (14)
O5—V1—O3	103.57 (7)	C29—N6—Na1 ^{iv}	119.90 (13)
O4—V1—O3	92.75 (6)	C2—C1—H1A	109.5
O2—V1—O3	145.51 (6)	C2—C1—H1B	109.5
O5—V1—N1	104.86 (7)	H1A—C1—H1B	109.5
O4—V1—N1	144.96 (6)	C2—C1—H1C	109.5
O2—V1—N1	81.87 (6)	H1A—C1—H1C	109.5
O3—V1—N1	73.30 (6)	H1B—C1—H1C	109.5
O10—V2—O9	110.28 (7)	O1—C2—C1	112.30 (17)
O10—V2—O7	104.46 (6)	O1—C2—H2A	109.1
O9—V2—O7	94.06 (6)	C1—C2—H2A	109.1
O10—V2—O8	102.31 (6)	O1—C2—H2B	109.1
O9—V2—O8	92.93 (6)	C1—C2—H2B	109.1
O7—V2—O8	147.93 (6)	H2A—C2—H2B	107.9
O10—V2—N4	106.09 (6)	O1—C3—C4	125.96 (17)
O9—V2—N4	143.14 (6)	O1—C3—C8	113.76 (16)
O7—V2—N4	82.42 (6)	C4—C3—C8	120.22 (17)
O8—V2—N4	73.42 (6)	C3—C4—C5	120.31 (17)
O3w—Na1—O2	133.37 (6)	C3—C4—H4	119.8
O3w—Na1—O2w	95.81 (6)	C5—C4—H4	119.8
O2—Na1—O2w	122.09 (5)	C6—C5—C4	120.37 (18)
O3w—Na1—O1	85.44 (5)	C6—C5—H5	119.8
O2—Na1—O1	64.20 (5)	C4—C5—H5	119.8
O2w—Na1—O1	166.33 (5)	C5—C6—C7	120.06 (18)
O3w—Na1—O1w	79.05 (5)	C5—C6—H6	120.0
O2—Na1—O1w	85.86 (5)	C7—C6—H6	120.0
O2w—Na1—O1w	74.23 (5)	C8—C7—C6	120.24 (17)
O1—Na1—O1w	119.27 (5)	C8—C7—C9	121.00 (17)
O3w—Na1—N6 ⁱ	109.68 (6)	C6—C7—C9	118.72 (17)
O2—Na1—N6 ⁱ	98.88 (6)	O2—C8—C7	122.78 (16)
O2w—Na1—N6 ⁱ	87.60 (6)	O2—C8—C3	118.29 (16)
O1—Na1—N6 ⁱ	79.20 (6)	C7—C8—C3	118.76 (17)
O1w—Na1—N6 ⁱ	160.75 (6)	N1—C9—C7	123.39 (17)
O3w—Na1—O4	154.51 (6)	N1—C9—H9	118.3
O2—Na1—O4	59.33 (4)	C7—C9—H9	118.3
O2w—Na1—O4	63.93 (4)	O3—C10—N2	123.49 (16)
O1—Na1—O4	118.01 (5)	O3—C10—C11	117.15 (16)
O1w—Na1—O4	80.46 (5)	N2—C10—C11	119.31 (16)
N6 ⁱ —Na1—O4	85.94 (5)	C12—C11—C15	117.88 (17)
O4w—Na2—O7	138.65 (6)	C12—C11—C10	119.20 (16)
O4w—Na2—O1w	90.58 (5)	C15—C11—C10	122.83 (17)
O7—Na2—O1w	123.51 (5)	C13—C12—C11	118.59 (18)
O4w—Na2—O2w	81.61 (5)	C13—C12—H12A	120.7
O7—Na2—O2w	85.82 (5)	C11—C12—H12A	120.7
O1w—Na2—O2w	74.38 (5)	N3—C13—C12	124.57 (19)
O4w—Na2—N3 ⁱⁱ	108.21 (6)	N3—C13—H13	117.7
O7—Na2—N3 ⁱⁱ	99.93 (6)	C12—C13—H13	117.7
O1w—Na2—N3 ⁱⁱ	81.90 (5)	N3—C14—C15	123.72 (17)

O2w—Na2—N3 ⁱⁱ	154.50 (6)	N3—C14—H14	118.1
O4w—Na2—O6	87.50 (5)	C15—C14—H14	118.1
O7—Na2—O6	63.23 (5)	C11—C15—C14	118.90 (18)
O1w—Na2—O6	168.97 (5)	C11—C15—H15	120.5
O2w—Na2—O6	116.01 (5)	C14—C15—H15	120.5
N3 ⁱⁱ —Na2—O6	88.39 (6)	C17—C16—H16A	109.5
O4w—Na2—O9	155.24 (6)	C17—C16—H16B	109.5
O7—Na2—O9	59.28 (4)	H16A—C16—H16B	109.5
O1w—Na2—O9	66.21 (4)	C17—C16—H16C	109.5
O2w—Na2—O9	83.74 (5)	H16A—C16—H16C	109.5
N3 ⁱⁱ —Na2—O9	78.17 (5)	H16B—C16—H16C	109.5
O6—Na2—O9	116.93 (5)	O6—C17—C16	107.99 (18)
C3—O1—C2	118.43 (15)	O6—C17—H17A	110.1
C3—O1—Na1	114.22 (11)	C16—C17—H17A	110.1
C2—O1—Na1	121.76 (12)	O6—C17—H17B	110.1
C8—O2—V1	133.34 (12)	C16—C17—H17B	110.1
C8—O2—Na1	118.35 (11)	H17A—C17—H17B	108.4
V1—O2—Na1	108.27 (6)	O6—C18—C19	125.03 (18)
C10—O3—V1	118.08 (11)	O6—C18—C23	114.58 (17)
V1—O4—Na1	98.02 (6)	C19—C18—C23	120.37 (18)
C18—O6—C17	115.98 (16)	C18—C19—C20	120.07 (19)
C18—O6—Na2	110.26 (11)	C18—C19—H19	120.0
C17—O6—Na2	128.99 (13)	C20—C19—H19	120.0
C23—O7—V2	133.52 (12)	C21—C20—C19	120.69 (19)
C23—O7—Na2	118.30 (11)	C21—C20—H20	119.7
V2—O7—Na2	108.17 (6)	C19—C20—H20	119.7
C25—O8—V2	118.22 (11)	C20—C21—C22	119.78 (19)
V2—O9—Na2	98.21 (6)	C20—C21—H21A	120.1
Na2—O1w—Na1	105.05 (5)	C22—C21—H21A	120.1
Na2—O1w—H11	110.7	C23—C22—C21	120.60 (17)
Na1—O1w—H11	110.7	C23—C22—C24	121.37 (17)
Na2—O1w—H12	110.7	C21—C22—C24	118.02 (17)
Na1—O1w—H12	110.7	O7—C23—C22	122.92 (16)
H11—O1w—H12	108.8	O7—C23—C18	118.56 (16)
Na1—O2w—Na2	106.22 (5)	C22—C23—C18	118.43 (17)
Na1—O2w—H21	110.5	N4—C24—C22	123.52 (17)
Na2—O2w—H21	110.5	N4—C24—H24	118.2
Na1—O2w—H22	110.5	C22—C24—H24	118.2
Na2—O2w—H22	110.5	O8—C25—N5	123.27 (16)
H21—O2w—H22	108.7	O8—C25—C26	117.36 (16)
Na1—O3w—H31	109.5	N5—C25—C26	119.34 (16)
Na1—O3w—H32	109.5	C27—C26—C30	118.03 (17)
H31—O3w—H32	109.5	C27—C26—C25	119.35 (17)
Na2—O4w—H41	109.5	C30—C26—C25	122.60 (17)
Na2—O4w—H42	109.5	C26—C27—C28	118.89 (18)
H41—O4w—H42	109.5	C26—C27—H27	120.6
C9—N1—N2	115.09 (15)	C28—C27—H27	120.6
C9—N1—V1	129.24 (12)	N6—C28—C27	124.10 (19)

N2—N1—V1	115.57 (11)	N6—C28—H28	118.0
C10—N2—N1	107.54 (14)	C27—C28—H28	118.0
C14—N3—C13	116.31 (17)	N6—C29—C30	123.70 (18)
C14—N3—Na2 ⁱⁱⁱ	125.95 (13)	N6—C29—H29	118.2
C13—N3—Na2 ⁱⁱⁱ	117.70 (13)	C30—C29—H29	118.2
C24—N4—N5	114.99 (15)	C26—C30—C29	118.79 (18)
C24—N4—V2	129.18 (12)	C26—C30—H30	120.6
N5—N4—V2	115.71 (11)	C29—C30—H30	120.6
O3w—Na1—O1—C3	-116.11 (13)	O6—Na2—O2w—Na1	178.74 (5)
O2—Na1—O1—C3	27.38 (12)	O9—Na2—O2w—Na1	-64.29 (5)
O2w—Na1—O1—C3	148.0 (2)	O5—V1—N1—C9	-87.20 (17)
O1w—Na1—O1—C3	-41.36 (14)	O4—V1—N1—C9	102.71 (18)
N6 ⁱ —Na1—O1—C3	132.84 (13)	O2—V1—N1—C9	17.00 (16)
O4—Na1—O1—C3	53.39 (13)	O3—V1—N1—C9	172.79 (17)
O3w—Na1—O1—C2	37.07 (14)	O5—V1—N1—N2	89.02 (13)
O2—Na1—O1—C2	-179.45 (15)	O4—V1—N1—N2	-81.06 (16)
O2w—Na1—O1—C2	-58.8 (3)	O2—V1—N1—N2	-166.78 (12)
O1w—Na1—O1—C2	111.82 (14)	O3—V1—N1—N2	-10.99 (11)
N6 ⁱ —Na1—O1—C2	-73.98 (14)	C9—N1—N2—C10	-175.67 (16)
O4—Na1—O1—C2	-153.43 (13)	V1—N1—N2—C10	7.56 (18)
O5—V1—O2—C8	69.85 (17)	O10—V2—N4—C24	87.21 (17)
O4—V1—O2—C8	-178.35 (16)	O9—V2—N4—C24	-102.38 (18)
O3—V1—O2—C8	-77.29 (19)	O7—V2—N4—C24	-15.73 (16)
N1—V1—O2—C8	-33.38 (16)	O8—V2—N4—C24	-174.41 (18)
O5—V1—O2—Na1	-107.86 (7)	O10—V2—N4—N5	-88.64 (13)
O4—V1—O2—Na1	3.95 (7)	O9—V2—N4—N5	81.78 (16)
O3—V1—O2—Na1	105.01 (10)	O7—V2—N4—N5	168.43 (13)
N1—V1—O2—Na1	148.91 (7)	O8—V2—N4—N5	9.74 (11)
O3w—Na1—O2—C8	27.16 (16)	C24—N4—N5—C25	176.69 (16)
O2w—Na1—O2—C8	166.35 (12)	V2—N4—N5—C25	-6.87 (18)
O1—Na1—O2—C8	-27.53 (12)	C3—O1—C2—C1	-79.2 (2)
O1w—Na1—O2—C8	97.88 (13)	Na1—O1—C2—C1	128.68 (16)
N6 ⁱ —Na1—O2—C8	-100.90 (13)	C2—O1—C3—C4	-2.3 (3)
O4—Na1—O2—C8	179.23 (14)	Na1—O1—C3—C4	151.87 (17)
O3w—Na1—O2—V1	-154.74 (7)	C2—O1—C3—C8	-179.53 (16)
O2w—Na1—O2—V1	-15.55 (9)	Na1—O1—C3—C8	-25.40 (19)
O1—Na1—O2—V1	150.57 (8)	O1—C3—C4—C5	-175.34 (19)
O1w—Na1—O2—V1	-84.02 (6)	C8—C3—C4—C5	1.8 (3)
N6 ⁱ —Na1—O2—V1	77.20 (7)	C3—C4—C5—C6	-1.2 (3)
O4—Na1—O2—V1	-2.67 (5)	C4—C5—C6—C7	-0.3 (3)
O5—V1—O3—C10	-89.13 (14)	C5—C6—C7—C8	1.3 (3)
O4—V1—O3—C10	159.87 (13)	C5—C6—C7—C9	179.06 (19)
O2—V1—O3—C10	58.37 (17)	V1—O2—C8—C7	33.3 (3)
N1—V1—O3—C10	12.58 (13)	Na1—O2—C8—C7	-149.21 (14)
O5—V1—O4—Na1	105.19 (7)	V1—O2—C8—C3	-151.49 (14)
O2—V1—O4—Na1	-3.17 (6)	Na1—O2—C8—C3	26.0 (2)
O3—V1—O4—Na1	-149.36 (5)	C6—C7—C8—O2	174.43 (17)

N1—V1—O4—Na1	-85.00 (11)	C9—C7—C8—O2	-3.2 (3)
O3w—Na1—O4—V1	130.65 (12)	C6—C7—C8—C3	-0.8 (3)
O2—Na1—O4—V1	2.94 (5)	C9—C7—C8—C3	-178.48 (17)
O2w—Na1—O4—V1	170.81 (7)	O1—C3—C8—O2	1.3 (2)
O1—Na1—O4—V1	-24.39 (8)	C4—C3—C8—O2	-176.18 (17)
O1w—Na1—O4—V1	93.78 (6)	O1—C3—C8—C7	176.70 (16)
N6 ⁱ —Na1—O4—V1	-99.88 (7)	C4—C3—C8—C7	-0.7 (3)
O4w—Na2—O6—C18	118.39 (12)	N2—N1—C9—C7	-177.61 (16)
O7—Na2—O6—C18	-31.34 (11)	V1—N1—C9—C7	-1.4 (3)
O1w—Na2—O6—C18	-161.4 (3)	C8—C7—C9—N1	-10.3 (3)
O2w—Na2—O6—C18	38.97 (13)	C6—C7—C9—N1	172.02 (18)
N3 ⁱⁱ —Na2—O6—C18	-133.30 (12)	V1—O3—C10—N2	-13.9 (2)
O9—Na2—O6—C18	-57.44 (13)	V1—O3—C10—C11	163.67 (12)
O4w—Na2—O6—C17	-35.70 (17)	N1—N2—C10—O3	3.3 (2)
O7—Na2—O6—C17	174.58 (17)	N1—N2—C10—C11	-174.22 (15)
O1w—Na2—O6—C17	44.5 (4)	O3—C10—C11—C12	-7.8 (3)
O2w—Na2—O6—C17	-115.11 (16)	N2—C10—C11—C12	169.91 (18)
N3 ⁱⁱ —Na2—O6—C17	72.61 (17)	O3—C10—C11—C15	175.95 (17)
O9—Na2—O6—C17	148.47 (16)	N2—C10—C11—C15	-6.4 (3)
O10—V2—O7—C23	-73.90 (17)	C15—C11—C12—C13	2.1 (3)
O9—V2—O7—C23	173.94 (16)	C10—C11—C12—C13	-174.36 (18)
O8—V2—O7—C23	71.8 (2)	C14—N3—C13—C12	0.4 (3)
N4—V2—O7—C23	30.84 (16)	Na2 ⁱⁱⁱ —N3—C13—C12	-177.51 (17)
O10—V2—O7—Na2	107.11 (7)	C11—C12—C13—N3	-1.9 (3)
O9—V2—O7—Na2	-5.05 (7)	C13—N3—C14—C15	0.9 (3)
O8—V2—O7—Na2	-107.14 (10)	Na2 ⁱⁱⁱ —N3—C14—C15	178.59 (14)
N4—V2—O7—Na2	-148.15 (7)	C12—C11—C15—C14	-1.0 (3)
O4w—Na2—O7—C23	-18.30 (17)	C10—C11—C15—C14	175.36 (17)
O1w—Na2—O7—C23	-158.72 (12)	N3—C14—C15—C11	-0.6 (3)
O2w—Na2—O7—C23	-90.57 (13)	C18—O6—C17—C16	169.99 (18)
N3 ⁱⁱ —Na2—O7—C23	114.48 (13)	Na2—O6—C17—C16	-37.1 (3)
O6—Na2—O7—C23	31.39 (12)	C17—O6—C18—C19	9.2 (3)
O9—Na2—O7—C23	-175.76 (14)	Na2—O6—C18—C19	-148.61 (17)
O4w—Na2—O7—V2	160.87 (7)	C17—O6—C18—C23	-172.29 (17)
O1w—Na2—O7—V2	20.45 (9)	Na2—O6—C18—C23	29.91 (19)
O2w—Na2—O7—V2	88.60 (6)	O6—C18—C19—C20	177.99 (19)
N3 ⁱⁱ —Na2—O7—V2	-66.35 (7)	C23—C18—C19—C20	-0.4 (3)
O6—Na2—O7—V2	-149.44 (8)	C18—C19—C20—C21	1.8 (3)
O9—Na2—O7—V2	3.41 (5)	C19—C20—C21—C22	-0.7 (3)
O10—V2—O8—C25	92.32 (14)	C20—C21—C22—C23	-1.7 (3)
O9—V2—O8—C25	-156.19 (14)	C20—C21—C22—C24	179.70 (19)
O7—V2—O8—C25	-53.77 (18)	V2—O7—C23—C22	-31.7 (3)
N4—V2—O8—C25	-11.03 (13)	Na2—O7—C23—C22	147.24 (15)
O10—V2—O9—Na2	-102.99 (7)	V2—O7—C23—C18	151.86 (14)
O7—V2—O9—Na2	4.06 (6)	Na2—O7—C23—C18	-29.2 (2)
O8—V2—O9—Na2	152.74 (5)	C21—C22—C23—O7	-173.52 (17)
N4—V2—O9—Na2	86.83 (10)	C24—C22—C23—O7	5.0 (3)
O4w—Na2—O9—V2	-146.59 (12)	C21—C22—C23—C18	3.0 (3)

O7—Na2—O9—V2	-3.78 (5)	C24—C22—C23—C18	-178.50 (17)
O1w—Na2—O9—V2	-168.28 (7)	O6—C18—C23—O7	-3.8 (3)
O2w—Na2—O9—V2	-92.62 (6)	C19—C18—C23—O7	174.75 (18)
N3 ⁱⁱ —Na2—O9—V2	105.45 (7)	O6—C18—C23—C22	179.53 (16)
O6—Na2—O9—V2	23.42 (8)	C19—C18—C23—C22	-1.9 (3)
O4w—Na2—O1w—Na1	-83.78 (6)	N5—N4—C24—C22	178.13 (17)
O7—Na2—O1w—Na1	71.33 (7)	V2—N4—C24—C22	2.3 (3)
O2w—Na2—O1w—Na1	-2.65 (5)	C23—C22—C24—N4	7.5 (3)
N3 ⁱⁱ —Na2—O1w—Na1	167.91 (6)	C21—C22—C24—N4	-173.93 (18)
O6—Na2—O1w—Na1	-163.7 (3)	V2—O8—C25—N5	12.0 (2)
O9—Na2—O1w—Na1	87.32 (5)	V2—O8—C25—C26	-166.18 (12)
O3w—Na1—O1w—Na2	-96.64 (6)	N4—N5—C25—O8	-2.6 (2)
O2—Na1—O1w—Na2	127.70 (6)	N4—N5—C25—C26	175.49 (15)
O2w—Na1—O1w—Na2	2.67 (5)	O8—C25—C26—C27	10.4 (3)
O1—Na1—O1w—Na2	-175.03 (5)	N5—C25—C26—C27	-167.87 (18)
N6 ⁱ —Na1—O1w—Na2	22.5 (2)	O8—C25—C26—C30	-171.11 (18)
O4—Na1—O1w—Na2	68.12 (5)	N5—C25—C26—C30	10.6 (3)
O3w—Na1—O2w—Na2	74.19 (6)	C30—C26—C27—C28	0.6 (3)
O2—Na1—O2w—Na2	-77.29 (7)	C25—C26—C27—C28	179.18 (19)
O1—Na1—O2w—Na2	168.8 (2)	C29—N6—C28—C27	-1.8 (3)
O1w—Na1—O2w—Na2	-2.69 (5)	Na1 ^{iv} —N6—C28—C27	173.16 (17)
N6 ⁱ —Na1—O2w—Na2	-176.27 (6)	C26—C27—C28—N6	1.0 (3)
O4—Na1—O2w—Na2	-89.62 (5)	C28—N6—C29—C30	1.0 (3)
O4w—Na2—O2w—Na1	95.68 (6)	Na1 ^{iv} —N6—C29—C30	-174.16 (15)
O7—Na2—O2w—Na1	-123.81 (6)	C27—C26—C30—C29	-1.3 (3)
O1w—Na2—O2w—Na1	2.71 (5)	C25—C26—C30—C29	-179.86 (18)
N3 ⁱⁱ —Na2—O2w—Na1	-19.44 (16)	N6—C29—C30—C26	0.5 (3)

Symmetry codes: (i) $-x+1, y+1/2, -z+3/2$; (ii) $-x, y-1/2, -z+1/2$; (iii) $-x, y+1/2, -z+1/2$; (iv) $-x+1, y-1/2, -z+3/2$.

Hydrogen-bond geometry (\AA , $^\circ$)

$D-H\cdots A$	$D-H$	$H\cdots A$	$D\cdots A$	$D-H\cdots A$
O1w—H12 \cdots N2 ^v	0.84	2.21	2.894 (2)	139
O2w—H21 \cdots N5 ^{vi}	0.84	2.16	2.879 (2)	143
O3w—H32 \cdots O9	0.84	2.01	2.825 (2)	162
O3w—H31 \cdots O10 ^{vii}	0.84	2.23	2.799 (2)	126
O4w—H41 \cdots O4	0.84	2.05	2.865 (2)	162
O4w—H42 \cdots O5 ^{viii}	0.84	2.13	2.822 (2)	139

Symmetry codes: (v) $-x, -y+1, -z+1$; (vi) $-x+1, -y+1, -z+1$; (vii) $x, -y+1/2, z+1/2$; (viii) $x, -y+3/2, z-1/2$.