



Bis(μ -benzoato- κ^2 O:O')bis(benzoato- κ O)octa-butyl-di- μ_3 -oxido-tetratin(IV)

Hans Reuter^{a*} and Coco K. Y. A. Okio^b

^aInstitute of Chemistry of New Materials, University of Osnabrück, Barbarastrasse 7, 49069 Osnabrück, Germany, and
^bDepartamento de Química, Facultad de Ciencias, Universidad Nacional de Colombia, Carrera 30 No 45-03, Bogotá, Colombia. *Correspondence e-mail: hreuter@uos.de

Received 18 January 2017

Accepted 29 January 2017

Edited by M. Zeller, Purdue University, USA

Keywords: crystal structure; dicarboxylate; tetraorganodistannoxane; ladder structure.


CCDC reference: 1530058


Supporting information: this article has supporting information at journals.iucr.org/e

The asymmetric unit of the title compound, $[\{\text{Sn}(\text{C}_4\text{H}_9)_2(\text{C}_6\text{H}_5\text{COO})\}_2\text{O}]_2$, consists of two half molecules, completed by application of inversion symmetry. Both molecules adopt a ladder structure typical for this class of dimeric tetraorganodistannoxane dicarboxylates characterized by a centrosymmetric four-membered ($\text{Sn}-\text{O}$)₂ ring of rhomboidal shape that is extended on both sides by folded six-membered $\text{Sn}-\text{O}-\text{C}$ rings. To a first approximation, both kinds of Sn atoms (Sn_i and Sn_o) are trigonal-bipyramidally coordinated. The bond angles between the *n*-butyl groups are widened [135.64 (7)–146.20 (7)°] in comparison with an ideal trigonal bipyramid. $\text{Sn}-\text{O}$ bond lengths within the $\{\text{R}_2\text{SnO}_3\}$ coordination sphere depend strongly on the position of the corresponding O atom – axial (*ax*) or equatorial (*eq*) – as well as on the functionality of the carboxylate groups which exhibit μ_2 ($-\text{COO}_i$) and μ_1 ($-\text{COO}_o$) coordination modes, respectively. In summary, the following sequence of distances [mean values] is found: $d(\text{Sn}_o-\text{O}\mu_3)_{eq}$ [2.024 (2) Å] < $d(\text{Sn}_i-\text{O}\mu_3)_{eq}$ [2.044 (2) Å] < $d(\text{Sn}_i-\text{O}\mu_3)_{ax}$ [2.158 (6) Å] < $d(\text{Sn}_o-\text{O}\mu_1\text{-carb})_{ax}$ [2.182 (6) Å] < $d(\text{Sn}_i-\text{O}\mu_2\text{-carb})_{ax}$ [2.250 (2) Å] \simeq $d(\text{Sn}_o-\text{O}\mu_2\text{-carb})_{ax}$ [2.247 (12) Å]. The *n*-butyl groups adopt an *anti-anti* conformation with exception of two disordered outer *n*-butyl groups of the second molecule which exhibit *gauche-anti* and *anti-gauche* conformations. Weak intramolecular $\text{Sn}\cdots\text{O}$ interactions between the different O atoms of the outer carboxyl groups with the inner, as well as outer, Sn atoms give rise to a strongly distorted octahedral coordination at these Sn atoms. Intermolecular interactions between the individual molecules are restricted to van der Waals and $\text{O}\cdots\text{H}-\text{C}$ interactions of which a nearly linear very short $\text{C}-\text{H}\cdots\text{O}$ contact between the H atom of the phenyl group of one of the molecules with the outer non-coordinating $\text{C}=\text{O}$ group of the other molecule is the most prominent. It gives rise to a chain-like arrangement of the molecules along [111]. The two *n*-butyl groups attached to the outer Sn atom of one molecule are disordered over two sets of sites with occupancies of 0.806 (3)/0.194 (3) and 0.702 (3)/0.298 (3).

1. Chemical context

Our focus on organotin(IV) carboxylates is due to the variety of architectures and the diverse applications displayed by those compounds (Davies, 1997; Chandrasekhar *et al.*, 2008). In our search of new structures displayed by these compounds and their derivatives, we recently reported the structure of monomeric di-*n*-butyltin (IV) dibenzoate, $n\text{Bu}_2\text{Sn}(\text{OOCPh})_2$ (Reuter & Okio, 2016), with the tin atom sixfold coordinated *via* intramolecular complexation. While that compound has been synthesized by the reaction of di-*n*-butyltin(IV) oxide, $n\text{Bu}_2\text{SnO}$, with benzoic acid, PhCOOH , in a molar ratio of 1:2, we herein present the structure of $[\{n\text{Bu}_2\text{Sn}(\text{OOCPh})\}_2\text{O}]_2$ obtained from the same reactants using a molar ratio of 1:1.





2. Structural commentary

The title compound (Fig. 1) crystallizes with two formula units $[[n\text{Bu}_2\text{Sn}(\text{OOCPh})_2\text{O}]_2]$ in space group $P\bar{1}$. The asymmetric unit consists of one formula unit composed of two half




Figure 1

The asymmetric unit (labelled atoms) of the title compound, showing the atom-labeling scheme and displacement ellipsoids of the non-H atoms at the 50% probability level. *n*-Butyl groups have been omitted for clarity.

Table 1
Selected bond lengths (Å).

Sn1—O1	2.0424 (11)	Sn3—O3	2.0460 (11)
Sn1—C111	2.1335 (19)	Sn3—C311	2.1271 (17)
Sn1—C121	2.1300 (19)	Sn3—C321	2.1268 (18)
Sn1—O1 ⁱ	2.1641 (11)	Sn3—O3 ⁱⁱ	2.1520 (12)
Sn1—O11	2.2507 (12)	Sn3—O31	2.2475 (13)
Sn2—O1	2.0273 (11)	Sn4—O3	2.0214 (11)
Sn2—C211	2.1342 (19)	Sn4—C411	2.1286 (18)
Sn2—C221	2.1282 (19)	Sn4—C421	2.1266 (19)
Sn2—O21	2.1744 (12)	Sn4—O41	2.1886 (13)
Sn2—O12	2.2601 (12)	Sn4—O32	2.2350 (13)

Symmetry codes: (i) $-x, -y + 2, -z$; (ii) $-x + 1, -y + 1, -z + 1$.

molecules, completed by application of inversion symmetry (Fig. 1). With the exception of both *n*-butyl groups attached to the outer Sn atom (Sn4) of the second molecule, all parts of the structure are well ordered. The disorder of the two *n*-butyl groups was managed by a split model with site occupancies of 0.806 (3)/0.194 (3) and 0.702 (3)/0.298 (3). No further consideration will be made for the structural parameters of those *n*-butyl groups. It is noteworthy, however, that this disorder is caused by the conformational flexibility of the *n*-butyl group which adopts – in the case of the major/minor components – a *gauche-anti/anti-gauche* and *anti-gauche/anti-gauche* confor-




Figure 2

Main types of conformations adopted by the *n*-butyl groups of the title compound: (a) *anti-anti*, (b) *anti-gauche* and (c) *gauche-anti*. Displacement ellipsoids of the non-H atoms are drawn at the 50% probability level and bonds to Sn atoms are indicated as short sticks.




Figure 3
Location of axial (*ax*) and equatorial (*eq*) bonds with respect to the trigonal-bipyramidal coordination at the inner (Sn_i) and outer (Sn_o) Sn atoms and of the outer ($-\text{COO}_o$) μ_1 - and inner ($-\text{COO}_i$) μ_2 -carboxylate groups.

mation with respect to the $\text{Sn}-\text{C}_\alpha-\text{C}_\beta-\text{C}_\gamma$ and $\text{C}_\alpha-\text{C}_\beta-\text{C}_\gamma-\text{C}_\delta$ torsion angles (Fig. 2*b,c*). This conformation of the disordered *n*-butyl groups is in contrast to the conformation of all other *n*-butyl groups of both dimers, which show exclusively an *anti-anti* conformation (Fig. 2*a*). Structural parameters (Table 1) within the ordered *n*-butyl groups follow the general trends: $d(\text{C}-\text{C})_{\text{mean}} = 1.521(6) \text{ \AA}$, $\langle (\text{C}-\text{C}_{\beta/\gamma}-\text{C})_{\text{mean}} = 112.6(11)^\circ$ while bond angles at C_α range from $112.5(1)$ to $123.1(1)^\circ$. Sn–C distances are in the range of $2.127(2)$ – $2.134(2) \text{ \AA}$, mean value $2.130(3) \text{ \AA}$.

The Sn–O framework of both molecules adopts the *ladder* structure typical for this class of tetraorganodistannoxane dicarboxylates (Chandrasekhar *et al.*, 2008). This ladder-type structure is characterized by a central, four-membered $(\text{Sn}-\text{O})_2$ ring on both sides extended by six-membered Sn–O–C rings. Its two inner (Sn_i) and two outer (Sn_o) tin atoms are – to a first approximation – fivefold, trigonal-bipyramidally coordinated and linked together *via* two μ_2 -coordinating oxygen atoms (O_i) and two chelating ($-\text{COO}_i$) carboxylate groups. The structure is completed by two monodentate carboxylate groups ($-\text{COO}_o$) attached to the outer tin atoms (Fig. 3).




Figure 4
Folded conformation of the outer six-membered Sn–O–C rings of molecule 1 as an example. Displacement ellipsoids are drawn at the 50% probability level and bonds to C atoms are indicated as short sticks.

The central, planar and centrosymmetric four-membered $(\text{Sn}-\text{O})_2$ rings exhibit acute $[75.90(5)/75.78(5)^\circ]$ angles at tin and obtuse ones $[104.10(5)/104.22(5)^\circ]$ at oxygen. Its rhomboidal shape with different Sn–O distances results from the position of the μ_3 -oxygen atom (O1/O3) within the trigonal-bipyramidal coordination sphere of the inner tin atoms (Sn1/Sn3): bonds where the O atom is in an equatorial (*eq*) position are significantly shorter $[2.042(1)/2.046(1) \text{ \AA}]$ than those where the O atom is in an axial (*ax*) position $[2.164(1)/2.152(1) \text{ \AA}]$. The second axially positioned Sn–O bond at the inner tin atoms is even longer $[2.251(1)/2.248(1) \text{ \AA}]$ as it results from a coordinative bond of the oxygen atom (O11/O31) of the μ_2 -benzoate ligand ($-\text{COO}_i$). In contrast to the prediction of the VSEPR concept, the bond angle between both equatorially positioned *n*-butyl groups is widened to $146.20(7)/141.73(7)^\circ$.

The conformation of the outer, six-membered Sn–O–C rings is defined by an angle of $19.9(1)/23.4(1)^\circ$ between the O–C–O plane and the Sn–O–Sn plane (Fig. 4). In case of the trigonal-bipyramidally coordinated outer tin atoms, Sn–O bond lengths follow the rule: $d(\text{Sn}_o-\text{O}\mu_3)_{\text{eq}} [2.027(1)/2.022(1) \text{ \AA}] < d(\text{Sn}_o-\text{O}\mu_1\text{-carb})_{\text{ax}} [2.175(1)/2.188(1) \text{ \AA}] < d(\text{Sn}_o-\text{O}\mu_2\text{-carb})_{\text{ax}} [2.260(1)/2.235(1) \text{ \AA}]$. Bond angles between the *n*-butyl groups at the tin atoms are $142.49(7)$ and $135.64(7)^\circ$.

The different coordination modes of both benzoate ligands are reflected in different C–O bond lengths: in the case of the monodentate carboxylate group ($-\text{COO}_o$), the C–O bonds are of different strengths: the short, strong one $[1.232(2)/1.222(3) \text{ \AA}]$ indicates a localized C=O double bond whereas the long, weak one $[1.307(2)/1.306(3) \text{ \AA}]$ of the Sn-coordinating oxygen atom indicates a localized C–O single bond. In the case of the bridging benzoate groups ($-\text{COO}_i$) both C–O bonds are of almost equal lengths $[1.259(2), 1.258(2)]$, in accordance with a delocalized π -system. In the two benzoate ligands, the carboxylate groups and the phenyl groups are not co-planar, but are inclined to each other at angles of $15.1(2)$, $14.8(3)/3.9(3)$ and $17.3(1)^\circ$.

Another characteristic feature of the molecular structure comprises some additional, very weak interactions [$d(\text{Sn}\cdots\text{O}) = 2.7857(2)/2.7141(2) \text{ \AA}$] of the μ_1 -O atoms (O21/O41) of the outer carboxylate groups with the inner tin atoms (Sn1/Sn3), while those of the μ_0 -O atoms (O22/O42) of the outer carboxylate groups with the outer tin atoms (Sn2/Sn4) are still longer $[2.8901(2)/2.9883(2) \text{ \AA}]$. Taking these weak interactions into account, both kinds of Sn atoms adopt a strongly distorted octahedral coordination. All bonding features (except the last ones) of the two molecules are summarized in Fig. 5, which also visualizes the major structural differences between the molecules as a result of the different orientations of the *n*-butyl groups relative to the Sn–O framework.

3. Supramolecular features

Intermolecular interactions are restricted to van der Waals and C–H \cdots O contacts. Among the latter, a very short [$d(\text{H}\cdots\text{O}) = 2.487 \text{ \AA}$], nearly linear [$\langle (\text{C}-\text{H}\cdots\text{O}) = 172.6^\circ$]




Figure 5

Stick model showing the principal bonding scheme within the two molecules of the title compound, viewed down the central (Sn–O)₂ ring in order to visualize the different orientations of the *n*-butyl groups with respect to the Sn–O framework of both molecules.

contact between the hydrogen atom H26 of a phenyl ring of molecule 1 and the non-coordinating oxygen atom O42 of the second molecule attracts attention as it leads to a chain-like arrangement of the two molecules along [111] (Fig. 6). All other C–H···O=C contacts are longer than 2.73 Å.

4. Database survey

Tetraorganodistannoxane dicarboxylates, [R₂Sn(OOCR')]₂O, have been extensively structurally characterized. The Cambridge Structural Database (Groom *et al.*, 2016) quotes as many as 214 entries (date: 10.01.2017). The majority of organic

moieties attached to tin are found to be *n*-butyl (145) while for the dicarboxylates benzoic acid derivatives (90) are the most studied. Even for the combination of R = *n*Bu and R' = benzoic acid derivatives not less than 67 structures are described, but from the parent compound with R' = PhCOO[−], only the structure of the methyl compound (R = Me) has been completely characterized (Amini *et al.*, 2002).

5. Synthesis and crystallization

[*n*Bu₂Sn(OOCPh)]₂O₂ was obtained from an equimolar mixture of 0.300 g (1.2 mmol) of *n*-dibutyltin oxide with




Figure 6

The short, nearly linear, C–H···O=C interactions (dashed sticks, blue) between two different neighbouring molecules responsible for the chain-like arrangement along the [111] direction.

Table 2
Experimental details.

Crystal data	
Chemical formula	[Sn ₄ (C ₄ H ₉) ₈ (C ₇ H ₅ O ₂) ₄ O ₂]
<i>M_r</i>	1448.09
Crystal system, space group	Triclinic, <i>P</i> $\bar{1}$
Temperature (K)	100
<i>a</i> , <i>b</i> , <i>c</i> (Å)	14.3221 (6), 14.3742 (6), 17.4049 (7)
α , β , γ (°)	66.915 (2), 81.233 (2), 78.528 (2)
<i>V</i> (Å ³)	3219.3 (2)
<i>Z</i>	2
Radiation type	Mo <i>K</i> α
μ (mm ⁻¹)	1.59
Crystal size (mm)	0.42 × 0.26 × 0.22
Data collection	
Diffractometer	Bruker APEXII CCD
Absorption correction	Multi-scan (<i>SADABS</i> ; Bruker, 2009)
<i>T</i> _{min} , <i>T</i> _{max}	0.556, 0.722
No. of measured, independent and observed [<i>I</i> > 2 σ (<i>I</i>)] reflections	137897, 15505, 13810
<i>R</i> _{int}	0.035
(<i>sin</i> θ / λ) _{max} (Å ⁻¹)	0.661
Refinement	
<i>R</i> [<i>F</i> ² > 2 σ (<i>F</i> ²)], <i>wR</i> (<i>F</i> ²), <i>S</i>	0.019, 0.043, 1.04
No. of reflections	15505
No. of parameters	710
No. of restraints	12
H-atom treatment	H-atom parameters constrained
$\Delta\rho_{\text{max}}$, $\Delta\rho_{\text{min}}$ (e Å ⁻³)	0.81, -0.61

Computer programs: *APEX2* and *SAINT* (Bruker, 2009), *SHELXS97* (Sheldrick, 2008), *SHELXL2014* (Sheldrick, 2015), *DIAMOND* (Brandenburg, 2006), *Mercury* (Macrae *et al.*, 2008) and *SHELXTL* (Sheldrick, 2008).

0.147 g (1.2 mmol) of benzoic acid in ethanol under reflux for 3.5 h. After removal of the solvent, single crystals were obtained by recrystallization of the solid from ethanol/*n*-hexane.

6. Refinement

Crystal data, data collection and structure refinement details are summarized in Table 2. Most of the hydrogen atoms were clearly identified in difference Fourier syntheses. Their posi-

tions were calculated assuming idealized geometries and allowed to ride on the carbon atoms with C–H = 0.98 Å (–CH₃), 0.99 Å (–CH₂–), and 0.95 Å (C–H_{arom}) using one common isotropic displacement parameter for each *n*-butyl and phenyl group. Disorder of both *n*-butyl groups at the outer Sn atom (Sn4) of the second molecule was refined using a split model with site occupancies of 0.806 (3)/0.194 (3) and 0.702 (3)/0.298 (3). In order for the structural model to be chemically meaningful, the atomic positions of the minor components were restrained to a target value for the C–C distance [*d*(C–C) = 1.526 (3) Å] and displacement parameters were taken from the chemically equivalent C atoms of the major occupancy component.

Acknowledgements

We thank the Deutsche Forschungsgemeinschaft and the Government of Lower-Saxony for funding the diffractometer and acknowledge support by the Deutsche Forschungsgemeinschaft (DFG) and Open Access Publishing Fund of Osnabrück University.

References

- Amini, M. M., Abadi, S. H., Mirzaee, M., Lügger, T., Hahn, F. E. & Ng, S. W. (2002). *Acta Cryst.* **E58**, m697–m699.
- Brandenburg, K. (2006). *DIAMOND*. Crystal Impact GbR, Bonn, Germany.
- Bruker (2009). *APEX2*, *SADABS* and *SAINT*. Bruker AXS Inc., Madison, Wisconsin, USA.
- Chandrasekhar, V., Singh, P. & Gopal, K. (2008). *Organotin Carboxylate and Sulfonate Clusters*. In *Tin Chemistry – Fundamentals, Frontiers, and Applications* edited by A. G. Davies, M. Gielen, K. H. Pannell & E. R. T. Tiekink. New York: John Wiley & Sons.
- Davies, A. G. (1997). In *Organotin Chemistry*. Weinheim: VCH.
- Groom, C. R., Bruno, I. J., Lightfoot, M. P. & Ward, S. C. (2016). *Acta Cryst.* **B72**, 171–179.
- Macrae, C. F., Bruno, I. J., Chisholm, J. A., Edgington, P. R., McCabe, P., Pidcock, E., Rodriguez-Monge, L., Taylor, R., van de Streek, J. & Wood, P. A. (2008). *J. Appl. Cryst.* **41**, 466–470.
- Reuter, H. & Okio, C. K. Y. A. (2016). *Acta Cryst.* **E72**, 897–900.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
- Sheldrick, G. M. (2015). *Acta Cryst.* **C71**, 3–8.

supporting information

Acta Cryst. (2017). E73, 322-326 [https://doi.org/10.1107/S2056989017001505]

Bis(μ -benzoato- κ^2 O:O')bis(benzoato- κ O)octabutyldi- μ_3 -oxido-tetratin(IV)

Hans Reuter and Coco K. Y. A. Okio

Computing details

Data collection: *APEX2* (Bruker, 2009); cell refinement: *SAINT* (Bruker, 2009); data reduction: *SAINT* (Bruker, 2009); program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL2014* (Sheldrick, 2015); molecular graphics: *DIAMOND* (Brandenburg, 2006) and *Mercury* (Macrae *et al.*, 2008); software used to prepare material for publication: *SHELXTL* (Sheldrick, 2008).

Bis(μ -benzoato- κ^2 O:O')bis(benzoato- κ O)octabutyldi- μ_3 -oxido-tetratin(IV)

Crystal data

[Sn₄(C₄H₉)₈(C₇H₅O₂)₄O₂]

$M_r = 1448.09$

Triclinic, $P\bar{1}$

$a = 14.3221$ (6) Å

$b = 14.3742$ (6) Å

$c = 17.4049$ (7) Å

$\alpha = 66.915$ (2)°

$\beta = 81.233$ (2)°

$\gamma = 78.528$ (2)°

$V = 3219.3$ (2) Å³

$Z = 2$

$F(000) = 1464$

$D_x = 1.494$ Mg m⁻³

Mo $K\alpha$ radiation, $\lambda = 0.71073$ Å

Cell parameters from 9485 reflections

$\theta = 2.4$ – 28.3 °

$\mu = 1.59$ mm⁻¹

$T = 100$ K

Parallelepiped, colourless

$0.42 \times 0.26 \times 0.22$ mm

Data collection

Bruker APEXII CCD

diffractometer

φ and ω scans

Absorption correction: multi-scan

(SADABS; Bruker, 2009)

$T_{\min} = 0.556$, $T_{\max} = 0.722$

137897 measured reflections

15505 independent reflections

13810 reflections with $I > 2\sigma(I)$

$R_{\text{int}} = 0.035$

$\theta_{\max} = 28.0$ °, $\theta_{\min} = 1.9$ °

$h = -18$ → 18

$k = -18$ → 18

$l = -22$ → 22

Refinement

Refinement on F^2

Least-squares matrix: full

$R[F^2 > 2\sigma(F^2)] = 0.019$

$wR(F^2) = 0.043$

$S = 1.04$

15505 reflections

710 parameters

12 restraints

Hydrogen site location: inferred from neighbouring sites

H-atom parameters constrained

$w = 1/[\sigma^2(F_o^2) + (0.0156P)^2 + 2.1897P]$

where $P = (F_o^2 + 2F_c^2)/3$

$(\Delta/\sigma)_{\max} = 0.003$

$\Delta\rho_{\max} = 0.81$ e Å⁻³

$\Delta\rho_{\min} = -0.61$ e Å⁻³

Special details

Geometry. All esds (except the esd in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell esds are taken into account individually in the estimation of esds in distances, angles and torsion angles; correlations between esds in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell esds is used for estimating esds involving l.s. planes.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$	Occ. (<1)
Sn1	-0.03987 (2)	0.92445 (2)	-0.03511 (2)	0.01446 (3)	
Sn2	0.03972 (2)	0.81339 (2)	0.18341 (2)	0.01445 (3)	
O1	0.01698 (9)	0.91985 (9)	0.06728 (7)	0.0160 (2)	
C111	-0.19099 (13)	0.94730 (15)	-0.00704 (12)	0.0233 (4)	
H111	-0.2031	0.9302	0.0542	0.053 (3)*	
H112	-0.2144	1.0213	-0.0346	0.053 (3)*	
C112	-0.25200 (14)	0.88943 (17)	-0.03089 (13)	0.0284 (4)	
H113	-0.2288	0.8151	-0.0052	0.053 (3)*	
H114	-0.2447	0.9092	-0.0925	0.053 (3)*	
C113	-0.35776 (16)	0.9103 (2)	-0.00266 (16)	0.0420 (6)	
H115	-0.3646	0.8954	0.0583	0.053 (3)*	
H116	-0.3822	0.9838	-0.0316	0.053 (3)*	
C114	-0.4177 (2)	0.8465 (2)	-0.0209 (2)	0.0613 (8)	
H117	-0.4107	0.8604	-0.0812	0.053 (3)*	
H118	-0.4850	0.8641	-0.0035	0.053 (3)*	
H119	-0.3960	0.7737	0.0100	0.053 (3)*	
C121	0.07447 (14)	0.89110 (14)	-0.11872 (11)	0.0208 (4)	
H121	0.0584	0.8403	-0.1379	0.056 (3)*	
H122	0.0818	0.9543	-0.1685	0.056 (3)*	
C122	0.16874 (15)	0.84947 (17)	-0.07840 (13)	0.0295 (4)	
H123	0.1799	0.8959	-0.0523	0.056 (3)*	
H124	0.1635	0.7819	-0.0332	0.056 (3)*	
C123	0.25439 (15)	0.83781 (19)	-0.13868 (14)	0.0357 (5)	
H125	0.2546	0.9027	-0.1880	0.056 (3)*	
H126	0.2481	0.7837	-0.1585	0.056 (3)*	
C124	0.34921 (18)	0.8106 (2)	-0.09965 (19)	0.0550 (7)	
H127	0.4016	0.8008	-0.1404	0.056 (3)*	
H128	0.3490	0.7472	-0.0499	0.056 (3)*	
H129	0.3581	0.8661	-0.0835	0.056 (3)*	
C211	-0.08718 (13)	0.81715 (15)	0.26495 (11)	0.0219 (4)	
H211	-0.1395	0.8575	0.2287	0.048 (2)*	
H212	-0.1013	0.7461	0.2914	0.048 (2)*	
C212	-0.09632 (14)	0.85724 (15)	0.33488 (11)	0.0227 (4)	
H213	-0.0853	0.9294	0.3110	0.048 (2)*	
H214	-0.0471	0.8168	0.3744	0.048 (2)*	
C213	-0.19597 (16)	0.8503 (2)	0.38207 (15)	0.0380 (5)	
H215	-0.2445	0.8888	0.3414	0.048 (2)*	
H216	-0.2057	0.7777	0.4060	0.048 (2)*	
C214	-0.21275 (15)	0.89078 (17)	0.45179 (14)	0.0324 (5)	

H217	-0.1995	0.9613	0.4296	0.048 (2)*
H218	-0.1702	0.8480	0.4958	0.048 (2)*
H219	-0.2794	0.8893	0.4752	0.048 (2)*
C221	0.17341 (14)	0.72163 (14)	0.17206 (12)	0.0222 (4)
H221	0.2129	0.7640	0.1242	0.045 (2)*
H222	0.2064	0.7037	0.2232	0.045 (2)*
C222	0.17112 (16)	0.62290 (15)	0.15960 (13)	0.0284 (4)
H223	0.1299	0.5808	0.2060	0.045 (2)*
H224	0.1422	0.6400	0.1066	0.045 (2)*
C223	0.26983 (18)	0.56040 (18)	0.15659 (15)	0.0411 (6)
H225	0.3008	0.5474	0.2077	0.045 (2)*
H226	0.3097	0.6003	0.1076	0.045 (2)*
C224	0.2651 (2)	0.4579 (2)	0.15053 (19)	0.0641 (9)
H227	0.2338	0.4704	0.1003	0.064 (3)*
H228	0.2284	0.4168	0.2004	0.064 (3)*
H229	0.3300	0.4211	0.1470	0.064 (3)*
O11	-0.03864 (10)	0.75409 (9)	0.01683 (8)	0.0241 (3)
O12	-0.03990 (10)	0.71155 (10)	0.15460 (8)	0.0236 (3)
C11	-0.04706 (13)	0.69199 (13)	0.09152 (11)	0.0196 (4)
C12	-0.06755 (14)	0.58777 (14)	0.10684 (12)	0.0237 (4)
C13	-0.09874 (17)	0.56773 (16)	0.04403 (14)	0.0346 (5)
H13	-0.1063	0.6199	-0.0099	0.047 (3)*
C14	-0.1189 (2)	0.47041 (19)	0.06069 (16)	0.0492 (7)
H14	-0.1411	0.4564	0.0182	0.047 (3)*
C15	-0.1068 (2)	0.39439 (18)	0.13877 (17)	0.0482 (7)
H15	-0.1205	0.3282	0.1497	0.047 (3)*
C16	-0.0750 (2)	0.41364 (17)	0.20105 (16)	0.0439 (6)
H16	-0.0659	0.3607	0.2544	0.047 (3)*
C17	-0.05638 (17)	0.51081 (15)	0.18543 (14)	0.0329 (5)
H17	-0.0359	0.5248	0.2287	0.047 (3)*
O21	0.09580 (9)	0.93884 (9)	0.19155 (7)	0.0191 (3)
O22	0.13977 (9)	0.81985 (9)	0.31306 (8)	0.0213 (3)
C21	0.13446 (12)	0.90883 (14)	0.26235 (11)	0.0172 (3)
C22	0.17197 (13)	0.98877 (14)	0.27895 (11)	0.0179 (4)
C23	0.14682 (14)	1.09279 (14)	0.23253 (12)	0.0219 (4)
H23	0.1055	1.1143	0.1889	0.030 (3)*
C24	0.18210 (15)	1.16491 (16)	0.24995 (13)	0.0290 (4)
H24	0.1648	1.2357	0.2183	0.030 (3)*
C25	0.24249 (15)	1.13388 (17)	0.31330 (14)	0.0318 (5)
H25	0.2669	1.1834	0.3249	0.030 (3)*
C26	0.26727 (15)	1.03149 (17)	0.35949 (14)	0.0307 (5)
H26	0.3087	1.0107	0.4030	0.030 (3)*
C27	0.23215 (13)	0.95773 (16)	0.34305 (12)	0.0231 (4)
H27	0.2492	0.8871	0.3753	0.030 (3)*
Sn3	0.61120 (2)	0.44791 (2)	0.52321 (2)	0.01354 (3)
Sn4	0.49447 (2)	0.36021 (2)	0.38939 (2)	0.01504 (3)
O3	0.50553 (8)	0.43974 (9)	0.46018 (7)	0.0150 (2)
C311	0.60956 (13)	0.34279 (13)	0.64978 (11)	0.0186 (4)

H311	0.6765	0.3155	0.6639	0.038 (2)*
H312	0.5800	0.3807	0.6864	0.038 (2)*
C312	0.55676 (14)	0.25282 (14)	0.67031 (11)	0.0215 (4)
H313	0.5861	0.2136	0.6347	0.038 (2)*
H314	0.4893	0.2789	0.6574	0.038 (2)*
C313	0.55999 (17)	0.18205 (15)	0.76230 (12)	0.0303 (5)
H315	0.6275	0.1563	0.7750	0.038 (2)*
H316	0.5308	0.2216	0.7978	0.038 (2)*
C314	0.5076 (2)	0.09152 (19)	0.78418 (15)	0.0478 (7)
H317	0.5082	0.0509	0.8444	0.038 (2)*
H318	0.5396	0.0489	0.7527	0.038 (2)*
H319	0.4414	0.1165	0.7695	0.038 (2)*
C321	0.69759 (14)	0.54809 (15)	0.42927 (12)	0.0239 (4)
H321	0.6832	0.6157	0.4345	0.036 (4)*
H322	0.7656	0.5210	0.4397	0.036 (4)*
C322	0.68403 (14)	0.56270 (14)	0.34011 (11)	0.0216 (4)
H323	0.6148	0.5759	0.3329	0.042 (3)*
H324	0.7117	0.4988	0.3307	0.042 (3)*
C323	0.73061 (15)	0.65076 (16)	0.27503 (13)	0.0293 (4)
H325	0.7083	0.7131	0.2881	0.042 (3)*
H326	0.8008	0.6341	0.2779	0.042 (3)*
C324	0.70742 (17)	0.6723 (2)	0.18683 (14)	0.0442 (6)
H327	0.6382	0.6914	0.1831	0.042 (3)*
H328	0.7295	0.6108	0.1735	0.042 (3)*
H329	0.7396	0.7286	0.1469	0.042 (3)*
O31	0.69881 (10)	0.31322 (10)	0.49789 (8)	0.0261 (3)
O32	0.65313 (9)	0.31492 (10)	0.38033 (8)	0.0201 (3)
C31	0.71303 (13)	0.28987 (13)	0.43385 (11)	0.0173 (3)
C32	0.80661 (12)	0.22829 (13)	0.42121 (11)	0.0162 (3)
C33	0.87661 (13)	0.20435 (14)	0.47628 (11)	0.0205 (4)
H33	0.8650	0.2278	0.5214	0.028 (3)*
C34	0.96322 (14)	0.14621 (15)	0.46514 (13)	0.0260 (4)
H34	1.0107	0.1292	0.5031	0.028 (3)*
C35	0.98102 (14)	0.11283 (15)	0.39920 (12)	0.0251 (4)
H35	1.0408	0.0733	0.3917	0.028 (3)*
C36	0.91186 (14)	0.13692 (14)	0.34414 (12)	0.0238 (4)
H36	0.9243	0.1141	0.2987	0.028 (3)*
C37	0.82457 (13)	0.19424 (13)	0.35504 (11)	0.0192 (4)
H37	0.7770	0.2103	0.3173	0.028 (3)*
O41	0.34751 (9)	0.43755 (10)	0.39771 (8)	0.0209 (3)
O42	0.30888 (10)	0.32399 (11)	0.35606 (10)	0.0320 (3)
C41	0.28552 (14)	0.39698 (14)	0.37840 (12)	0.0214 (4)
C42	0.18298 (13)	0.44420 (14)	0.38510 (11)	0.0206 (4)
C43	0.15777 (13)	0.54131 (14)	0.38792 (11)	0.0209 (4)
H43	0.2063	0.5783	0.3870	0.032 (3)*
C44	0.06256 (14)	0.58483 (15)	0.39207 (12)	0.0253 (4)
H44	0.0459	0.6517	0.3931	0.032 (3)*
C45	-0.00816 (14)	0.53014 (16)	0.39474 (12)	0.0303 (5)

H45	-0.0735	0.5596	0.3980	0.032 (3)*	
C46	0.01560 (15)	0.43340 (16)	0.39270 (13)	0.0313 (5)	
H46	-0.0334	0.3960	0.3955	0.032 (3)*	
C47	0.11084 (15)	0.39030 (16)	0.38658 (13)	0.0279 (4)	
H47	0.1271	0.3245	0.3834	0.032 (3)*	
C411	0.47723 (15)	0.20853 (14)	0.47207 (12)	0.0259 (4)	0.806 (3)
H411	0.5322	0.1788	0.5070	0.032 (2)*	0.806 (3)
H412	0.4186	0.2113	0.5100	0.032 (2)*	0.806 (3)
C412	0.47008 (15)	0.13829 (16)	0.42666 (14)	0.0222 (5)	0.806 (3)
H413	0.4514	0.0732	0.4682	0.032 (2)*	0.806 (3)
H414	0.4195	0.1712	0.3873	0.032 (2)*	0.806 (3)
C413	0.56410 (18)	0.11528 (19)	0.37830 (17)	0.0267 (6)	0.806 (3)
H415	0.5830	0.1801	0.3365	0.032 (2)*	0.806 (3)
H416	0.6149	0.0818	0.4175	0.032 (2)*	0.806 (3)
C414	0.5540 (4)	0.0455 (5)	0.3339 (5)	0.0358 (11)	0.806 (3)
H417	0.5369	-0.0194	0.3755	0.032 (2)*	0.806 (3)
H418	0.6148	0.0322	0.3026	0.032 (2)*	0.806 (3)
H419	0.5038	0.0787	0.2950	0.032 (2)*	0.806 (3)
C415	0.47723 (15)	0.20853 (14)	0.47207 (12)	0.0259 (4)	0.194 (3)
H431	0.4871	0.1996	0.5298	0.032 (2)*	0.194 (3)
H432	0.4112	0.1976	0.4720	0.032 (2)*	0.194 (3)
C416	0.5483 (5)	0.1284 (6)	0.4462 (5)	0.0222 (5)	0.194 (3)
H433	0.6136	0.1465	0.4355	0.032 (2)*	0.194 (3)
H434	0.5491	0.0601	0.4917	0.032 (2)*	0.194 (3)
C417	0.5168 (9)	0.1268 (9)	0.3670 (6)	0.0267 (6)	0.194 (3)
H435	0.4497	0.1143	0.3788	0.032 (2)*	0.194 (3)
H436	0.5174	0.1960	0.3230	0.032 (2)*	0.194 (3)
C418	0.5738 (19)	0.050 (2)	0.331 (2)	0.0358 (11)	0.194 (3)
H437	0.5589	-0.0187	0.3653	0.032 (2)*	0.194 (3)
H438	0.6423	0.0503	0.3296	0.032 (2)*	0.194 (3)
H439	0.5569	0.0686	0.2734	0.032 (2)*	0.194 (3)
C421	0.50793 (14)	0.43918 (16)	0.25721 (12)	0.0288 (4)	0.702 (3)
H421	0.4501	0.4346	0.2349	0.095 (5)*	0.702 (3)
H422	0.5069	0.5123	0.2462	0.095 (5)*	0.702 (3)
C422	0.5947 (2)	0.4060 (3)	0.20591 (16)	0.0399 (8)	0.702 (3)
H423	0.6515	0.4258	0.2182	0.095 (5)*	0.702 (3)
H424	0.6047	0.3303	0.2259	0.095 (5)*	0.702 (3)
C423	0.5910 (4)	0.4481 (3)	0.11158 (18)	0.0542 (11)	0.702 (3)
H425	0.6524	0.4229	0.0863	0.095 (5)*	0.702 (3)
H426	0.5400	0.4206	0.0983	0.095 (5)*	0.702 (3)
C424	0.5727 (4)	0.5628 (3)	0.0715 (3)	0.0704 (13)	0.702 (3)
H427	0.5133	0.5890	0.0975	0.095 (5)*	0.702 (3)
H428	0.5671	0.5834	0.0114	0.095 (5)*	0.702 (3)
H429	0.6260	0.5908	0.0794	0.095 (5)*	0.702 (3)
C425	0.50793 (14)	0.43918 (16)	0.25721 (12)	0.0288 (4)	0.298 (3)
H441	0.4477	0.4868	0.2411	0.095 (5)*	0.298 (3)
H442	0.5593	0.4815	0.2439	0.095 (5)*	0.298 (3)
C426	0.5292 (7)	0.3773 (4)	0.2019 (3)	0.0399 (8)	0.298 (3)

H443	0.4798	0.3328	0.2146	0.095 (5)*	0.298 (3)
H444	0.5921	0.3332	0.2129	0.095 (5)*	0.298 (3)
C427	0.5303 (7)	0.4492 (8)	0.1100 (4)	0.0542 (11)	0.298 (3)
H445	0.5197	0.4114	0.0760	0.095 (5)*	0.298 (3)
H446	0.4764	0.5061	0.1036	0.095 (5)*	0.298 (3)
C428	0.6228 (7)	0.4941 (10)	0.0753 (7)	0.0704 (13)	0.298 (3)
H447	0.6742	0.4404	0.0696	0.095 (5)*	0.298 (3)
H448	0.6398	0.5217	0.1138	0.095 (5)*	0.298 (3)
H449	0.6139	0.5491	0.0204	0.095 (5)*	0.298 (3)

Atomic displacement parameters (Å²)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
Sn1	0.01998 (6)	0.01333 (6)	0.01166 (5)	-0.00403 (4)	-0.00460 (4)	-0.00444 (4)
Sn2	0.01999 (6)	0.01252 (5)	0.01096 (5)	-0.00310 (4)	-0.00446 (4)	-0.00309 (4)
O1	0.0237 (7)	0.0134 (6)	0.0119 (6)	-0.0047 (5)	-0.0060 (5)	-0.0034 (5)
C111	0.0221 (10)	0.0275 (10)	0.0200 (9)	-0.0060 (8)	-0.0013 (7)	-0.0077 (8)
C112	0.0265 (11)	0.0358 (11)	0.0240 (10)	-0.0126 (9)	-0.0039 (8)	-0.0080 (9)
C113	0.0271 (12)	0.0532 (15)	0.0417 (14)	-0.0121 (11)	-0.0038 (10)	-0.0104 (12)
C114	0.0381 (15)	0.0655 (19)	0.073 (2)	-0.0225 (14)	-0.0170 (14)	-0.0069 (16)
C121	0.0288 (10)	0.0183 (9)	0.0146 (8)	-0.0013 (7)	-0.0036 (7)	-0.0058 (7)
C122	0.0271 (11)	0.0399 (12)	0.0250 (10)	0.0014 (9)	-0.0049 (8)	-0.0181 (9)
C123	0.0273 (11)	0.0444 (13)	0.0343 (12)	-0.0001 (10)	-0.0003 (9)	-0.0170 (10)
C124	0.0310 (14)	0.075 (2)	0.0684 (19)	0.0012 (13)	-0.0057 (13)	-0.0405 (17)
C211	0.0224 (10)	0.0254 (10)	0.0177 (9)	-0.0050 (8)	-0.0014 (7)	-0.0073 (8)
C212	0.0257 (10)	0.0232 (9)	0.0180 (9)	-0.0020 (8)	-0.0018 (7)	-0.0072 (8)
C213	0.0255 (11)	0.0577 (15)	0.0383 (13)	-0.0062 (10)	0.0007 (9)	-0.0273 (12)
C214	0.0274 (11)	0.0375 (12)	0.0326 (11)	-0.0053 (9)	0.0045 (9)	-0.0160 (10)
C221	0.0241 (10)	0.0206 (9)	0.0194 (9)	0.0009 (7)	-0.0059 (7)	-0.0055 (7)
C222	0.0387 (12)	0.0238 (10)	0.0234 (10)	0.0078 (9)	-0.0146 (9)	-0.0113 (8)
C223	0.0493 (15)	0.0375 (13)	0.0340 (12)	0.0182 (11)	-0.0159 (11)	-0.0179 (10)
C224	0.093 (2)	0.0501 (16)	0.0583 (18)	0.0388 (16)	-0.0441 (17)	-0.0395 (15)
O11	0.0392 (8)	0.0160 (6)	0.0186 (6)	-0.0080 (6)	-0.0065 (6)	-0.0047 (5)
O12	0.0336 (8)	0.0209 (7)	0.0199 (7)	-0.0118 (6)	-0.0041 (6)	-0.0070 (5)
C11	0.0216 (9)	0.0169 (8)	0.0217 (9)	-0.0055 (7)	-0.0041 (7)	-0.0067 (7)
C12	0.0298 (11)	0.0181 (9)	0.0253 (10)	-0.0091 (8)	-0.0034 (8)	-0.0074 (8)
C13	0.0539 (15)	0.0278 (11)	0.0285 (11)	-0.0166 (10)	-0.0072 (10)	-0.0109 (9)
C14	0.080 (2)	0.0385 (13)	0.0453 (15)	-0.0297 (13)	-0.0080 (14)	-0.0217 (12)
C15	0.0745 (19)	0.0235 (11)	0.0524 (16)	-0.0250 (12)	-0.0031 (14)	-0.0127 (11)
C16	0.0651 (17)	0.0221 (11)	0.0421 (14)	-0.0184 (11)	-0.0102 (12)	-0.0016 (10)
C17	0.0469 (14)	0.0218 (10)	0.0301 (11)	-0.0144 (9)	-0.0080 (10)	-0.0038 (9)
O21	0.0271 (7)	0.0183 (6)	0.0144 (6)	-0.0064 (5)	-0.0074 (5)	-0.0054 (5)
O22	0.0281 (7)	0.0194 (6)	0.0166 (6)	-0.0047 (5)	-0.0065 (5)	-0.0048 (5)
C21	0.0166 (9)	0.0220 (9)	0.0156 (8)	-0.0042 (7)	-0.0017 (7)	-0.0089 (7)
C22	0.0177 (9)	0.0240 (9)	0.0165 (8)	-0.0067 (7)	0.0020 (7)	-0.0120 (7)
C23	0.0242 (10)	0.0243 (9)	0.0207 (9)	-0.0084 (8)	-0.0006 (7)	-0.0105 (8)
C24	0.0317 (11)	0.0271 (10)	0.0338 (11)	-0.0112 (9)	0.0029 (9)	-0.0163 (9)
C25	0.0280 (11)	0.0412 (12)	0.0427 (13)	-0.0153 (9)	0.0014 (9)	-0.0301 (11)

C26	0.0251 (11)	0.0449 (13)	0.0345 (11)	-0.0078 (9)	-0.0076 (9)	-0.0248 (10)
C27	0.0208 (9)	0.0311 (10)	0.0225 (9)	-0.0050 (8)	-0.0029 (7)	-0.0144 (8)
Sn3	0.01207 (6)	0.01606 (6)	0.01332 (5)	-0.00164 (4)	-0.00290 (4)	-0.00592 (4)
Sn4	0.01779 (6)	0.01416 (6)	0.01564 (6)	-0.00312 (4)	-0.00384 (4)	-0.00697 (5)
O3	0.0146 (6)	0.0162 (6)	0.0170 (6)	-0.0018 (5)	-0.0040 (5)	-0.0085 (5)
C311	0.0227 (9)	0.0187 (9)	0.0153 (8)	-0.0010 (7)	-0.0057 (7)	-0.0069 (7)
C312	0.0264 (10)	0.0192 (9)	0.0189 (9)	-0.0037 (7)	-0.0028 (7)	-0.0067 (7)
C313	0.0423 (13)	0.0243 (10)	0.0216 (10)	-0.0065 (9)	-0.0002 (9)	-0.0060 (8)
C314	0.0714 (19)	0.0361 (13)	0.0316 (13)	-0.0229 (13)	0.0036 (12)	-0.0042 (11)
C321	0.0213 (10)	0.0327 (11)	0.0208 (9)	-0.0136 (8)	0.0007 (7)	-0.0097 (8)
C322	0.0214 (9)	0.0251 (10)	0.0193 (9)	-0.0082 (8)	-0.0011 (7)	-0.0073 (8)
C323	0.0277 (11)	0.0298 (11)	0.0259 (10)	-0.0116 (9)	0.0004 (8)	-0.0032 (9)
C324	0.0353 (13)	0.0579 (16)	0.0235 (11)	-0.0136 (12)	-0.0021 (10)	0.0048 (11)
O31	0.0272 (7)	0.0295 (7)	0.0210 (7)	0.0107 (6)	-0.0070 (6)	-0.0143 (6)
O32	0.0182 (6)	0.0224 (6)	0.0202 (6)	-0.0002 (5)	-0.0036 (5)	-0.0093 (5)
C31	0.0192 (9)	0.0150 (8)	0.0158 (8)	-0.0025 (7)	-0.0011 (7)	-0.0038 (7)
C32	0.0181 (9)	0.0128 (8)	0.0161 (8)	-0.0022 (7)	-0.0003 (7)	-0.0041 (7)
C33	0.0217 (9)	0.0203 (9)	0.0198 (9)	-0.0014 (7)	-0.0026 (7)	-0.0086 (7)
C34	0.0191 (10)	0.0298 (10)	0.0266 (10)	0.0012 (8)	-0.0041 (8)	-0.0094 (8)
C35	0.0207 (10)	0.0221 (9)	0.0278 (10)	0.0022 (8)	0.0040 (8)	-0.0090 (8)
C36	0.0299 (11)	0.0203 (9)	0.0208 (9)	-0.0019 (8)	0.0045 (8)	-0.0107 (8)
C37	0.0228 (9)	0.0169 (8)	0.0182 (9)	-0.0041 (7)	-0.0008 (7)	-0.0066 (7)
O41	0.0168 (6)	0.0246 (7)	0.0268 (7)	-0.0036 (5)	-0.0066 (5)	-0.0135 (6)
O42	0.0298 (8)	0.0325 (8)	0.0454 (9)	-0.0019 (6)	-0.0139 (7)	-0.0245 (7)
C41	0.0232 (10)	0.0228 (9)	0.0212 (9)	-0.0064 (8)	-0.0069 (7)	-0.0080 (8)
C42	0.0197 (9)	0.0254 (9)	0.0168 (9)	-0.0071 (7)	-0.0066 (7)	-0.0042 (7)
C43	0.0197 (9)	0.0256 (9)	0.0168 (9)	-0.0069 (7)	-0.0041 (7)	-0.0046 (7)
C44	0.0228 (10)	0.0261 (10)	0.0204 (9)	-0.0020 (8)	-0.0049 (8)	-0.0014 (8)
C45	0.0180 (10)	0.0374 (12)	0.0241 (10)	-0.0065 (8)	-0.0044 (8)	0.0027 (9)
C46	0.0235 (10)	0.0351 (12)	0.0278 (11)	-0.0155 (9)	-0.0101 (8)	0.0043 (9)
C47	0.0298 (11)	0.0254 (10)	0.0274 (10)	-0.0118 (8)	-0.0106 (8)	-0.0023 (8)
C411	0.0369 (12)	0.0195 (9)	0.0213 (9)	-0.0084 (8)	0.0026 (8)	-0.0075 (8)
C412	0.0230 (12)	0.0159 (11)	0.0273 (12)	-0.0038 (9)	-0.0029 (9)	-0.0071 (9)
C413	0.0244 (15)	0.0209 (11)	0.0358 (14)	-0.0054 (12)	0.0020 (12)	-0.0124 (10)
C414	0.044 (3)	0.0282 (14)	0.0374 (14)	-0.0106 (18)	0.008 (2)	-0.0167 (12)
C415	0.0369 (12)	0.0195 (9)	0.0213 (9)	-0.0084 (8)	0.0026 (8)	-0.0075 (8)
C416	0.0230 (12)	0.0159 (11)	0.0273 (12)	-0.0038 (9)	-0.0029 (9)	-0.0071 (9)
C417	0.0244 (15)	0.0209 (11)	0.0358 (14)	-0.0054 (12)	0.0020 (12)	-0.0124 (10)
C418	0.044 (3)	0.0282 (14)	0.0374 (14)	-0.0106 (18)	0.008 (2)	-0.0167 (12)
C421	0.0311 (11)	0.0333 (11)	0.0175 (9)	0.0016 (9)	-0.0070 (8)	-0.0061 (8)
C422	0.051 (2)	0.0460 (18)	0.0179 (13)	-0.0056 (15)	0.0014 (14)	-0.0094 (13)
C423	0.066 (3)	0.067 (2)	0.0215 (15)	-0.005 (3)	-0.002 (2)	-0.0109 (15)
C424	0.106 (4)	0.060 (3)	0.040 (2)	-0.008 (2)	-0.009 (2)	-0.015 (2)
C425	0.0311 (11)	0.0333 (11)	0.0175 (9)	0.0016 (9)	-0.0070 (8)	-0.0061 (8)
C426	0.051 (2)	0.0460 (18)	0.0179 (13)	-0.0056 (15)	0.0014 (14)	-0.0094 (13)
C427	0.066 (3)	0.067 (2)	0.0215 (15)	-0.005 (3)	-0.002 (2)	-0.0109 (15)
C428	0.106 (4)	0.060 (3)	0.040 (2)	-0.008 (2)	-0.009 (2)	-0.015 (2)

Geometric parameters (Å, °)

Sn1—O1	2.0424 (11)	C311—H312	0.9900
Sn1—C111	2.1335 (19)	C312—C313	1.525 (3)
Sn1—C121	2.1300 (19)	C312—H313	0.9900
Sn1—O1 ⁱ	2.1641 (11)	C312—H314	0.9900
Sn1—O11	2.2507 (12)	C313—C314	1.521 (3)
Sn2—O1	2.0273 (11)	C313—H315	0.9900
Sn2—C211	2.1342 (19)	C313—H316	0.9900
Sn2—C221	2.1282 (19)	C314—H317	0.9800
Sn2—O21	2.1744 (12)	C314—H318	0.9800
Sn2—O12	2.2601 (12)	C314—H319	0.9800
O1—Sn1 ⁱ	2.1641 (11)	C321—C322	1.520 (2)
C111—C112	1.516 (3)	C321—H321	0.9900
C111—H111	0.9900	C321—H322	0.9900
C111—H112	0.9900	C322—C323	1.520 (3)
C112—C113	1.528 (3)	C322—H323	0.9900
C112—H113	0.9900	C322—H324	0.9900
C112—H114	0.9900	C323—C324	1.518 (3)
C113—C114	1.519 (3)	C323—H325	0.9900
C113—H115	0.9900	C323—H326	0.9900
C113—H116	0.9900	C324—H327	0.9800
C114—H117	0.9800	C324—H328	0.9800
C114—H118	0.9800	C324—H329	0.9800
C114—H119	0.9800	O31—C31	1.262 (2)
C121—C122	1.520 (3)	O32—C31	1.261 (2)
C121—H121	0.9900	C31—C32	1.490 (2)
C121—H122	0.9900	C32—C37	1.391 (2)
C122—C123	1.516 (3)	C32—C33	1.393 (2)
C122—H123	0.9900	C33—C34	1.384 (3)
C122—H124	0.9900	C33—H33	0.9500
C123—C124	1.523 (3)	C34—C35	1.381 (3)
C123—H125	0.9900	C34—H34	0.9500
C123—H126	0.9900	C35—C36	1.383 (3)
C124—H127	0.9800	C35—H35	0.9500
C124—H128	0.9800	C36—C37	1.385 (3)
C124—H129	0.9800	C36—H36	0.9500
C211—C212	1.517 (2)	C37—H37	0.9500
C211—H211	0.9900	O41—C41	1.301 (2)
C211—H212	0.9900	O42—C41	1.226 (2)
C212—C213	1.535 (3)	C41—C42	1.498 (3)
C212—H213	0.9900	C42—C43	1.389 (3)
C212—H214	0.9900	C42—C47	1.401 (3)
C213—C214	1.510 (3)	C43—C44	1.386 (3)
C213—H215	0.9900	C43—H43	0.9500
C213—H216	0.9900	C44—C45	1.386 (3)
C214—H217	0.9800	C44—H44	0.9500
C214—H218	0.9800	C45—C46	1.377 (3)

C214—H219	0.9800	C45—H45	0.9500
C221—C222	1.525 (3)	C46—C47	1.388 (3)
C221—H221	0.9900	C46—H46	0.9500
C221—H222	0.9900	C47—H47	0.9500
C222—C223	1.523 (3)	C411—C412	1.532 (2)
C222—H223	0.9900	C411—H411	0.9900
C222—H224	0.9900	C411—H412	0.9900
C223—C224	1.532 (3)	C412—C413	1.525 (2)
C223—H225	0.9900	C412—H413	0.9900
C223—H226	0.9900	C412—H414	0.9900
C224—H227	0.9800	C413—C414	1.525 (3)
C224—H228	0.9800	C413—H415	0.9900
C224—H229	0.9800	C413—H416	0.9900
O11—C11	1.259 (2)	C414—H417	0.9800
O12—C11	1.258 (2)	C414—H418	0.9800
C11—C12	1.496 (2)	C414—H419	0.9800
C12—C13	1.387 (3)	Sn4—C415	2.1285 (18)
C12—C17	1.389 (3)	C415—C416	1.538 (3)
C13—C14	1.394 (3)	C415—H431	0.9900
C13—H13	0.9500	C415—H432	0.9900
C14—C15	1.379 (4)	C416—C417	1.525 (3)
C14—H14	0.9500	C416—H433	0.9900
C15—C16	1.377 (3)	C416—H434	0.9900
C15—H15	0.9500	C417—C418	1.524 (3)
C16—C17	1.387 (3)	C417—H435	0.9900
C16—H16	0.9500	C417—H436	0.9900
C17—H17	0.9500	C418—H437	0.9800
O21—C21	1.307 (2)	C418—H438	0.9800
O22—C21	1.232 (2)	C418—H439	0.9800
C21—C22	1.498 (2)	C421—C422	1.526 (2)
C22—C27	1.392 (2)	C421—H421	0.9900
C22—C23	1.395 (3)	C421—H422	0.9900
C23—C24	1.387 (3)	C422—C423	1.516 (3)
C23—H23	0.9500	C422—H423	0.9900
C24—C25	1.384 (3)	C422—H424	0.9900
C24—H24	0.9500	C423—C424	1.501 (3)
C25—C26	1.375 (3)	C423—H425	0.9900
C25—H25	0.9500	C423—H426	0.9900
C26—C27	1.397 (3)	C424—H427	0.9800
C26—H26	0.9500	C424—H428	0.9800
C27—H27	0.9500	C424—H429	0.9800
Sn3—O3	2.0460 (11)	Sn4—C425	2.1266 (19)
Sn3—C311	2.1271 (17)	C425—C426	1.512 (3)
Sn3—C321	2.1268 (18)	C425—H441	0.9900
Sn3—O3 ⁱⁱ	2.1520 (12)	C425—H442	0.9900
Sn3—O31	2.2475 (13)	C426—C427	1.526 (3)
Sn4—O3	2.0214 (11)	C426—H443	0.9900
Sn4—C411	2.1286 (18)	C426—H444	0.9900

Sn4—C421	2.1266 (19)	C427—C428	1.526 (3)
Sn4—O41	2.1886 (13)	C427—H445	0.9900
Sn4—O32	2.2350 (13)	C427—H446	0.9900
O3—Sn3 ⁱⁱ	2.1521 (12)	C428—H447	0.9800
C311—C312	1.522 (2)	C428—H448	0.9800
C311—H311	0.9900	C428—H449	0.9800
O1—Sn1—C121	108.22 (6)	C312—C311—H312	108.3
O1—Sn1—C111	105.19 (6)	Sn3—C311—H312	108.3
C121—Sn1—C111	146.21 (7)	H311—C311—H312	107.4
O1—Sn1—O1 ⁱ	75.90 (5)	C311—C312—C313	111.66 (15)
C121—Sn1—O1 ⁱ	95.08 (6)	C311—C312—H313	109.3
C111—Sn1—O1 ⁱ	97.77 (6)	C313—C312—H313	109.3
O1—Sn1—O11	92.83 (5)	C311—C312—H314	109.3
C121—Sn1—O11	83.57 (6)	C313—C312—H314	109.3
C111—Sn1—O11	89.94 (6)	H313—C312—H314	107.9
O1 ⁱ —Sn1—O11	167.66 (5)	C314—C313—C312	112.54 (18)
O1—Sn2—C221	106.53 (6)	C314—C313—H315	109.1
O1—Sn2—C211	109.62 (6)	C312—C313—H315	109.1
C221—Sn2—C211	142.50 (7)	C314—C313—H316	109.1
O1—Sn2—O21	80.33 (4)	C312—C313—H316	109.1
C221—Sn2—O21	97.30 (6)	H315—C313—H316	107.8
C211—Sn2—O21	98.22 (6)	C313—C314—H317	109.5
O1—Sn2—O12	88.40 (5)	C313—C314—H318	109.5
C221—Sn2—O12	91.80 (6)	H317—C314—H318	109.5
C211—Sn2—O12	79.66 (6)	C313—C314—H319	109.5
O21—Sn2—O12	167.14 (5)	H317—C314—H319	109.5
Sn2—O1—Sn1	135.12 (6)	H318—C314—H319	109.5
Sn2—O1—Sn1 ⁱ	120.42 (5)	C322—C321—Sn3	114.50 (12)
Sn1—O1—Sn1 ⁱ	104.10 (5)	C322—C321—H321	108.6
C112—C111—Sn1	119.14 (14)	Sn3—C321—H321	108.6
C112—C111—H111	107.5	C322—C321—H322	108.6
Sn1—C111—H111	107.5	Sn3—C321—H322	108.6
C112—C111—H112	107.5	H321—C321—H322	107.6
Sn1—C111—H112	107.5	C321—C322—C323	112.53 (16)
H111—C111—H112	107.0	C321—C322—H323	109.1
C111—C112—C113	112.58 (18)	C323—C322—H323	109.1
C111—C112—H113	109.1	C321—C322—H324	109.1
C113—C112—H113	109.1	C323—C322—H324	109.1
C111—C112—H114	109.1	H323—C322—H324	107.8
C113—C112—H114	109.1	C324—C323—C322	112.11 (18)
H113—C112—H114	107.8	C324—C323—H325	109.2
C114—C113—C112	112.5 (2)	C322—C323—H325	109.2
C114—C113—H115	109.1	C324—C323—H326	109.2
C112—C113—H115	109.1	C322—C323—H326	109.2
C114—C113—H116	109.1	H325—C323—H326	107.9
C112—C113—H116	109.1	C323—C324—H327	109.5
H115—C113—H116	107.8	C323—C324—H328	109.5

C113—C114—H117	109.5	H327—C324—H328	109.5
C113—C114—H118	109.5	C323—C324—H329	109.5
H117—C114—H118	109.5	H327—C324—H329	109.5
C113—C114—H119	109.5	H328—C324—H329	109.5
H117—C114—H119	109.5	C31—O31—Sn3	132.36 (12)
H118—C114—H119	109.5	C31—O32—Sn4	131.00 (12)
C122—C121—Sn1	112.48 (12)	O32—C31—O31	124.28 (17)
C122—C121—H121	109.1	O32—C31—C32	118.13 (15)
Sn1—C121—H121	109.1	O31—C31—C32	117.59 (15)
C122—C121—H122	109.1	C37—C32—C33	119.71 (17)
Sn1—C121—H122	109.1	C37—C32—C31	120.57 (16)
H121—C121—H122	107.8	C33—C32—C31	119.72 (16)
C123—C122—C121	114.20 (17)	C34—C33—C32	119.78 (17)
C123—C122—H123	108.7	C34—C33—H33	120.1
C121—C122—H123	108.7	C32—C33—H33	120.1
C123—C122—H124	108.7	C35—C34—C33	120.40 (18)
C121—C122—H124	108.7	C35—C34—H34	119.8
H123—C122—H124	107.6	C33—C34—H34	119.8
C122—C123—C124	113.1 (2)	C34—C35—C36	119.97 (18)
C122—C123—H125	109.0	C34—C35—H35	120.0
C124—C123—H125	109.0	C36—C35—H35	120.0
C122—C123—H126	109.0	C35—C36—C37	120.20 (17)
C124—C123—H126	109.0	C35—C36—H36	119.9
H125—C123—H126	107.8	C37—C36—H36	119.9
C123—C124—H127	109.5	C36—C37—C32	119.94 (17)
C123—C124—H128	109.5	C36—C37—H37	120.0
H127—C124—H128	109.5	C32—C37—H37	120.0
C123—C124—H129	109.5	C41—O41—Sn4	113.34 (11)
H127—C124—H129	109.5	O42—C41—O41	122.39 (18)
H128—C124—H129	109.5	O42—C41—C42	121.34 (16)
C212—C211—Sn2	123.08 (13)	O41—C41—C42	116.27 (16)
C212—C211—H211	106.6	C43—C42—C47	119.17 (18)
Sn2—C211—H211	106.6	C43—C42—C41	121.47 (16)
C212—C211—H212	106.6	C47—C42—C41	119.35 (17)
Sn2—C211—H212	106.6	C44—C43—C42	120.69 (17)
H211—C211—H212	106.5	C44—C43—H43	119.7
C211—C212—C213	110.73 (16)	C42—C43—H43	119.7
C211—C212—H213	109.5	C45—C44—C43	119.58 (19)
C213—C212—H213	109.5	C45—C44—H44	120.2
C211—C212—H214	109.5	C43—C44—H44	120.2
C213—C212—H214	109.5	C46—C45—C44	120.45 (19)
H213—C212—H214	108.1	C46—C45—H45	119.8
C214—C213—C212	114.65 (18)	C44—C45—H45	119.8
C214—C213—H215	108.6	C45—C46—C47	120.27 (18)
C212—C213—H215	108.6	C45—C46—H46	119.9
C214—C213—H216	108.6	C47—C46—H46	119.9
C212—C213—H216	108.6	C46—C47—C42	119.8 (2)
H215—C213—H216	107.6	C46—C47—H47	120.1

C213—C214—H217	109.5	C42—C47—H47	120.1
C213—C214—H218	109.5	C412—C411—Sn4	113.43 (13)
H217—C214—H218	109.5	C412—C411—H411	108.9
C213—C214—H219	109.5	Sn4—C411—H411	108.9
H217—C214—H219	109.5	C412—C411—H412	108.9
H218—C214—H219	109.5	Sn4—C411—H412	108.9
C222—C221—Sn2	117.13 (13)	H411—C411—H412	107.7
C222—C221—H221	108.0	C413—C412—C411	112.25 (18)
Sn2—C221—H221	108.0	C413—C412—H413	109.2
C222—C221—H222	108.0	C411—C412—H413	109.2
Sn2—C221—H222	108.0	C413—C412—H414	109.2
H221—C221—H222	107.3	C411—C412—H414	109.2
C223—C222—C221	112.96 (18)	H413—C412—H414	107.9
C223—C222—H223	109.0	C414—C413—C412	110.6 (3)
C221—C222—H223	109.0	C414—C413—H415	109.5
C223—C222—H224	109.0	C412—C413—H415	109.5
C221—C222—H224	109.0	C414—C413—H416	109.5
H223—C222—H224	107.8	C412—C413—H416	109.5
C222—C223—C224	112.0 (2)	H415—C413—H416	108.1
C222—C223—H225	109.2	C413—C414—H417	109.5
C224—C223—H225	109.2	C413—C414—H418	109.5
C222—C223—H226	109.2	H417—C414—H418	109.5
C224—C223—H226	109.2	C413—C414—H419	109.5
H225—C223—H226	107.9	H417—C414—H419	109.5
C223—C224—H227	109.5	H418—C414—H419	109.5
C223—C224—H228	109.5	C416—C415—Sn4	111.5 (4)
H227—C224—H228	109.5	C416—C415—H431	109.3
C223—C224—H229	109.5	Sn4—C415—H431	109.3
H227—C224—H229	109.5	C416—C415—H432	109.3
H228—C224—H229	109.5	Sn4—C415—H432	109.3
C11—O11—Sn1	130.39 (12)	H431—C415—H432	108.0
C11—O12—Sn2	136.33 (12)	C417—C416—C415	108.1 (6)
O12—C11—O11	124.52 (16)	C417—C416—H433	110.1
O12—C11—C12	117.39 (16)	C415—C416—H433	110.1
O11—C11—C12	118.09 (16)	C417—C416—H434	110.1
C13—C12—C17	119.84 (18)	C415—C416—H434	110.1
C13—C12—C11	120.83 (18)	H433—C416—H434	108.4
C17—C12—C11	119.32 (17)	C418—C417—C416	118.3 (15)
C12—C13—C14	119.5 (2)	C418—C417—H435	107.7
C12—C13—H13	120.3	C416—C417—H435	107.7
C14—C13—H13	120.3	C418—C417—H436	107.7
C15—C14—C13	120.1 (2)	C416—C417—H436	107.7
C15—C14—H14	119.9	H435—C417—H436	107.1
C13—C14—H14	119.9	C417—C418—H437	109.5
C16—C15—C14	120.6 (2)	C417—C418—H438	109.5
C16—C15—H15	119.7	H437—C418—H438	109.5
C14—C15—H15	119.7	C417—C418—H439	109.5
C15—C16—C17	119.6 (2)	H437—C418—H439	109.5

C15—C16—H16	120.2	H438—C418—H439	109.5
C17—C16—H16	120.2	C422—C421—Sn4	119.24 (15)
C16—C17—C12	120.3 (2)	C422—C421—H421	107.5
C16—C17—H17	119.8	Sn4—C421—H421	107.5
C12—C17—H17	119.8	C422—C421—H422	107.5
C21—O21—Sn2	110.21 (10)	Sn4—C421—H422	107.5
O22—C21—O21	122.11 (16)	H421—C421—H422	107.0
O22—C21—C22	121.51 (15)	C423—C422—C421	117.2 (3)
O21—C21—C22	116.38 (15)	C423—C422—H423	108.0
C27—C22—C23	119.73 (17)	C421—C422—H423	108.0
C27—C22—C21	118.77 (17)	C423—C422—H424	108.0
C23—C22—C21	121.50 (16)	C421—C422—H424	108.0
C24—C23—C22	120.09 (18)	H423—C422—H424	107.3
C24—C23—H23	120.0	C424—C423—C422	114.8 (3)
C22—C23—H23	120.0	C424—C423—H425	108.6
C25—C24—C23	120.1 (2)	C422—C423—H425	108.6
C25—C24—H24	119.9	C424—C423—H426	108.6
C23—C24—H24	119.9	C422—C423—H426	108.6
C26—C25—C24	120.10 (18)	H425—C423—H426	107.6
C26—C25—H25	120.0	C423—C424—H427	109.5
C24—C25—H25	120.0	C423—C424—H428	109.5
C25—C26—C27	120.60 (19)	H427—C424—H428	109.5
C25—C26—H26	119.7	C423—C424—H429	109.5
C27—C26—H26	119.7	H427—C424—H429	109.5
C22—C27—C26	119.37 (19)	H428—C424—H429	109.5
C22—C27—H27	120.3	C426—C425—Sn4	118.6 (3)
C26—C27—H27	120.3	C426—C425—H441	107.7
O3—Sn3—C321	104.42 (6)	Sn4—C425—H441	107.7
O3—Sn3—C311	113.05 (6)	C426—C425—H442	107.7
C321—Sn3—C311	141.73 (7)	Sn4—C425—H442	107.7
O3—Sn3—O3 ⁱⁱ	75.78 (5)	H441—C425—H442	107.1
C321—Sn3—O3 ⁱⁱ	98.78 (7)	C425—C426—C427	109.7 (5)
C311—Sn3—O3 ⁱⁱ	97.63 (6)	C425—C426—H443	109.7
O3—Sn3—O31	88.63 (5)	C427—C426—H443	109.7
C321—Sn3—O31	90.42 (7)	C425—C426—H444	109.7
C311—Sn3—O31	83.17 (6)	C427—C426—H444	109.7
O3 ⁱⁱ —Sn3—O31	163.43 (5)	H443—C426—H444	108.2
O3—Sn4—C411	107.63 (6)	C428—C427—C426	114.1 (8)
O3—Sn4—O41	78.49 (5)	C428—C427—H445	108.7
C411—Sn4—O41	99.90 (7)	C426—C427—H445	108.7
O3—Sn4—O32	90.57 (5)	C428—C427—H446	108.7
C411—Sn4—O32	90.61 (7)	C426—C427—H446	108.7
O41—Sn4—O32	166.67 (5)	H445—C427—H446	107.6
Sn4—O3—Sn3	135.16 (6)	C427—C428—H447	109.5
Sn4—O3—Sn3 ⁱⁱ	120.55 (5)	C427—C428—H448	109.5
Sn3—O3—Sn3 ⁱⁱ	104.22 (5)	H447—C428—H448	109.5
C312—C311—Sn3	115.78 (12)	C427—C428—H449	109.5
C312—C311—H311	108.3	H447—C428—H449	109.5

Sn3—C311—H311	108.3	H448—C428—H449	109.5
C111—C112—C113—C114	-175.8 (2)	Sn1—C111—C112—C113	177.18 (15)
C121—C122—C123—C124	171.8 (2)	Sn1—C121—C122—C123	-172.39 (15)
C211—C212—C213—C214	-178.65 (19)	Sn2—C211—C212—C213	179.79 (14)
C221—C222—C223—C224	175.83 (19)	Sn2—C221—C222—C223	-177.13 (14)
C311—C312—C313—C314	-179.97 (19)	Sn3—C311—C312—C313	179.85 (13)
C321—C322—C323—C324	-173.66 (19)	Sn3—C321—C322—C323	167.95 (14)
C411—C412—C413—C414	-179.9 (4)	Sn4—C411—C412—C413	68.3 (2)
C415—C416—C417—C418	-177.5 (16)	Sn4—C415—C416—C417	-72.2 (7)
C421—C422—C423—C424	55.9 (5)	Sn4—C421—C422—C423	167.1 (3)
C425—C426—C427—C428	79.6 (11)	Sn4—C425—C426—C427	176.8 (5)

Symmetry codes: (i) $-x, -y+2, -z$; (ii) $-x+1, -y+1, -z+1$.